

The Comprehensive L^AT_EX Symbol List

Scott Pakin <scott+cls1@pakin.org>*

25 June 2020

Abstract

This document lists 14599 symbols and the corresponding L^AT_EX commands that produce them. Some of these symbols are guaranteed to be available in every L^AT_EX 2_ε system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. All of the fonts and packages used to prepare this document—as well as this document itself—are freely available from the Comprehensive T_EX Archive Network (<http://www.ctan.org/>).

Contents

Contents	1
1 Introduction	12
1.1 Document Usage	12
1.2 Frequently Requested Symbols	13
2 Body-text symbols	14
Table 1: L ^A T _E X 2 _ε Escapable “Special” Characters	14
Table 2: Predefined L ^A T _E X 2 _ε Text-mode Commands	14
Table 3: L ^A T _E X 2 _ε Commands Defined to Work in Both Math and Text Mode	15
Table 4: \mathcal{AMS} Commands Defined to Work in Both Math and Text Mode	15
Table 5: Non-ASCII Letters (Excluding Accented Letters)	15
Table 6: textgreek Upright Greek Letters	15
Table 7: Letters Used to Typeset African Languages	16
Table 8: Letters Used to Typeset Vietnamese	16
Table 9: Punctuation Marks Not Found in OT1	16
Table 10: pifont Decorative Punctuation Marks	16
Table 11: tipa Phonetic Symbols	17
Table 12: tipx Phonetic Symbols	18
Table 13: wsuipa Phonetic Symbols	19
Table 14: wasysm Phonetic Symbols	19
Table 15: phonetic Phonetic Symbols	19
Table 16: t4phonet Phonetic Symbols	20
Table 17: semtrans Transliteration Symbols	20
Table 18: Text-mode Accents	20
Table 19: tipa Text-mode Accents	21
Table 20: extraipa Text-mode Accents	22
Table 21: wsuipa Text-mode Accents	22
Table 22: phonetic Text-mode Accents	23
Table 23: metre Text-mode Accents	23
Table 24: t4phonet Text-mode Accents	23
Table 25: arcs Text-mode Accents	23
Table 26: semtrans Accents	24
Table 27: ogonek Accents	24

*The original version of this document was written by David Carlisle, with several additional tables provided by Alexander Holt. See Section 10.8 on page 238 for more information about who did what.

Table 28:	combelow Accents	24
Table 29:	wsuipa Diacritics	24
Table 30:	textcomp Diacritics	24
Table 31:	marvosym Diacritics	25
Table 32:	textcomp Currency Symbols	25
Table 33:	marvosym Currency Symbols	25
Table 34:	fontawesome Currency Symbols	25
Table 35:	wasysym Currency Symbols	25
Table 36:	ComixA2e Currency Symbols	26
Table 37:	teubner Currency Symbols	26
Table 38:	tfruppee Currency Symbols	26
Table 39:	eurosym Euro Signs	26
Table 40:	fourier Euro Signs	26
Table 41:	textcomp Legal Symbols	26
Table 42:	fontawesome Legal Symbols	26
Table 43:	cclicenses Creative Commons License Icons	27
Table 44:	ccicons Creative Commons License Icons	27
Table 45:	textcomp Old-style Numerals	27
Table 46:	Miscellaneous textcomp Symbols	27
Table 47:	Miscellaneous wasysym Text-mode Symbols	27

3 Mathematical symbols 29

Table 48:	Math-mode Versions of Text Symbols	29
Table 49:	cmll Unary Operators	29
Table 50:	Binary Operators	30
Table 51:	\mathcal{AMS} Binary Operators	30
Table 52:	stmaryrd Binary Operators	30
Table 53:	wasysym Binary Operators	31
Table 54:	txfonts/pxfonts Binary Operators	31
Table 55:	mathabx Binary Operators	31
Table 56:	MnSymbol Binary Operators	31
Table 57:	fdsymbol Binary Operators	32
Table 58:	boisik Binary Operators	33
Table 59:	stix Binary Operators	34
Table 60:	mathdesign Binary Operators	34
Table 61:	cmll Binary Operators	35
Table 62:	shuffle Binary Operators	35
Table 63:	ulsy Geometric Binary Operators	35
Table 64:	mathabx Geometric Binary Operators	35
Table 65:	MnSymbol Geometric Binary Operators	36
Table 66:	fdsymbol Geometric Binary Operators	36
Table 67:	boisik Geometric Binary Operators	37
Table 68:	stix Geometric Binary Operators	38
Table 69:	halloweenmath Halloween-Themed Math Operators	38
Table 70:	stix Small Integrals	39
Table 71:	stix Small Integrals with Explicit Slant	39
Table 72:	Variable-sized Math Operators	40
Table 73:	\mathcal{AMS} Variable-sized Math Operators	40
Table 74:	stmaryrd Variable-sized Math Operators	40
Table 75:	wasysym Variable-sized Math Operators	40
Table 76:	mathabx Variable-sized Math Operators	41
Table 77:	txfonts/pxfonts Variable-sized Math Operators	42
Table 78:	esint Variable-sized Math Operators	43
Table 79:	bigints Variable-sized Math Operators	43
Table 80:	MnSymbol Variable-sized Math Operators	44
Table 81:	fdsymbol Variable-sized Math Operators	44
Table 82:	boisik Variable-sized Math Operators	45
Table 83:	stix Variable-sized Math Operators	46

Table 84:	stix Integrals with Explicit Slant	47
Table 85:	cmupint Variable-sized Upright Integrals	48
Table 86:	mathdesign Variable-sized Math Operators	49
Table 87:	prodint Variable-sized Math Operators	50
Table 88:	cmll Large Math Operators	50
Table 89:	Binary Relations	50
Table 90:	\mathcal{AMS} Binary Relations	50
Table 91:	\mathcal{AMS} Negated Binary Relations	51
Table 92:	stmaryrd Binary Relations	51
Table 93:	wasysym Binary Relations	51
Table 94:	txfonts/pxfonts Binary Relations	51
Table 95:	txfonts/pxfonts Negated Binary Relations	51
Table 96:	mathabx Binary Relations	52
Table 97:	mathabx Negated Binary Relations	52
Table 98:	MnSymbol Binary Relations	52
Table 99:	MnSymbol Negated Binary Relations	54
Table 100:	fdsymbol Binary Relations	55
Table 101:	fdsymbol Negated Binary Relations	56
Table 102:	boisik Binary Relations	57
Table 103:	boisik Negated Binary Relations	57
Table 104:	stix Binary Relations	58
Table 105:	stix Negated Binary Relations	59
Table 106:	mathtools Binary Relations	59
Table 107:	turnstile Binary Relations	60
Table 108:	trsym Binary Relations	61
Table 109:	trfsigns Binary Relations	61
Table 110:	cmll Binary Relations	61
Table 111:	colonequals Binary Relations	61
Table 112:	fourier Binary Relations	61
Table 113:	Subset and Superset Relations	61
Table 114:	\mathcal{AMS} Subset and Superset Relations	62
Table 115:	stmaryrd Subset and Superset Relations	62
Table 116:	wasysym Subset and Superset Relations	62
Table 117:	txfonts/pxfonts Subset and Superset Relations	62
Table 118:	mathabx Subset and Superset Relations	62
Table 119:	MnSymbol Subset and Superset Relations	63
Table 120:	fdsymbol Subset and Superset Relations	63
Table 121:	boisik Subset and Superset Relations	63
Table 122:	stix Subset and Superset Relations	64
Table 123:	Inequalities	64
Table 124:	\mathcal{AMS} Inequalities	64
Table 125:	wasysym Inequalities	65
Table 126:	txfonts/pxfonts Inequalities	65
Table 127:	mathabx Inequalities	65
Table 128:	MnSymbol Inequalities	66
Table 129:	fdsymbol Inequalities	67
Table 130:	boisik Inequalities	68
Table 131:	stix Inequalities	68
Table 132:	\mathcal{AMS} Triangle Relations	69
Table 133:	stmaryrd Triangle Relations	69
Table 134:	mathabx Triangle Relations	69
Table 135:	MnSymbol Triangle Relations	70
Table 136:	fdsymbol Triangle Relations	71
Table 137:	boisik Triangle Relations	71
Table 138:	stix Triangle Relations	71
Table 139:	Arrows	72
Table 140:	Harpoons	72
Table 141:	textcomp Text-mode Arrows	72

Table 142:	\mathcal{AMS} Arrows	72
Table 143:	\mathcal{AMS} Negated Arrows	72
Table 144:	\mathcal{AMS} Harpoons	72
Table 145:	stmaryrd Arrows	73
Table 146:	txfonts/pxfonts Arrows	73
Table 147:	mathabx Arrows	73
Table 148:	mathabx Negated Arrows	73
Table 149:	mathabx Harpoons	74
Table 150:	MnSymbol Arrows	74
Table 151:	MnSymbol Negated Arrows	75
Table 152:	MnSymbol Harpoons	77
Table 153:	MnSymbol Negated Harpoons	77
Table 154:	fdsymbol Arrows	78
Table 155:	fdsymbol Negated Arrows	79
Table 156:	fdsymbol Harpoons	81
Table 157:	fdsymbol Negated Harpoons	82
Table 158:	boisik Arrows	82
Table 159:	boisik Negated Arrows	83
Table 160:	boisik Harpoons	83
Table 161:	stix Arrows	84
Table 162:	stix Negated Arrows	86
Table 163:	stix Harpoons	86
Table 164:	harpoon Extensible Harpoons	87
Table 165:	chemarrow Arrows	87
Table 166:	fge Arrows	87
Table 167:	old-arrows Arrows	87
Table 168:	old-arrows Harpoons	88
Table 169:	esrelation Restrictions	88
Table 170:	MnSymbol Spoons	88
Table 171:	MnSymbol Pitchforks	88
Table 172:	MnSymbol Smiles and Frowns	89
Table 173:	fdsymbol Spoons	89
Table 174:	fdsymbol Pitchforks	90
Table 175:	fdsymbol Smiles and Frowns	90
Table 176:	halloweenmath Brooms and Pitchforks	90
Table 177:	ulsy Contradiction Symbols	90
Table 178:	Extension Characters	90
Table 179:	stmaryrd Extension Characters	90
Table 180:	txfonts/pxfonts Extension Characters	90
Table 181:	mathabx Extension Characters	91
Table 182:	stix Extension Characters	91
Table 183:	Log-like Symbols	91
Table 184:	\mathcal{AMS} Log-like Symbols	91
Table 185:	mismath Log-like Symbols	92
Table 186:	mismath Asymptotic Notation	92
Table 187:	ꞀA2e Number Sets	92
Table 188:	Greek Letters	93
Table 189:	\mathcal{AMS} Greek Letters	93
Table 190:	txfonts/pxfonts Upright Greek Letters	94
Table 191:	upgreek Upright Greek Letters	94
Table 192:	fourier Variant Greek Letters	94
Table 193:	txfonts/pxfonts Variant Latin Letters	95
Table 194:	boisik Variant Greek Letters	95
Table 195:	boisik Variant Latin Letters	95
Table 196:	stix Variant Greek Letters	95
Table 197:	stix Transformed Greek Letters	95
Table 198:	\mathcal{AMS} Hebrew Letters	95
Table 199:	MnSymbol Hebrew Letters	95

Table 200:	fdsymbol Hebrew Letters	95
Table 201:	boisik Hebrew Letters	95
Table 202:	stix Hebrew Letters	96
Table 203:	Letter-like Symbols	96
Table 204:	\mathcal{AMS} Letter-like Symbols	96
Table 205:	txfonts/pxfonts Letter-like Symbols	96
Table 206:	mathabx Letter-like Symbols	96
Table 207:	MnSymbol Letter-like Symbols	96
Table 208:	fdsymbol Letter-like Symbols	97
Table 209:	boisik Letter-like Symbols	97
Table 210:	stix Letter-like Symbols	97
Table 211:	trfsigns Letter-like Symbols	97
Table 212:	mathdesign Letter-like Symbols	97
Table 213:	fge Letter-like Symbols	97
Table 214:	fourier Letter-like Symbols	98
Table 215:	cmll Letter-like Symbols	98
Table 216:	\mathcal{AMS} Delimiters	98
Table 217:	stmaryrd Delimiters	98
Table 218:	mathabx Delimiters	98
Table 219:	boisik Delimiters	98
Table 220:	stix Delimiters	98
Table 221:	nath Delimiters	98
Table 222:	Variable-sized Delimiters	99
Table 223:	Large, Variable-sized Delimiters	99
Table 224:	\mathcal{AMS} Variable-sized Delimiters	99
Table 225:	stmaryrd Variable-sized Delimiters	99
Table 226:	mathabx Variable-sized Delimiters	100
Table 227:	MnSymbol Variable-sized Delimiters	100
Table 228:	fdsymbol Variable-sized Delimiters	101
Table 229:	stix Variable-sized Delimiters	102
Table 230:	mathdesign Variable-sized Delimiters	103
Table 231:	nath Variable-sized Delimiters (Double)	104
Table 232:	nath Variable-sized Delimiters (Triple)	104
Table 233:	fourier Variable-sized Delimiters	104
Table 234:	textcomp Text-mode Delimiters	104
Table 235:	metre Text-mode Delimiters	105
Table 236:	Math-mode Accents	105
Table 237:	\mathcal{AMS} Math-mode Accents	105
Table 238:	MnSymbol Math-mode Accents	105
Table 239:	fdsymbol Math-mode Accents	106
Table 240:	boisik Math-mode Accents	106
Table 241:	stix Math-mode Accents	106
Table 242:	fge Math-mode Accents	106
Table 243:	yhmath Math-mode Accents	106
Table 244:	halloweenmath Halloween-Themed Math-mode Accents	106
Table 245:	realhats Math-mode Hat Accents	107
Table 246:	Extensible Accents	107
Table 247:	overrightarrow Extensible Accents	107
Table 248:	yhmath Extensible Accents	108
Table 249:	\mathcal{AMS} Extensible Accents	108
Table 250:	MnSymbol Extensible Accents	108
Table 251:	fdsymbol Extensible Accents	108
Table 252:	stix Extensible Accents	109
Table 253:	mathtools Extensible Accents	109
Table 254:	mathabx Extensible Accents	109
Table 255:	fourier Extensible Accents	109
Table 256:	esvect Extensible Accents	110
Table 257:	abraces Extensible Accents	110

Table 258:	undertilde Extensible Accents	110
Table 259:	ushort Extensible Accents	110
Table 260:	mdwmath Extensible Accents	110
Table 261:	actuarialangle Extensible Accents	111
Table 262:	\mathcal{AMS} Extensible Arrows	111
Table 263:	mathtools Extensible Arrows	111
Table 264:	chemarr Extensible Arrows	111
Table 265:	chemarrow Extensible Arrows	111
Table 266:	extrarrows Extensible Arrows	112
Table 267:	extpfeil Extensible Arrows	112
Table 268:	DotArrow Extensible Arrows	112
Table 269:	halloweenmath Extensible Arrows	112
Table 270:	trfsigns Extensible Transform Symbols	112
Table 271:	esrelation Extensible Relations	113
Table 272:	halloweenmath Extensible Brooms and Pitchforks	113
Table 273:	halloweenmath Extensible Witches	113
Table 274:	halloweenmath Extensible Ghosts	114
Table 275:	halloweenmath Extensible Bats	114
Table 276:	holtpolt Non-commutative Division Symbols	114
Table 277:	Dots	114
Table 278:	\mathcal{AMS} Dots	114
Table 279:	wasysym Dots	115
Table 280:	MnSymbol Dots	115
Table 281:	fdsymbol Dots	115
Table 282:	stix Dots	115
Table 283:	mathdots Dots	115
Table 284:	yhmath Dots	116
Table 285:	teubner Dots	116
Table 286:	begriff Begriffsschrift Symbols	116
Table 287:	frege Begriffsschrift Symbols	116
Table 288:	mathcomp Math Symbols	116
Table 289:	marvosym Math Symbols	116
Table 290:	marvosym Digits	117
Table 291:	fge Digits	117
Table 292:	dozenal Base-12 Digits	117
Table 293:	mathabx Mayan Digits	117
Table 294:	stix Infinities	117
Table 295:	stix Primes	117
Table 296:	stix Empty Sets	117
Table 297:	\mathcal{AMS} Angles	117
Table 298:	MnSymbol Angles	117
Table 299:	fdsymbol Angles	118
Table 300:	boisik Angles	118
Table 301:	stix Angles	118
Table 302:	Miscellaneous $\text{\LaTeX} 2_{\epsilon}$ Math Symbols	118
Table 303:	Miscellaneous \mathcal{AMS} Math Symbols	119
Table 304:	Miscellaneous wasysym Math Symbols	119
Table 305:	Miscellaneous txfonts/pxfonts Math Symbols	119
Table 306:	Miscellaneous mathabx Math Symbols	119
Table 307:	Miscellaneous MnSymbol Math Symbols	119
Table 308:	Miscellaneous Internal MnSymbol Math Symbols	120
Table 309:	Miscellaneous fdsymbol Math Symbols	120
Table 310:	Miscellaneous boisik Math Symbols	120
Table 311:	Miscellaneous stix Math Symbols	121
Table 312:	endofproofwd End-of-Proof Symbols	121
Table 313:	Miscellaneous textcomp Text-mode Math Symbols	121
Table 314:	Miscellaneous fge Math Symbols	122
Table 315:	Miscellaneous mathdesign Math Symbols	122

Table 316:	Math Alphabets	123
4	Science and technology symbols	125
Table 317:	gensymb Symbols Defined to Work in Both Math and Text Mode	125
Table 318:	wasysym Electrical and Physical Symbols	125
Table 319:	ifsym Pulse Diagram Symbols	125
Table 320:	ar Aspect Ratio Symbol	125
Table 321:	textcomp Text-mode Science and Engineering Symbols	125
Table 322:	steinmetz Extensible Phasor Symbol	126
Table 323:	emf Electromotive Force Symbols	126
Table 324:	wasysym Astronomical Symbols	126
Table 325:	marvosym Astronomical Symbols	126
Table 326:	fontawesome Astronomical Symbols	127
Table 327:	mathabx Astronomical Symbols	127
Table 328:	stix Astronomical Symbols	127
Table 329:	starfont Astronomical Symbols	128
Table 330:	wasysym APL Symbols	128
Table 331:	stix APL Symbols	128
Table 332:	apl APL Symbols	129
Table 333:	marvosym Computer Hardware Symbols	129
Table 334:	keystroke Computer Keys	129
Table 335:	ascii Control Characters (CP437)	130
Table 336:	logic Logic Gates	130
Table 337:	marvosym Communication Symbols	130
Table 338:	marvosym Engineering Symbols	131
Table 339:	wasysym Biological Symbols	131
Table 340:	stix Biological Symbols	131
Table 341:	marvosym Biological Symbols	131
Table 342:	fontawesome Biological Symbols	131
Table 343:	marvosym Safety-related Symbols	131
Table 344:	feyn Feynman Diagram Symbols	132
Table 345:	svrsymbols Physics Ideograms	132
5	Dingbats	134
Table 346:	bbding Arrows	134
Table 347:	pifont Arrows	134
Table 348:	adfsymbols Arrows	134
Table 349:	adfor Arrows	135
Table 350:	arev Arrows	135
Table 351:	fontawesome Arrows	135
Table 352:	fontawesome Chevrons	135
Table 353:	marvosym Scissors	135
Table 354:	bbding Scissors	135
Table 355:	pifont Scissors	135
Table 356:	dingbat Pencils	136
Table 357:	arev Pencils	136
Table 358:	fontawesome Pencils	136
Table 359:	bbding Pencils and Nibs	136
Table 360:	pifont Pencils and Nibs	136
Table 361:	dingbat Fists	136
Table 362:	bbding Fists	136
Table 363:	pifont Fists	136
Table 364:	fourier Fists	137
Table 365:	arev Fists	137
Table 366:	fontawesome Fists	137
Table 367:	bbding Crosses and Plususes	137
Table 368:	pifont Crosses and Plususes	137
Table 369:	adfsymbols Crosses and Plususes	137

Table 370:	arev Crosses	137
Table 371:	bbding Xs and Check Marks	137
Table 372:	pifont Xs and Check Marks	138
Table 373:	wasysym Xs and Check Marks	138
Table 374:	marvosym Xs and Check Marks	138
Table 375:	arev Xs and Check Marks	138
Table 376:	fontawesome Xs and Check Marks	138
Table 377:	pifont Circled Numerals	138
Table 378:	wasysym Stars	139
Table 379:	bbding Stars, Flowers, and Similar Shapes	139
Table 380:	pifont Stars, Flowers, and Similar Shapes	139
Table 381:	adfsymbols Stars, Flowers, and Similar Shapes	139
Table 382:	adorn Stars	139
Table 383:	fontawesome Stars	140
Table 384:	fourier Fleurons and Flowers	140
Table 385:	adorn Fleurons and Flowers	140
Table 386:	wasysym Geometric Shapes	140
Table 387:	MnSymbol Geometric Shapes	140
Table 388:	fdsymbol Geometric Shapes	141
Table 389:	boisik Geometric Shapes	141
Table 390:	stix Geometric Shapes	141
Table 391:	ifsym Geometric Shapes	143
Table 392:	bbding Geometric Shapes	143
Table 393:	pifont Geometric Shapes	144
Table 394:	universa Geometric Shapes	144
Table 395:	adfsymbols Geometric Shapes	144
Table 396:	fontawesome Geometric Shapes	144
Table 397:	oplotsymb1 Geometric Shapes	144
Table 398:	L ^A T _E X 2 _ε Playing-Card Suits	145
Table 399:	txfonts/pxfonts Playing-Card Suits	145
Table 400:	MnSymbol Playing-Card Suits	145
Table 401:	fdsymbol Playing-Card Suits	145
Table 402:	boisik Playing-Card Suits	145
Table 403:	stix Playing-Card Suits	146
Table 404:	arev Playing-Card Suits	146
Table 405:	adorn Flourishes	146
Table 406:	Miscellaneous oplotsymb1 Symbols	146
Table 407:	Miscellaneous dingbat Dingbats	146
Table 408:	Miscellaneous bbding Dingbats	146
Table 409:	Miscellaneous pifont Dingbats	146
Table 410:	Miscellaneous adorn Dingbats	147

6 Ancient languages 148

Table 411:	phaistos Symbols from the Phaistos Disk	148
Table 412:	protosem Proto-Semitic Characters	148
Table 413:	hieroglf Hieroglyphics	149
Table 414:	linearA Linear A Script	149
Table 415:	linearb Linear B Basic and Optional Letters	152
Table 416:	linearb Linear B Numerals	152
Table 417:	linearb Linear B Weights and Measures	152
Table 418:	linearb Linear B Ideograms	153
Table 419:	linearb Unidentified Linear B Symbols	153
Table 420:	cyriot Cypriot Letters	153
Table 421:	sarabian South Arabian Letters	154
Table 422:	teubner Archaic Greek Letters and Greek Numerals	154
Table 423:	boisik Archaic Greek Letters and Greek Numerals	154
Table 424:	epiolmec Epi-Olmec Script	154
Table 425:	epiolmec Epi-Olmec Numerals	156

Table 426:	allrunes Runes	157
Table 427:	allrunes Rune Separators	157
7	Musical symbols	158
Table 428:	L ^A T _E X 2 _ε Musical Symbols	158
Table 429:	textcomp Musical Symbols	158
Table 430:	wasysym Musical Symbols	158
Table 431:	MnSymbol Musical Symbols	158
Table 432:	fdsymbol Musical Symbols	158
Table 433:	boisik Musical Symbols	158
Table 434:	stix Musical Symbols	158
Table 435:	arev Musical Symbols	158
Table 436:	MusiX _T E _X Musical Symbols	159
Table 437:	MusiX _T E _X Alternative Clefs	160
Table 438:	harmony Musical Symbols	160
Table 439:	musicography Musical Symbols	160
Table 440:	musicography Time Signatures	161
Table 441:	harmony Musical Accents	161
Table 442:	<i>lily</i> lyp _{bs} Single Notes	161
Table 443:	<i>lily</i> lyp _{bs} Beamed Notes	162
Table 444:	<i>lily</i> lyp _{bs} Clefs	162
Table 445:	<i>lily</i> lyp _{bs} Time Signatures	163
Table 446:	<i>lily</i> lyp _{bs} Accidentals	163
Table 447:	<i>lily</i> lyp _{bs} Rests	163
Table 448:	<i>lily</i> lyp _{bs} Dynamics Letters	163
Table 449:	<i>lily</i> lyp _{bs} Dynamics Symbols	163
Table 450:	<i>lily</i> lyp _{bs} Articulations	164
Table 451:	<i>lily</i> lyp _{bs} Scripts	164
Table 452:	<i>lily</i> lyp _{bs} Accordion Notation	164
Table 453:	<i>lily</i> lyp _{bs} Named Time Signatures	164
Table 454:	<i>lily</i> lyp _{bs} Named Scripts	165
Table 455:	<i>lily</i> lyp _{bs} Named Rests	166
Table 456:	<i>lily</i> lyp _{bs} Named Pedals	166
Table 457:	<i>lily</i> lyp _{bs} Named Flags	167
Table 458:	<i>lily</i> lyp _{bs} Named Custodes	167
Table 459:	<i>lily</i> lyp _{bs} Named Clefs	168
Table 460:	<i>lily</i> lyp _{bs} Named Noteheads	169
Table 461:	<i>lily</i> lyp _{bs} Named Accordion Symbols	173
Table 462:	<i>lily</i> lyp _{bs} Named Accidentals	174
Table 463:	<i>lily</i> lyp _{bs} Named Arrowheads	174
Table 464:	<i>lily</i> lyp _{bs} Named Alphanumerics and Punctuation	175
Table 465:	Miscellaneous <i>lily</i> lyp _{bs} Named Musical Symbols	175
8	Other symbols	176
Table 466:	textcomp Genealogical Symbols	176
Table 467:	wasysym General Symbols	176
Table 468:	manfnt Dangerous Bend Symbols	176
Table 469:	Miscellaneous manfnt Symbols	176
Table 470:	marvosym Media Control Symbols	177
Table 471:	marvosym Laundry Symbols	177
Table 472:	marvosym Information Symbols	177

Table 473:	Other <code>marvosym</code> Symbols	177
Table 474:	Miscellaneous <code>universa</code> Symbols	177
Table 475:	Miscellaneous <code>fourier</code> Symbols	177
Table 476:	<code>ifsym</code> Weather Symbols	178
Table 477:	<code>ifsym</code> Alpine Symbols	178
Table 478:	<code>ifsym</code> Clocks	178
Table 479:	Other <code>ifsym</code> Symbols	178
Table 480:	<code>clock</code> Clocks	179
Table 481:	<code>epsdice</code> Dice	179
Table 482:	<code>hhcount</code> Dice	179
Table 483:	<code>stix</code> Dice	179
Table 484:	<code>bullcntr</code> Tally Markers	180
Table 485:	<code>hhcount</code> Tally Markers	180
Table 486:	<code>dozenal</code> Tally Markers	180
Table 487:	<code>skull</code> Symbols	181
Table 488:	Non-Mathematical <code>mathabx</code> Symbols	181
Table 489:	<code>skak</code> Chess Informator Symbols	181
Table 490:	<code>skak</code> Chess Pieces and Chessboard Squares	182
Table 491:	<code>igo</code> Go Symbols	182
Table 492:	<code>go</code> Go Symbols	183
Table 493:	<code>metre</code> Metrical Symbols	183
Table 494:	<code>metre</code> Small and Large Metrical Symbols	183
Table 495:	<code>teubner</code> Metrical Symbols	184
Table 496:	<code>dictsym</code> Dictionary Symbols	184
Table 497:	<code>simpsons</code> Characters from <i>The Simpsons</i>	184
Table 498:	<code>pmbxdraw</code> Box-Drawing Symbols	185
Table 499:	<code>staves</code> Magical Staves	185
Table 500:	<code>pigpen</code> Cipher Symbols	186
Table 501:	<code>GpA2e</code> Phases of the Moon	186
Table 502:	<code>GpA2e</code> Recycling Symbols	186
Table 503:	<code>marvosym</code> Recycling Symbols	187
Table 504:	<code>recycle</code> Recycling Symbols	187
Table 505:	Other <code>GpA2e</code> Symbols	187
Table 506:	<code>soyombo</code> Soyombo Symbols	187
Table 507:	<code>knitting</code> Knitting Symbols	188
Table 508:	<code>countriesofeuope</code> Country Maps	188
Table 509:	<code>euflag</code> European Union flag	190
Table 510:	Miscellaneous <code>arev</code> Symbols	190
Table 511:	<code>cookingsymbols</code> Cooking Symbols	191
Table 512:	<code>tikzsymbols</code> Cooking Symbols	191
Table 513:	<code>tikzsymbols</code> Emoticons	191
Table 514:	<code>tikzsymbols</code> 3D Emoticons	191
Table 515:	<code>tikzsymbols</code> Trees	192
Table 516:	Miscellaneous <code>tikzsymbols</code> Symbols	192
Table 517:	<code>scsnowman</code> Snowmen	192
Table 518:	Miscellaneous <code>bclgo</code> Symbols	192
Table 519:	<code>fontawesome</code> Web-Related Icons	194
Table 520:	<code>rubikcube</code> Rubik’s Cube Rotations	198

9 Fonts with minimal L^AT_EX support 199

Table 521:	<code>hands</code> Fists	199
Table 522:	<code>greenpoint</code> Recycling Symbols	199
Table 523:	<code>nkarta</code> Map Symbols	199
Table 524:	<code>moonphase</code> Astronomical Symbols	201
Table 525:	<code>astrosym</code> Astronomical Symbols	201
Table 526:	<code>webomints</code> Decorative Borders	204
Table 527:	<code>umranda</code> Decorative Borders	205
Table 528:	<code>umrandb</code> Decorative Borders	206

Table 529:	dingbat Decorative Borders	207
Table 530:	knot Celtic Knots	207
Table 531:	dancers Dancing Men	211
Table 532:	semaphor Semaphore Alphabet	213
Table 533:	cryst Crystallography Symbols	215
Table 534:	dice Dice	216
Table 535:	magic Trading Card Symbols	217
Table 536:	bartel-chess-fonts Chess Pieces and Chessboard Squares	217
10	Additional Information	219
10.1	Symbol Name Clashes	219
10.2	Resizing symbols	219
10.3	Where can I find the symbol for ...?	219
10.4	Math-mode spacing	232
10.5	Bold mathematical symbols	233
10.6	ASCII and Latin 1 quick reference	233
10.7	Unicode characters	235
10.8	About this document	238
10.9	Copyright and license	240
	References	241
	Index	242

1 Introduction

Welcome to the Comprehensive L^AT_EX Symbol List! This document strives to be your primary source of L^AT_EX symbol information: font samples, L^AT_EX commands, packages, usage details, caveats—everything needed to put thousands of different symbols at your disposal. All of the fonts covered herein meet the following criteria:

1. They are freely available from the Comprehensive T_EX Archive Network (<http://www.ctan.org/>).
2. All of their symbols have L^AT_EX 2_ε bindings. That is, a user should be able to access a symbol by name (e.g., `\bigtriangleup`)

As of version 12 of the Comprehensive L^AT_EX Symbol List, that second restriction has been relaxed with the inclusion of Section 9, which showcases fonts that provide, at a minimum, either T_EX font-metric files (`.tfm`) or the METAFONT sources (`.mf`) that produce those font-metric files. Some of the Section 9 fonts do include L^AT_EX font-definition files (`.fd`). However, what sets the fonts in Section 9 apart from the fonts in rest of the document is that they lack a L^AT_EX style file (`.sty`) that individually names each of the glyphs.

The restrictions listed above are not particularly limiting criteria; the Comprehensive L^AT_EX Symbol List contains samples of 14599 symbols—quite a large number. Some of these symbols are guaranteed to be available in every L^AT_EX 2_ε system; others require fonts and packages that may not accompany a given distribution and that therefore need to be installed. See <http://www.tex.ac.uk/FAQ-installthings.html> for help with installing new fonts and packages.

1.1 Document Usage

Each section of this document contains a number of font tables. Each table shows a set of symbols, with the corresponding L^AT_EX command to the right of each symbol. A table’s caption indicates what package needs to be loaded in order to access that table’s symbols. For example, the symbols in Table 45, “textcomp Old-Style Numerals”, are made available by putting “`\usepackage{textcomp}`” in your document’s preamble. “*AMS*” means to use the *AMS* packages, viz. `amssymb` and/or `amsmath`. Notes below a table provide additional information about some or all the symbols in that table.

One note that appears a few times in this document, particularly in Section 2, indicates that certain symbols do not exist in the OT1 font encoding (Donald Knuth’s original, 7-bit font encoding, which is the default font encoding for L^AT_EX) and that you should use `fontenc` to select a different encoding, such as T1 (a common 8-bit font encoding). That means that you should put “`\usepackage[encoding]{fontenc}`” in your document’s preamble, where *encoding* is, e.g., T1 or LY1. To limit the change in font encoding to the current group, use “`\fontencoding{encoding}\selectfont`”.

Section 10 contains some additional information about the symbols in this document. It discusses how certain mathematical symbols can vary in height, shows which symbol names are not unique across packages, gives examples of how to create new symbols out of existing symbols, explains how symbols are spaced in math mode, compares various schemes for boldfacing symbols, presents L^AT_EX ASCII and Latin 1 tables, shows how to input and output Unicode characters, and provides some information about this document itself. The Comprehensive L^AT_EX Symbol List ends with an index of all the symbols in the document and various additional useful terms.

A companion document, Raw Font Tables, also presents a large number of symbols but with a very different structure from this document. Raw Font Tables includes only symbols produced via a font file, while this document also includes composite symbols (combinations of two or more glyphs) and symbols drawn as pictures (using, e.g., `TikZ`). This document sorts symbols by category while Raw Font Tables sorts symbols by underlying font file. The two documents are intended to complement each other. It is usually easier to find a desired symbol in The Comprehensive L^AT_EX Symbol List, but Raw Font Tables is helpful for identifying related symbols, for finding symbols that exist in some font but are not exposed to the user via a L^AT_EX package (or that this document inadvertently overlooked), and for the font name and character position needed to typeset a single symbol in isolation. The last of those is especially important for math symbols. T_EX imposes a limitation of at most 16 math alphabets per document, but symbols typeset with `\font` and `\char` are text symbols and do not consume a math alphabet. (They are less convenient to use within a mathematical expression, however.)

1.2 Frequently Requested Symbols

There are a number of symbols that are requested over and over again on `comp.text.tex`. If you're looking for such a symbol the following list will help you find it quickly.

$_$, as in “Spaces_are_significant.”	14	\ddots	115
$\bar{_}$, $\tilde{_}$, $\acute{_}$, $\grave{_}$, etc. (versus $\bar{_}$, $\tilde{_}$, $\acute{_}$, and $\grave{_}$) . .	20	$^\circ$, as in “180°” or “15°C”	121
\pounds	25	\mathcal{L} , \mathcal{F} , etc.	123
€	25	\mathbb{N} , \mathbb{Z} , \mathbb{R} , etc.	123
© , ® , and ™	26	\neq	123
$\%$	27	f	225
ff	42	\acute{a} , \grave{e} , etc. (i.e., several accents per character)	227
\therefore	50	$<$, $>$, and $ $ (instead of \lvert , \rvert , and $—$) . . .	233
$:=$ and $::=$	51	$\hat{_}$ and $\tilde{_}$ (or \sim)	234
\lesssim and \gtrsim	64		

2 Body-text symbols

This section lists symbols that are intended for use in running text, such as punctuation marks, accents, ligatures, and currency symbols.

TABLE 1: L^AT_EX 2_ε Escapable “Special” Characters

\$ \ \$ % \% - _ * } \} & \& # \# { \{

* The `underscore` package redefines “_” to produce an underscore in text mode (i.e., it makes it unnecessary to escape the underscore character).

TABLE 2: Predefined L^AT_EX 2_ε Text-mode Commands

$\hat{}$	<code>\textasciicircum*</code>	<	<code>\textless</code>
$\tilde{}$	<code>\textasciitilde*</code>	<i>a</i>	<code>\textordfeminine</code>
*	<code>\textasteriskcentered</code>	o	<code>\textordmasculine</code>
\	<code>\textbackslash</code>	¶	<code>\textparagraph[†]</code>
	<code>\textbar</code>	·	<code>\textperiodcentered</code>
	<code>\textbardbl</code>	‰	<code>\textpertenthousand</code>
○	<code>\textbigcircle</code>	‰	<code>\textperthousand</code>
{	<code>\textbraceleft[†]</code>	¿	<code>\textquestiondown</code>
}	<code>\textbraceright[†]</code>	“	<code>\textquotedblleft</code>
•	<code>\textbullet</code>	”	<code>\textquotedblright</code>
©	<code>\textcopyright[†]</code>	‘	<code>\textquoteleft</code>
†	<code>\textdagger[†]</code>	,	<code>\textquoteright</code>
‡	<code>\textdaggerdbl[†]</code>	®	<code>\textregistered</code>
\$	<code>\textdollar[†]</code>	§	<code>\textsection[†]</code>
...	<code>\textellipsis[†]</code>	£	<code>\textsterling[†]</code>
—	<code>\textemdash</code>	™	<code>\texttrademark</code>
-	<code>\textendash</code>	-	<code>\textunderscore[†]</code>
¡	<code>\textexclamdown</code>	˘	<code>\textvisiblespace</code>
>	<code>\textgreater</code>		

The first symbol column represents the—sometimes “faked”—symbol that L^AT_EX 2_ε provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 2’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

* `\^{}` and `\~{}` can be used instead of `\textasciicircum` and `\textasciitilde`. See the discussion of “~” on page 234.

[†] It’s generally preferable to use the corresponding symbol from Table 3 on the following page because the symbols in that table work properly in both text mode and math mode.

TABLE 3: L^AT_EX 2_ε Commands Defined to Work in Both Math and Text Mode

{	\{	-	_	‡	‡	\ddag	£	\pounds
}	\}	©	©	\copyright	...	\dots	§	\S
\$	\\$	†	†	\dag	¶	¶	\P	

The first symbol column represents the—sometimes “faked”—symbol that L^AT_EX 2_ε provides by default. The second symbol column represents the symbol as redefined by `textcomp` (if `textcomp` redefines it). The `textcomp` package is generally required to typeset Table 3’s symbols in italic, and some symbols additionally require the T1 font encoding for italic.

TABLE 4: A^MS Commands Defined to Work in Both Math and Text Mode

✓	\checkmark	®	\circledR	✠	\maltese
---	------------	---	-----------	---	----------

TABLE 5: Non-ASCII Letters (Excluding Accented Letters)

å	\aa	Ð	\DH*	Ł	\L	ø	\o	þ	\th*
Å	\AA	Đ	\DJ*	ł	\l	œ	\oe	Þ	\TH*
Æ	\AE	đ	\dj*	Ń	\NG*	Œ	\OE		
æ	\ae	IJ	\IJ	ŋ	\ng*	ß	\ss		
ð	\dh*	ij	\ij	Ø	\O	SS	\SS		

* Not available in the OT1 font encoding. Use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 6: textgreek Upright Greek Letters

α	\textalpha	η	\texteta	ν	\textnu	τ	\texttau
β	\textbeta	θ	\texttheta	ξ	\textxi	υ	\textupsilon
γ	\textgamma	ι	\textiota	ο	\textomikron	φ	\textphi
δ	\textdelta	κ	\textkappa	π	\textpi	χ	\textchi
ε	\textepsilon	λ	\textlambda	ρ	\extrho	ψ	\textpsi
ζ	\textzeta	μ	\textmu*	σ	\textsigma	ω	\textomega
Α	\textAlpha	Η	\textEta	Ν	\textNu	Τ	\textTau
Β	\textBeta	Θ	\textTheta	Ξ	\textXi	Υ	\textUpsilon
Γ	\textGamma	Ι	\textIota	Ο	\textOmikron	Φ	\textPhi
Δ	\textDelta	Κ	\textKappa	Π	\textPi	Χ	\textChi
Ε	\textEpsilon	Λ	\textLambda	Ρ	\textRho	Ψ	\textPsi
Ζ	\textZeta	Μ	\textMu	Σ	\textSigma	Ω	\textOmega

* Synonyms for `\textmu` include `\textmicro` and `\textmugreek`.

`textgreek` tries to use a Greek font that matches the body text. As a result, the glyphs may appear slightly different from the above.

Unlike `upgreek` (Table 191 on page 94), `textgreek` works in text mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., in phrases such as “β-decay”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 7: Letters Used to Typeset African Languages

Đ	<code>\B{D}</code>	ĉ	<code>\m{c}</code>	f	<code>\m{f}</code>	ƙ	<code>\m{k}</code>	t	<code>\M{t}</code>	Ʒ	<code>\m{Z}</code>
đ	<code>\B{d}</code>	Đ	<code>\m{D}</code>	F	<code>\m{F}</code>	Ɓ	<code>\m{N}</code>	T	<code>\M{T}</code>	Ɛ	<code>\T{E}</code>
H	<code>\B{H}</code>	Ċ	<code>\M{d}</code>	Ƴ	<code>\m{G}</code>	ŋ	<code>\m{n}</code>	ƒ	<code>\m{t}</code>	ɛ̃	<code>\T{e}</code>
h	<code>\B{h}</code>	Đ	<code>\M{D}</code>	ƴ	<code>\m{g}</code>	ɔ	<code>\m{o}</code>	T	<code>\m{T}</code>	Ɔ	<code>\T{O}</code>
t	<code>\B{t}</code>	đ	<code>\m{d}</code>	ƚ	<code>\m{l}</code>	Ɔ	<code>\m{O}</code>	v	<code>\m{u}</code> *	ɔ̃	<code>\T{o}</code>
T	<code>\B{T}</code>	Ɛ	<code>\m{E}</code>	ɪ	<code>\m{i}</code>	Ɔ	<code>\m{P}</code>	U	<code>\m{U}</code> *		
ḃ	<code>\m{b}</code>	ɛ	<code>\m{e}</code>	Ɔ	<code>\m{J}</code>	Ɔ	<code>\m{p}</code>	Y	<code>\m{Y}</code>		
Ḃ	<code>\m{B}</code>	Ɛ	<code>\M{E}</code>	Ɔ	<code>\m{j}</code>	Ɔ	<code>\m{s}</code>	Ƴ	<code>\m{y}</code>		
Ĉ	<code>\m{C}</code>	ə	<code>\M{e}</code>	K	<code>\m{K}</code>	Ɔ	<code>\m{S}</code>	Ʒ	<code>\m{z}</code>		

These characters all need the T4 font encoding, which is provided by the `fc` package.

* `\m{v}` and `\m{V}` are synonyms for `\m{u}` and `\m{U}`.

TABLE 8: Letters Used to Typeset Vietnamese

Ơ	<code>\OHORN</code>	ơ	<code>\ohorn</code>	Ư	<code>\UHORN</code>	ư	<code>\uhorn</code>
---	---------------------	---	---------------------	---	---------------------	---	---------------------

These characters all need the T5 font encoding, which is provided by the `vntex` package.

TABLE 9: Punctuation Marks Not Found in OT1

«	<code>\guillemetleft*</code>	<	<code>\guilsinglleft</code>	„	<code>\quotedblbase</code>	"	<code>\textquotedbl</code>
»	<code>\guillemetright*</code>	>	<code>\guilsinglright</code>	,	<code>\quotesinglbase</code>		

* Older versions of \LaTeX misspelled these as `\guillemotleft` and `\guillemotright`. The older names are still retained for backward compatibility.

To get these symbols, use the `fontenc` package to select an alternate font encoding, such as T1.

TABLE 10: `pifont` Decorative Punctuation Marks

•	<code>\ding{123}</code>	“	<code>\ding{125}</code>	¶	<code>\ding{161}</code>	•	<code>\ding{163}</code>
•	<code>\ding{124}</code>	”	<code>\ding{126}</code>	•	<code>\ding{162}</code>		

TABLE 11: tipa Phonetic Symbols

x	\textbabygamma	ʔ	\textglotstop	ɳ	\textrightaln
ḅ	\textbarb	˙	\texthalflength	ɽ	\textrightair
Ḅ	\textbarc	ɸ	\texthardsign	ɿ	\textrightails
Ḍ	\textbard	˘	\texthooktop	ɿ̥	\textrightailt
Ḇ	\textbardotlessj	β	\texthtb	ɿ̥̥	\textrightailz
Ḡ	\textbarg	f	\texthtbardotlessj	˘	\textrighthook
ʔ	\textbarglotstop	ɸ	\texthtc	A	\texttsca
i	\textbari	d	\texthtd	B	\texttscb
ḥ	\textbarl	g	\texthtg	E	\texttsce
ḡ	\textbaro	h	\texthth	G	\texttscg
Ḣ	\textbarrevglotstop	ḥ	\texththeng	H	\texttsch
Ḥ	\textbaru	k	\texthtk	ə	\texttschwa
Ḧ	\textbeltl	β	\texthtp	I	\texttsci
β	\textbeta	q	\texthtq	J	\texttscj
⊙	\textbullseye	ɸ̥	\texthttrtaild	L	\texttscl
˘	\textceltpal	ɸ̥	\texthtscg	N	\texttscn
χ	\textchi	f	\texthtt	œ	\texttscoelig
ε	\textcloseepsilon	h	\texthvlig	Ω	\texttscomega
ω	\textcloseomega	ɸ	\textinvglotstop	R	\texttscr
ε̣	\textcloserevepsilon	ʁ	\textinvscr	ɑ	\texttscripta
z	\textcommatailz	ι	\textiota	g	\texttscriptg
˘	\textcorner	λ	\textlambd	υ	\texttscriptv
ḅ	\textcrb	:	\textlengthmark	U	\texttscu
Ḍ	\textcrd	ɸ	\textlhookt	Y	\texttscy
g	\textcrg	l	\textlhtlongi	˘	\textsecstress
ḥ	\textcrh	ɸ	\textlhtlongy	ɸ	\textsoftsign
ɸ	\textcrinvglotstop	ɽ	\textlongleg	ɸ	\textstretchc
λ	\textcrlambda	˘	\textlptr	ɸ̥	\texttctclig
z	\textcrtwo	ɳ	\textltailm	ɸ̥̥	\texttreshlig
ɸ	\textctc	ɳ	\textltailn	θ	\textttheta
d	\textctd	ɸ	\textltilde	þ	\texttthorn
ɸz	\textctdctzlig	ɸ̥	\textlyoghlig	l	\texttoneletterstem
ɸ̥	\textctesh	J	\textObardotlessj	ts	\textttslig
j	\textctj	ɸ̥	\textOlyoghlig	ɸ	\textturna
ɳ	\textctn	ω	\textomega	æ	\textturncelig
ɸ	\textctt	˘	\textopencorner	ɸ	\textturnh
ɸ̥	\textcttctclig	ɸ	\textopeno	ɸ̥	\textturnk
ɸ̥̥	\textctyogh	˘	\textpalhook	I	\textturnlongleg
z	\textctz	φ	\textphi	uu	\textturnm
ɸz	\textdctzlig		\textpipe	uu	\textturnmrlig
f	\textdoublebaresh	˘	\textprimstress	I	\textturnr
ɸ	\textdoublebarpipe	ʔ	\textraiseglotstop	ɽ	\textturnrrtail
≠	\textdoublebarslash	l	\textraiseviby	ɸ	\textturnscripta
	\textdoublepipe	ɸ	\textramshorns	ɸ	\textturnt
	\textdoublevertline	˘	\textrevapostrophe	Λ	\textturnv
↓	\textdownstep	ə	\textreve	Λ	\textturnw
ɸ̥	\textdyoghlig	z	\textrevespsilon	ɸ̥	\textturny
ɸz	\textdzlig	ɸ̥	\textrevglotstop	υ	\textupsilon
ε	\textepsilon	ɸ̥̥	\textrevyogh	↑	\textupstep
ɸ	\textesh	ɸ̥̥̥	\textrhookrevespsilon		\textvertline
r	\textfishhookr	ə	\textrhookschwa	ɸ	\textviby

(continued on next page)

(continued from previous page)

g	<code>\textg</code>	˘	<code>\textrhoticity</code>	ı	<code>\textviby</code>
γ	<code>\textgamma</code>	>	<code>\textrptr</code>	p	<code>\textwynn</code>
↘	<code>\textglobfall</code>	ɔ	<code>\textrtaild</code>	ʒ	<code>\textyogh</code>
↗	<code>\textglobrise</code>	l	<code>\textrtaill</code>		

`tipa` defines shortcut characters for many of the above. It also defines a command `\tone` for denoting tone letters (itches). See the `tipa` documentation for more information.

TABLE 12: `tix` Phonetic Symbols

æ	<code>\textao lig</code>	f	<code>\texthtbardotlessjvar</code>	ı	<code>\textrthooklong</code>
ɜ	<code>\textbenttailyogh</code>	ω	<code>\textinvomega</code>	ɔ	<code>\textscaolig</code>
γ	<code>\textbkta ilgamma</code>	v	<code>\textinvvca</code>	Δ	<code>\textsdelta</code>
ɔ	<code>\textctinvglotstop</code>	σ	<code>\textinvscripta</code>	F	<code>\textscf</code>
j	<code>\textctjvar</code>	ʃ	<code>\textlfishhookrlig</code>	K	<code>\textscK</code>
ɛ	<code>\textctstretchc</code>	ʒ	<code>\textlhookfour</code>	M	<code>\textscM</code>
ç	<code>\textctstretchcvar</code>	p	<code>\textlhookp</code>	P	<code>\textscP</code>
ɹ	<code>\textctturnt</code>	ı	<code>\textlh ti</code>	Q	<code>\textscQ</code>
ɔ	<code>\textdb lig</code>	ı	<code>\textlooptoprevesh</code>	←	<code>\textsp leftarrow</code>
≠	<code>\textdoublebarpipevar</code>	η	<code>\textnrleg</code>	ç	<code>\textstretchcvar</code>
	<code>\textdoublepipevar</code>	⊙	<code>\textObullseye</code>	↔	<code>\textsubdoublearrow</code>
↓	<code>\textdownfullarrow</code>	ı	<code>\textpalhooklong</code>	→	<code>\textsubbrightarrow</code>
♀	<code>\textfemale</code>	ı	<code>\textpalhookvar</code>	þ	<code>\textthornvari</code>
n	<code>\textfrbarn</code>		<code>\textpipevar</code>	þ	<code>\textthornvarii</code>
ɔ	<code>\textfrhookd</code>	ϕ	<code>\textqplig</code>	þ	<code>\textthornvariii</code>
ɔ	<code>\textfrhookdvar</code>	◻	<code>\textrectangle</code>	þ	<code>\textthornvariv</code>
ɔ	<code>\textfrhookt</code>	↵	<code>\textretractingvar</code>	ɔ	<code>\textturnglotstop</code>
γ	<code>\textfrtailgamma</code>	ı	<code>\textrevscl</code>	κ	<code>\textturnsck</code>
?	<code>\textglotstopvari</code>	ı	<code>\textrevscr</code>	η	<code>\textturnscu</code>
?	<code>\textglotstopvarii</code>	ɑ	<code>\textrho ka</code>	ε	<code>\textturnthree</code>
?	<code>\textglotstopvariii</code>	ε	<code>\textrho ke</code>	ζ	<code>\textturntwo</code>
γ	<code>\textgrgamma</code>	ε	<code>\textrho kepsilon</code>	♀	<code>\textunrcfemale</code>
h	<code>\textheng</code>	ɔ	<code>\textrho kopeno</code>	↑	<code>\textupfullarrow</code>
h	<code>\texthmlig</code>	ı	<code>\textrtailhth</code>		

TABLE 13: wsuipa Phonetic Symbols

ɣ	\babygamma	ŋ	\eng	ŋ	\labdentalnas	ə	\schwa
ḃ	\barb	ʒ	\er	ɠ	\latfric	ɪ	\sci
ḍ	\bard	ʃ	\esh	ɥ	\legm	Ń	\scn
ḱ	\bari	ð	\eth	ɹ	\legr	Ŕ	\scr
ḥ	\barl	ɾ	\flapr	ɷ	\lz	ɑ	\scripta
ḷ	\baro	ʔ	\glotstop	α	\nialpha	ɑ	\scriptg
ḹ	\barp	ḃ	\hookb	β	\nibeta	υ	\scriptv
ḻ	\barsci	ḍ	\hookd	χ	\nich	U	\scu
ḽ	\barscu	ḡ	\hookg	ε	\niepsilon	Y	\scy
ḿ	\baru	ḥ	\hookh	γ	\nigamma	β	\slashb
ḽ	\clickb	ḱ	\hookheng	ι	\niiota	ϕ	\slashc
ḽ	\clickc	ʒ	\hookrepsilon	λ	\nilambda	ϕ	\slashd
ḽ	\clickt	ḷ	\hv	ω	\niomega	μ	\slashu
ḽ	\closedniomega	ɛ	\inva	φ	\niph	ḍ	\taild
ḽ	\closedrepsilon	ɟ	\invf	σ	\nisigma	ḷ	\tailinr
ḽ	\crossb	ɸ	\invglotstop	θ	\nitheta	l	\taill
ḽ	\crossd	ɥ	\invh	υ	\niupsilon	η	\tailn
ḽ	\crossh	ɹ	\invlegr	ɲ	\nj	ɾ	\tailr
ḽ	\crossnilambda	ɯ	\invm	∞	\oo	ʒ	\tails
ḽ	\curlyc	ɹ	\invr	ɔ	\openo	t	\tailt
ḽ	\curlyesh	ʒ	\invscr	ə	\reve	z	\tailz
ḽ	\curlyyogh	ɔ	\invscripta	ɾ	\reveject	ʃ	\tesh
ḽ	\curlyz	Λ	\invv	ʒ	\repsilon	þ	\thorn
ḽ	\dlbari	Λ	\invw	ʔ	\revglotstop	†	\tildel
ḽ	\dz	ʃ	\invy	D	\scd	ʒ	\yogh
ʔ	\ejective	ɣ	\ipagamma	G	\scg		

TABLE 14: wasysym Phonetic Symbols

ð	\dh	ə	\inve	ʒ	\roundz	þ	\thorn
Ð	\DH	ɔ	\openo	Þ	\Thorn		

TABLE 15: phonetic Phonetic Symbols

ɟ	\barj	ɾ	\flap	ɪ	\libar	ɔ	\rotvara	ɪ	\vari
λ	\barlambda	ʔ	\glottal	ɔ	\openo	Λ	\rotw	ω	\varomega
ŋ	\emgma	ʒ	\hausab	ħ	\planck	ʃ	\roty	ɔ	\varopeno
ŋ	\engma	ḃ	\hausab	Λ	\pwedge	ə	\schwa	ʒ	\vod
ɲ	\enya	ḍ	\hausad	Ḍ	\revD	þ	\thorn	fi	\voicedh
ε	\epsi	Ḍ	\hausad	ɹ	\riota	ɥ	\ubar	ʒ	\yogh
ʃ	\esh	ḱ	\hausak	ɯ	\rotm	ɥ	\udesc		
ð	\eth	K	\hausak	υ	\rotOmega	ɑ	\vara		
fj	\fj	ḍ	\hookd	ɹ	\rotr	g	\varg		

TABLE 16: t4phonet Phonetic Symbols

đ	\textcrd	đ	\texthtd		\textpipe
ħ	\textcrh	ķ	\texthtk	đ	\textrtaild
ε	\textepsilon	þ	\texthtp	ţ	\textrtailt
ƒ	\textesh	ţ	\texthtt	đ	\textschwa
ƒj	\textfjlig	ι	\textiota	ʃ	\textscriptv
β	\texthtb	ɲ	\textltailn	ʧ	\texttेशlig
ç	\texthtc	ɔ	\textopeno	ʒ	\textyogh

The idea behind the t4phonet package’s phonetic symbols is to provide an interface to some of the characters in the T4 font encoding (Table 7 on page 16) but using the same names as the tpa characters presented in Table 11 on page 17.

TABLE 17: semtrans Transliteration Symbols

›	\Alif	◁	\Ayn
---	-------	---	------

TABLE 18: Text-mode Accents

Ää	\"{A}\{a}	Áá	\ {A}\ {a}‡	Ââ	\f{A}\f{a}¶	Ââ	\t{A}\t{a}
Áá	\' {A}\' {a}	Ãã	\~{A}\~{a}	Ăă	\G{A}\G{a}‡	Ăă	\u{A}\u{a}
Ăă	\. {A}\. {a}	Ȃȃ	\b{A}\b{a}	Ȧȧ	\h{A}\h{a}§	Ȧȧ	\U{A}\U{a}‡
Ȧȧ	\={A}\={a}	Ȧȧ	\c{A}\c{a}	Ȧȧ	\H{A}\H{a}	Ȧȧ	\U{A}\U{a}¶
Ȧȧ	\^{A}\^{a}	Ȧȧ	\C{A}\C{a}¶	Ȧȧ	\k{A}\k{a}†	Ȧȧ	\v{A}\v{a}
Ȧȧ	\‘{A}\‘{a}	Ȧȧ	\d{A}\d{a}	Ȧȧ	\r{A}\r{a}		

Ââ \newtie{A}\newtie{a}* ⒶⒶ \textcircled{A}\textcircled{a}

* Requires the textcomp package.

† Not available in the OT1 font encoding. Use the fontenc package to select an alternate font encoding, such as T1.

‡ Requires the T4 font encoding, provided by the fc package.

§ Requires the T5 font encoding, provided by the vntex package.

¶ Requires one of the Cyrillic font encodings (T2A, T2B, T2C, or X2). Use the fontenc package to select an encoding.

Also note the existence of \i and \j, which produce dotless versions of “i” and “j” (viz., “i” and “j”). These are useful when the accent is supposed to replace the dot in encodings that need to composite (i.e., combine) letters and accents. For example, “na\“{\i}ve” always produces a correct “naïve”, while “na\“{i}ve” yields the rather odd-looking “naïve” when using the OT1 font encoding and older versions of L^AT_EX. Font encodings other than OT1 and newer versions of L^AT_EX properly typeset “na\“{i}ve” as “naïve”.

TABLE 19: tipa Text-mode Accents

Áá	<code>\textacutemacron{A}\textacutemacron{a}</code>
Ăă	<code>\textacutewedge{A}\textacutewedge{a}</code>
Ȧȧ	<code>\textadvancing{A}\textadvancing{a}</code>
Ȫȫ	<code>\textbottomtiebar{A}\textbottomtiebar{a}</code>
Ăă	<code>\textbreveaccent{A}\textbreveaccent{a}</code>
Ââ	<code>\textcircumacute{A}\textcircumacute{a}</code>
Ââ	<code>\textcircumdot{A}\textcircumdot{a}</code>
Ȧȧ	<code>\textdotacute{A}\textdotacute{a}</code>
Ȫȫ	<code>\textdotbreve{A}\textdotbreve{a}</code>
Ää	<code>\textdoublegrave{A}\textdoublegrave{a}</code>
Ăă	<code>\textdoublevbaraccent{A}\textdoublevbaraccent{a}</code>
Ȧȧ	<code>\textfallrise{A}\textfallrise{a}</code>
Ăă	<code>\textgravecircum{A}\textgravecircum{a}</code>
Ää	<code>\textgravedot{A}\textgravedot{a}</code>
Ăă	<code>\textgravemacron{A}\textgravemacron{a}</code>
Ăă	<code>\textgravemid{A}\textgravemid{a}</code>
Ȧȧ	<code>\texthighrise{A}\texthighrise{a}</code>
Ȫȫ	<code>\textinvsubbridge{A}\textinvsubbridge{a}</code>
Ȫȫ	<code>\textlowering{A}\textlowering{a}</code>
Ăă	<code>\textlowrise{A}\textlowrise{a}</code>
Ȧȧ	<code>\textmidacute{A}\textmidacute{a}</code>
Ăă	<code>\textovercross{A}\textovercross{a}</code>
Ăă	<code>\textoverw{A}\textoverw{a}</code>
Ȫȫ	<code>\textpolhook{A}\textpolhook{a}</code>
Ȫȫ	<code>\textraising{A}\textraising{a}</code>
Ȫȫ	<code>\textretracting{A}\textretracting{a}</code>
Ăă	<code>\textringmacron{A}\textringmacron{a}</code>
Ȧȧ	<code>\textrisefall{A}\textrisefall{a}</code>
Ââ	<code>\textroundcap{A}\textroundcap{a}</code>
Ȫȫ	<code>\textseagull{A}\textseagull{a}</code>
Ȫȫ	<code>\textsubacute{A}\textsubacute{a}</code>
Ȫȫ	<code>\textsubarch{A}\textsubarch{a}</code>
Ȫȫ	<code>\textsubbar{A}\textsubbar{a}</code>
Ȫȫ	<code>\textsubbridge{A}\textsubbridge{a}</code>
Ȫȫ	<code>\textsubcircum{A}\textsubcircum{a}</code>
Ȫȫ	<code>\textsubdot{A}\textsubdot{a}</code>
Ȫȫ	<code>\textsubgrave{A}\textsubgrave{a}</code>
Ȫȫ	<code>\textsublhalfring{A}\textsublhalfring{a}</code>
Ȫȫ	<code>\textsubplus{A}\textsubplus{a}</code>
Ȫȫ	<code>\textsubrhalfring{A}\textsubrhalfring{a}</code>
Ȫȫ	<code>\textsubring{A}\textsubring{a}</code>

(continued on next page)

(continued from previous page)

Aa	<code>\textsubsquare{A}\textsubsquare{a}</code>
Aa	<code>\textsubtilde{A}\textsubtilde{a}</code>
Aa	<code>\textsubumlaut{A}\textsubumlaut{a}</code>
Aa	<code>\textsubw{A}\textsubw{a}</code>
Aa	<code>\textsubwedge{A}\textsubwedge{a}</code>
Aa	<code>\textsuperimposetilde{A}\textsuperimposetilde{a}</code>
Aa	<code>\textsyllabic{A}\textsyllabic{a}</code>
Aa	<code>\texttildedot{A}\texttildedot{a}</code>
Aa	<code>\texttoptiebar{A}\texttoptiebar{a}</code>
Aa	<code>\textvbaraccent{A}\textvbaraccent{a}</code>

`tipa` defines shortcut sequences for many of the above. See the `tipa` documentation for more information.

TABLE 20: `extraipa` Text-mode Accents

Aa	<code>\bibridge{A}\bibridge{a}</code>	Aa	<code>\partvoiceless{A}\partvoiceless{a}</code>
Aa	<code>\crtilde{A}\crtilde{a}</code>	Aa	<code>\sliding{A}\sliding{a}</code>
Aa	<code>\dottedtilde{A}\dottedtilde{a}</code>	Aa	<code>\spreadlips{A}\spreadlips{a}</code>
Aa	<code>\doubletilde{A}\doubletilde{a}</code>	Aa	<code>\subcorner{A}\subcorner{a}</code>
Aa	<code>\finpartvoice{A}\finpartvoice{a}</code>	Aa	<code>\subdoublebar{A}\subdoublebar{a}</code>
Aa	<code>\finpartvoiceless{A}\finpartvoiceless{a}</code>	Aa	<code>\subdoublevert{A}\subdoublevert{a}</code>
Aa	<code>\inipartvoice{A}\inipartvoice{a}</code>	Aa	<code>\sublptr{A}\sublptr{a}</code>
Aa	<code>\inipartvoiceless{A}\inipartvoiceless{a}</code>	Aa	<code>\subrptr{A}\subrptr{a}</code>
Aa	<code>\overbridge{A}\overbridge{a}</code>	Aa	<code>\whistle{A}\whistle{a}</code>
Aa	<code>\partvoice{A}\partvoice{a}</code>		

TABLE 21: `wsuipa` Text-mode Accents

Aa	<code>\dental{A}\dental{a}</code>
Aa	<code>\underarch{A}\underarch{a}</code>

TABLE 22: phonetic Text-mode Accents

$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\hill{A}\hill{a}</code>	$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\rc{A}\rc{a}</code>	$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\ut{A}\ut{a}</code>
$\underset{\circ}{A}\underset{\circ}{a}$	<code>\od{A}\od{a}</code>	$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\syl{A}\syl{a}</code>		
$\overset{\cdot}{A}\overset{\cdot}{a}$	<code>\ohill{A}\ohill{a}</code>	$\underset{\cdot}{A}\underset{\cdot}{a}$	<code>\td{A}\td{a}</code>		

The phonetic package provides a few additional macros for linguistic accents. `\acbar` and `\acarc` compose characters with multiple accents; for example, `\acbar{'}{a}` produces “á” and `\acarc{"}{e}` produces “ë”. `\labvel` joins two characters with an arc: `\labvel{mn}` → “m̂n̂”. `\upbar` is intended to go between characters as in “x̂ŷ” → “x’y”. Lastly, `\uplett` behaves like `\textsuperscript` but uses a smaller font. Contrast “p̂^h” with “p̂^{h}” → “p^h”.

TABLE 23: metre Text-mode Accents

$\acute{A}\acute{a}$	<code>\acutus{A}\acutus{a}</code>
$\breve{A}\breve{a}$	<code>\breve{A}\breve{a}</code>
$\tilde{A}\tilde{a}$	<code>\circumflexus{A}\circumflexus{a}</code>
$\ddot{A}\ddot{a}$	<code>\diaeresis{A}\diaeresis{a}</code>
$\grave{A}\grave{a}$	<code>\gravis{A}\gravis{a}</code>
$\bar{A}\bar{a}$	<code>\macron{A}\macron{a}</code>

TABLE 24: t4phonet Text-mode Accents

$\text{\AA}\text{\AA}$	<code>\textdoublegrave{A}\textdoublegrave{a}</code>
$\text{\AA}\text{\AA}$	<code>\textvbaraccent{A}\textvbaraccent{a}</code>
$\text{\AA}\text{\AA}$	<code>\textdoublevbaraccent{A}\textdoublevbaraccent{a}</code>

The idea behind the `t4phonet` package’s text-mode accents is to provide an interface to some of the accents in the T4 font encoding (accents marked with “‡” in Table 18 on page 20) but using the same names as the `tipa` accents presented in Table 19 on page 21.

TABLE 25: arcs Text-mode Accents

$\widehat{A}\widehat{a}$	<code>\overarc{A}\overarc{a}</code>	$\underline{A}\underline{a}$	<code>\underarc{A}\underarc{a}</code>
--------------------------	-------------------------------------	------------------------------	---------------------------------------

The accents shown above scale only to a few characters wide. An optional macro argument alters the effective width of the accented characters. See the `arcs` documentation for more information.

At the time of this writing (2015/11/12), there exists an incompatibility between the `arcs` package and the `resize` package, upon which `arcs` depends. As a workaround, one should apply the patch proposed by Michael Sharpe on the X_YTeX mailing list (Subject: “The arcs package”, dated 2013/08/25) to prevent spurious text from being added to the document (as in, “5.0pt \widehat{A} ” when “ \widehat{A} ” is expected).

TABLE 26: semtrans Accents

\grave{A}	$\D{A}\D{a}$	\grave{U}	$\U{A}\U{a}$
\T	$\T{A}\T{a}$ *		

\T is not actually an accent but a command that rotates its argument 180° using the `graphicx` package’s `\rotatebox` command.

TABLE 27: ogonek Accents

\dot{A}	$\k{A}\k{a}$
-----------	--------------

TABLE 28: combelow Accents

$\underset{,}{A}$	$\cb{A}\cb{a}$
-------------------	----------------

\cb places a comma *above* letters with descenders. Hence, while “ \cb{s} ” produces “š”, “ \cb{g} ” produces “ǵ”.

TABLE 29: wsuipa Diacritics

\acute{a}	\ain	\leftarrow	\leftfp	$\overset{\circ}{a}$	\overring	\acute{a}	\stress	$\underset{\sim}{a}$	\underwedge
\lrcorner	\corner	\rightarrow	\lefttt	$\underset{\cdot}{a}$	\polishhook	$\underset{,}{a}$	\syllabic	\hat{a}	\upp
\downarrow	\downp	\!	\length	\rightarrow	\rightp	\dots	\underdotes	\uparrow	\upt
\T	\downt	\sim	\midtilde	\rightarrow	\righttt	$\overset{\circ}{a}$	\underring		
\textasciicircum	\halflength	$\underset{\cdot}{a}$	\open	$\underset{,}{a}$	\secstress	$\underset{\sim}{a}$	\undertilde		

The `wsuipa` package defines all of the above as ordinary characters, not as accents. However, it does provide `\diatop` and `\diaunder` commands, which are used to compose diacritics with other characters. For example, `\diatop[\overring|a]` produces “ $\overset{\circ}{a}$ ”, and `\diaunder[\underdotes|a]` produces “ $\underset{\dots}{a}$ ”. See the `wsuipa` documentation for more information.

TABLE 30: textcomp Diacritics

\textasciitilde	\textacutedbl	\textasciicaron	\textasciimacron
\textasciicircum	\textasciiacute	$\text{\textasciidieresis}$	\textgravedbl
\textasciibreve	\textasciigrave		

The `textcomp` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 226 for more information.

TABLE 31: marvosym Diacritics

$\overrightarrow{\quad}$	<code>\arrowOver</code>	$\overline{\quad}$	<code>\barOver</code>	$\text{\textcancel{A}}$	<code>\StrikingThrough</code>
$\overleftarrow{\quad}$	<code>\ArrowOver</code>	$\overbar{\quad}$	<code>\BarOver</code>		

The `marvosym` package defines all of the above as ordinary characters, not as accents. You can use `\llap` or `\rlap` to combine them with other characters. See the discussion of `\llap` and `\rlap` on page 226 for more information.

TABLE 32: textcomp Currency Symbols

\textB	<code>\textbaht</code>	$\text{\text\$}$	<code>\textdollar*</code>	\textG	<code>\textguarani</code>	\textW	<code>\textwon</code>
\textc	<code>\textcent</code>	$\text{\text\$}$	<code>\textdollaroldstyle</code>	\text£	<code>\textlira</code>	\text¥	<code>\textyen</code>
\textc	<code>\textcentoldstyle</code>	\textđ	<code>\textdong</code>	\text₦	<code>\textnaira</code>		
\textC	<code>\textcolonmonetary</code>	\text€	<code>\texteuro</code>	\text₱	<code>\textpeso</code>		
\textQ	<code>\textcurrency</code>	\textf	<code>\textflorin</code>	\text£	<code>\textsterling*</code>		

* It's generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 33: marvosym Currency Symbols

\text₴	<code>\Denarius</code>	\text€	<code>\EURcr</code>	\text€	<code>\EURtm</code>	\text℔	<code>\Pfund</code>
\text€	<code>\Ecommerce</code>	\text€	<code>\EURdig</code>	$\text{\text\$}$	<code>\EyesDollar</code>	\textβ	<code>\Shilling</code>
\text€	<code>\EUR</code>	\text€	<code>\EURhv</code>	\textℳ	<code>\Florin</code>		

The different euro signs are meant to be visually compatible with different fonts—Courier (`\EURcr`), Helvetica (`\EURhv`), Times Roman (`\EURtm`), and the `marvosym` digits listed in Table 290 (`\EURdig`). The `mathdesign` package redefines `\texteuro` to be visually compatible with one of three additional fonts: Utopia (\text€), Charter (\text€), or Garamond (\text€).

TABLE 34: fontawesome Currency Symbols

\text₿	<code>\faBtc</code>	\text₹	<code>\faIls</code>	\text₩	<code>\faKrw</code>	$\text{\text\$}$	<code>\faUsd</code>
\text€	<code>\faEur</code>	\text₹	<code>\faInr</code>	\text₱	<code>\faRub</code>	\text¥	<code>\faViacoin</code>
\text£	<code>\faGbp</code>	\text¥	<code>\faJpy</code>	\text₺	<code>\faTry</code>		

`fontawesome` defines `\faBitcoin` as a synonym for `\faBtc`; `\faCny`, `\faYen`, and `\faRmb` as synonyms for `\faJpy`; `\faDollar` as a synonym for `\faUsd`; `\faEuro` as a synonym for `\faEur`; `\faRouble` and `\faRuble` as synonyms for `\faRub`; `\faRupee` as a synonym for `\faInr`; `\faShekel` and `\faSheqel` as synonyms for `\faIls`; `\faTurkishLira` as a synonym for `\faTry`; and `\faWon` as a synonym for `\faKrw`.

TABLE 35: wasysym Currency Symbols

\text¢	<code>\cent</code>	\textQ	<code>\currency</code>	\text€	<code>\wasyeuro*</code>
-----------------	--------------------	-----------------	------------------------	-----------------	-------------------------

* `\wasyeuro` is also available as `\euro` unless you specify the `noeuro` package option.

TABLE 36: GfA2e Currency Symbols

€	<code>\Euro</code>	£	<code>\Pound</code>
---	--------------------	---	---------------------

TABLE 37: teubner Currency Symbols

✕	<code>\denarius</code>	c	<code>\hemiobelion</code>	▷	<code>\tetartemorion</code>
†	<code>\dracma</code>	₰	<code>\stater</code>		

TABLE 38: tfruppee Currency Symbols

₹	<code>\rupee</code>
---	---------------------

TABLE 39: eurosym Euro Signs

€	<code>\geneuro</code>	€	<code>\geneuronarrow</code>	€	<code>\geneurowide</code>	€	<code>\officiaeuro</code>
---	-----------------------	---	-----------------------------	---	---------------------------	---	---------------------------

`\euro` is automatically mapped to one of the above—by default, `\officiaeuro`—based on a `eurosym` package option. See the `eurosym` documentation for more information. The `\geneuro...` characters are generated from the current body font’s “C” character and therefore may not appear exactly as shown.

TABLE 40: fourier Euro Signs

€	<code>\eurologo</code>	€	<code>\texteuro</code>
---	------------------------	---	------------------------

TABLE 41: textcomp Legal Symbols

⒫	<code>\textcircledP</code>	©	©	<code>\textcopyright</code>	SM	<code>\textservicemark</code>
Ⓒ	<code>\textcircleft</code>	®	®	<code>\textregistered</code>	TM	<code>\texttrademark</code>






The first symbol column represents the—sometimes “faked”—symbol that $\text{\LaTeX}2_{\epsilon}$ provides by default. The second symbol column represents the symbol as redefined by `textcomp`. The `textcomp` package is generally required to typeset Table 41’s symbols in italic.

See <http://www.tex.ac.uk/FAQ-tradesyms.html> for solutions to common problems that occur when using these symbols (e.g., getting a “⒫” when you expected to get a “®”).

TABLE 42: fontawesome Legal Symbols














©	<code>\faCopyright</code>	®	<code>\faRegistered</code>
©	<code>\faCreativeCommons</code>	TM	<code>\faTrademark</code>

TABLE 43: ccllicenses Creative Commons License Icons

	<code>\cc</code>		<code>\ccnc*</code>		<code>\ccsa*</code>
	<code>\ccbby</code>		<code>\ccnd</code>		

* These symbols utilize the `rotating` package and therefore display improperly in some DVI viewers.

TABLE 44: ccicons Creative Commons License Icons

	<code>\ccAttribution</code>		<code>\ccNonCommercialEU</code>		<code>\ccShare</code>
	<code>\ccCopy</code>		<code>\ccNonCommercialJP</code>		<code>\ccShareAlike</code>
	<code>\ccLogo</code>		<code>\ccPublicDomain</code>		<code>\ccZero</code>
	<code>\ccNoDerivatives</code>		<code>\ccRemix</code>		
	<code>\ccNonCommercial</code>		<code>\ccSampling</code>		


`ccicons` additionally defines a set of commands for typesetting many complete Creative Commons licenses (i.e., juxtapositions of two or more of the preceding icons). For example, the `\ccbbyncnd` command typesets the “Attribution–Noncommercial–No Derivative Works” license (“”). See the `ccicons` documentation for more information.

TABLE 45: textcomp Old-style Numerals

0	<code>\textzerooldstyle</code>	4	<code>\textfouroldstyle</code>	8	<code>\texteightoldstyle</code>
1	<code>\textoneoldstyle</code>	5	<code>\textfiveoldstyle</code>	9	<code>\textnineoldstyle</code>
2	<code>\texttwooldstyle</code>	6	<code>\textsixoldstyle</code>		
3	<code>\textthreeoldstyle</code>	7	<code>\textsevenoldstyle</code>		

Rather than use the bulky `\textoneoldstyle`, `\texttwooldstyle`, etc. commands shown above, consider using `\oldstylenums{..}` to typeset an old-style number.

TABLE 46: Miscellaneous textcomp Symbols

<code>\b</code>	<code>\textblank</code>	<code>\P</code>	<code>\textpilcrow</code>
<code> </code>	<code>\textbrokenbar</code>	<code>'</code>	<code>\textquotesingle</code>
<code>=</code>	<code>\textdblhyphen</code>	<code>,</code>	<code>\textquotestraightbase</code>
<code>=</code>	<code>\textdblhyphenchar</code>	<code>„</code>	<code>\textquotestraightdblbase</code>
<code>/</code>	<code>\textdiscount</code>	<code>R</code>	<code>\textrecipe</code>
<code>€</code>	<code>\textestimated</code>	<code>*</code>	<code>\textreferencemark</code>
<code>‡</code>	<code>\textinterrobang</code>	<code>—</code>	<code>\textthreequartersemdash</code>
<code>‡</code>	<code>\textinterrobangdown</code>	<code>~</code>	<code>\texttildelow</code>
<code>N^o</code>	<code>\textnumero</code>	<code>—</code>	<code>\texttwelveudash</code>
<code>o</code>	<code>\textopenbullet</code>		

TABLE 47: Miscellaneous wasysym Text-mode Symbols

<code>f</code>	<code>\longs</code>	<code>%₀</code>	<code>\permil</code>	<code>§</code>	<code>\wasyparagraph*</code>
----------------	---------------------	----------------------------	----------------------	----------------	------------------------------

* `wasysym` defines `\Paragraph` as a synonym for `\wasyparagraph`.

3 Mathematical symbols

Most, but not all, of the symbols in this section are math-mode only. That is, they yield a “Missing \$ inserted” error message if not used within `$. . $`, `\[. . \]`, or another math-mode environment. Operators marked as “variable-sized” are taller in displayed formulas, shorter in in-text formulas, and possibly shorter still when used in various levels of superscripts or subscripts.

Alphanumeric symbols (e.g., “ \mathcal{L} ” and “ \mathcal{Z} ”) are usually produced using one of the math alphabets in Table 316 rather than with an explicit symbol command. Look there first if you need a symbol for a transform, number set, or some other alphanumeric.

Although there have been many requests on `comp.text.tex` for a contradiction symbol, the ensuing discussion invariably reveals innumerable ways to represent contradiction in a proof, including “ \blacksquare ” (`\blitza`), “ $\Rightarrow\Leftarrow$ ” (`\Rightarrow\Leftarrow`), “ \perp ” (`\bot`), “ \Leftrightarrow ” (`\nlefttrightarrow`), and “ $\textcircled{*}$ ” (`\textcircled{*}`). Because of the lack of notational consensus, it is probably better to spell out “Contradiction!” than to use a symbol for this purpose. Similarly, discussions on `comp.text.tex` have revealed that there are a variety of ways to indicate the mathematical notion of “is defined as”. Common candidates include “ \triangleq ” (`\triangleq`), “ \equiv ” (`\equiv`), “ $\stackrel{\text{def}}{=}$ ” (`\stackrel{\text{def}}{=}`), and “ $\stackrel{\text{def}}{=}$ ” (`\stackrel{\text{def}}{=}`). See also the example of `\equalsfill` on page 227. Depending upon the context, disjoint union may be represented as “ \coprod ” (`\coprod`), “ \sqcup ” (`\sqcup`), “ $\dot{\cup}$ ” (`\dotcup`), “ \oplus ” (`\oplus`), or any of a number of other symbols.² Finally, the average value of a variable x is written by some people as “ \overline{x} ” (`\overline{x}`), by some people as “ $\langle x \rangle$ ” (`\langle x \rangle`), and by some people as “ $\emptyset x$ ” or “ $\varnothing x$ ” (`\diameter x` or `\varnothing x`). The moral of the story is that you should be careful always to explain your notation to avoid confusing your readers.

TABLE 48: Math-mode Versions of Text Symbols

\$	<code>\mathdollar</code>	¶	<code>\mathparagraph</code>	£	<code>\mathsterling</code>
...	<code>\mathellipsis</code>	§	<code>\mathsection</code>	-	<code>\mathunderscore</code>

It’s generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 49: `cmll` Unary Operators

!	<code>\oc*</code>	↑	<code>\shneg</code>	?	<code>\wn*</code>
⇕	<code>\shift</code>	↓	<code>\shpos</code>		

* `\oc` and `\wn` differ from “!” and “?” in terms of their math-mode spacing: `$A=!B$` produces “ $A =!B$ ”, for example, while `$A=\oc B$` produces “ $A = !B$ ”.

¹In `txfonts`, `pxfonts`, and `mathtools` the symbol is called `\coloneqq`. In `mathabx` and `MnSymbol` it’s called `\coloneq`. In `colonequals` it’s called `\colonequals`.

²Bob Tennent listed these and other disjoint-union symbol possibilities in a November 2007 post to `comp.text.tex`.

TABLE 50: Binary Operators

\amalg	<code>\amalg</code>	\cup	<code>\cup</code>	\oplus	<code>\oplus</code>	\times	<code>\times</code>
$*$	<code>\ast</code>	\dagger	<code>\dagger</code>	\oslash	<code>\oslash</code>	\triangleleft	<code>\triangleleft</code>
\bigcirc	<code>\bigcirc</code>	\ddagger	<code>\ddagger</code>	\otimes	<code>\otimes</code>	\triangleright	<code>\triangleright</code>
\bigtriangledown	<code>\bigtriangledown</code>	\diamond	<code>\diamond</code>	\pm	<code>\pm</code>	\trianglelefteq	<code>\trianglelefteq</code>
\bigtriangleup	<code>\bigtriangleup</code>	\div	<code>\div</code>	\triangleright	<code>\triangleright</code>	\trianglerighteq	<code>\trianglerighteq</code>
\bullet	<code>\bullet</code>	\triangleleft	<code>\triangleleft</code>	\setminus	<code>\setminus</code>	\uplus	<code>\uplus</code>
\cap	<code>\cap</code>	\mp	<code>\mp</code>	\sqcap	<code>\sqcap</code>	\vee	<code>\vee</code>
\cdot	<code>\cdot</code>	\odot	<code>\odot</code>	\sqcup	<code>\sqcup</code>	\wedge	<code>\wedge</code>
\circ	<code>\circ</code>	\ominus	<code>\ominus</code>	\star	<code>\star</code>	\wr	<code>\wr</code>

* Not predefined by the $\text{\LaTeX} 2_{\epsilon}$ core. Use the `latexsym` package to expose this symbol.

TABLE 51: \mathcal{AMS} Binary Operators

$\bar{\wedge}$	<code>\barwedge</code>	\odot	<code>\circledcirc</code>	\intercal	<code>\intercal*</code>
\boxdot	<code>\boxdot</code>	\ominus	<code>\circleddash</code>	\leftthreetimes	<code>\leftthreetimes</code>
\boxminus	<code>\boxminus</code>	\cup	<code>\Cup</code>	\ltimes	<code>\ltimes</code>
\boxplus	<code>\boxplus</code>	\curlyvee	<code>\curlyvee</code>	\rightthreetimes	<code>\rightthreetimes</code>
\boxtimes	<code>\boxtimes</code>	\curlywedge	<code>\curlywedge</code>	\rtimes	<code>\rtimes</code>
\Cap	<code>\Cap</code>	\divideontimes	<code>\divideontimes</code>	\smallsetminus	<code>\smallsetminus</code>
\centerdot	<code>\centerdot</code>	\dotplus	<code>\dotplus</code>	\veebar	<code>\veebar</code>
\circledast	<code>\circledast</code>	$\bar{\wedge}$	<code>\doublebarwedge</code>		

* Some people use a superscripted `\intercal` for matrix transpose: “ A^{\intercal} ” \mapsto “ A^T ”. (See the May 2009 `comp.text.tex` thread, “raising math symbols”, for suggestions about altering the height of the superscript.) `\top` (Table 203 on page 96), `T`, and `\mathsf{T}` are other popular choices: “ A^{\top} ”, “ A^T ”, “ A^T ”.

TABLE 52: `stmaryrd` Binary Operators

$\bar{\phi}$	<code>\baro</code>	\parallel	<code>\interleave</code>	\otimes	<code>\varoast</code>
\parallel	<code>\bbslash</code>	\triangleleft	<code>\leftslice</code>	$\text{\textcircled{D}}$	<code>\varobar</code>
$\&$	<code>\binampersand</code>	\mathcal{M}	<code>\merge</code>	$\text{\textcircled{O}}$	<code>\varobslash</code>
\wp	<code>\bindnasrepma</code>	\ominus	<code>\minuso</code>	$\text{\textcircled{O}}$	<code>\varocircle</code>
\boxast	<code>\boxast</code>	\ddagger	<code>\moo</code>	$\text{\textcircled{O}}$	<code>\varodot</code>
\boxbar	<code>\boxbar</code>	\oplus	<code>\nplus</code>	$\text{\textcircled{O}}$	<code>\varogreaterthan</code>
\boxbox	<code>\boxbox</code>	$\text{\textcircled{D}}$	<code>\obar</code>	$\text{\textcircled{O}}$	<code>\varolessthan</code>
\boxbslash	<code>\boxbslash</code>	\square	<code>\oblong</code>	\ominus	<code>\varominus</code>
\boxcircle	<code>\boxcircle</code>	$\text{\textcircled{O}}$	<code>\obslash</code>	\oplus	<code>\varoplus</code>
\boxdot	<code>\boxdot</code>	$\text{\textcircled{O}}$	<code>\ogreaterthan</code>	$\text{\textcircled{O}}$	<code>\varoslash</code>
\boxempty	<code>\boxempty</code>	$\text{\textcircled{O}}$	<code>\olessthan</code>	\otimes	<code>\varotimes</code>
\boxslash	<code>\boxslash</code>	$\text{\textcircled{O}}$	<code>\ovee</code>	$\text{\textcircled{O}}$	<code>\varovee</code>
\curlyveedownarrow	<code>\curlyveedownarrow</code>	$\text{\textcircled{O}}$	<code>\owedge</code>	$\text{\textcircled{O}}$	<code>\varowedge</code>
\curlyveeuparrow	<code>\curlyveeuparrow</code>	\triangleright	<code>\rightslice</code>	\times	<code>\vartimes</code>
\curlywedgedownarrow	<code>\curlywedgedownarrow</code>	\parallel	<code>\sslash</code>	Υ	<code>\Ydown</code>
\curlywedgeuparrow	<code>\curlywedgeuparrow</code>	\parallel	<code>\talloblong</code>	\leftarrow	<code>\Yleft</code>
\fatbslash	<code>\fatbslash</code>	\bigcirc	<code>\varbigcirc</code>	\rightarrow	<code>\Yright</code>
\fatsemi	<code>\fatsemi</code>	\curlyvee	<code>\varcurlyvee</code>	\curlyvee	<code>\Yup</code>
\fatslash	<code>\fatslash</code>	\curlywedge	<code>\varcurlywedge</code>		

TABLE 53: wasysym Binary Operators

\triangleleft	<code>\lhd</code>	\circ	<code>\ocircle</code>	\blacktriangleright	<code>\RHD</code>	\triangleright	<code>\unrhd</code>
\blacktriangleleft	<code>\LHD</code>	\triangleright	<code>\rhd</code>	\trianglelefteq	<code>\unlhd</code>		

TABLE 54: txfonts/pxfonts Binary Operators

$\textcircled{\rule{0.4pt}{0.4pt}}$	<code>\circledbar</code>	$\textcircled{\blacktriangleright}$	<code>\circledwedge</code>	$\textcircled{\circ}$	<code>\medcirc</code>
$\textcircled{\diagup}$	<code>\circledbslash</code>	$\textcircled{\textcircled{\rule{0.4pt}{0.4pt}}}$	<code>\invamp</code>	$\textcircled{\boxplus}$	<code>\sqcapplus</code>
$\textcircled{\vee}$	<code>\circledvee</code>	\bullet	<code>\medbullet</code>	$\textcircled{\boxplus}$	<code>\sqcupplus</code>

TABLE 55: mathabx Binary Operators

$*$	<code>\ast</code>	\frown	<code>\curlywedge</code>	\sqcap	<code>\sqcap</code>
$*$	<code>\Asterisk</code>	\div	<code>\divdot</code>	\sqcup	<code>\sqcup</code>
$\bar{\wedge}$	<code>\barwedge</code>	$*$	<code>\divideontimes</code>	$\sqcap\sqcap$	<code>\sqdoublecap</code>
\star	<code>\bigstar</code>	$\dot{\div}$	<code>\dotdiv</code>	$\sqcup\sqcup$	<code>\sqdoublecup</code>
\star	<code>\bigvarstar</code>	$\dot{+}$	<code>\dotplus</code>	\square	<code>\square</code>
\blacklozenge	<code>\blackdiamond</code>	$\dot{\times}$	<code>\dottimes</code>	\boxplus	<code>\sqplus</code>
\cap	<code>\cap</code>	$\bar{\wedge}$	<code>\doublebarwedge</code>	\cdot	<code>\udot</code>
\dagger	<code>\circplus</code>	\cap	<code>\doublecap</code>	\oplus	<code>\uplus</code>
$*$	<code>\coasterisk</code>	\cup	<code>\doublecup</code>	$*$	<code>\varstar</code>
$*$	<code>\coAsterisk</code>	\times	<code>\ltimes</code>	\vee	<code>\vee</code>
$*$	<code>\convolution</code>	\oplus	<code>\pluscirc</code>	$\bar{\vee}$	<code>\veebar</code>
\cup	<code>\cup</code>	\times	<code>\rtimes</code>	$\bar{\bar{\vee}}$	<code>\veedoublebar</code>
\curlyvee	<code>\curlyvee</code>	\blacksquare	<code>\sqbullet</code>	\wedge	<code>\wedge</code>

Many of the preceding glyphs go by multiple names. `\centerdot` is equivalent to `\sqbullet`, and `\ast` is equivalent to `*`. `\asterisk` produces the same glyph as `\ast`, but as an ordinary symbol, not a binary operator. Similarly, `\bigast` produces a large-operator version of the `\Asterisk` binary operator, and `\bigcoast` produces a large-operator version of the `\coAsterisk` binary operator.

TABLE 56: MnSymbol Binary Operators

\amalg	<code>\amalg</code>	$\sqcup\sqcup$	<code>\doublecup</code>	\therefore	<code>\righttherefore</code>
$*$	<code>\ast</code>	\wp	<code>\doublevee</code>	\times	<code>\rightthreetimes</code>
\backslash	<code>\backslashslashdiv</code>	\wedge	<code>\doublewedge</code>	\succ	<code>\rightY</code>
\bowtie	<code>\bowtie</code>	\therefore	<code>\downtherefore</code>	\times	<code>\rtimes</code>
\bullet	<code>\bullet</code>	\curlyvee	<code>\downY</code>	\div	<code>\slashdiv</code>
\cap	<code>\cap</code>	\times	<code>\dimes</code>	\prod	<code>\smallprod</code>
$\cap\dot{\cap}$	<code>\capdot</code>	\therefore	<code>\fivedots</code>	\sqcap	<code>\sqcap</code>
\boxplus	<code>\capplus</code>	∞	<code>\hbipropto</code>	$\sqcap\dot{\cap}$	<code>\sqcapdot</code>
\cdot	<code>\cdot</code>	\therefore	<code>\hdotdot</code>	\boxplus	<code>\sqcapplus</code>
\circ	<code>\circ</code>	\lrcorner	<code>\lefthalfcap</code>	\sqcup	<code>\sqcup</code>

(continued on next page)

(continued from previous page)

\curlyvee	<code>\closedcurlyvee</code>	\leftthalfcup	<code>\lefthalfcup</code>	\sqcup	<code>\sqcupdot</code>
\curlywedge	<code>\closedcurlywedge</code>	\lefttherefore	<code>\lefttherefore</code>	\sqcupplus	<code>\sqcupplus</code>
\cup	<code>\cup</code>	\leftthreetimes	<code>\leftthreetimes</code>	\square	<code>\squaredots</code>
\cupdot	<code>\cupdot</code>	\leftY	<code>\leftY</code>	\times	<code>\times</code>
\cupplus	<code>\cupplus</code>	\ltimes	<code>\ltimes</code>	\cdot	<code>\udotdot</code>
\curlyvee	<code>\curlyvee</code>	\medbackslash	<code>\medbackslash</code>	\therefore	<code>\uptherefore</code>
\curlyveedot	<code>\curlyveedot</code>	\medcircle	<code>\medcircle</code>	\upY	<code>\upY</code>
\curlywedge	<code>\curlywedge</code>	\medslash	<code>\medslash</code>	\times	<code>\utimes</code>
\curlywedgedot	<code>\curlywedgedot</code>	\medvert	<code>\medvert</code>	\bowtie	<code>\vbipropto</code>
$\ddot{\cdot}$	<code>\ddotdotdot</code>	\medvertdot	<code>\medvertdot</code>	$:$	<code>\vdotdot</code>
\diamond	<code>\diamonddots</code>	\minus	<code>\minus</code>	\vee	<code>\vee</code>
\div	<code>\div</code>	\minusdot	<code>\minusdot</code>	\veedot	<code>\veedot</code>
$\dot{\mid}$	<code>\dotmedvert</code>	\mp	<code>\mp</code>	\bowtie	<code>\vertbowtie</code>
$\dot{-}$	<code>\dotminus</code>	\neswbipropto	<code>\neswbipropto</code>	\cdot	<code>\vertdiv</code>
\doublecap	<code>\doublecap</code>	\nwsebipropto	<code>\nwsebipropto</code>	\wedge	<code>\wedge</code>
\doublecup	<code>\doublecup</code>	\plus	<code>\plus</code>	\wedgedot	<code>\wedgedot</code>
\doublecurlyvee	<code>\doublecurlyvee</code>	\pm	<code>\pm</code>	\wreath	<code>\wreath</code>
\doublecurlywedge	<code>\doublecurlywedge</code>	\rightthalfcap	<code>\rightthalfcap</code>		
\doubleqcup	<code>\doubleqcup</code>	\rightthalfcup	<code>\rightthalfcup</code>		

MnSymbol defines `\setminusminus` and `\smallsetminusminus` as synonyms for `\medbackslash`; `\Join` as a synonym for `\bowtie`; `\wr` as a synonym for `\wreath`; `\shortmid` as a synonym for `\medvert`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; and, `\uplus` as a synonym for `\cupplus`.

TABLE 57: fdsymbol Binary Operators

\amalg	<code>\amalg</code>	\doublevee	<code>\doublevee</code>	\rtimes	<code>\rtimes</code>
\ast	<code>\ast</code>	\doublewedge	<code>\doublewedge</code>	\setminus	<code>\setminus</code>
$\bar{\wedge}$	<code>\barwedge</code>	\downY	<code>\downY</code>	\sqcap	<code>\sqcap</code>
\cap	<code>\cap</code>	\dimes	<code>\dimes</code>	\sqcapdot	<code>\sqcapdot</code>
\capdot	<code>\capdot</code>	\hdotdot	<code>\hdotdot</code>	\sqcapplus	<code>\sqcapplus</code>
\capplus	<code>\capplus</code>	\intercal	<code>\intercal</code>	\sqcup	<code>\sqcup</code>
\cdot	<code>\cdot</code>	\intprod	<code>\intprod</code>	\sqcupdot	<code>\sqcupdot</code>
\centerdot	<code>\centerdot</code>	\intprodr	<code>\intprodr</code>	\sqcupplus	<code>\sqcupplus</code>
\cup	<code>\cup</code>	\leftthreetimes	<code>\leftthreetimes</code>	\times	<code>\times</code>
\cupdot	<code>\cupdot</code>	\leftY	<code>\leftY</code>	\times	<code>\timesbar</code>
\cupplus	<code>\cupplus</code>	\ltimes	<code>\ltimes</code>	\cdot	<code>\udotdot</code>
\curlyvee	<code>\curlyvee</code>	\medbackslash	<code>\medbackslash</code>	\bowtie	<code>\upbowtie</code>
\curlywedge	<code>\curlywedge</code>	\medslash	<code>\medslash</code>	\upY	<code>\upY</code>
$\ddot{\cdot}$	<code>\ddotdotdot</code>	\minus	<code>\minus</code>	\times	<code>\utimes</code>
\div	<code>\div</code>	\minusdot	<code>\minusdot</code>	\amalg	<code>\varamalg</code>
\divideontimes	<code>\divideontimes</code>	\minusfdots	<code>\minusfdots</code>	$:$	<code>\vdotdot</code>
$/$	<code>\divslash</code>	\minusrdots	<code>\minusrdots</code>	\vdots	<code>\vdots</code>
$\dot{-}$	<code>\dotminus</code>	\mp	<code>\mp</code>	\vee	<code>\vee</code>
$\dot{+}$	<code>\dotplus</code>	\plus	<code>\plus</code>	\veebar	<code>\veebar</code>

(continued on next page)

(continued from previous page)

\times	<code>\dottimes</code>	\dagger	<code>\plusdot</code>	\vee	<code>\veedot</code>
$\overline{\wedge}$	<code>\doublebarwedge</code>	\pm	<code>\pm</code>	$\underline{\vee}$	<code>\veedoublebar</code>
\cap	<code>\doublecap</code>	\lrcorner	<code>\pullback</code>	\wedge	<code>\wedge</code>
\cup	<code>\doublecup</code>	\lrcorner	<code>\pushout</code>	\wedge	<code>\wedgedot</code>
\sqcap	<code>\doublesqcap</code>	\times	<code>\rightthreetimes</code>	\wr	<code>\wreath</code>
\sqcup	<code>\doublesqcup</code>	\succ	<code>\rightY</code>		

fdsymbol defines `\btimes` as a synonym for `\dtimes`; `\Cap` as a synonym for `\doublecap`; `\Cup` as a synonym for `\doublecup`; `\hookupminus` as a synonym for `\intprodr`; `\hourglass` as a synonym for `\upbowtie`; `\land` as a synonym for `\wedge`; `\lor` as a synonym for `\vee`; `\minushookup` as a synonym for `\intprod`; `\smalldivslash` as a synonym for `\medslash`; `\smallsetminus` as a synonym for `\medbackslash`; `\Sqcap` as a synonym for `\doublesqcap`; `\Sqcup` as a synonym for `\doublesqcup`; `\ttimes` as a synonym for `\utimes`; `\lJoin` as a synonym for `\ltimes`; `\rJoin` as a synonym for `\rtimes`; `\Join` and `\lrtimes` as synonyms for `\bowtie`; `\uplus` as a synonym for `\cupplus`; `\veeonvee` as a synonym for `\doublevee`; `\wedgeonwedge` as a synonym for `\doublewedge`; and `\wr` as a synonym for `\wreath`).

TABLE 58: boisik Binary Operators

$*$	<code>\ast</code>	\times	<code>\dottimes</code>	\rtimes	<code>\rtimesblack</code>
$\bar{\phi}$	<code>\baro</code>	$\overline{\wedge}$	<code>\doublebarwedge</code>	\setminus	<code>\smallsetminus</code>
$\overline{\wedge}$	<code>\barwedge</code>	$;$	<code>\fatsemi</code>	\otimes	<code>\smashtimes</code>
\parallel	<code>\bbslash</code>	$>$	<code>\gtrdot</code>	\sqcup	<code>\sqcupplus</code>
$\&$	<code>\binampersand</code>	\top	<code>\intercal</code>	\parallel	<code>\sslash</code>
\wp	<code>\bindnasrepma</code>	\wr	<code>\lbag</code>	\times	<code>\times</code>
\blackbowtie	<code>\blackbowtie</code>	\blackbowtie	<code>\lblackbowtie</code>	\uplus	<code>\uplus</code>
\bowtie	<code>\bowtie</code>	\triangleleft	<code>\leftslice</code>	\cap	<code>\varcap</code>
\cap	<code>\cap</code>	λ	<code>\leftthreetimes</code>	\cup	<code>\varcup</code>
\Cap	<code>\Cap</code>	\lessdot	<code>\lessdot</code>	\top	<code>\varintercal</code>
\cdot	<code>\cdot</code>	\ltimes	<code>\ltimes</code>	\sqcap	<code>\varsqcap</code>
\cdot	<code>\centerdot</code>	\ltimes	<code>\ltimesblack</code>	\sqcup	<code>\varsqcup</code>
\dagger	<code>\circplus</code>	\M	<code>\merge</code>	\times	<code>\vartimes</code>
$*$	<code>\coAsterisk</code>	\ominus	<code>\minuso</code>	\vee	<code>\vee</code>
$*$	<code>\convolution</code>	\ddagger	<code>\moo</code>	\vee	<code>\Vee</code>
\cup	<code>\cup</code>	\mp	<code>\mp</code>	$\underline{\vee}$	<code>\veebar</code>
\cup	<code>\Cup</code>	\oplus	<code>\nplus</code>	\vee	<code>\veeonvee</code>
\cup	<code>\cupleftarrow</code>	\oplus	<code>\pluscirc</code>	\wedge	<code>\wedge</code>
\curlyvee	<code>\curlyvee</code>	\dagger	<code>\plustrif</code>	\wedge	<code>\Wedge</code>
\curlywedge	<code>\curlywedge</code>	\pm	<code>\pm</code>	\Uparrow	<code>\Ydown</code>
\dagger	<code>\dagger</code>	\int	<code>\rbag</code>	\leftarrow	<code>\Yleft</code>
\ddagger	<code>\ddagger</code>	\blackbowtie	<code>\rblackbowtie</code>	\rightarrow	<code>\Yright</code>
\div	<code>\div</code>	\triangleright	<code>\rightslice</code>	\Uparrow	<code>\Yup</code>
\otimes	<code>\divideontimes</code>	\times	<code>\rightthreetimes</code>		
\dagger	<code>\dotplus</code>	\times	<code>\rtimes</code>		

TABLE 59: stix Binary Operators

\amalg	<code>\amalg</code>	$\; ;$	<code>\fcmp</code>	\sqcup	<code>\sqcup</code>
\ast	<code>\ast</code>	$\; /$	<code>\fracslash</code>	\sqcup	<code>\Sqcup</code>
$\bar{\cap}$	<code>\barcap</code>	$\; \uparrow$	<code>\intercal</code>	$\//$	<code>\sslash</code>
$\bar{\cup}$	<code>\barcup</code>	$\; \parallel$	<code>\interleave</code>	$\; :$	<code>\threedotcolon</code>
∇	<code>\barvee</code>	$\; \lrcorner$	<code>\intprod</code>	\times	<code>\times</code>
$\bar{\wedge}$	<code>\barwedge</code>	$\; \llcorner$	<code>\intprodr</code>	\times	<code>\timesbar</code>
\slopedvee	<code>\bigstlopedvee</code>	$\; \approx$	<code>\invlazys</code>	$-$	<code>\tminus</code>
\slopedwedge	<code>\bigstlopedwedge</code>	$\; \lambda$	<code>\leftthreetimes</code>	$+$	<code>\tplus</code>
\btimes	<code>\btimes</code>	\triangleleft	<code>\lhd</code>	$\#$	<code>\tripleplus</code>
\cap	<code>\cap</code>	\times	<code>\ltimes</code>	$\//$	<code>\trslash</code>
\Cap	<code>\Cap</code>	∇	<code>\midbarvee</code>	\cap	<code>\twocaps</code>
\capbarcup	<code>\capbarcup</code>	\wedge	<code>\midbarwedge</code>	\cup	<code>\twocups</code>
\capdot	<code>\capdot</code>	\cdot	<code>\minusdot</code>	$\; :$	<code>\typecolon</code>
\capovercup	<code>\capovercup</code>	\cdot	<code>\minusfdots</code>	\cup	<code>\uminus</code>
\capwedge	<code>\capwedge</code>	\cdot	<code>\minusrdots</code>	\triangleleft	<code>\unlhd</code>
\closedvarcap	<code>\closedvarcap</code>	\mp	<code>\mp</code>	\triangleleft	<code>\unrhd</code>
\closedvarcup	<code>\closedvarcup</code>	$\#$	<code>\nhVvert</code>	\updownarrow	<code>\upand</code>
\closedvarcupsmashprod	<code>\closedvarcupsmashprod</code>	\oplus	<code>\opluslhrim</code>	\oplus	<code>\uplus</code>
\commaminus	<code>\commaminus</code>	\oplus	<code>\oplusrhrim</code>	$\bar{\wedge}$	<code>\varbarwedge</code>
\cup	<code>\cup</code>	\otimes	<code>\otimeslhrim</code>	$\bar{\wedge}$	<code>\vardoublebarwedge</code>
\Cup	<code>\Cup</code>	\otimes	<code>\otimesrhrim</code>	\vee	<code>\varveebar</code>
\cupbarcap	<code>\cupbarcap</code>	$\dot{+}$	<code>\plusdot</code>	\times	<code>\vectimes</code>
\cupdot	<code>\cupdot</code>	\pm	<code>\pluseqq</code>	\vee	<code>\Vee</code>
\cupleftarrow	<code>\cupleftarrow</code>	$\hat{+}$	<code>\plushat</code>	\vee	<code>\vee</code>
\cupovercap	<code>\cupovercap</code>	\ddagger	<code>\plussim</code>	\vee	<code>\veebar</code>
\cupvee	<code>\cupvee</code>	\ddagger	<code>\plussubtwo</code>	\vee	<code>\veedot</code>
\curlyvee	<code>\curlyvee</code>	\ddagger	<code>\plustrif</code>	\vee	<code>\veedoublebar</code>
\curlywedge	<code>\curlywedge</code>	\pm	<code>\pm</code>	\vee	<code>\veemidvert</code>
\dagger	<code>\dagger</code>	\triangleright	<code>\rhd</code>	$\dot{\vee}$	<code>\veedot</code>
\ddagger	<code>\ddagger</code>	\times	<code>\rightthreetimes</code>	\vee	<code>\veeonvee</code>
\div	<code>\div</code>	\ddagger	<code>\ringplus</code>	\wedge	<code>\Wedge</code>
\divideontimes	<code>\divideontimes</code>	\dagger	<code>\rsolbar</code>	\wedge	<code>\wedge</code>
$\dot{-}$	<code>\dotminus</code>	\times	<code>\rtimes</code>	\triangle	<code>\wedgebar</code>
$\dot{+}$	<code>\dotplus</code>	\setminus	<code>\setminusminus</code>	\wedge	<code>\wedgedot</code>
$\dot{\times}$	<code>\dottimes</code>	\sqcup	<code>\shuffle</code>	$\underline{\wedge}$	<code>\wedgedoublebar</code>
$\bar{\vee}$	<code>\doublebarvee</code>	\ddagger	<code>\simplus</code>	\wedge	<code>\wedgemidvert</code>
$\bar{\wedge}$	<code>\doublebarwedge</code>	\smallsetminus	<code>\smallsetminusminus</code>	\wedge	<code>\wedgeodot</code>
$\#$	<code>\doubleplus</code>	\ast	<code>\smashtimes</code>	\wedge	<code>\wedgeonwedge</code>
\int	<code>\dsol</code>	\sqcap	<code>\sqcap</code>	\wr	<code>\wr</code>
\equiv	<code>\eqqplus</code>	\boxplus	<code>\Sqcap</code>		

stix defines `\land` as a synonym for `\wedge`, `\lor` as a synonym for `\vee`, `\doublecap` as a synonym for `\Cap`, and `\doublecup` as a synonym for `\Cup`.

TABLE 60: mathdesign Binary Operators

\times `\dtimes` \times `\udtimes` \times `\utimes`

The `mathdesign` package additionally provides versions of each of the binary operators shown in Table 51 on page 30.

TABLE 61: cml Binary Operators

\wp `\parr*` $\&$ `\with†`

* cml defines `\invamp` as a synonym for `\parr`.

† `\with` differs from `\&` in terms of its math-mode spacing: `$A \& B$` produces “ $A \& B$ ”, for example, while `$A \with B$` produces “ $A \& B$ ”.

TABLE 62: shuffle Binary Operators

\sqcup `\cshuffle` \sqcup `\shuffle`

TABLE 63: ulsy Geometric Binary Operators

\oplus `\odplus`

TABLE 64: mathabx Geometric Binary Operators

\blacktriangledown	<code>\blacktriangledown</code>	\boxright	<code>\boxright</code>	\ominus	<code>\ominus</code>
\blacktriangleleft	<code>\blacktriangleleft</code>	\boxslash	<code>\boxslash</code>	\oplus	<code>\oplus</code>
\blacktriangleright	<code>\blacktriangleright</code>	\boxtimes	<code>\boxtimes</code>	\oplus	<code>\oright</code>
\blacktriangleup	<code>\blacktriangleup</code>	\boxtop	<code>\boxtop</code>	\oslash	<code>\oslash</code>
\boxasterisk	<code>\boxasterisk</code>	\boxtriangleup	<code>\boxtriangleup</code>	\otimes	<code>\otimes</code>
\boxbackslash	<code>\boxbackslash</code>	\boxvoid	<code>\boxvoid</code>	\oplus	<code>\otop</code>
\boxbot	<code>\boxbot</code>	\oasterisk	<code>\oasterisk</code>	\triangleup	<code>\otriangleup</code>
\boxcirc	<code>\boxcirc</code>	\obackslash	<code>\obackslash</code>	\circ	<code>\ovoid</code>
\boxcoasterisk	<code>\boxcoasterisk</code>	\obot	<code>\obot</code>	\blacktriangledown	<code>\smalltriangledown</code>
\boxdiv	<code>\boxdiv</code>	\ocirc	<code>\ocirc</code>	\blacktriangleleft	<code>\smalltriangleleft</code>
\boxdot	<code>\boxdot</code>	\ocoasterisk	<code>\ocoasterisk</code>	\blacktriangleright	<code>\smalltriangleright</code>
\boxleft	<code>\boxleft</code>	\odiv	<code>\odiv</code>	\blacktriangleup	<code>\smalltriangleup</code>
\boxminus	<code>\boxminus</code>	\odot	<code>\odot</code>		
\boxplus	<code>\boxplus</code>	\oleft	<code>\oleft</code>		

TABLE 65: MnSymbol Geometric Binary Operators

\boxbackslash	\filledmedtriangledown	\ocirc
\boxbox	\filledmedtriangleleft	\odot
\boxdot	\filledmedtriangleright	\ominus
\boxminus	\filledmedtriangleup	\oplus
\boxplus	\filledsquare	\oslash
\boxslash	\filledstar	\ostar
\boxtimes	\filledtriangledown	\otimes
\boxvert	\filledtriangleleft	\otriangleright
\diamondbackslash	\filledtriangleright	\overt
\diamondddiamond	\filledtriangleup	\pentagram
\diamondddot	\meddiamond	\smalldiamond
\diamonddminus	\medsquare	\smallsquare
\diamonddplus	\medstar	\smallstar
\diamonddslash	\medtriangledown	\smalltriangledown
\diamonddtimes	\medtriangleleft	\smalltriangleleft
\diamonddvert	\medtriangleright	\smalltriangleright
\downslice	\medtriangleup	\smalltriangleup
\filleddiamond	\oast	\thinstar
\filledmedsquare	\obackslash	\upslice

MnSymbol defines \blacksquare as a synonym for \filledmedsquare ; \square and \Box as synonyms for \medsquare ; \diamond as a synonym for \smalldiamond ; \Diamond as a synonym for \meddiamond ; \star as a synonym for \thinstar ; \circledast as a synonym for \oast ; \circledcirc as a synonym for \ocirc ; and, \circleddash as a synonym for \ominus .

TABLE 66: fdsymbol Geometric Binary Operators

\boxbackslash	\medblacktriangledown	\oplus
\boxbox	\medblacktriangleleft	\oslash
\boxdot	\medblacktriangleright	\otimes
\boxminus	\medblacktriangleup	\overt
\boxplus	\medcircle	\bullet
\boxslash	\meddiamond	\blacklozenge
\boxtimes	\medslash	\blacksquare
\boxvert	\medsquare	\blackstar
\diamondbackslash	\medtriangledown	\smallblacktriangledown
\diamondddiamond	\medtriangleleft	\smallblacktriangleleft
\diamondddot	\medtriangleright	\smallblacktriangleright
\diamonddminus	\medtriangleup	\smallblacktriangleup
\diamonddplus	\medwhitestar	\smallcircle
\diamonddslash	\oast	\smalldiamond
\diamonddtimes	\obackslash	\smallsquare
\diamonddvert	\ocirc	\smalltriangledown
\medblackcircle	\odash	\smalltriangleleft
\medblackdiamond	\odot	\smalltriangleright
\medblacksquare	\oequal	\smalltriangleup
\medblackstar	\ominus	\smallwhitestar

























































fdsymbol defines synonyms for most of the preceding symbols:

◆	<code>\blackdiamond</code>	◇	<code>\diamond</code>	●	<code>\smbkcircle</code>
▲	<code>\blacktriangle</code>	◇	<code>\Diamond</code>	◆	<code>\smbkdiamond</code>
▼	<code>\blacktriangledown</code>	◇	<code>\diamondbslash</code>	■	<code>\smbklsquare</code>
◀	<code>\blacktriangleleft</code>	◇	<code>\diamondcdot</code>	☆	<code>\smwhitestar</code>
▶	<code>\blacktriangleright</code>	◆	<code>\mdblkdiamond</code>	○	<code>\smwhtcircle</code>
□	<code>\Box</code>	■	<code>\mdblklsquare</code>	◇	<code>\smwhtdiamond</code>
▣	<code>\boxbar</code>	●	<code>\mdlgbkcircle</code>	◻	<code>\smwhtsquare</code>
▤	<code>\boxbslash</code>	◆	<code>\mdlgbkdiamond</code>	□	<code>\square</code>
▥	<code>\boxdiag</code>	■	<code>\mdlgbklsquare</code>	★	<code>\star</code>
•	<code>\bullet</code>	○	<code>\mdlgwhtcircle</code>	△	<code>\triangle</code>
◦	<code>\circ</code>	◇	<code>\mdlgwhtdiamond</code>	▽	<code>\triangledown</code>
⊗	<code>\circledast</code>	◻	<code>\mdlgwhtsquare</code>	◁	<code>\triangleleft</code>
⊙	<code>\circledcirc</code>	◇	<code>\mdwhtdiamond</code>	▷	<code>\triangleright</code>
⊖	<code>\circleddash</code>	◻	<code>\mdwhtsquare</code>	△	<code>\vartriangle</code>
⊕	<code>\circledequal</code>	★	<code>\medstar</code>		
⊖	<code>\circledvert</code>	⊗	<code>\obslash</code>		

TABLE 67: boisk Geometric Binary Operators

◆	<code>\blacklozenge</code>	▣	<code>\boxright</code>	◻	<code>\oblong</code>
■	<code>\blacksquare</code>	▤	<code>\boxslash</code>	⊕	<code>\obot</code>
▲	<code>\blacktriangle</code>	▥	<code>\boxtimes</code>	⊗	<code>\obslash</code>
▼	<code>\blacktriangledown</code>	▣	<code>\boxtop</code>	⊖	<code>\ogreaterthan</code>
◀	<code>\blacktriangleleft</code>	▤	<code>\boxtriangle</code>	⊕	<code>\oleft</code>
▶	<code>\blacktriangleright</code>	⊗	<code>\circledast</code>	⊖	<code>\olessthan</code>
⊗	<code>\boxast</code>	⊙	<code>\circledcirc</code>	⊖	<code>\ominus</code>
▣	<code>\boxbar</code>	⊖	<code>\circleddash</code>	⊕	<code>\oplus</code>
▣	<code>\boxbot</code>	◇	<code>\diamond</code>	⊕	<code>\oright</code>
▣	<code>\boxbox</code>	◊	<code>\diamondbar</code>	⊗	<code>\oslash</code>
▤	<code>\boxbslash</code>	◊	<code>\diamondcircle</code>	⊗	<code>\otimes</code>
▣	<code>\boxcircle</code>	◊	<code>\diamondminus</code>	⊕	<code>\otop</code>
▣	<code>\boxdivision</code>	◇	<code>\diamondop</code>	⊖	<code>\otriangle</code>
▣	<code>\boxdot</code>	⊕	<code>\diamondplus</code>	⊖	<code>\ovee</code>
▣	<code>\boxleft</code>	⊗	<code>\diamondtimes</code>	⊖	<code>\owedge</code>
▣	<code>\boxminus</code>	◊	<code>\diamondtriangle</code>	★	<code>\star</code>
▣	<code>\boxplus</code>	⊖	<code>\obar</code>	⏏	<code>\talloblong</code>

















TABLE 68: stix Geometric Binary Operators


	<code>\blackhourglass</code>		<code>\concavediamondtickleft</code>		<code>\oplus</code>
	<code>\boxast</code>		<code>\concavediamondtickright</code>		<code>\oslash</code>
	<code>\boxbar</code>		<code>\diamond</code>		<code>\otimes</code>
	<code>\boxbox</code>		<code>\dsub</code>		<code>\otimes</code>
	<code>\boxbslash</code>		<code>\hourglass</code>		<code>\otimeshat</code>
	<code>\boxcircle</code>		<code>\lozengeminus</code>		<code>\rsub</code>
	<code>\boxdiag</code>		<code>\mdlgblklozenge</code>		<code>\smbllkcircle</code>
	<code>\boxdot</code>		<code>\mdlgwhtcircle</code>		<code>\star</code>
	<code>\boxminus</code>		<code>\obar</code>		<code>\talloblong</code>
	<code>\boxplus</code>		<code>\obot*</code>		<code>\triangle</code>
	<code>\boxtimes</code>		<code>\obslash</code>		<code>\triangleminus</code>
	<code>\circledast</code>		<code>\odiv</code>		<code>\triangleplus</code>
	<code>\circledcirc</code>		<code>\odot</code>		<code>\triangleleserifs</code>
	<code>\circleddash</code>		<code>\odotslashdot*</code>		<code>\trianglerimes</code>
	<code>\circledequal</code>		<code>\ogreaterthan</code>		<code>\vysmbllkcircle[†]</code>
	<code>\circledparallel</code>		<code>\olcross*</code>		<code>\vysmwhtcircle</code>
	<code>\circledvert</code>		<code>\olessthan</code>		<code>\whitesquaretickleft</code>
	<code>\circlehbar</code>		<code>\ominus</code>		<code>\whitesquaretickright</code>
	<code>\concavediamond</code>		<code>\operp</code>		

* Defined as an ordinary character, not as a binary relation. However, these symbols more closely resemble the other symbols in this table than they do the geometric shapes presented in Table 390, which is why they are included here.

† stix defines `\bullet` as a synonym for `\vysmbllkcircle`.

TABLE 69: halloweenmath Halloween-Themed Math Operators

	<code>\bigpumpkin[‡]</code>		<code>\mathleftghost</code>		<code>\reversemathcloud</code>
	<code>\bigskull</code>		<code>\mathrightbat</code>		<code>\reversemathwitch[†]</code>
	<code>\mathbat</code>		<code>\mathrightghost</code>		<code>\reversemathwitch*[†]</code>
	<code>\mathcloud</code>		<code>\mathwitch*[†]</code>		<code>\skull</code>
	<code>\mathghost</code>		<code>\mathwitch[†]</code>		
	<code>\mathleftbat</code>		<code>\pumpkin</code>		

† These symbols accept limits. For example, `\mathwitch*_{i=0}^{\infty} f(x)` produces “ $f(x)$ ” in text mode and

$$\underset{i=0}{\overset{\infty}{\mathwitch*}} f(x)$$

in display mode.

‡ `\greatpumpkin` is a synonym for `\bigpumpkin`.

TABLE 70: stix Small Integrals

\int	<code>\smallawint</code>	\int	<code>\smallintcap</code>	\oint	<code>\smalloint</code>
\int	<code>\smallcirfnint</code>	\int	<code>\smallintclockwise</code>	\oint	<code>\smallointctrcclockwise</code>
\int	<code>\smallfint</code>	\int	<code>\smallintcup</code>	\oint	<code>\smallpointint</code>
\int	<code>\smalliiiint</code>	\int	<code>\smallintlarhk</code>	\int	<code>\smallrppolint</code>
\int	<code>\smalliiint</code>	\int	<code>\smallintx</code>	\int	<code>\smallscpolint</code>
\int	<code>\smalliint</code>	\int	<code>\smalllowint</code>	\int	<code>\smallsqint</code>
\int	<code>\smallint</code>	\int	<code>\smallnpolint</code>	\int	<code>\smallsumint</code>
\int	<code>\smallintbar</code>	\int	<code>\smallloiiint</code>	\int	<code>\smallupint</code>
\int	<code>\smallintBar</code>	\int	<code>\smallloiiint</code>	\int	<code>\smallvarointclockwise</code>

By default, each of the preceding commands points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 71.

TABLE 71: stix Small Integrals with Explicit Slant

\int	<code>\smallawintsl</code>	\int	<code>\smallawintup</code>
\int	<code>\smallcirfnintsl</code>	\int	<code>\smallcirfnintup</code>
\int	<code>\smallfintsl</code>	\int	<code>\smallfintup</code>
\int	<code>\smalliiiintsl</code>	\int	<code>\smalliiiintup</code>
\int	<code>\smalliiintsl</code>	\int	<code>\smalliiintup</code>
\int	<code>\smalliintsl</code>	\int	<code>\smalliintup</code>
\int	<code>\smallintbarsl</code>	\int	<code>\smallintBarup</code>
\int	<code>\smallintBarsl</code>	\int	<code>\smallintbarup</code>
\int	<code>\smallintcapsl</code>	\int	<code>\smallintcapup</code>
\int	<code>\smallintclockwisel</code>	\int	<code>\smallintclockwiseup</code>
\int	<code>\smallintcupsl</code>	\int	<code>\smallintcupup</code>
\int	<code>\smallintlarhksl</code>	\int	<code>\smallintlarhkup</code>
\int	<code>\smallintsl</code>	\int	<code>\smallintup</code>
\int	<code>\smallintxsl</code>	\int	<code>\smallintxup</code>
\int	<code>\smalllowintsl</code>	\int	<code>\smalllowintup</code>
\int	<code>\smallnpolintsl</code>	\int	<code>\smallnpolintup</code>
\int	<code>\smallloiiintsl</code>	\int	<code>\smallloiiintup</code>
\int	<code>\smallloiiintsl</code>	\int	<code>\smallloiiintup</code>
\int	<code>\smallointctrcclockwisel</code>	\int	<code>\smallointctrcclockwiseup</code>
\int	<code>\smallointsl</code>	\int	<code>\smallointup</code>
\int	<code>\smallpointintsl</code>	\int	<code>\smallpointintup</code>
\int	<code>\smallrppolintsl</code>	\int	<code>\smallrppolintup</code>
\int	<code>\smallscpolintsl</code>	\int	<code>\smallscpolintup</code>
\int	<code>\smallsqintsl</code>	\int	<code>\smallsqintup</code>
\int	<code>\smallsumintsl</code>	\int	<code>\smallsumintup</code>
\int	<code>\smallupintsl</code>	\int	<code>\smallupintup</code>
\int	<code>\smallvarointclockwisel</code>	\int	<code>\smallvarointclockwiseup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 70 either with or without the `upint` package option. Specifying `upint` selects each integral's upright (up) variant, while omitting `upint` selects each integral's slanted (sl) variant. Use the symbols shown in Table 71 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 72: Variable-sized Math Operators

\bigcap	<code>\bigcap</code>	\bigotimes	<code>\bigotimes</code>	\bigwedge	<code>\bigwedge</code>	\prod	<code>\prod</code>	<code>\prod</code>
\bigcup	<code>\bigcup</code>	\bigsqcup	<code>\bigsqcup</code>	\coprod	<code>\coprod</code>	\sum	<code>\sum</code>	<code>\sum</code>
\bigodot	<code>\bigodot</code>	\bigoplus	<code>\bigoplus</code>	\int	<code>\int</code>			
\bigoplus	<code>\bigoplus</code>	\bigvee	<code>\bigvee</code>	\oint	<code>\oint</code>			

TABLE 73: \mathcal{AMS} Variable-sized Math Operators

\iint	<code>\iint</code>	\iiint	<code>\iiint</code>
\iiint	<code>\iiint</code>	$\int \dots \int$	<code>\int \dots \int</code>

TABLE 74: `stmaryrd` Variable-sized Math Operators

\bigboxplus	<code>\bigboxplus</code>	\biginterleave	<code>\biginterleave</code>	\bigsqcap	<code>\bigsqcap</code>
\bigcurlyvee	<code>\bigcurlyvee</code>	\bignplus	<code>\bignplus</code>	\bigtriangledown	<code>\bigtriangledown</code>
\bigcurlywedge	<code>\bigcurlywedge</code>	\bigparallel	<code>\bigparallel</code>	\bigtriangleup	<code>\bigtriangleup</code>

TABLE 75: `wasysym` Variable-sized Math Operators

\int	<code>\int</code>	\iint	<code>\iint</code>	\iiint	<code>\iiint</code>
\oint	<code>\oint</code>	\oiint	<code>\oiint</code>		

If `wasysym` is loaded without package options then none of the preceding symbols are defined. However, `\varint` produces `wasysym`'s `\int` glyph, and `\varoint` produces `wasysym`'s `\oint` glyph.

If `wasysym` is loaded with the `integrals` option then all of the preceding symbols are defined, but `\varint` and `\varoint` are left undefined.

If `wasysym` is loaded with the `nointegrals` option then none of the preceding symbols, `\varint`, or `\varoint` are defined.

TABLE 76: `mathabx` Variable-sized Math Operators

\curlyvee	<code>\bigcurlyvee</code>	\boxslash	<code>\bigboxslash</code>	\bigoplus	<code>\bigoright</code>
\sqcap	<code>\bigsqcap</code>	\boxtimes	<code>\bigboxtimes</code>	\bigoslash	<code>\bigoslash</code>
\curlywedge	<code>\bigcurlywedge</code>	\boxplus	<code>\bigboxplus</code>	\bigotimes	<code>\bigotimes</code>
\boxast	<code>\bigboxasterisk</code>	\boxtriangleup	<code>\bigboxtriangleup</code>	\bigtriangleup	<code>\bigtriangleup</code>
\boxbackslash	<code>\bigboxbackslash</code>	\boxvoid	<code>\bigboxvoid</code>	\bigcirc	<code>\bigovoid</code>
\boxbot	<code>\bigboxbot</code>	\complement	<code>\bigcomplement</code>	\bigplus	<code>\bigplus</code>
\boxcirc	<code>\bigboxcirc</code>	\bigcircast	<code>\bigcircasterisk</code>	\bigplus	<code>\bigsqplus</code>
\boxcoasterisk	<code>\bigboxcoasterisk</code>	\bigcircbackslash	<code>\bigcircbackslash</code>	\bigtimes	<code>\bigtimes</code>
\boxdiv	<code>\bigboxdiv</code>	\bigoplus	<code>\bigoplus</code>	\iiint	<code>\iiint</code>
\boxdot	<code>\bigboxdot</code>	\bigodot	<code>\bigodot</code>	\iint	<code>\iint</code>
\boxleft	<code>\bigboxleft</code>	\bigcircasterisk	<code>\bigcircasterisk</code>	\int	<code>\int</code>
\boxminus	<code>\bigboxminus</code>	\bigodiv	<code>\bigodiv</code>	\oiint	<code>\oiint</code>
\boxplus	<code>\bigboxplus</code>	\bigoplus	<code>\bigoplus</code>	\oint	<code>\oint</code>
\boxright	<code>\bigboxright</code>	\bigominus	<code>\bigominus</code>		

TABLE 77: txfonts/pxfonts Variable-sized Math Operators

\boxplus	$\boxed{+}$	<code>\bigsqcapplus</code>	\oint	\oint	<code>\ointclockwise</code>
\boxplus	$\boxed{+}$	<code>\bigsqcupplus</code>	\oint	\oint	<code>\ointctrlockwise</code>
\int	\int	<code>\fint</code>	\int	\int	<code>\sqiiint</code>
$\int \cdots \int$	$\int \cdots \int$	<code>\idotsint</code>	\int	\int	<code>\sqiint</code>
\iiint	\iiint	<code>\iiiint</code>	\int	\int	<code>\sqint</code>
\iiint	\iiint	<code>\iiint</code>	\int	\int	<code>\varoiintclockwise</code>
\iint	\iint	<code>\iint</code>	\int	\int	<code>\varoiintctrlockwise</code>
\oiint	\oiint	<code>\oiintclockwise</code>	\int	\int	<code>\varoiintclockwise</code>
\oiint	\oiint	<code>\oiintctrlockwise</code>	\int	\int	<code>\varoiintctrlockwise</code>
\oiint	\oiint	<code>\oiint</code>	\int	\int	<code>\varointclockwise</code>
\oint	\oint	<code>\ointclockwise</code>	\int	\int	<code>\varointctrlockwise</code>
\oint	\oint	<code>\ointctrlockwise</code>	\times	\times	<code>\varprod</code>
\oint	\oint	<code>\oint</code>			

TABLE 78: esint Variable-sized Math Operators

$\int\cdots\int$	$\int\cdots\int$	<code>\dotsint</code>	\oint	\oint	<code>\ointclockwise</code>
\int	\int	<code>\fint</code>	\oint	\oint	<code>\ointctrlockwise</code>
\iiint	\iiint	<code>\iiiint</code>	\oiint	\oiint	<code>\sqiint</code>
\iint	\iint	<code>\iiint</code>	\oiint	\oiint	<code>\sqiint</code>
\iint	\iint	<code>\iint</code>	\oiint	\oiint	<code>\varoiint</code>
\int	\int	<code>\landdowntoint</code>	\oint	\oint	<code>\varointclockwise</code>
\int	\int	<code>\landupoint</code>	\oint	\oint	<code>\varointctrlockwise</code>
\oiint	\oiint	<code>\oiint</code>			

TABLE 79: bigints Variable-sized Math Operators

\int	\int	<code>\bigint</code>	\oint	\oint	<code>\bigoint</code>
\int	\int	<code>\bigints</code>	\oint	\oint	<code>\bigoints</code>
\int	\int	<code>\bigintss</code>	\oint	\oint	<code>\bigointss</code>
\int	\int	<code>\bigintsss</code>	\oint	\oint	<code>\bigintsss</code>
\int	\int	<code>\bigintssss</code>	\oint	\oint	<code>\bigintssss</code>

TABLE 80: MnSymbol Variable-sized Math Operators

\cap	\bigcap	<code>\bigcap</code>	\ominus	\bigominus	<code>\bigominus</code>	\complement	\complement	<code>\complement</code>
$\cap\cdot$	$\bigcap\cdot$	<code>\bigcap\cdot</code>	\oplus	\bigoplus	<code>\bigoplus</code>	\amalg	\amalg	<code>\coprod</code>
\oplus	\bigoplus	<code>\bigoplus</code>	\oslash	\bigoslash	<code>\bigoslash</code>	$\int\cdots\int$	$\int\cdots\int$	<code>\idotsint</code>
\bigcirc	\bigcirc	<code>\bigcircle</code>	\otimes	\bigotimes	<code>\bigotimes</code>	\iiint	\iiint	<code>\iiiint</code>
\cup	\bigcup	<code>\bigcup</code>	\otimes	\bigotimes	<code>\bigotimes</code>	\iiint	\iiint	<code>\iiint</code>
$\cup\cdot$	$\bigcup\cdot$	<code>\bigcup\cdot</code>	\triangleleft	\bigtriangleleft	<code>\bigtriangleleft</code>	\iint	\iint	<code>\iint</code>
$\cup+$	$\bigcup+$	<code>\bigcupplus*</code>	\bigodot	\bigodot	<code>\bigodot</code>	\int	\int	<code>\int</code>
\curlyvee	\bigcurlyvee	<code>\bigcurlyvee</code>	$+$	\bigplus	<code>\bigplus</code>	\int	\int	<code>\landdownint</code>
$\curlyvee\cdot$	$\bigcurlyvee\cdot$	<code>\bigcurlyvee\cdot</code>	\sqcap	\bigsqcap	<code>\bigsqcap</code>	\int	\int	<code>\landupint</code>
\curlywedge	\bigcurlywedge	<code>\bigcurlywedge</code>	$\sqcap\cdot$	$\bigsqcap\cdot$	<code>\bigsqcap\cdot</code>	\oint	\oint	<code>\lrcircleleftint</code>
$\curlywedge\cdot$	$\bigcurlywedge\cdot$	<code>\bigcurlywedge\cdot</code>	$\sqcap+$	$\bigsqcap+$	<code>\bigsqcap+</code>	\oint	\oint	<code>\lrcirclerightint</code>
\doublecurlyvee	\bigdoublecurlyvee	<code>\bigdoublecurlyvee</code>	\sqcup	\bigsqcup	<code>\bigsqcup</code>	\oint	\oint	<code>\oint</code>
\doublecurlywedge	\bigdoublecurlywedge	<code>\bigdoublecurlywedge</code>	$\sqcup\cdot$	$\bigsqcup\cdot$	<code>\bigsqcup\cdot</code>	\oint	\oint	<code>\oint</code>
\doublevee	\bigdoublevee	<code>\bigdoublevee</code>	$\sqcup+$	$\bigsqcup+$	<code>\bigsqcupplus</code>	\prod	\prod	<code>\prod</code>
\doublewedge	\bigdoublewedge	<code>\bigdoublewedge</code>	\times	\bigtimes	<code>\bigtimes</code>	\oint	\oint	<code>\rcircleleftint</code>
\bigodot	\bigodot	<code>\bigodot</code>	\vee	\bigvee	<code>\bigvee</code>	\oint	\oint	<code>\rcirclerightint</code>
\bigobackslash	\bigobackslash	<code>\bigobackslash</code>	$\vee\cdot$	$\bigvee\cdot$	<code>\bigvee\cdot</code>	\int	\int	<code>\strokedint</code>
\bigocirc	\bigocirc	<code>\bigocirc</code>	\wedge	\bigwedge	<code>\bigwedge</code>	Σ	Σ	<code>\sum</code>
\bigodot	\bigodot	<code>\bigodot</code>	$\wedge\cdot$	$\bigwedge\cdot$	<code>\bigwedge\cdot</code>	\int	\int	<code>\sumint</code>

* MnSymbol defines `\biguplus` as a synonym for `\bigcupplus`.

TABLE 81: fdsymbol Variable-sized Math Operators

\cap	\bigcap	<code>\bigcap</code>	\sqcup	\bigsqcup	<code>\bigsqcup</code>	\int	\int	<code>\landupint</code>
$\cap\cdot$	$\bigcap\cdot$	<code>\bigcap\cdot</code>	$\sqcup\cdot$	$\bigsqcup\cdot$	<code>\bigsqcup\cdot</code>	\oint	\oint	<code>\lrcircleleftint</code>

(continued on next page)

TABLE 83: stix Variable-sized Math Operators

\int	\int	<code>\awint</code>	\amalg	\amalg	<code>\coprod</code>	\iiint	\iiint	<code>\oiint</code>
\sum	\sum	<code>\Bbbsum</code>	\mathbb{W}	\mathbb{W}	<code>\disjquant</code>	\oiint	\oiint	<code>\oiint</code>
\cap	\cap	<code>\bigcap</code>	\int	\int	<code>\fint</code>	\oint	\oint	<code>\oint</code>
\cup	\cup	<code>\bigcup</code>	\iiint	\iiint	<code>\iiiint</code>	\oint	\oint	<code>\ointctrlockwise</code>
\cup	\cup	<code>\bigcupdot</code>	\iiint	\iiint	<code>\iiint</code>	\oint	\oint	<code>\pointint</code>
\odot	\odot	<code>\bigodot</code>	\iint	\iint	<code>\iint</code>	\prod	\prod	<code>\prod</code>
\oplus	\oplus	<code>\bigoplus</code>	\int	\int	<code>\int</code>	\int	\int	<code>\rppoint</code>
\otimes	\otimes	<code>\bigotimes</code>	\int	\int	<code>\intbar</code>	\int	\int	<code>\scpoint</code>
\sqcap	\sqcap	<code>\bigsqcap</code>	\int	\int	<code>\intBar</code>	\int	\int	<code>\sqint</code>
\sqcup	\sqcup	<code>\bigsqcup</code>	\int	\int	<code>\intcap</code>	\sum	\sum	<code>\sum</code>
\llcorner	\llcorner	<code>\bigtalloblong</code>	\int	\int	<code>\intclockwise</code>	\sum	\sum	<code>\sumint</code>
\times	\times	<code>\bigtimes</code>	\int	\int	<code>\intcup</code>	\int	\int	<code>\upint</code>
\uplus	\uplus	<code>\biguplus</code>	\int	\int	<code>\intlarhk</code>	\oint	\oint	<code>\varointclockwise</code>
\vee	\vee	<code>\bigvee</code>	\int	\int	<code>\intx</code>	\backslash	\backslash	<code>\xbsol</code>
\wedge	\wedge	<code>\bigwedge</code>	\int	\int	<code>\lowint</code>	$/$	$/$	<code>\xsol</code>
\oint	\oint	<code>\cirfnint</code>	\sum	\sum	<code>\modtwosum</code>			
\mathbb{M}	\mathbb{M}	<code>\conjquant</code>	\int	\int	<code>\npoint</code>			

By default, each of the integral-producing commands in Table 83 points to a slanted version of the glyph, as shown. The `upint` package option typesets each integral instead as an upright version. Slanted and upright integrals can be mixed, however, by explicitly using the commands shown in Table 84.

TABLE 84: stix Integrals with Explicit Slant

\int	\int	<code>\intsl</code>	\int	\int	<code>\intup</code>
\iint	\iint	<code>\iintsl</code>	\iint	\iint	<code>\iintup</code>
\iiint	\iiint	<code>\iiintsl</code>	\iiint	\iiint	<code>\iiintup</code>
\oint	\oint	<code>\ointsl</code>	\oint	\oint	<code>\ointup</code>
\oiint	\oiint	<code>\oiintsl</code>	\oiint	\oiint	<code>\oiintup</code>
\oiiint	\oiiint	<code>\oiiintsl</code>	\oiiint	\oiiint	<code>\oiiintup</code>
$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\intclockwisesl</code>	$\int\!\!\!\int$	$\int\!\!\!\int$	<code>\intclockwiseup</code>
\oint	\oint	<code>\varointclockwisesl</code>	\oint	\oint	<code>\varointclockwiseup</code>
\oint	\oint	<code>\ointctrclockwisesl</code>	\oint	\oint	<code>\ointctrclockwiseup</code>
\sumint	\sumint	<code>\sumintsl</code>	\sumint	\sumint	<code>\sumintup</code>
\iiiiiint	\iiiiiint	<code>\iiiiiintsl</code>	\iiiiiint	\iiiiiint	<code>\iiiiiintup</code>
$\int\bar{}$	$\int\bar{}$	<code>\intbarsl</code>	$\int\bar{}$	$\int\bar{}$	<code>\intbarup</code>
$\int\bar{}$	$\int\bar{}$	<code>\intBarsl</code>	$\int\bar{}$	$\int\bar{}$	<code>\intBarup</code>
\int	\int	<code>\fintsl</code>	\int	\int	<code>\fintup</code>
\oint	\oint	<code>\cirfnintsl</code>	\oint	\oint	<code>\cirfnintup</code>
\int	\int	<code>\awintsl</code>	\int	\int	<code>\awintup</code>
\int	\int	<code>\rppolintsl</code>	\int	\int	<code>\rppolintup</code>
\int	\int	<code>\scpolintsl</code>	\int	\int	<code>\scpolintup</code>
\int	\int	<code>\npolintsl</code>	\int	\int	<code>\npolintup</code>

(continued on next page)

(continued from previous page)

\oint	\oint	<code>\pointintsl</code>	\oint	\oint	<code>\pointintup</code>
\oint	\oint	<code>\sqintsl</code>	\oint	\oint	<code>\sqintup</code>
\int	\int	<code>\intlarhksl</code>	\int	\int	<code>\intlarhkup</code>
\int	\int	<code>\intxsl</code>	\int	\int	<code>\intxup</code>
\int	\int	<code>\intcapsl</code>	\int	\int	<code>\intcapup</code>
\int	\int	<code>\intcupsl</code>	\int	\int	<code>\intcupup</code>
\int	\int	<code>\upintsl</code>	\int	\int	<code>\upintup</code>
\int	\int	<code>\lowintsl</code>	\int	\int	<code>\lowintup</code>

Instead of using the preceding symbols directly, it is generally preferable to use the symbols listed in Table 83 either with or without the `upint` package option. Specifying `upint` selects each integral's upright (`up`) variant, while omitting `upint` selects each integral's slanted (`sl`) variant. Use the symbols shown in Table 84 only when you need to include both upright and slanted variations of a symbol in the same document.

TABLE 85: `cmupint` Variable-sized Upright Integrals

\int	\int	<code>\awint</code>	\int	\int	<code>\npolint</code>
\int	\int	<code>\barint</code>	\int	\int	<code>\oiint</code>
\int	\int	<code>\cirfnint</code>	\int	\int	<code>\oiint</code>
\int	\int	<code>\doublebarint</code>	\int	\int	<code>\oint</code>
\int	\int	<code>\downint</code>	\int	\int	<code>\ointclockwise</code>
\int	\int	<code>\fint</code>	\int	\int	<code>\ointctrcklockwise</code>

(continued on next page)

(continued from previous page)

$\int \dots \int$	$\int \dots \int$	<code>\idotsint*</code>	\oint	\oint	<code>\pointint</code>
\iiint	\iiint	<code>\iiiint</code>	\int	\int	<code>\rppointint</code>
\iint	\iint	<code>\iiint</code>	\int	\int	<code>\scpointint</code>
\iint	\iint	<code>\iint</code>	\oint	\oint	<code>\sqint</code>
\int	\int	<code>\int</code>	\oint	\oint	<code>\sqint</code>
\oint	\oint	<code>\intcap</code>	\oint	\oint	<code>\sumint</code>
\int	\int	<code>\intclockwise</code>	\int	\int	<code>\upint</code>
\oint	\oint	<code>\intcup</code>	$\int \dots \int$	$\int \dots \int$	<code>\varidotsint*</code>
\int	\int	<code>\intlarhk</code>	\oint	\oint	<code>\varointclockwise</code>
\int	\int	<code>\landdownint</code>	\oint	\oint	<code>\varointctrlockwise</code>
\int	\int	<code>\landupint</code>	\int	\int	<code>\xint</code>

`cmupint` additionally provides `\longint`, `\longiint`, `\longoint`, and `\longoiint` commands that stretch arbitrarily tall. See the `cmupint` documentation for more information.

*`\varidotsint` is always drawn as is. `\idotsint` is drawn identically to `\varidotsint` when `amsmath` is not loaded or with more space surrounding each dot when `amsmath` is loaded.

TABLE 86: `mathdesign` Variable-sized Math Operators

\int	\int	<code>\intclockwise</code>	\oint	\oint	<code>\ointclockwise</code>
\iiint	\iiint	<code>\oiint</code>	\oint	\oint	<code>\ointctrlockwise</code>
\iint	\iint	<code>\oiint</code>			

The `mathdesign` package provides three versions of each integral—in fact, of every symbol—to accompany different text fonts: Utopia (\int), Garamond (\int), and Charter (\int).

TABLE 87: `prodint` Variable-sized Math Operators

\prod	<code>\prodi</code>	\prod	<code>\Prodi</code>	\prod	<code>\PRODI</code>
---------	---------------------	---------	---------------------	---------	---------------------

`prodint` currently requires the author to manually specify `\prodi` for inlined expressions ($\$. \dots \$$), `\Prodi` for displayed math ($\[\dots \]$), and `\PRODI` for displayed math involving tall integrands. The package does not define a product integral command that scales automatically akin to the symbols in Table 72.

TABLE 88: `cmll` Large Math Operators

\bigparrr	<code>\bigparr*</code>	\bigwith	<code>\bigwith</code>
-------------	------------------------	------------	-----------------------

* `cmll` defines `\beginvamp` as a synonym for `\bigparr`.

TABLE 89: Binary Relations

\approx	<code>\approx</code>	\equiv	<code>\equiv</code>	\perp	<code>\perp</code>	\smile	<code>\smile</code>
\asymp	<code>\asymp</code>	\frown	<code>\frown</code>	\prec	<code>\prec</code>	\succ	<code>\succ</code>
\bowtie	<code>\bowtie</code>	\Join^*	<code>\Join*</code>	\preceq	<code>\preceq</code>	\succeq	<code>\succeq</code>
\cong	<code>\cong</code>	\mid^\dagger	<code>\mid^\dagger</code>	\propto	<code>\propto</code>	\vdash	<code>\vdash</code>
\dashv	<code>\dashv</code>	\models	<code>\models</code>	\sim	<code>\sim</code>		
\doteq	<code>\doteq</code>	\parallel	<code>\parallel</code>	\simeq	<code>\simeq</code>		

* Not predefined by the $\text{\LaTeX} 2_\epsilon$ core. Use the `latexsym` package to expose this symbol.

† The difference between `\mid` and `|` is that the former is a binary relation while the latter is a math ordinal. Consequently, \LaTeX typesets the two with different surrounding spacing. Contrast “ $P(A \mid B)$ ” \mapsto “ $P(A|B)$ ” with “ $P(A \mid B)$ ” \mapsto “ $P(A \mid B)$ ”.

TABLE 90: \mathcal{AMS} Binary Relations

\approx	<code>\approxeq</code>	$\#$	<code>\eqcirc</code>	\succapprox	<code>\succapprox</code>
\backsimeq	<code>\backepsilon</code>	\fallingdotseq	<code>\fallingdotseq</code>	\succcurlyeq	<code>\succcurlyeq</code>
\backsimeq	<code>\backsim</code>	\multimap	<code>\multimap</code>	\succsim	<code>\succsim</code>
\backsimeq	<code>\backsimeq</code>	\pitchfork	<code>\pitchfork</code>	\therefore	<code>\therefore</code>
\because	<code>\because</code>	\precapprox	<code>\precapprox</code>	\thickapprox	<code>\thickapprox</code>
\between	<code>\between</code>	\preccurlyeq	<code>\preccurlyeq</code>	\thicksim	<code>\thicksim</code>
\bumpeq	<code>\bumpeq</code>	\precsim	<code>\precsim</code>	\varpropto	<code>\varpropto</code>
\bumpeq	<code>\bumpeq</code>	\risingdotseq	<code>\risingdotseq</code>	\Vdash	<code>\Vdash</code>
\circeq	<code>\circeq</code>	\shortmid	<code>\shortmid</code>	\VDash	<code>\VDash</code>
\curlyeqprec	<code>\curlyeqprec</code>	\shortparallel	<code>\shortparallel</code>	\Vvdash	<code>\Vvdash</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\smallfrown	<code>\smallfrown</code>		
\doteqdot	<code>\doteqdot</code>	\smallsmile	<code>\smallsmile</code>		

TABLE 91: \mathcal{AMS} Negated Binary Relations

\ncong	<code>\ncong</code>	\nshortparallel	<code>\nshortparallel</code>	\nVDash	<code>\nVDash</code>
\nmid	<code>\nmid</code>	\nsim	<code>\nsim</code>	\preccurlyeq	<code>\preccurlyeq</code>
\nparallel	<code>\nparallel</code>	\nsucc	<code>\nsucc</code>	\precnsim	<code>\precnsim</code>
\nprec	<code>\nprec</code>	\nsucceq	<code>\nsucceq</code>	\succcurlyeq	<code>\succcurlyeq</code>
\npreceq	<code>\npreceq</code>	\nVDash	<code>\nVDash</code>	\succnsim	<code>\succnsim</code>
\nshortmid	<code>\nshortmid</code>	\nvdash	<code>\nvdash</code>		

TABLE 92: `stmaryrd` Binary Relations

\in	<code>\inplus</code>	\ni	<code>\niplus</code>
-------	----------------------	-------	----------------------

TABLE 93: `wasysym` Binary Relations

\neg	<code>\invneg</code>	\leadsto	<code>\leadsto</code>	\propto	<code>\wasypropto</code>
\Join	<code>\Join</code>	\otimes	<code>\logof</code>		

TABLE 94: `txfonts/pxfonts` Binary Relations

\circledast	<code>\circledast</code>	\Join	<code>\lJoin</code>	\times	<code>\opentimes</code>
\circledless	<code>\circledless</code>	\Join	<code>\lrtimes</code>	\perp	<code>\Perp</code>
\approx	<code>\colonapprox</code>	\multimap	<code>\multimap</code>	\preceq	<code>\preceq</code>
\Colonapprox	<code>\Colonapprox</code>	\multimap	<code>\multimapboth</code>	\precneq	<code>\precneq</code>
\coloneq	<code>\coloneq</code>	\multimap	<code>\multimapbothvert</code>	\Join	<code>\rJoin</code>
\Coloneq	<code>\Coloneq</code>	\multimap	<code>\multimapdot</code>	\strictfi	<code>\strictfi</code>
\Coloneqq	<code>\Coloneqq</code>	\multimap	<code>\multimapdotboth</code>	\strictif	<code>\strictif</code>
\coloneqq^*	<code>\coloneqq*</code>	\multimap	<code>\multimapdotbothA</code>	\strictiff	<code>\strictiff</code>
\Colonsim	<code>\Colonsim</code>	\multimap	<code>\multimapdotbothAvert</code>	\succeq	<code>\succeq</code>
\colonsim	<code>\colonsim</code>	\multimap	<code>\multimapdotbothB</code>	\succneq	<code>\succneq</code>
\Eqcolon	<code>\Eqcolon</code>	\multimap	<code>\multimapdotbothBvert</code>	\varparallel	<code>\varparallel</code>
\eqcolon	<code>\eqcolon</code>	\multimap	<code>\multimapdotbothvert</code>	\varparallelinv	<code>\varparallelinv</code>
\eqqcolon	<code>\eqqcolon</code>	\multimap	<code>\multimapdotinv</code>	\Vdash	<code>\Vdash</code>
\Eqqqcolon	<code>\Eqqqcolon</code>	\multimap	<code>\multimapinv</code>		
\eqsim	<code>\eqsim</code>	\Join	<code>\openJoin</code>		

* As an alternative to using `txfonts/pxfonts`, a “ \coloneqq ” symbol can be constructed with “`\mathrel{\mathop{:}}=`”.

TABLE 95: `txfonts/pxfonts` Negated Binary Relations

\napprox	<code>\napprox</code>	\nprec	<code>\nprec</code>	\nthickapprox	<code>\nthickapprox</code>
\nasympt	<code>\nasympt</code>	\npreceq	<code>\npreceq</code>	\twoheadleftarrow	<code>\twoheadleftarrow</code>
\nbacksim	<code>\nbacksim</code>	\nprec	<code>\nprec</code>	\twoheadrightarrow	<code>\twoheadrightarrow</code>
\nbacksimeq	<code>\nbacksimeq</code>	\nsimeq	<code>\nsimeq</code>	\nvarparallel	<code>\nvarparallel</code>
\nbumpeq	<code>\nbumpeq</code>	\nsucc	<code>\nsucc</code>	\nvarparallelinv	<code>\nvarparallelinv</code>
\nBumpeq	<code>\nBumpeq</code>	\nsucceq	<code>\nsucceq</code>	\nVDash	<code>\nVDash</code>
\nequiv	<code>\nequiv</code>	\nsucceq	<code>\nsucceq</code>		
\nprecapprox	<code>\nprecapprox</code>	\nsuccsim	<code>\nsuccsim</code>		

TABLE 96: mathabx Binary Relations

\bowtie	<code>\between</code>		<code>\divides</code>	$\dot{=}$	<code>\risingdotseq</code>
$\dot{=}$	<code>\botdoteq</code>	$\dot{=}$	<code>\dotseq</code>	\approx	<code>\succapprox</code>
$\dot{\bowtie}$	<code>\Bumpedeq</code>	$\dot{\bowtie}$	<code>\eqbumped</code>	\succcurlyeq	<code>\succcurlyeq</code>
$\dot{\bowtie}$	<code>\bumpedeq</code>	$\#$	<code>\eqcirc</code>	\succdot	<code>\succdot</code>
\circ	<code>\circeq</code>	$\dot{=}$	<code>\eqcolon</code>	\succsim	<code>\succsim</code>
$\dot{=}$	<code>\coloneq</code>	$\dot{=}$	<code>\fallingdotseq</code>	\therefore	<code>\therefore</code>
$\dot{=}$	<code>\corresponds</code>	\succ	<code>\ggcurly</code>	$\dot{=}$	<code>\topdoteq</code>
$\dot{=}$	<code>\curlyeqprec</code>	\ll	<code>\llcurly</code>	\dashv	<code>\vDash</code>
$\dot{=}$	<code>\curlyeqsucc</code>	\gg	<code>\precapprox</code>	\dashv	<code>\Vdash</code>
$\dot{=}$	<code>\DashV</code>	\ll	<code>\preccurlyeq</code>	\dashv	<code>\VDash</code>
$\dot{=}$	<code>\Dashv</code>	\triangleleft	<code>\precdot</code>	\dashv	<code>\Vdash</code>
$\dot{=}$	<code>\dashVv</code>	\succsim	<code>\precsim</code>		

TABLE 97: mathabx Negated Binary Relations

\approx	<code>\napprox</code>	\perp	<code>\notperp</code>	\dashv	<code>\nvDash</code>
\neq	<code>\ncong</code>	\nprec	<code>\nprec</code>	\dashv	<code>\nVDash</code>
\neq	<code>\ncurlyeqprec</code>	\nprecapprox	<code>\nprecapprox</code>	\dashv	<code>\nVdash</code>
\neq	<code>\ncurlyeqsucc</code>	\npreccurlyeq	<code>\npreccurlyeq</code>	\dashv	<code>\nvDash</code>
\neq	<code>\nDashv</code>	\npreceq	<code>\npreceq</code>	\dashv	<code>\nVdash</code>
\neq	<code>\ndashV</code>	\nprecsim	<code>\nprecsim</code>	\succapprox	<code>\precnapprox</code>
\neq	<code>\ndashv</code>	\nsim	<code>\nsim</code>	\succ	<code>\precneq</code>
\neq	<code>\nDashV</code>	\nsimeq	<code>\nsimeq</code>	\succsim	<code>\precsim</code>
\neq	<code>\ndashVv</code>	\nsucc	<code>\nsucc</code>	\succapprox	<code>\succnapprox</code>
\neq	<code>\neq</code>	\nsuccapprox	<code>\nsuccapprox</code>	\succ	<code>\succneq</code>
\neq	<code>\notasympt</code>	\nsucccurlyeq	<code>\nsucccurlyeq</code>	\succsim	<code>\succnsim</code>
\nmid	<code>\notdivides</code>	\nsucceq	<code>\nsucceq</code>		
\neq	<code>\notequiv</code>	\nsuccsim	<code>\nsuccsim</code>		

The `\changenotsign` command toggles the behavior of `\not` to produce either a vertical or a diagonal slash through a binary operator. Thus, “ $a \not= b$ ” can be made to produce either “ $a \nmid b$ ” or “ $a \neq b$ ”.

TABLE 98: MnSymbol Binary Relations

\approx	<code>\approx</code>	$\hat{=}$	<code>\hateq</code>	∞	<code>\rightpropto</code>
\approx	<code>\approxseq</code>	\times	<code>\hcrossing</code>	\triangleright	<code>\rightslice</code>
\approx	<code>\backapprox</code>	\vdash	<code>\leftfootline</code>	\dashv	<code>\rightVdash</code>
\approx	<code>\backapproxseq</code>	\dashv	<code>\leftfree</code>	\vdash	<code>\rightvdash</code>
\approx	<code>\backcong</code>	$\dot{=}$	<code>\leftmodels</code>	$\dot{=}$	<code>\risingdotseq</code>
\approx	<code>\backeqsim</code>	$\dot{=}$	<code>\leftModels</code>	\searrow	<code>\sefootline</code>
\approx	<code>\backsim</code>	∞	<code>\leftpropto</code>	\searrow	<code>\sefree</code>
\approx	<code>\backsimeq</code>	\dashv	<code>\leftrightline</code>	\ll	<code>\seModels</code>
\approx	<code>\backtriplesim</code>	$\dot{=}$	<code>\Leftrightarrow</code>	\ll	<code>\semodels</code>
\approx	<code>\between</code>	\triangleleft	<code>\leftslice</code>	\langle	<code>\separated</code>
\approx	<code>\bumpeq</code>	\dashv	<code>\leftVdash</code>	\ll	<code>\seVdash</code>

(continued on next page)

(continued from previous page)

\Leftrightarrow	<code>\Bumpeq</code>	\dashv	<code>\leftvdash</code>	\lessdot	<code>\sevdash</code>
\circlearrowleft	<code>\circeq</code>	\nearrow	<code>\nefootline</code>	\parallel	<code>\shortparallel</code>
\equiv	<code>\closedequal</code>	\nearrow	<code>\nefree</code>	\sim	<code>\sim</code>
\prec	<code>\closedprec</code>	\nrightarrow	<code>\neModels</code>	\approx	<code>\simeq</code>
\succ	<code>\closedsucc</code>	\nrightarrow	<code>\nemodels</code>	\succ	<code>\succ</code>
\doteq	<code>\coloneq</code>	\swarrow	<code>\neswline</code>	\approx	<code>\succapprox</code>
\cong	<code>\cong</code>	\parallel	<code>\Neswline</code>	\succ	<code>\succcurlyeq</code>
\curlyeqprec	<code>\curlyeqprec</code>	\nrightarrow	<code>\neVdash</code>	\succ	<code>\succeq</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\swarrow	<code>\nevDash</code>	\succ	<code>\succsim</code>
\doteqdot	<code>\Doteq</code>	\nwarrow	<code>\nwfootline</code>	\swarrow	<code>\swfootline</code>
\doteq	<code>\doteq</code>	\nearrow	<code>\nwfree</code>	\swarrow	<code>\swfree</code>
\downarrow	<code>\downfootline</code>	\swarrow	<code>\nwmodels</code>	\swarrow	<code>\swModels</code>
\downarrow	<code>\downfree</code>	\swarrow	<code>\nwModels</code>	\swarrow	<code>\swmodels</code>
\Downarrow	<code>\downmodels</code>	\times	<code>\nwsecrossing</code>	\swarrow	<code>\swVdash</code>
\Downarrow	<code>\downModels</code>	\parallel	<code>\Nwseline</code>	\swarrow	<code>\swvdash</code>
\propto	<code>\downpropto</code>	\swarrow	<code>\nwseline</code>	\approx	<code>\triplesim</code>
\dashv	<code>\downvdash</code>	\swarrow	<code>\nwvdash</code>	\updownarrow	<code>\updownline</code>
\dashv	<code>\downVdash</code>	\swarrow	<code>\nwVdash</code>	\parallel	<code>\Updownline</code>
\bumpeq	<code>\eqbump</code>	\prec	<code>\prec</code>	\uparrow	<code>\upfootline</code>
\circ	<code>\eqcirc</code>	\approx	<code>\precapprox</code>	\uparrow	<code>\upfree</code>
$\dot{=}$	<code>\eqdot</code>	\approx	<code>\preccurlyeq</code>	\parallel	<code>\upModels</code>
\approx	<code>\eqsim</code>	\approx	<code>\preceq</code>	\parallel	<code>\upmodels</code>
$=$	<code>\equal</code>	\approx	<code>\precsim</code>	\propto	<code>\uppropto</code>
\equiv	<code>\equalclosed</code>	\dashv	<code>\rightfootline</code>	\perp	<code>\upvdash</code>
\equiv	<code>\equiv</code>	\rightarrow	<code>\rightfree</code>	\perp	<code>\upVdash</code>
\equiv	<code>\equivclosed</code>	\models	<code>\rightmodels</code>	\times	<code>\vcrossing</code>
\fallingdotseq	<code>\fallingdotseq</code>	\models	<code>\rightModels</code>	\Vdash	<code>\Vdash</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

\dashv	<code>\dashv</code>	(same as <code>\leftvdash</code>)
\searrow	<code>\diagdown</code>	(same as <code>\nwseline</code>)
\swarrow	<code>\diagup</code>	(same as <code>\neswline</code>)
\swarrow	<code>\divides</code>	(same as <code>\updownline</code>)
\doteqdot	<code>\doteqdot</code>	(same as <code>\Doteq</code>)
\models	<code>\models</code>	(same as <code>\rightmodels</code>)
\parallel	<code>\parallel</code>	(same as <code>\Updownline</code>)
\perp	<code>\perp</code>	(same as <code>\upvdash</code>)
\propto	<code>\propto</code>	(same as <code>\leftpropto</code>)
$\bar{\leftarrow}$	<code>\relbar</code>	(same as <code>\leftrighthline</code>)
$\bar{\rightarrow}$	<code>\Relbar</code>	(same as <code>\Leftrightarrow</code>)
\propto	<code>\varpropto</code>	(same as <code>\leftpropto</code>)
\models	<code>\vDash</code>	(same as <code>\rightmodels</code>)
\models	<code>\VDash</code>	(same as <code>\rightModels</code>)
\dashv	<code>\vdash</code>	(same as <code>\rightvdash</code>)
\dashv	<code>\Vdash</code>	(same as <code>\rightVdash</code>)

TABLE 99: MnSymbol Negated Binary Relations

\napprox	<code>\napprox</code>	\nleftfootline	<code>\nleftfootline</code>	\nrisingdotseq	<code>\nrisingdotseq</code>
\napproxeq	<code>\napproxeq</code>	\nleftfree	<code>\nleftfree</code>	\nsefootline	<code>\nsefootline</code>
\nbackapprox	<code>\nbackapprox</code>	\nleftmodels	<code>\nleftmodels</code>	\nsefree	<code>\nsefree</code>
\nbackapproxeq	<code>\nbackapproxeq</code>	\nleftModels	<code>\nleftModels</code>	\nseModels	<code>\nseModels</code>
\nbackcong	<code>\nbackcong</code>	\nleftrightline	<code>\nleftrightline</code>	\nsemodels	<code>\nsemodels</code>
\nbackeqsim	<code>\nbackeqsim</code>	\nLeftrightarrow	<code>\nLeftrightarrow</code>	\nsevdash	<code>\nsevdash</code>
\nbacksim	<code>\nbacksim</code>	\nleftvdash	<code>\nleftvdash</code>	\nseVdash	<code>\nseVdash</code>
\nbacksimeq	<code>\nbacksimeq</code>	\nleftVdash	<code>\nleftVdash</code>	\nshortmid	<code>\nshortmid</code>
$\nbacktriple sim$	<code>\nbacktriple sim</code>	\nnefootline	<code>\nnefootline</code>	\nshortparallel	<code>\nshortparallel</code>
\nbumpeq	<code>\nbumpeq</code>	\nnefree	<code>\nnefree</code>	\nsim	<code>\nsim</code>
\nBumpeq	<code>\nBumpeq</code>	\nneModels	<code>\nneModels</code>	\nsimeq	<code>\nsimeq</code>
\ncirceq	<code>\ncirceq</code>	\nneModels	<code>\nneModels</code>	\nsucc	<code>\nsucc</code>
\nclosedequal	<code>\nclosedequal</code>	\nneswline	<code>\nneswline</code>	\nsuccapprox	<code>\nsuccapprox</code>
\ncong	<code>\ncong</code>	\nNeswline	<code>\nNeswline</code>	\nsucccurlyeq	<code>\nsucccurlyeq</code>
\ncurlyeqprec	<code>\ncurlyeqprec</code>	\nneVdash	<code>\nneVdash</code>	\nsucceq	<code>\nsucceq</code>
\ncurlyeqsucc	<code>\ncurlyeqsucc</code>	\nnevDash	<code>\nnevDash</code>	\nsuccsim	<code>\nsuccsim</code>
\ndoteq	<code>\ndoteq</code>	\nnwfootline	<code>\nnwfootline</code>	\nswfootline	<code>\nswfootline</code>
\nDoteq	<code>\nDoteq</code>	\nnwfree	<code>\nnwfree</code>	\nswfree	<code>\nswfree</code>
\ndownfootline	<code>\ndownfootline</code>	\nnwmodels	<code>\nnwmodels</code>	\nswModels	<code>\nswModels</code>
\ndownfree	<code>\ndownfree</code>	\nnwModels	<code>\nnwModels</code>	\nswmodels	<code>\nswmodels</code>
\ndownModels	<code>\ndownModels</code>	\nNwseline	<code>\nNwseline</code>	\nswvdash	<code>\nswvdash</code>
\ndownmodels	<code>\ndownmodels</code>	\nnwseline	<code>\nnwseline</code>	\nswVdash	<code>\nswVdash</code>
\ndownVdash	<code>\ndownVdash</code>	\nnwvdash	<code>\nnwvdash</code>	$\ntriple sim$	<code>\ntriple sim</code>
\ndownvdash	<code>\ndownvdash</code>	\nnwVdash	<code>\nnwVdash</code>	\nUpdownline	<code>\nUpdownline</code>
\neqbump	<code>\neqbump</code>	\nprec	<code>\nprec</code>	\nupdownline	<code>\nupdownline</code>
\neqcirc	<code>\neqcirc</code>	\nprecapprox	<code>\nprecapprox</code>	\nupfootline	<code>\nupfootline</code>
\neqdot	<code>\neqdot</code>	$\nprec curlyeq$	<code>\nprec curlyeq</code>	\nupfree	<code>\nupfree</code>
\neqsim	<code>\neqsim</code>	\npreceq	<code>\npreceq</code>	\nupModels	<code>\nupModels</code>
\nequal	<code>\nequal</code>	$\nprec sim$	<code>\nprec sim</code>	\nupmodels	<code>\nupmodels</code>
\nequalclosed	<code>\nequalclosed</code>	\nrightfootline	<code>\nrightfootline</code>	\nupVdash	<code>\nupVdash</code>
\nequiv	<code>\nequiv</code>	\nrightrightfree	<code>\nrightrightfree</code>	\nupvdash	<code>\nupvdash</code>
\nequivclosed	<code>\nequivclosed</code>	\nrightrightModels	<code>\nrightrightModels</code>	\nprecnapprox	<code>\nprecnapprox</code>
\neswcrossing	<code>\neswcrossing</code>	\nrightrightmodels	<code>\nrightrightmodels</code>	\nprecnsim	<code>\nprecnsim</code>
\nfallingdotseq	<code>\nfallingdotseq</code>	\nrightrightvdash	<code>\nrightrightvdash</code>	\succnapprox	<code>\succnapprox</code>
\nhateq	<code>\nhateq</code>	\nrightrightVdash	<code>\nrightrightVdash</code>	\succnsim	<code>\succnsim</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

\ndashv	<code>\ndashv</code>	(same as <code>\nleftvdash</code>)
\ndiagdown	<code>\ndiagdown</code>	(same as <code>\nnwseline</code>)
\ndiagup	<code>\ndiagup</code>	(same as <code>\nneswline</code>)
\ndivides	<code>\ndivides</code>	(same as <code>\nupdownline</code>)
\ne	<code>\ne</code>	(same as <code>\nequal</code>)
\neq	<code>\neq</code>	(same as <code>\nequal</code>)
\nmid	<code>\nmid</code>	(same as <code>\nupdownline</code>)
\nmodels	<code>\nmodels</code>	(same as <code>\nrightrightmodels</code>)
\nparallel	<code>\nparallel</code>	(same as <code>\nUpdownline</code>)
\nperp	<code>\nperp</code>	(same as <code>\nupvdash</code>)
\nrelbar	<code>\nrelbar</code>	(same as <code>\nleftrightline</code>)
\nRelbar	<code>\nRelbar</code>	(same as <code>\nLeftrightarrow</code>)
\nvDash	<code>\nvDash</code>	(same as <code>\nrightrightmodels</code>)
\nvdash	<code>\nvdash</code>	(same as <code>\nrightrightvdash</code>)
\nVdash	<code>\nVdash</code>	(same as <code>\nrightrightVdash</code>)
\nVDash	<code>\nVDash</code>	(same as <code>\nrightrightModels</code>)

TABLE 100: fdsymbol Binary Relations

\approx	<code>\approx</code>	\equiv	<code>\equiv</code>	\vDash	<code>\rightmodels</code>
$\approx\approx$	<code>\approxeq</code>	\doteq	<code>\fallingdotseq</code>	\Vdash	<code>\rightVdash</code>
\cong	<code>\backcong</code>	\frown	<code>\frown</code>	\Vdash	<code>\rightVDash</code>
\propto	<code>\backpropto</code>	$\frown\approx$	<code>\frowneq</code>	\vdash	<code>\rightvdash</code>
\sim	<code>\backsim</code>	\circ	<code>\frownsmile</code>	\vDash	<code>\rightvDash</code>
\simeq	<code>\backsimeq</code>	\in	<code>\in</code>	\doteq	<code>\risingdotseq</code>
\wp	<code>\between</code>	\dashv	<code>\leftassert</code>	\mid	<code>\shortmid</code>
\bowtie	<code>\bowtie</code>	\dashv	<code>\leftAssert</code>	\parallel	<code>\shortparallel</code>
\bumpeq	<code>\bumpeq</code>	\vdash	<code>\leftfootline</code>	\sim	<code>\sim</code>
\Bumpeq	<code>\Bumpeq</code>	\dashv	<code>\leftmodels</code>	\approx	<code>\simeq</code>
$\bumpeq\approx$	<code>\bumpeq\approx</code>	\dashv	<code>\leftvdash</code>	\smile	<code>\smile</code>
\circeq	<code>\circeq</code>	\dashv	<code>\leftvDash</code>	\equiv	<code>\smileeq</code>
\coloneq	<code>\coloneq</code>	\dashv	<code>\leftVDash</code>	\times	<code>\smilefrown</code>
\cong	<code>\cong</code>	\dashv	<code>\leftVDash</code>	\equiv	<code>\stareq</code>
\times	<code>\crossing</code>	\vdash	<code>\longleftfootline</code>	\succ	<code>\succ</code>
\curlyeqprec	<code>\curlyeqprec</code>	\dashv	<code>\Longmapsfrom</code>	\approx	<code>\succapprox</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\dashv	<code>\longmapsfrom</code>	\succ	<code>\succcurlyeq</code>
\dashv	<code>\dashv</code>	\vdash	<code>\longrightfootline</code>	\succ	<code>\succeq</code>
\dashv	<code>\Ddashv</code>	\mid	<code>\mid</code>	\approx	<code>\succeqq</code>
$\dot{\cong}$	<code>\dotcong</code>	\ni	<code>\owns</code>	\succ	<code>\succsim</code>
\doteq	<code>\doteq</code>	\parallel	<code>\parallel</code>	\approx	<code>\thickapprox</code>
\doteq	<code>\Doteq</code>	\prec	<code>\prec</code>	\sim	<code>\thicksim</code>
\dotsminusdots	<code>\dotsminusdots</code>	\approx	<code>\precapprox</code>	\approx	<code>\triplesim</code>
\Downarrow	<code>\downAssert</code>	\approx	<code>\preccurlyeq</code>	\perp	<code>\upassert</code>
\Downarrow	<code>\downassert</code>	\approx	<code>\preceq</code>	\perp	<code>\upAssert</code>
\Downarrow	<code>\downmodels</code>	\approx	<code>\preceqq</code>	\perp	<code>\upmodels</code>
\Downarrow	<code>\downvDash</code>	\approx	<code>\precnapprox</code>	\perp	<code>\upvdash</code>
\Downarrow	<code>\downVdash</code>	\approx	<code>\precneq</code>	\perp	<code>\upvDash</code>
\Downarrow	<code>\downvdash</code>	\approx	<code>\precneqq</code>	\perp	<code>\upVdash</code>
\Downarrow	<code>\downVDash</code>	\approx	<code>\precnsim</code>	\perp	<code>\upVDash</code>
$\#$	<code>\eqcirc</code>	\approx	<code>\precsim</code>	\equiv	<code>\vDash</code>
\equiv	<code>\eqcolon</code>	\propto	<code>\propto</code>	\equiv	<code>\veeeq</code>
\equiv	<code>\eqdot</code>	\vdash	<code>\rightassert</code>	\Vdash	<code>\Vdash</code>
\approx	<code>\eqsim</code>	\Vdash	<code>\rightAssert</code>	\equiv	<code>\wedgeq</code>
$=$	<code>\equal</code>	\dashv	<code>\rightfootline</code>		

fdsymbol defines synonyms for many of the preceding symbols:

\approx	<code>\approxident</code>	\dashv	<code>\dashv</code>	\vdash	<code>\shortrighttack</code>
\approx	<code>\arceq</code>	\doteq	<code>\doteqdot</code>	\perp	<code>\shortuptack</code>
\Vdash	<code>\Assert</code>	\equiv	<code>\eqqcolon</code>	\frown	<code>\smallfrown</code>
\vdash	<code>\assert</code>	\equiv	<code>\hateq</code>	\smile	<code>\smallsmile</code>
\times	<code>\asymp</code>	\bowtie	<code>\Join</code>	\propto	<code>\varpropto</code>
$\bar{\vdash}$	<code>\Barv</code>	\dashv	<code>\longdashv</code>	\perp	<code>\vBar</code>
$\bar{\vdash}$	<code>\barV</code>	\vDash	<code>\models</code>	\perp	<code>\Vbar</code>
\circ	<code>\closure</code>	\ni	<code>\ni</code>	\vDash	<code>\vDash</code>
\equiv	<code>\coloneqq</code>	\perp	<code>\perp</code>	\Vdash	<code>\VDash</code>
\dashv	<code>\dashv</code>	\propto	<code>\propfrom</code>	\Vdash	<code>\VDash</code>
\dashv	<code>\DashV</code>	\vdash	<code>\shortdowntack</code>	\vdash	<code>\vdash</code>
\dashv	<code>\Dashv</code>	\dashv	<code>\shortlefttack</code>	\dashv	<code>\vlongdash</code>

TABLE 101: fdsymbol Negated Binary Relations

\neq	<code>\backsimneqq</code>	\notin	<code>\nin</code>	\nexists	<code>\nsim</code>
\approx	<code>\napprox</code>	\nVdash	<code>\nleftAssert</code>	\nsimeq	<code>\nsimeq</code>
\approx	<code>\napproxeq</code>	\nVdash	<code>\nleftassert</code>	\nsmile	<code>\nsmile</code>
\approx	<code>\nbackcong</code>	\nVdash	<code>\nleftfootline</code>	\nsmileeq	<code>\nsmileeq</code>
\sim	<code>\nbacksim</code>	\nVdash	<code>\nleftmodels</code>	\nsmilefrown	<code>\nsmilefrown</code>
\approx	<code>\nbacksimeq</code>	\nVdash	<code>\nleftvDash</code>	\nstareq	<code>\nstareq</code>
\approx	<code>\nbumpeq</code>	\nVdash	<code>\nleftvdash</code>	\nsucc	<code>\nsucc</code>
\approx	<code>\nBumpeq</code>	\nVdash	<code>\nleftVDash</code>	\nsuccapprox	<code>\nsuccapprox</code>
\approx	<code>\nbumpeqq</code>	\nVdash	<code>\nleftVDash</code>	\nsucccurlyeq	<code>\nsucccurlyeq</code>
\approx	<code>\ncirceq</code>	\nVdash	<code>\nlongleftfootline</code>	\nsucceq	<code>\nsucceq</code>
\approx	<code>\ncong</code>	\nVdash	<code>\nlongmapsfrom</code>	\nsucceqq	<code>\nsucceqq</code>
\approx	<code>\ncurlyeqprec</code>	\nVdash	<code>\nlongmapsfrom</code>	\nsuccsim	<code>\nsuccsim</code>
\approx	<code>\ncurlyeqsucc</code>	\nVdash	<code>\nlongrightfootline</code>	\ntriplesim	<code>\ntriplesim</code>
\nVdash	<code>\ndashVv</code>	\nVdash	<code>\nmid</code>	\nupassert	<code>\nupassert</code>
\nVdash	<code>\nDdashv</code>	\nVdash	<code>\nowns</code>	\nupAssert	<code>\nupAssert</code>
\nVdash	<code>\ndoteq</code>	\nVdash	<code>\nparallel</code>	\nupmodels	<code>\nupmodels</code>
\nVdash	<code>\nDoteq</code>	\nVdash	<code>\nprec</code>	\nupVDash	<code>\nupVDash</code>
\nVdash	<code>\ndownassert</code>	\nVdash	<code>\nprecapprox</code>	\nupvDash	<code>\nupvDash</code>
\nVdash	<code>\ndownAssert</code>	\nVdash	<code>\npreccurlyeq</code>	\nupVdash	<code>\nupVdash</code>
\nVdash	<code>\ndownmodels</code>	\nVdash	<code>\npreceq</code>	\nupvdash	<code>\nupvdash</code>
\nVdash	<code>\ndownvdash</code>	\nVdash	<code>\npreceqq</code>	\nvDash	<code>\nvDash</code>
\nVdash	<code>\ndownVDash</code>	\nVdash	<code>\nprecsim</code>	\nveeeq	<code>\nveeeq</code>
\nVdash	<code>\ndownVDash</code>	\nVdash	<code>\nrightassert</code>	\nVdash	<code>\nVdash</code>
\nVdash	<code>\ndownvDash</code>	\nVdash	<code>\nrightAssert</code>	\nwedgeq	<code>\nwedgeq</code>
\neq	<code>\neqcirc</code>	\nVdash	<code>\nrightfootline</code>	\nprecneq	<code>\nprecneq</code>
\neq	<code>\neqdot</code>	\nVdash	<code>\nrightmodels</code>	\nprecneqq	<code>\nprecneqq</code>
\neq	<code>\neqsim</code>	\nVdash	<code>\nrightvdash</code>	\simneqq	<code>\simneqq</code>
\neq	<code>\nequal</code>	\nVdash	<code>\nrightVDash</code>	\succnapprox	<code>\succnapprox</code>
\neq	<code>\nequiv</code>	\nVdash	<code>\nrightvDash</code>	\succneq	<code>\succneq</code>
\neq	<code>\nfallingdotseq</code>	\nVdash	<code>\nrightVDash</code>	\succneqq	<code>\succneqq</code>
\nexists	<code>\nfrown</code>	\neq	<code>\nrisingdotseq</code>	\succnsim	<code>\succnsim</code>
\neq	<code>\nfrowneq</code>	\nVdash	<code>\nshortmid</code>		
\neq	<code>\nfrownsmile</code>	\nVdash	<code>\nshortparallel</code>		

fdsymbol defines synonyms for many of the preceding symbols:

\neq	<code>\napproxident</code>	\nVdash	<code>\ndashV</code>	\nVdash	<code>\nshortrighttack</code>
\neq	<code>\narceq</code>	\neq	<code>\ne</code>	\nVdash	<code>\nshortuptack</code>
\nVdash	<code>\nAssert</code>	\neq	<code>\neq</code>	\neq	<code>\nsime</code>
\nVdash	<code>\nassert</code>	\neq	<code>\nhateq</code>	\nVdash	<code>\nvBar</code>
\neq	<code>\nasymp</code>	\nVdash	<code>\nlongdashv</code>	\nVdash	<code>\nvBar</code>
\nVdash	<code>\nBarv</code>	\nVdash	<code>\nmodels</code>	\nVdash	<code>\nVDash</code>
\nVdash	<code>\nbarV</code>	\nVdash	<code>\nni</code>	\nVdash	<code>\nvDash</code>
\neq	<code>\nclosure</code>	\notin	<code>\notin</code>	\nVdash	<code>\nVDash</code>
\nVdash	<code>\nDashV</code>	\nVdash	<code>\nperp</code>	\nVdash	<code>\nvdash</code>
\nVdash	<code>\nDashv</code>	\nVdash	<code>\nshortdowntack</code>	\nVdash	<code>\nvlongdash</code>
\nVdash	<code>\ndashv</code>	\nVdash	<code>\nshortlefttack</code>		

TABLE 102: boisek Binary Relations

\simeq	<code>\ac</code>	$\//$	<code>\fatslash</code>	γ	<code>\scurel</code>
\approx	<code>\approxeq</code>	\ni	<code>\forkv</code>	\mid	<code>\shortmid</code>
$\bar{=}$	<code>\arceq</code>	\frown	<code>\frown</code>	\parallel	<code>\shortparallel</code>
\backsimeq	<code>\backsim</code>	\ggcurly	<code>\ggcurly</code>	$\sim\dot{\sim}$	<code>\simrdots</code>
\backsimeq	<code>\backsimeq</code>	$\#$	<code>\hash</code>	\frown	<code>\smallfrown</code>
ε	<code>\bagmember</code>	\inplus	<code>\inplus</code>	\smile	<code>\smallsmile</code>
\because	<code>\because</code>	\kernelcontraction	<code>\kernelcontraction</code>	\smile	<code>\smile</code>
\between	<code>\between</code>	\llcurly	<code>\llcurly</code>	\strictfi	<code>\strictfi</code>
\bumpeq	<code>\bumpeq</code>	\multimap	<code>\multimap</code>	\strictif	<code>\strictif</code>
\Bumpeq	<code>\Bumpeq</code>	\multimapboth	<code>\multimapboth</code>	\succapprox	<code>\succapprox</code>
\circeq	<code>\circeq</code>	\multimapbothvert	<code>\multimapbothvert</code>	\succcurlyeq	<code>\succcurlyeq</code>
\CircledEq	<code>\CircledEq</code>	\multimapdot	<code>\multimapdot</code>	\succnapprox	<code>\succnapprox</code>
\cong	<code>\cong</code>	\multimapdotboth	<code>\multimapdotboth</code>	\succneqq	<code>\succneqq</code>
\corresponds	<code>\corresponds</code>	\multimapdotbothA	<code>\multimapdotbothA</code>	\succnsim	<code>\succnsim</code>
\curlyeqprec	<code>\curlyeqprec</code>	\multimapdotbothAvert	<code>\multimapdotbothAvert</code>	\succsim	<code>\succsim</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\multimapdotbothB	<code>\multimapdotbothB</code>	\therefore	<code>\therefore</code>
\dashV	<code>\dashV</code>	\multimapdotbothBvert	<code>\multimapdotbothBvert</code>	\thickapprox	<code>\thickapprox</code>
\DashV	<code>\DashV</code>	\multimapdotbothvert	<code>\multimapdotbothvert</code>	\thicksim	<code>\thicksim</code>
\dashVv	<code>\dashVv</code>	\multimapdotinv	<code>\multimapdotinv</code>	\topfork	<code>\topfork</code>
\dfourier	<code>\dfourier</code>	\multimapinv	<code>\multimapinv</code>	\triangleq	<code>\triangleq</code>
\Dfourier	<code>\Dfourier</code>	\niplus	<code>\niplus</code>	\varhash	<code>\varhash</code>
\disin	<code>\disin</code>	\nisd	<code>\nisd</code>	\varisins	<code>\varisins</code>
\doteq	<code>\doteq</code>	\Perp	<code>\Perp</code>	\varnis	<code>\varnis</code>
\doteqdot	<code>\doteqdot</code>	\pitchfork	<code>\pitchfork</code>	\varpropto	<code>\varpropto</code>
\dotminus	<code>\dotminus</code>	\precapprox	<code>\precapprox</code>	\Vdash	<code>\Vdash</code>
\dotsim	<code>\dotsim</code>	\preccurlyeq	<code>\preccurlyeq</code>	\vDash	<code>\vDash</code>
\eqbumped	<code>\eqbumped</code>	\precnapprox	<code>\precnapprox</code>	\VDash	<code>\VDash</code>
\eqcirc	<code>\eqcirc</code>	\precneqq	<code>\precneqq</code>	\veeeq	<code>\veeeq</code>
\eqsim	<code>\eqsim</code>	\precnsim	<code>\precnsim</code>	\Vvdash	<code>\Vvdash</code>
\equalparallel	<code>\equalparallel</code>	\precsim	<code>\precsim</code>	\ztransf	<code>\ztransf</code>
\fallingdotseq	<code>\fallingdotseq</code>	\prurel	<code>\prurel</code>	\Ztransf	<code>\Ztransf</code>
\fatbslash	<code>\fatbslash</code>	\risingdotseq	<code>\risingdotseq</code>		

TABLE 103: boisek Negated Binary Relations

$\not\cong$	<code>\ncong</code>	$\not\approx$	<code>\npreceq</code>	$\not\parallel$	<code>\nVDash</code>
\neq	<code>\neq</code>	\nshortmid	<code>\nshortmid</code>	$\not\parallel$	<code>\nVdash</code>
$\not\equiv$	<code>\nequiv</code>	\nshortparallel	<code>\nshortparallel</code>	$\not\parallel$	<code>\nvdash</code>
\nmid	<code>\nmid</code>	\nsim	<code>\nsim</code>	$\not\parallel$	<code>\nvDash</code>
\nparallel	<code>\nparallel</code>	\nsucc	<code>\nsucc</code>		
\nprec	<code>\nprec</code>	\nsucceq	<code>\nsucceq</code>		

TABLE 104: stix Binary Relations

\approx	<code>\approx</code>	$\#$	<code>\eqvparsl</code>	\rightarrow	<code>\rightfishtail</code>
$\approx\approx$	<code>\approxeq</code>	\equiv	<code>\fallingdotseq</code>	\Rightarrow	<code>\rightimply</code>
$\approx\approx\approx$	<code>\approxeqq</code>	\bowtie	<code>\fbowtie</code>	\Uparrow	<code>\righttail</code>
$\approx\approx\approx\approx$	<code>\approxident</code>	\pitchfork	<code>\forksnot</code>	\equiv	<code>\risingdotseq</code>
\supset	<code>\arceq</code>	\ni	<code>\forkv</code>	\sqsupset	<code>\rsqhook</code>
\top	<code>\assert</code>	\frown	<code>\frown</code>	\rightarrowtail	<code>\ruledelayed</code>
\approx^*	<code>\asteq</code>	\equiv	<code>\gleichstark</code>	\surd	<code>\scurel</code>
\asymp	<code>\asymp</code>	$\hat{\approx}$	<code>\hatapprox</code>	\dashv	<code>\shortdowntack</code>
\backcong	<code>\backcong</code>	\circlearrowleft	<code>\imageof</code>	\dashv	<code>\shortlefttack</code>
\backsimeq	<code>\backsimeq</code>	\in	<code>\in</code>	\mid	<code>\shortmid</code>
$\backsimeq\approx$	<code>\backsimeq\approx</code>	$\in\cdot$	<code>\isindot</code>	\equiv	<code>\shortparallel</code>
\baggmember	<code>\baggmember</code>	$\in E$	<code>\isinE</code>	\dashv	<code>\shortuptack</code>
\Barv	<code>\Barv</code>	\in	<code>\isinobar</code>	\sim	<code>\sim</code>
\bar{V}	<code>\bar{V}</code>	\in	<code>\isins</code>	\simeq	<code>\simeq</code>
\between	<code>\between</code>	\in	<code>\isinvb</code>	$\simeq\approx$	<code>\simminussim</code>
\bNot	<code>\bNot</code>	\sim	<code>\kernelcontraction</code>	\approx	<code>\simneqq</code>
\bowtie	<code>\bowtie</code>	\leftarrowtail	<code>\leftdbltail</code>	\sim	<code>\simrdots</code>
\bumpeq	<code>\bumpeq</code>	\rightarrowtail	<code>\leftfishtail</code>	\frown	<code>\smallfrown</code>
$\bumpeq\approx$	<code>\bumpeq\approx</code>	\leftarrowtail	<code>\lefttail</code>	ϵ	<code>\smallin</code>
$\bumpeq\approx\approx$	<code>\bumpeq\approx\approx</code>	\bowtie	<code>\lfbowtie</code>	\ni	<code>\smallni</code>
\circlearrowleft	<code>\cirbot</code>	\times	<code>\lftimes</code>	\smile	<code>\smallsmile</code>
$\circlearrowleft\approx$	<code>\circeq</code>	\longdashv	<code>\longdashv</code>	$\#$	<code>\smeparsl</code>
$\circlearrowleft\approx\approx$	<code>\cirmid</code>	\sqsupset	<code>\lsqhook</code>	\smile	<code>\smile</code>
$\circlearrowleft\approx\approx\approx$	<code>\closure</code>	\equiv	<code>\measeq</code>	\equiv	<code>\stareq</code>
\coloneq	<code>\coloneq</code>	\mid	<code>\mid</code>	\succ	<code>\succ</code>
$\coloneq\approx$	<code>\coloneq\approx</code>	\circlearrowleft	<code>\midcir</code>	\succ	<code>\Succ</code>
\cong	<code>\cong</code>	\ni	<code>\mlcp</code>	$\succ\approx$	<code>\succapprox</code>
$\cong\dot{\approx}$	<code>\cong\dot{\approx}</code>	\models	<code>\models</code>	$\succ\approx\approx$	<code>\succcurlyeq</code>
\curlyeqprec	<code>\curlyeqprec</code>	\circ	<code>\multimap</code>	$\succ\approx\approx\approx$	<code>\succeq</code>
\curlyeqsucc	<code>\curlyeqsucc</code>	\circ	<code>\multimapinv</code>	$\succ\approx\approx\approx\approx$	<code>\succeqq</code>
$\dashv\colon$	<code>\dashv\colon</code>	\ni	<code>\ni</code>	$\succ\approx\approx\approx\approx\approx$	<code>\succnapprox</code>
\dashv	<code>\dashv</code>	\ni	<code>\niobar</code>	$\succ\approx\approx\approx\approx\approx\approx$	<code>\succneq</code>
$\dashv\bar{V}$	<code>\dashv\bar{V}</code>	\ni	<code>\nis</code>	$\succ\approx\approx\approx\approx\approx\approx\approx$	<code>\succneqq</code>
\Dashv	<code>\Dashv</code>	\ni	<code>\nisd</code>	$\succ\approx\approx\approx\approx\approx\approx\approx\approx$	<code>\succnsim</code>
\DashV	<code>\DashV</code>	\neg	<code>\Not</code>	$\succ\approx\approx\approx\approx\approx\approx\approx\approx\approx$	<code>\succsim</code>
$\DashV\Dash$	<code>\DashV\Dash</code>	\diagup	<code>\notchar</code>	\approx	<code>\thickapprox</code>
$\dashv\dot{\approx}$	<code>\dashv\dot{\approx}</code>	\circ	<code>\origof</code>	\sim	<code>\thicksim</code>
$\ddot{\approx}$	<code>\ddot{\approx}</code>	\parallel	<code>\parallel</code>	\ni	<code>\topfork</code>
\disin	<code>\disin</code>	$\#$	<code>\parsim</code>	\rightarrowtail	<code>\upfishtail</code>
\Doteq	<code>\Doteq</code>	\perp	<code>\perp</code>	\in	<code>\upin</code>
\doteq	<code>\doteq</code>	\ni	<code>\pitchfork</code>	\in	<code>\varisinobar</code>
\dotequiv	<code>\dotequiv</code>	\prec	<code>\prec</code>	\in	<code>\varisins</code>
$\dot{\sim}$	<code>\dot{\sim}</code>	\prec	<code>\Prec</code>	\ni	<code>\varniobar</code>
$\dot{\sim}\dot{\sim}$	<code>\dot{\sim}\dot{\sim}</code>	\approx	<code>\precapprox</code>	\ni	<code>\varnis</code>
\downfishtail	<code>\downfishtail</code>	\approx	<code>\preccurlyeq</code>	\propto	<code>\varpropto</code>
\dualmap	<code>\dualmap</code>	\ni	<code>\preceq</code>	$\#$	<code>\varVdash</code>
$\#$	<code>\eparsl</code>	\ni	<code>\preceqq</code>	$\#$	<code>\vBar</code>
$\#$	<code>\eqcirc</code>	\approx	<code>\precnapprox</code>	$\#$	<code>\Vbar</code>
$\#$	<code>\eqcolon</code>	\approx	<code>\precneq</code>	$\#$	<code>\vBarv</code>
$\#$	<code>\eqdef</code>	\approx	<code>\precneqq</code>	$\#$	<code>\Vdash</code>
$\#$	<code>\eqdot</code>	\approx	<code>\precnsim</code>	\top	<code>\vdash</code>

(continued on next page)

(continued from previous page)

\approx	<code>\eqeq</code>	\simeq	<code>\precsim</code>	\vDash	<code>\vDash</code>
$\approx\approx$	<code>\eqeqeq</code>	\propto	<code>\propto</code>	\Vdash	<code>\VDash</code>
$\approx\approx\approx$	<code>\eqqsim</code>	\rightsquigarrow	<code>\prurel</code>	$\vDash\!\!\vDash$	<code>\vDdash</code>
$\approx\approx\approx\approx$	<code>\eqsim</code>	\lrcorner	<code>\pullback</code>	\vdots	<code>\vdots</code>
$\#$	<code>\equalparallel</code>	\lrcorner	<code>\pushout</code>	$\vDash\!\!\vDash\!\!\vDash$	<code>\veeeq</code>
\equiv	<code>\equiv</code>	$\stackrel{?}{=}$	<code>\questeq</code>	\wedge	<code>\veeonwedge</code>
$\equiv\equiv$	<code>\Equiv</code>	\dagger	<code>\revnmid</code>	$ $	<code>\vertoverlay</code>
$\equiv\equiv\equiv$	<code>\equivDD</code>	\bowtie	<code>\rftimes</code>	---	<code>\vlongdash</code>
$\#$	<code>\equivVert</code>	\bowtie	<code>\rftimes</code>	---	<code>\Vvdash</code>
$\#$	<code>\equivVvert</code>	\succ	<code>\rightdbltail</code>	\triangleq	<code>\wedgex</code>

stix defines `\owns` as a synonym for `\ni` and `\doteqdot` as a synonym for `\Doteq`.

TABLE 105: stix Negated Binary Relations

\nexists	<code>\forks</code>	\nexists	<code>\nhpar</code>	\nsime	<code>\nsime</code>
\napprox	<code>\napprox</code>	\nmid	<code>\nmid</code>	\nsucc	<code>\nsucc</code>
$\napprox\approx$	<code>\napproxeqq</code>	\nexists	<code>\nni</code>	\nsucccurlyeq	<code>\nsucccurlyeq</code>
\nasymp	<code>\nasymp</code>	\notin	<code>\notin</code>	\nsucceq	<code>\nsucceq</code>
\nbumpeq	<code>\nbumpeq</code>	\nparallel	<code>\nparallel</code>	\nvarisinobar	<code>\nvarisinobar</code>
\nbumpeq	<code>\nbumpeq</code>	\nprec	<code>\nprec</code>	\nvarniobar	<code>\nvarniobar</code>
\ncong	<code>\ncong</code>	$\nprec\prec$	<code>\npreccurlyeq</code>	\nvDash	<code>\nvDash</code>
\ncongdot	<code>\ncongdot</code>	\npreceq	<code>\npreceq</code>	\nvdash	<code>\nvdash</code>
\neq	<code>\neq</code>	\nshortmid	<code>\nshortmid</code>	\nVDash	<code>\nVDash</code>
\neqsim	<code>\neqsim</code>	\nshortparallel	<code>\nshortparallel</code>	\nVdash	<code>\nVdash</code>
\nequiv	<code>\nequiv</code>	\nsim	<code>\nsim</code>		

stix defines `\neq` as a synonym for `\ne`, `\nsimeq` as a synonym for `\nsime`, and `\nforksnot` as a synonym for `\forks`.

TABLE 106: mathtools Binary Relations

$\approx\approx$	<code>\Colonapprox</code>	\coloneq	<code>\coloneq</code>	\Eqcolon	<code>\Eqcolon</code>
\approx	<code>\colonapprox</code>	\colonsim	<code>\colonsim</code>	\eqqcolon	<code>\eqqcolon</code>
$\approx\approx\approx$	<code>\coloneqq</code>	\Colonsim	<code>\Colonsim</code>	\Eqqcolon	<code>\Eqqcolon</code>
$\approx\approx\approx\approx$	<code>\Coloneqq</code>	\dblcolon	<code>\dblcolon</code>		
$\approx\approx\approx\approx\approx$	<code>\Coloneq</code>	\eqcolon	<code>\eqcolon</code>		

Similar symbols can be defined using `mathtools`'s `\vcentcolon`, which produces a colon centered on the font's math axis:

$$\begin{array}{ccc} \approx\approx & \text{vs.} & \approx\approx \\ \text{"=:="} & & \text{"=\vcentcolon="} \end{array}$$

TABLE 107: turnstile Binary Relations

$\frac{\frac{def}{abc}}{\parallel}$	<code>\dddtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nntstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\stdtstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\ddststile{abc}{def}</code>	$\frac{def}{abc} \parallel$	<code>\nnttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\stststile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\ddtstile{abc}{def}</code>	$\frac{def}{abc} \parallel$	<code>\nsdtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\sttstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\ddttstile{abc}{def}</code>	$\frac{def}{abc} \parallel$	<code>\nsststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\stttstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dndtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tddtstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dnststile{abc}{def}</code>	$\frac{def}{abc} \parallel$	<code>\nsttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tdststile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dntstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\ntdtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tdtstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dnttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\ntststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tdttstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dsdtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\nttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tndtstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dsststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\ntttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tntstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\sddtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tnttstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dsttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\sdtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tststile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dtdtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\sdtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tsdtstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dtststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\sdtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tsststile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\sndtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tststile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\dtttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\snststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tsttstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\nddtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\sntstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\ttdtstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\ndststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\snttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tststile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\ndtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\ssdtstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\tttstile{abc}{def}</code>
$\frac{\frac{def}{abc}}{\parallel}$	<code>\ndttstile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\ssststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\ttttstile{abc}{def}</code>
$\frac{def}{abc} \parallel$	<code>\nndtstile{abc}{def}</code>	$\frac{def}{abc}$	<code>\sststile{abc}{def}</code>		
$\frac{def}{abc} \parallel$	<code>\nnststile{abc}{def}</code>	$\frac{\frac{def}{abc}}{\parallel}$	<code>\ssttstile{abc}{def}</code>		

Each of the above takes an optional argument that controls the size of the upper and lower expressions. See the turnstile documentation for more information.

TABLE 108: trsym Binary Relations

$\bullet \circ$	<code>\InversTransformHoriz</code>	$\circ \bullet$	<code>\TransformHoriz</code>
$\bullet \downarrow$	<code>\InversTransformVert</code>	$\downarrow \bullet$	<code>\TransformVert</code>

TABLE 109: trfsigns Binary Relations

\swarrow	<code>\dfourier</code>	\searrow	<code>\Dfourier</code>
---	<code>\fourier</code>	---	<code>\Fourier</code>
$\circ \bullet$	<code>\laplace</code>	$\bullet \circ$	<code>\Laplace</code>
$\swarrow \bullet$	<code>\ztransf</code>	$\bullet \searrow$	<code>\Ztransf</code>

TABLE 110: cml Binary Relations

\circ	<code>\coh</code>	\frown	<code>\scoh</code>
\succ	<code>\incoh</code>	\smile	<code>\sincoh</code>
\perp	<code>\Perp</code>	\downarrow	<code>\simperp</code>
$\circ \circ$	<code>\multimapboth</code>		

TABLE 111: colonequals Binary Relations

\approx	<code>\approxcolon</code>	$::-$	<code>\coloncolonminus</code>	$=::$	<code>\equalscoloncolon</code>
$\approx::$	<code>\approxcoloncolon</code>	$::\sim$	<code>\coloncolonsim</code>	$-:$	<code>\minuscolon</code>
$:\approx$	<code>\colonapprox</code>	$:=$	<code>\colonequals</code>	$-::$	<code>\minuscoloncolon</code>
$::$	<code>\coloncolon</code>	$:-$	<code>\colonminus</code>	$:$	<code>\ratio</code>
$:\approx$	<code>\coloncolonapprox</code>	$:\sim$	<code>\colonsim</code>	$\sim:$	<code>\simcolon</code>
$:=$	<code>\coloncolonequals</code>	$=:$	<code>\equalscolon</code>	$\sim::$	<code>\simcoloncolon</code>

TABLE 112: fourier Binary Relations

$\#$	<code>\nparallelslant</code>	$\#$	<code>\parallelslant</code>
------	------------------------------	------	-----------------------------

TABLE 113: Subset and Superset Relations

\sqsubset	<code>\sqsubset*</code>	\sqsupseteq	<code>\sqsupseteq</code>	\supset	<code>\supset</code>
\sqsubseteq	<code>\sqsubseteq</code>	\subset	<code>\subset</code>	\supseteq	<code>\supseteq</code>
\sqsupset	<code>\sqsupset*</code>	\subseteq	<code>\subseteq</code>		

* Not predefined by the $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}_{2\epsilon}$ core. Use the `latexsym` package to expose this symbol.

TABLE 114: \mathcal{AMS} Subset and Superset Relations

$\not\subset$	<code>\nsubseteq</code>	\subsetneq	<code>\subsetneqq</code>	\supsetneq	<code>\supsetneqq</code>
$\not\supset$	<code>\nsupseteq</code>	\supsetneq	<code>\supsetneqq</code>	\varsubsetneq	<code>\varsubsetneqq</code>
$\not\supseteq$	<code>\nsupseteqq</code>	\supsetneqq	<code>\supsetneqq</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\sqsubset	<code>\sqsubset</code>	\supset	<code>\Supset</code>	\varsupsetneq	<code>\varsupsetneqq</code>
\sqsupset	<code>\sqsupset</code>	\supseteq	<code>\supseteqq</code>	\varsupsetneqq	<code>\varsupsetneqq</code>
\Subset	<code>\Subset</code>	\supsetneq	<code>\supsetneq</code>		

TABLE 115: `stmaryrd` Subset and Superset Relations

\Subset	<code>\subsetplus</code>	\supsetplus	<code>\supsetplus</code>
\Subseteq	<code>\subsetpluseq</code>	\supsetpluseq	<code>\supsetpluseq</code>

TABLE 116: `wasysym` Subset and Superset Relations

\sqsubset	<code>\sqsubset</code>	\sqsupset	<code>\sqsupset</code>
-------------	------------------------	-------------	------------------------

TABLE 117: `txfonts/pxfonts` Subset and Superset Relations

$\not\subset$	<code>\nqssubset</code>	$\not\supseteq$	<code>\nqsupseteq</code>	$\not\supset$	<code>\nSupset</code>
$\not\supseteq$	<code>\nqssubseteq</code>	$\not\Subset$	<code>\nSubset</code>		
$\not\supset$	<code>\nqsupset</code>	$\not\subsetneqq$	<code>\nsubsetneqq</code>		

TABLE 118: `mathabx` Subset and Superset Relations

$\not\subset$	<code>\nqssubset</code>	$\not\supset$	<code>\nqsupset</code>	\supseteq	<code>\supseteq</code>
$\not\Subset$	<code>\nqsSubset</code>	$\not\supseteq$	<code>\nqsupseteq</code>	\supseteqq	<code>\supseteqq</code>
$\not\supseteq$	<code>\nqssubseteq</code>	$\not\supseteq$	<code>\nqsupseteq</code>	\supsetneq	<code>\supsetneq</code>
$\not\supseteqq$	<code>\nqssubseteqq</code>	$\not\supseteqq$	<code>\nqsupseteqq</code>	\supsetneqq	<code>\supsetneqq</code>
$\not\supset$	<code>\nqsupset</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneqq</code>
$\not\supseteq$	<code>\nqsSupset</code>	\subsetneq	<code>\subsetneq</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
$\not\supseteqq$	<code>\nqsupseteq</code>	\subsetneqq	<code>\subsetneqq</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
$\not\subset$	<code>\nsubset</code>	\subsetneq	<code>\subsetneq</code>	\varsubsetneq	<code>\varsubsetneqq</code>
$\not\Subset$	<code>\nsubsetneqq</code>	\subsetneqq	<code>\subsetneqq</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
$\not\subsetneq$	<code>\nsubsetneq</code>	\supset	<code>\supset</code>	\varsupsetneq	<code>\varsupsetneqq</code>
$\not\subsetneqq$	<code>\nsubsetneqq</code>	\supseteq	<code>\supseteq</code>	\varsupsetneqq	<code>\varsupsetneqq</code>

TABLE 119: MnSymbol Subset and Superset Relations

\sqsubset	<code>\nSqssubset</code>	\subsetneq	<code>\nsubseteq</code>	\sqsubsetneq	<code>\sqssubsetneq</code>	\subseteq	<code>\subseteq</code>
\sqsubseteq	<code>\nsqsubset</code>	\subseteq	<code>\nsubseteqqq</code>	\sqsubseteq	<code>\sqssubsetneqq</code>	\subseteq	<code>\subseteqqq</code>
\supset	<code>\nsqsupseteq</code>	\supsetneq	<code>\nSupset</code>	\supsetneq	<code>\Sqsupset</code>	\supsetneq	<code>\supsetneq</code>
\supseteq	<code>\nsqsupseteqqq</code>	\supseteq	<code>\nsupset</code>	\supseteq	<code>\sqsupset</code>	\supseteq	<code>\supsetneqq</code>
\Supset	<code>\nSqsupset</code>	\supseteq	<code>\nsupseteq</code>	\supseteq	<code>\sqsupseteq</code>	\Supset	<code>\Supset</code>
\supset	<code>\nsqsupset</code>	\supseteq	<code>\nsupseteqqq</code>	\supseteq	<code>\sqsupseteqqq</code>	\supset	<code>\supset</code>
\supseteq	<code>\nsqsupseteq</code>	\sqsubset	<code>\Sqsubset</code>	\supseteq	<code>\sqsupsetneq</code>	\supseteq	<code>\supseteq</code>
\supseteq	<code>\nsqsupseteqqq</code>	\sqsubset	<code>\sqsubset</code>	\supseteq	<code>\sqsupsetneqq</code>	\supseteq	<code>\supseteqqq</code>
\Subset	<code>\nSubset</code>	\sqsubset	<code>\sqsubseteq</code>	\Subset	<code>\Subset</code>	\supsetneq	<code>\supsetneq</code>
\subset	<code>\nsubset</code>	\subseteq	<code>\sqsubseteqqq</code>	\subset	<code>\subset</code>	\supsetneqq	<code>\supsetneqq</code>

MnSymbol additionally defines `\varsubsetneq` as a synonym for `\subsetneq`, `\varsubsetneqq` as a synonym for `\subseteqqq`, `\varsupsetneq` as a synonym for `\supsetneq`, and `\varsupsetneqq` as a synonym for `\supsetneqq`.

TABLE 120: fdsymbol Subset and Superset Relations

\sqsubset	<code>\nsqsubset</code>	\subsetneq	<code>\nsubseteq</code>	\sqsubsetneq	<code>\sqssubsetneq</code>	\subseteq	<code>\subseteq</code>
\sqsubseteq	<code>\nSqssubset</code>	\subseteq	<code>\nsubseteqqq</code>	\sqsubseteq	<code>\sqssubsetneqq</code>	\subseteq	<code>\subseteqqq</code>
\supset	<code>\nsqsupseteq</code>	\supsetneq	<code>\nSupset</code>	\supsetneq	<code>\Sqsupset</code>	\supsetneq	<code>\supsetneq</code>
\supseteq	<code>\nsqsupseteqqq</code>	\supseteq	<code>\nsupset</code>	\supseteq	<code>\sqsupset</code>	\supseteq	<code>\supsetneqq</code>
\Supset	<code>\nSqsupset</code>	\supseteq	<code>\nsupseteq</code>	\supseteq	<code>\sqsupseteq</code>	\Supset	<code>\Supset</code>
\supset	<code>\nsqsupset</code>	\supseteq	<code>\nsupseteqqq</code>	\supseteq	<code>\sqsupseteqqq</code>	\supset	<code>\supset</code>
\supseteq	<code>\nsqsupseteq</code>	\sqsubset	<code>\Sqsubset</code>	\supseteq	<code>\sqsupsetneq</code>	\supseteq	<code>\supseteq</code>
\supseteq	<code>\nsqsupseteqqq</code>	\sqsubset	<code>\sqsubset</code>	\supseteq	<code>\sqsupsetneqq</code>	\supseteq	<code>\supseteqqq</code>
\subset	<code>\nsubset</code>	\sqsubset	<code>\sqsubseteq</code>	\subset	<code>\subset</code>	\supsetneq	<code>\supsetneq</code>
\Subset	<code>\nSubset</code>	\subseteq	<code>\sqsubseteqqq</code>	\Subset	<code>\Subset</code>	\supsetneqq	<code>\supsetneqq</code>

fdsymbol additionally defines `\varsubsetneqq` as a synonym for `\subseteqqq`, `\varsubsetneq` as a synonym for `\subsetneq`, `\varsupsetneqq` as a synonym for `\supsetneqq`, and `\varsupsetneq` as a synonym for `\supsetneq`.

TABLE 121: boisk Subset and Superset Relations

\subset	<code>\nsubset</code>	\sqsubset	<code>\sqSubset</code>	\subsetplus	<code>\subsetplus</code>	\supsetplus	<code>\supsetplus</code>
\subseteq	<code>\nsubseteq</code>	\supset	<code>\sqSupset</code>	\subseteqplus	<code>\subseteqplus</code>	\varsubsetneq	<code>\varsubsetneq</code>
\subseteq	<code>\nsubseteqqq</code>	\supseteq	<code>\sqsupset</code>	\Supset	<code>\Supset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\supset	<code>\nsupset</code>	\Subset	<code>\Subset</code>	\supseteqqq	<code>\supseteqqq</code>	\varsupsetneq	<code>\varsupsetneq</code>
\supseteq	<code>\nsupseteq</code>	\subseteq	<code>\subseteqqq</code>	\supsetneq	<code>\supsetneq</code>	\varsupsetneqq	<code>\varsupsetneqq</code>
\supseteq	<code>\nsupseteqqq</code>	\varsubsetneq	<code>\varsubsetneq</code>	\supsetneqq	<code>\supsetneqq</code>		
\sqsubset	<code>\sqsubset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>	\supsetplus	<code>\supsetplus</code>		

TABLE 122: stix Subset and Superset Relations

\subset	<code>\bsolhsb</code>	\sqsupseteq	<code>\sqsupseteq</code>	\supsetsubset	<code>\suphsb</code>
\subsetneq	<code>\csub</code>	\sqsupsetneq	<code>\sqsupsetneq</code>	\supsetlarr	<code>\suplarr</code>
\subseteq	<code>\csube</code>	\subedot	<code>\subedot</code>	\supmult	<code>\supmult</code>
\supset	<code>\csup</code>	\submult	<code>\submult</code>	\Supset	<code>\Supset</code>
\supseteq	<code>\csupe</code>	\subrarr	<code>\subrarr</code>	\supset	<code>\supset</code>
\leftarrowsubset	<code>\leftarrowsubset</code>	\Subset	<code>\Subset</code>	\supsetapprox	<code>\supsetapprox</code>
\nsqsubset	<code>\nsqsubset</code>	\subset	<code>\subset</code>	\supsetcirc^*	<code>\supsetcirc^*</code>
\nsqsubseteq	<code>\nsqsubseteq</code>	\subsetapprox	<code>\subsetapprox</code>	\supsetdot	<code>\supsetdot</code>
\nsqsupset	<code>\nsqsupset</code>	\subsetcirc^*	<code>\subsetcirc^*</code>	\supseteq	<code>\supseteq</code>
\nsqsupseteq	<code>\nsqsupseteq</code>	\subsetdot	<code>\subsetdot</code>	\supseteqeq	<code>\supseteqeq</code>
\nsubset	<code>\nsubset</code>	\subseteq	<code>\subseteq</code>	\supsetneq	<code>\supsetneq</code>
\nsubseteq	<code>\nsubseteq</code>	\subseteqeq	<code>\subseteqeq</code>	\supsetneqq	<code>\supsetneqq</code>
\nsubsetneq	<code>\nsubsetneq</code>	\subsetneq	<code>\subsetneq</code>	\supsetplus	<code>\supsetplus</code>
\nsubseteqeq	<code>\nsubseteqeq</code>	\subsetneqq	<code>\subsetneqq</code>	\supsim	<code>\supsim</code>
\nsupset	<code>\nsupset</code>	\subsetplus	<code>\subsetplus</code>	\supsub	<code>\supsub</code>
\nsupseteq	<code>\nsupseteq</code>	\subset	<code>\subset</code>	\supsup	<code>\supsup</code>
\nsupseteqeq	<code>\nsupseteqeq</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneq</code>
\nsupsetneq	<code>\nsupsetneq</code>	\subset	<code>\subset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\nsupsetneqq	<code>\nsupsetneqq</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneq</code>
\nsupsetplus	<code>\nsupsetplus</code>	\subset	<code>\subset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\nsupsim	<code>\nsupsim</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneq</code>
\rightarrowsupset	<code>\rightarrowsupset</code>	\subset	<code>\subset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\sqsubset	<code>\sqsubset</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneq</code>
\sqsubseteq	<code>\sqsubseteq</code>	\subset	<code>\subset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\sqsubseteqeq	<code>\sqsubseteqeq</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneq</code>
\sqsubseteqneq	<code>\sqsubseteqneq</code>	\subset	<code>\subset</code>	\varsubsetneqq	<code>\varsubsetneqq</code>
\sqsupset	<code>\sqsupset</code>	\subset	<code>\subset</code>	\varsubsetneq	<code>\varsubsetneq</code>

* Defined as an ordinary character, not as a binary relation.

TABLE 123: Inequalities

\geq	<code>\geq</code>	\gg	<code>\gg</code>	\leq	<code>\leq</code>	\ll	<code>\ll</code>	\neq	<code>\neq</code>
--------	-------------------	-------	------------------	--------	-------------------	-------	------------------	--------	-------------------

TABLE 124: \mathcal{AMS} Inequalities

\gtrsim	<code>\eqslantgtr</code>	\gtrdot	<code>\gtrdot</code>	\lesseqgtr	<code>\lesseqgtr</code>	\ngeq	<code>\ngeq</code>
\lessgtr	<code>\eqslantless</code>	\gtreqless	<code>\gtreqless</code>	\lesseqqgtr	<code>\lesseqqgtr</code>	\ngeqq	<code>\ngeqq</code>
\gtrsim	<code>\geqq</code>	\gtreqqlless	<code>\gtreqqlless</code>	\lessgtr	<code>\lessgtr</code>	\ngeqslant	<code>\ngeqslant</code>
\gtrsim	<code>\geqslant</code>	\gtrless	<code>\gtrless</code>	\lessgtr	<code>\lessgtr</code>	\ngtr	<code>\ngtr</code>
\ggg	<code>\ggg</code>	\gtrsim	<code>\gtrsim</code>	\lll	<code>\lll</code>	\nleq	<code>\nleq</code>
\gtrapprox	<code>\gnapprox</code>	\gvertneqq	<code>\gvertneqq</code>	\lnapprox	<code>\lnapprox</code>	\nleqq	<code>\nleqq</code>
\gneq	<code>\gneq</code>	\leqq	<code>\leqq</code>	\lneq	<code>\lneq</code>	\nleqslant	<code>\nleqslant</code>
\gneqq	<code>\gneqq</code>	\leqslant	<code>\leqslant</code>	\lneqq	<code>\lneqq</code>	\nless	<code>\nless</code>
\gnsim	<code>\gnsim</code>	\lessapprox	<code>\lessapprox</code>	\lnsim	<code>\lnsim</code>		
\gtrapprox	<code>\gtrapprox</code>	\lessdot	<code>\lessdot</code>	\lvertneqq	<code>\lvertneqq</code>		

TABLE 125: wasysym Inequalities

\gtrsim `\apprge` \lesssim `\apprle`

TABLE 126: txfonts/pxfonts Inequalities

\nlessgtr `\ngg` \nlessgtr `\ngtrsim` \nlessgtr `\nlesssim`
 \nlessgtr `\ngtrapprox` \nlessgtr `\nlessapprox` \nlessgtr `\nll`
 \nlessgtr `\ngtrless` \nlessgtr `\nlessgtr`

TABLE 127: mathabx Inequalities

\gtrsim	<code>\eqslantgtr</code>	\gtrsim	<code>\gtreqless</code>	\lesssim	<code>\lesssim</code>	\nlessgtr	<code>\ngtr</code>
\lessgtr	<code>\eqslantless</code>	\lessgtr	<code>\gtreqqless</code>	\ll	<code>\ll</code>	\ngtrapprox	<code>\ngtrapprox</code>
\geq	<code>\geq</code>	\geq	<code>\gtrless</code>	\lll	<code>\lll</code>	\ngtrsim	<code>\ngtrsim</code>
\geqq	<code>\geqq</code>	\gtrsim	<code>\gtrsim</code>	\lnapprox	<code>\lnapprox</code>	\nleq	<code>\nleq</code>
\gg	<code>\gg</code>	\nlessgtr	<code>\gvertneqq</code>	\lneq	<code>\lneq</code>	\nleqq	<code>\nleqq</code>
\ggg	<code>\ggg</code>	\leq	<code>\leq</code>	\lneqq	<code>\lneqq</code>	\nless	<code>\nless</code>
\ngtrapprox	<code>\ngtrapprox</code>	\leqq	<code>\leqq</code>	\lnsim	<code>\lnsim</code>	\nlessapprox	<code>\nlessapprox</code>
\gneq	<code>\gneq</code>	\lessapprox	<code>\lessapprox</code>	\lvertneqq	<code>\lvertneqq</code>	\nlesssim	<code>\nlesssim</code>
\gneqq	<code>\gneqq</code>	\lessdot	<code>\lessdot</code>	\neqslantgtr	<code>\neqslantgtr</code>	\nvareq	<code>\nvareq</code>
\gnsim	<code>\gnsim</code>	\lesseqgtr	<code>\lesseqgtr</code>	\neqslantless	<code>\neqslantless</code>	\nvarleq	<code>\nvarleq</code>
\gtrapprox	<code>\gtrapprox</code>	\lesseqqgtr	<code>\lesseqqgtr</code>	\ngeq	<code>\ngeq</code>	\vareq	<code>\vareq</code>
\gtrdot	<code>\gtrdot</code>	\lessgtr	<code>\lessgtr</code>	\ngeqq	<code>\ngeqq</code>	\varleq	<code>\varleq</code>

`mathabx` defines `\leqslant` and `\le` as synonyms for `\leq`, `\geqslant` and `\ge` as synonyms for `\geq`, `\neqslant` as a synonym for `\neq`, and `\ngeqslant` as a synonym for `\ngeq`.

TABLE 128: MnSymbol Inequalities

\succ	<code>\eqslantgtr</code>	\succsim	<code>\gtreqqless</code>	\lesssim	<code>\lesssim</code>	$\succ\sim$	<code>\ngtreqlless</code>
\lessdot	<code>\eqslantless</code>	\succdot	<code>\gtrless</code>	\ll	<code>\ll</code>	$\succ\sim\sim$	<code>\ngtreqllessslant</code>
\geq	<code>\geq</code>	\gtrneqqless	<code>\gtrneqqless</code>	\lll	<code>\lll</code>	$\succ\sim\sim\sim$	<code>\ngtreqqless</code>
\triangleright	<code>\geqclosed</code>	\gtrsim	<code>\gtrsim</code>	\lnapprox	<code>\lnapprox</code>	$\succ\sim\sim\sim\sim$	<code>\ngtrless</code>
\geqdot	<code>\geqdot</code>	\leq	<code>\leq</code>	\lneqq	<code>\lneqq</code>	$\succ\sim\sim\sim\sim\sim$	<code>\nleq</code>
\equiv	<code>\geqq</code>	\leqclosed	<code>\leqclosed</code>	\lnsim	<code>\lnsim</code>	$\succ\sim\sim\sim\sim\sim\sim$	<code>\nleqclosed</code>
\geqslant	<code>\geqslant</code>	\leqdot	<code>\leqdot</code>	\neqslantgtr	<code>\neqslantgtr</code>	$\succ\sim\sim\sim\sim\sim\sim\sim$	<code>\nleqdot</code>
\geqslantdot	<code>\geqslantdot</code>	\leqq	<code>\leqq</code>	\neqslantless	<code>\neqslantless</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nleqq</code>
\gg	<code>\gg</code>	\leqslant	<code>\leqslant</code>	\ngeq	<code>\ngeq</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nleqslant</code>
\ggg	<code>\ggg</code>	\leqslantdot	<code>\leqslantdot</code>	\ngeqclosed	<code>\ngeqclosed</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nleqslantdot</code>
\gapprox	<code>\gapprox</code>	\less	<code>\less</code>	\ngeqdot	<code>\ngeqdot</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nless</code>
\gneqq	<code>\gneqq</code>	\lessapprox	<code>\lessapprox</code>	\ngeqq	<code>\ngeqq</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nlessclosed</code>
\gnsim	<code>\gnsim</code>	\lessclosed	<code>\lessclosed</code>	\ngeqslant	<code>\ngeqslant</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nlessdot</code>
\gtr	<code>\gtr</code>	\lessdot	<code>\lessdot</code>	\ngeqslantdot	<code>\ngeqslantdot</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nlesseqgtr</code>
\gtrapprox	<code>\gtrapprox</code>	\lesseqgtr	<code>\lesseqgtr</code>	\ngg	<code>\ngg</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nlesseqgtrslant</code>
\gtrclosed	<code>\gtrclosed</code>	\lesseqgtrslant	<code>\lesseqgtrslant</code>	\nggg	<code>\nggg</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nlesseqgtr</code>
\gtrdot	<code>\gtrdot</code>	\lesseqqgtr	<code>\lesseqqgtr</code>	\ngtr	<code>\ngtr</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nlessgtr</code>
\gtreqless	<code>\gtreqless</code>	\lessgtr	<code>\lessgtr</code>	\ngtrclosed	<code>\ngtrclosed</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nll</code>
\gtreqlessslant	<code>\gtreqlessslant</code>	\lessneqqgtr	<code>\lessneqqgtr</code>	\ngtrdot	<code>\ngtrdot</code>	$\succ\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim\sim$	<code>\nlll</code>

MnSymbol additionally defines synonyms for some of the preceding symbols:

\gggtr	<code>\gggtr</code>	(same as <code>\ggg</code>)
\gvertneqq	<code>\gvertneqq</code>	(same as <code>\gneqq</code>)
\lhd	<code>\lhd</code>	(same as <code>\lessclosed</code>)
\lllless	<code>\lllless</code>	(same as <code>\lll</code>)
\lvertneqq	<code>\lvertneqq</code>	(same as <code>\lneqq</code>)
\ntrianglelefteq	<code>\ntrianglelefteq</code>	(same as <code>\nleqclosed</code>)
\ntriangleleft	<code>\ntriangleleft</code>	(same as <code>\nlessclosed</code>)
\ntrianglerighteq	<code>\ntrianglerighteq</code>	(same as <code>\ngeqclosed</code>)
\ntriangleright	<code>\ntriangleright</code>	(same as <code>\ngtrclosed</code>)
\rhd	<code>\rhd</code>	(same as <code>\gtrclosed</code>)
\trianglelefteq	<code>\trianglelefteq</code>	(same as <code>\leqclosed</code>)
\trianglerighteq	<code>\trianglerighteq</code>	(same as <code>\geqclosed</code>)
\unlhd	<code>\unlhd</code>	(same as <code>\leqclosed</code>)
\unrhd	<code>\unrhd</code>	(same as <code>\geqclosed</code>)
\vartriangleleft	<code>\vartriangleleft</code>	(same as <code>\lessclosed</code>)
\vartriangleright	<code>\vartriangleright</code>	(same as <code>\gtrclosed</code>)

TABLE 129: fdsymbol Inequalities

\succ	<code>\eqslantgtr</code>	\cong	<code>\leqslantdot</code>	\ncong	<code>\ngtrapprox</code>
\preccurlyeq	<code>\eqslantless</code>	\trianglelefteq	<code>\leqslcc</code>	\ntrianglelefteq	<code>\ngtrcc</code>
\succcurlyeq	<code>\geq</code>	$<$	<code>\less</code>	\nless	<code>\ngtrclosed</code>
\triangleright	<code>\geqclosed</code>	\approx	<code>\lessapprox</code>	\napprox	<code>\ngtrdot</code>
\triangleright	<code>\geqdot</code>	\triangleleft	<code>\lesscc</code>	\ntriangleleft	<code>\ngtreqlless</code>
\triangleright	<code>\geqq</code>	\triangleleft	<code>\lessclosed</code>	\ntriangleleft	<code>\ngtreqqless</code>
\triangleright	<code>\geqslant</code>	\triangleleft	<code>\lessdot</code>	\ntriangleleft	<code>\ngtreqslantless</code>
\triangleright	<code>\geqslantdot</code>	\trianglelefteq	<code>\lesseqgtr</code>	\ntrianglelefteq	<code>\ngtrless</code>
\triangleright	<code>\geqslcc</code>	\trianglelefteq	<code>\lesseqqgtr</code>	\ntrianglelefteq	<code>\ngtrsim</code>
\triangleright	<code>\gg</code>	\trianglelefteq	<code>\lesseqslantgtr</code>	\ntrianglelefteq	<code>\nleq</code>
\triangleright	<code>\ggg</code>	\trianglelefteq	<code>\lessgtr</code>	\ntrianglelefteq	<code>\nleqclosed</code>
\napprox	<code>\gnapprox</code>	\trianglelefteq	<code>\lesssim</code>	\ntrianglelefteq	<code>\nleqdot</code>
\napprox	<code>\gneq</code>	\ll	<code>\ll</code>	\nll	<code>\nleqq</code>
\napprox	<code>\gneqq</code>	\lll	<code>\lll</code>	\nlll	<code>\nleqslant</code>
\napprox	<code>\gnsim</code>	\napprox	<code>\lnapprox</code>	\napprox	<code>\nleqslantdot</code>
$>$	<code>\gtr</code>	\nless	<code>\lneq</code>	\nless	<code>\nleqslcc</code>
\approx	<code>\gtrapprox</code>	\nless	<code>\lneqq</code>	\nless	<code>\nless</code>
\triangleright	<code>\gtrcc</code>	\nless	<code>\lnsim</code>	\nless	<code>\nlessapprox</code>
\triangleright	<code>\gtrclosed</code>	\nless	<code>\neqslantgtr</code>	\nless	<code>\nlesscc</code>
$>$	<code>\gtrdot</code>	\nless	<code>\neqslantless</code>	\nless	<code>\nlessclosed</code>
\trianglelefteq	<code>\gtreqlless</code>	\nless	<code>\ngeq</code>	\nless	<code>\nlessdot</code>
\trianglelefteq	<code>\gtreqqless</code>	\nless	<code>\ngeqclosed</code>	\nless	<code>\nlesseqgtr</code>
\trianglelefteq	<code>\gtreqslantless</code>	\nless	<code>\ngeqdot</code>	\nless	<code>\nlesseqqgtr</code>
\trianglelefteq	<code>\gtrless</code>	\nless	<code>\ngeqq</code>	\nless	<code>\nlesseqslantgtr</code>
\trianglelefteq	<code>\gtrsim</code>	\nless	<code>\ngeqslant</code>	\nless	<code>\nlessgtr</code>
\trianglelefteq	<code>\leq</code>	\nless	<code>\ngeqslantdot</code>	\nless	<code>\nlesssim</code>
\trianglelefteq	<code>\leqclosed</code>	\nless	<code>\ngeqslcc</code>	\nless	<code>\nll</code>
\trianglelefteq	<code>\leqdot</code>	\nless	<code>\ngg</code>	\nless	<code>\nlll</code>
\trianglelefteq	<code>\leqq</code>	\nless	<code>\nggg</code>	\nless	<code>\nlll</code>
\trianglelefteq	<code>\leqslant</code>	\nless	<code>\ngtr</code>	\nless	<code>\ngtr</code>

fdsymbol defines synonyms for some of the preceding symbols:

\geq	<code>\ge</code>	\lesdot	<code>\lesdot</code>	\ngtcc	<code>\ngtcc</code>
\triangleright	<code>\gescc</code>	\lesg	<code>\lesg</code>	\ngtreqllesslant	<code>\ngtreqllesslant</code>
\triangleright	<code>\gesdot</code>	\lesseqgtrslant	<code>\lesseqgtrslant</code>	\nlesscc	<code>\nlesscc</code>
\trianglelefteq	<code>\gesl</code>	\lhd	<code>\lhd</code>	\nlesdot	<code>\nlesdot</code>
\triangleright	<code>\gggtr</code>	\lllless	<code>\lllless</code>	\nlessg	<code>\nlessg</code>
\triangleright	<code>\gtcc</code>	\ltcc	<code>\ltcc</code>	\nlesseqgtrslant	<code>\nlesseqgtrslant</code>
\trianglelefteq	<code>\gtreqllesslant</code>	\lvertneqq	<code>\lvertneqq</code>	\nltcc	<code>\nltcc</code>
\napprox	<code>\gvertneqq</code>	\ngescc	<code>\ngescc</code>	\rhd	<code>\rhd</code>

(continued on next page)

(continued from previous page)

\leq	<code>\le</code>	$\not\geq$	<code>\ngesdot</code>	\trianglelefteq	<code>\unlhd</code>
\trianglelefteq	<code>\lescc</code>	$\not\geq$	<code>\ngesl</code>	\trianglerighteq	<code>\unrhd</code>

TABLE 130: boisk Inequalities

\trianglerighteq	<code>\eqslantgtr</code>	\triangleright	<code>\gtcir</code>	\nlessgtr	<code>\lesseqgtr</code>	$\not\geq$	<code>\ngeq</code>
\triangleleft	<code>\eqslantless</code>	\trianglerighteq	<code>\gtrapprox</code>	\nlessgtr	<code>\lessgtr</code>	$\not\geq$	<code>\ngeqq</code>
\equiv	<code>\geqq</code>	\nlessgtr	<code>\gtreqless</code>	\nlessgtr	<code>\lesssim</code>	$\not\geq$	<code>\ngeqslant</code>
\triangleright	<code>\geqslant</code>	\nlessgtr	<code>\gtreqqless</code>	\lll	<code>\lll</code>	$\not\geq$	<code>\ngtr</code>
\ggg	<code>\ggg</code>	\nlessgtr	<code>\gtrless</code>	\nlessgtr	<code>\lnapprox</code>	$\not\geq$	<code>\nleq</code>
\times	<code>\glj</code>	\nlessgtr	<code>\gtrsim</code>	\nlessgtr	<code>\lneq</code>	$\not\geq$	<code>\nleqq</code>
\nlessgtr	<code>\gnapprox</code>	\nlessgtr	<code>\gvertneqq</code>	\nlessgtr	<code>\lneqq</code>	$\not\geq$	<code>\nleqslant</code>
\nlessgtr	<code>\gneq</code>	\nlessgtr	<code>\leqq</code>	\nlessgtr	<code>\lnsim</code>	$\not\geq$	<code>\nless</code>
\nlessgtr	<code>\gneqq</code>	\nlessgtr	<code>\leqslant</code>	\nlessgtr	<code>\Lt</code>		
\nlessgtr	<code>\gnsim</code>	\nlessgtr	<code>\lessapprox</code>	\nlessgtr	<code>\ltcir</code>		
\nlessgtr	<code>\Gt</code>	\nlessgtr	<code>\lesseqgtr</code>	\nlessgtr	<code>\lvertneqq</code>		

TABLE 131: stix Inequalities

\trianglerighteq	<code>\egsdot</code>	\nlessgtr	<code>\gtquest</code>	\nlessgtr	<code>\lnsim</code>
\triangleleft	<code>\elsdot</code>	\nlessgtr	<code>\gtrapprox</code>	\nlessgtr	<code>\lsime</code>
\triangleright	<code>\eqgtr</code>	\nlessgtr	<code>\gtrarr</code>	\nlessgtr	<code>\lsimg</code>
\nlessgtr	<code>\eqless</code>	\nlessgtr	<code>\gtrdot</code>	\nlessgtr	<code>\Lt</code>
\nlessgtr	<code>\eqqgtr</code>	\nlessgtr	<code>\gtreqless</code>	\nlessgtr	<code>\ltcc</code>
\nlessgtr	<code>\eqqless</code>	\nlessgtr	<code>\gtreqqless</code>	\nlessgtr	<code>\ltcir</code>
\nlessgtr	<code>\eqqslantgtr</code>	\nlessgtr	<code>\gtrless</code>	\nlessgtr	<code>\ltlarr</code>
\nlessgtr	<code>\eqqslantless</code>	\nlessgtr	<code>\gtrsim</code>	\nlessgtr	<code>\ltquest</code>
\nlessgtr	<code>\eqslantgtr</code>	\nlessgtr	<code>\gvertneqq</code>	\nlessgtr	<code>\lvertneqq</code>
\triangleleft	<code>\eqslantless</code>	\nlessgtr	<code>\lat</code>	\nlessgtr	<code>\neqslantgtr</code>
\nlessgtr	<code>\geq</code>	\nlessgtr	<code>\late</code>	\nlessgtr	<code>\neqslantless</code>
\equiv	<code>\geqq</code>	\nlessgtr	<code>\leftarrowless</code>	\nlessgtr	<code>\ngeq</code>
\equiv	<code>\geqqslant</code>	\nlessgtr	<code>\leq</code>	\nlessgtr	<code>\ngeqq</code>
\triangleright	<code>\geqslant</code>	\nlessgtr	<code>\leqq</code>	\nlessgtr	<code>\ngeqslant</code>
\triangleright	<code>\gescc</code>	\nlessgtr	<code>\leqqslant</code>	\nlessgtr	<code>\ngg</code>
\triangleright	<code>\gesdot</code>	\nlessgtr	<code>\leqslant</code>	\nlessgtr	<code>\ngtr</code>
\nlessgtr	<code>\gesdoto</code>	\nlessgtr	<code>\lescc</code>	\nlessgtr	<code>\ngtrless</code>
\triangleright	<code>\gesdotol</code>	\nlessgtr	<code>\lesdot</code>	\nlessgtr	<code>\ngtrsim</code>

(continued on next page)

(continued from previous page)

\lesssim	<code>\gesles</code>	\lesdoto	\nleq
\gtrsim	<code>\gg</code>	\lesdotor	\nleqq
\ggg	<code>\ggg</code>	\lesges	\nleqslant
$\ggg\text{nest}$	<code>\ggg\text{nest}</code>	\lessapprox	\nless
\gla	<code>\gla</code>	\lessdot	\nlessgtr
\glE	<code>\glE</code>	\lesseqgtr	\nlesssim
\glj	<code>\glj</code>	\lesseqqgtr	\nll
\gnapprox	<code>\gnapprox</code>	\lessgtr	\partialmeetcontraction
\gneq	<code>\gneq</code>	\lesssim	\rightarrowtr
\gneqq	<code>\gneqq</code>	\lgE	\simE
\gnsim	<code>\gnsim</code>	\ll	\simgtr
\gsime	<code>\gsime</code>	\lll	\simLE
\gsiml	<code>\gsiml</code>	$\lll\text{nest}$	\simless
\Gt	<code>\Gt</code>	\lnapprox	\smt
\gtcc	<code>\gtcc</code>	\lneq	\smt_e
\gtcir	<code>\gtcir</code>	\lneqq	

stix defines `\le` as a synonym for `\leq`, `\ge` as a synonym for `\geq`, `\llless` as a synonym for `\lll`, `\gggtr` as a synonym for `\ggg`, `\nle` as a synonym for `\nleq`, and `\nge` as a synonym for `\ngeq`.

TABLE 132: \mathcal{AMS} Triangle Relations

\blacktriangleleft	<code>\blacktriangleleft</code>	\ntriangleright	<code>\ntriangleright</code>	\trianglerighteq	<code>\trianglerighteq</code>
\blacktriangleright	<code>\blacktriangleright</code>	\ntrianglerighteq	<code>\ntrianglerighteq</code>	\vartriangleleft	<code>\vartriangleleft</code>
\ntriangleleft	<code>\ntriangleleft</code>	\trianglelefteq	<code>\trianglelefteq</code>	\vartriangleright	<code>\vartriangleright</code>
\ntrianglerighteq	<code>\ntrianglerighteq</code>	\triangleq	<code>\triangleq</code>		

TABLE 133: stmaryrd Triangle Relations

\trianglelefteqslant	<code>\trianglelefteqslant</code>	\trianglerighteqslant	<code>\trianglerighteqslant</code>
\ntrianglelefteqslant	<code>\ntrianglelefteqslant</code>	\ntrianglerighteqslant	<code>\ntrianglerighteqslant</code>

TABLE 134: mathabx Triangle Relations

\ntriangleleft	<code>\ntriangleleft</code>	\triangleleft	<code>\triangleleft</code>	\vartriangleleft	<code>\vartriangleleft</code>
\ntrianglelefteq	<code>\ntrianglelefteq</code>	\trianglelefteq	<code>\trianglelefteq</code>	\vartriangleright	<code>\vartriangleright</code>
\ntriangleright	<code>\ntriangleright</code>	\triangleright	<code>\triangleright</code>		
\ntrianglerighteq	<code>\ntrianglerighteq</code>	\trianglerighteq	<code>\trianglerighteq</code>		

TABLE 135: MnSymbol Triangle Relations

▼	<code>\filledmedtriangledown</code>	△	<code>\largetriangleup</code>	▽	<code>\smalltriangledown</code>
◀	<code>\filledmedtriangleleft</code>	▽	<code>\medtriangledown</code>	◄	<code>\smalltriangleleft</code>
▶	<code>\filledmedtriangleright</code>	◄	<code>\medtriangleleft</code>	►	<code>\smalltriangleright</code>
▲	<code>\filledmedtriangleup</code>	▷	<code>\medtriangleright</code>	△	<code>\smalltriangleup</code>
▼	<code>\filledtriangledown</code>	△	<code>\medtriangleup</code>	≐	<code>\triangleeq</code>
◀	<code>\filledtriangleleft</code>	≠	<code>\ntriangleeq</code>	◄	<code>\triangleleftteq</code>
▶	<code>\filledtriangleright</code>	≠	<code>\ntriangleleft</code>	►	<code>\trianglerightteq</code>
▲	<code>\filledtriangleup</code>	≠	<code>\ntriangleleftteq</code>	◄	<code>\vartriangleleft</code>
▽	<code>\largetriangledown</code>	≠	<code>\ntriangleright</code>	►	<code>\vartriangleright</code>
◄	<code>\largetriangleleft</code>	≠	<code>\ntrianglerightteq</code>		
►	<code>\largetriangleright</code>	⊗	<code>\otriangle</code>		

MnSymbol additionally defines synonyms for many of the preceding symbols: `\triangleeq` is a synonym for `\triangleeq`; `\lhd` and `\lessclosed` are synonyms for `\vartriangleleft`; `\rhd` and `\gtrclosed` are synonyms for `\vartriangleright`; `\unlhd` and `\leqclosed` are synonyms for `\triangleleftteq`; `\unrhd` and `\geqclosed` are synonyms for `\trianglerightteq`; `\blacktriangledown`, `\blacktriangleleft`, `\blacktriangleright`, and `\blacktriangle` [*sic*] are synonyms for, respectively, `\filledmedtriangledown`, `\filledmedtriangleleft`, `\filledmedtriangleright`, and `\filledmedtriangleup`; `\triangleright` is a synonym for `\medtriangleright`; `\triangle`, `\vartriangle`, and `\bigtriangleup` are synonyms for `\medtriangleup`; `\triangleleft` is a synonym for `\medtriangleleft`; `\triangledown` and `\bigtriangledown` are synonyms for `\medtriangledown`; `\nlessclosed` is a synonym for `\ntriangleleft`; `\ngtrclosed` is a synonym for `\ntriangleright`; `\nleqclosed` is a synonym for `\ntriangleleftteq`; and `\ngeqclosed` is a synonym for `\ntrianglerightteq`.

The title “Triangle Relations” is a bit of a misnomer here as only `\triangleeq` and `\ntriangleeq` are defined as T_EX relations (class 3 symbols). The `\largetriangle...` symbols are defined as T_EX “ordinary” characters (class 0) and all of the remaining characters are defined as T_EX binary operators (class 2).

TABLE 136: fdsymbol Triangle Relations

\rhd	<code>\geqclosed</code>	∇	<code>\medtriangledown</code>	\blacktriangleleft	<code>\smallblacktriangleleft</code>
\triangleright	<code>\gtrclosed</code>	\triangleleft	<code>\medtriangleleft</code>	\blacktriangleright	<code>\smallblacktriangleright</code>
\bigtriangledown	<code>\largetriangledown</code>	\triangleright	<code>\medtriangleright</code>	\blacktriangleup	<code>\smallblacktriangleup</code>
\bigtriangleup	<code>\largetriangleup</code>	\triangleup	<code>\medtriangleup</code>	∇	<code>\smalltriangledown</code>
\leqclosed	<code>\leqclosed</code>	\nlessclosed	<code>\ngeqclosed</code>	\triangleleft	<code>\smalltriangleleft</code>
\lessclosed	<code>\lessclosed</code>	\nlessclosed	<code>\ngtrclosed</code>	\triangleright	<code>\smalltriangleright</code>
\blacktriangledown	<code>\medblacktriangledown</code>	\nleqclosed	<code>\nleqclosed</code>	\triangleup	<code>\smalltriangleup</code>
\blacktriangleleft	<code>\medblacktriangleleft</code>	\nlessclosed	<code>\nlessclosed</code>	\trianglelefteq	<code>\trianglelefteq</code>
\blacktriangleright	<code>\medblacktriangleright</code>	\ntrianglelefteq	<code>\ntrianglelefteq</code>		
\blacktriangleup	<code>\medblacktriangleup</code>	\smallblacktriangledown	<code>\smallblacktriangledown</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

\bigtriangledown	<code>\bigtriangledown</code>	\trianglelefteq	<code>\trianglelefteq</code>	\trianglelefteq	<code>\trianglelefteq</code>
\bigtriangleup	<code>\bigtriangleup</code>	\triangleright	<code>\triangleright</code>	\triangleright	<code>\triangleright</code>
\blacktriangle	<code>\blacktriangle</code>	\trianglerighteq	<code>\trianglerighteq</code>	\trianglerighteq	<code>\trianglerighteq</code>
\blacktriangledown	<code>\blacktriangledown</code>	\triangle	<code>\triangle</code>	\triangle	<code>\vartriangle</code>
\blacktriangleleft	<code>\blacktriangleleft</code>	\triangledown	<code>\triangledown</code>	\triangleleft	<code>\vartriangleleft</code>
\blacktriangleright	<code>\blacktriangleright</code>	\triangleleft	<code>\triangleleft</code>	\triangleright	<code>\vartriangleright</code>
\blacktriangleleft	<code>\blacktriangleleft</code>	\trianglelefteq	<code>\trianglelefteq</code>		

The title “Triangle Relations” is a bit of a misnomer here as only `\trianglelefteq` and `\ntrianglelefteq` are defined as T_EX relations (class 3 symbols). The `\largetriangle...` symbols are defined as T_EX “ordinary” characters (class 0) and all of the remaining characters are defined as T_EX binary operators (class 2).

TABLE 137: boisik Triangle Relations

\triangleleft	<code>\ntriangleleft</code>	\trianglelefteq	<code>\trianglelefteq</code>	\vartriangleleft	<code>\varlrtriangle</code>
\trianglelefteq	<code>\ntrianglelefteq</code>	\trianglelefteqslant	<code>\trianglelefteqslant</code>	\triangle	<code>\vartriangle</code>
\triangleright	<code>\ntriangleright</code>	\triangleright	<code>\triangleright</code>	\triangleleft	<code>\vartriangleleft</code>
\trianglerighteq	<code>\ntrianglerighteq</code>	\trianglerighteq	<code>\trianglerighteq</code>	\triangleright	<code>\vartriangleright</code>
\triangleleft	<code>\triangleleft</code>	\trianglerighteqslant	<code>\trianglerighteqslant</code>		

TABLE 138: stix Triangle Relations

\ltriangleright	<code>\ltriangleright</code>	\nvartriangleright	<code>\nvartriangleright</code>	\triangle	<code>\vartriangle</code>
\ltrivb	<code>\ltrivb</code>	\rtriltri	<code>\rtriltri</code>	\triangleleft	<code>\vartriangleleft</code>
\trianglelefteq	<code>\trianglelefteq</code>	\trianglelefteq	<code>\trianglelefteq</code>	\triangleright	<code>\vartriangleright</code>
\trianglerighteq	<code>\trianglerighteq</code>	\trianglelefteq	<code>\trianglelefteq</code>	\ltriangleright	<code>\vbrtri</code>
\nvartriangleleft	<code>\nvartriangleleft</code>	\trianglerighteq	<code>\trianglerighteq</code>		

TABLE 139: Arrows

\Downarrow	<code>\Downarrow</code>	\longleftarrow	<code>\longleftarrow</code>	\nwarrow	<code>\nwarrow</code>
\downarrow	<code>\downarrow</code>	\Longleftarrow	<code>\Longleftarrow</code>	\Rightarrow	<code>\Rightarrow</code>
\hookleftarrow	<code>\hookleftarrow</code>	\longleftrightarrow	<code>\longleftrightarrow</code>	\rightarrow	<code>\rightarrow</code>
\hookrightarrow	<code>\hookrightarrow</code>	\Longleftrightarrow	<code>\Longleftrightarrow</code>	\searrow	<code>\searrow</code>
\leadsto	<code>\leadsto*</code>	\mapsto	<code>\longmapsto</code>	\swarrow	<code>\swarrow</code>
\leftarrow	<code>\leftarrow</code>	\Longrightarrow	<code>\Longrightarrow</code>	\Uparrow	<code>\Uparrow</code>
\Leftarrow	<code>\Leftarrow</code>	\longrightarrow	<code>\longrightarrow</code>	\Uparrow	<code>\Uparrow</code>
\Leftrightarrow	<code>\Leftrightarrow</code>	\mapsto	<code>\mapsto</code>	\Updownarrow	<code>\Updownarrow</code>
\leftrightharpoonup	<code>\leftrightharpoonup</code>	\nearrow	<code>\nearrow[†]</code>	\Updownarrow	<code>\Updownarrow</code>

* Not predefined by the L^AT_EX 2_ε core. Use the latexsym package to expose this symbol.

† See the note beneath Table 246 for information about how to put a diagonal arrow across a mathematical expression (as in “ $\nabla \cdot \vec{B}$ ”).

TABLE 140: Harpoons

\leftharpoonup	<code>\leftharpoonup</code>	\rightharpoonup	<code>\rightharpoonup</code>	\rightleftharpoons	<code>\rightleftharpoons</code>
\leftleftarrows	<code>\leftleftarrows</code>	\rightrightarrows	<code>\rightrightarrows</code>		

TABLE 141: textcomp Text-mode Arrows

\Downarrow	<code>\textdownarrow</code>	\rightarrow	<code>\textrightarrow</code>
\leftarrow	<code>\textleftarrow</code>	\uparrow	<code>\textuparrow</code>

TABLE 142: $\mathcal{A}\mathcal{M}\mathcal{S}$ Arrows

\circlearrowleft	<code>\circlearrowleft</code>	\Lleftarrow	<code>\Lleftarrow</code>	\Rrightarrow	<code>\Rrightarrow</code>
\circlearrowright	<code>\circlearrowright</code>	\Lrightarrow	<code>\Lrightarrow</code>	\Rleftarrow	<code>\Rleftarrow</code>
\curvearrowleft	<code>\curvearrowleft</code>	\looparrowleft	<code>\looparrowleft</code>	\twoheadleftarrow	<code>\twoheadleftarrow</code>
\curvearrowright	<code>\curvearrowright</code>	\looparrowright	<code>\looparrowright</code>	\twoheadrightarrow	<code>\twoheadrightarrow</code>
\dashleftarrow	<code>\dashleftarrow</code>	\Lsh	<code>\Lsh</code>	\upuparrows	<code>\upuparrows</code>
\dashrightarrow	<code>\dashrightarrow</code>	\rightarrowtail	<code>\rightarrowtail</code>		

TABLE 143: $\mathcal{A}\mathcal{M}\mathcal{S}$ Negated Arrows

\nleftarrow	<code>\nleftarrow</code>	\nrightarrow	<code>\nrightarrow</code>	\nRrightarrow	<code>\nRrightarrow</code>
\nleftarrow	<code>\nleftarrow</code>	\nrightarrow	<code>\nrightarrow</code>	\nrightarrow	<code>\nrightarrow</code>

TABLE 144: $\mathcal{A}\mathcal{M}\mathcal{S}$ Harpoons

\downharpoonleft	<code>\downharpoonleft</code>	\leftrightharpoons	<code>\leftrightharpoons</code>	\upharpoonleft	<code>\upharpoonleft</code>
\downharpoonright	<code>\downharpoonright</code>	\rightleftharpoons	<code>\rightleftharpoons</code>	\upharpoonright	<code>\upharpoonright</code>

TABLE 145: stmaryrd Arrows

\leftarrow	<code>\leftarrowtriangle</code>	\Leftarrow	<code>\Mapsfrom</code>	\leftarrow	<code>\shortleftarrow</code>
\Leftrightarrow	<code>\leftrightharroweq</code>	\mapsto	<code>\mapsfrom</code>	\rightarrow	<code>\shortrightarrow</code>
\Leftrightarrow	<code>\leftrightharrowtriangle</code>	\Mapsto	<code>\Mapsto</code>	\uparrow	<code>\shortuparrow</code>
\lightning	<code>\lightning</code>	\nearrow	<code>\nnearrow</code>	\searrow	<code>\ssearrow</code>
\Longmapsfrom	<code>\Longmapsfrom</code>	\nwarrow	<code>\nnwarrow</code>	\swarrow	<code>\sswarrow</code>
\longmapsfrom	<code>\longmapsfrom</code>	\rightarrowtriangle	<code>\rightarrowtriangle</code>		
\Longmapsto	<code>\Longmapsto</code>	\downarrow	<code>\shortdownarrow</code>		

TABLE 146: txfonts/pxfonts Arrows

\boxdotleft	<code>\boxdotLeft</code>	\circrightarrow	<code>\circleddotright</code>	\diamondleft	<code>\Diamondleft</code>
\boxdotleft	<code>\boxdotleft</code>	\circleftarrow	<code>\circleleft</code>	\diamondrightarrow	<code>\Diamondright</code>
\boxdotright	<code>\boxdotright</code>	\circrightarrow	<code>\circcleright</code>	\diamondrightarrow	<code>\DiamondRight</code>
\boxdotright	<code>\boxdotRight</code>	\dashrightarrow	<code>\dashleftrightharrow</code>	\leftsquigarrow	<code>\leftsquigarrow</code>
\boxleftarrow	<code>\boxLeft</code>	\diamondleftarrow	<code>\DiamonddotLeft</code>	\nearrow	<code>\Nearrow</code>
\boxleftarrow	<code>\boxleft</code>	\diamondleftarrow	<code>\Diamonddotleft</code>	\nwarrow	<code>\Nwarrow</code>
\boxrightarrow	<code>\boxright</code>	\diamondrightarrow	<code>\Diamonddotright</code>	\Rightarrow	<code>\Rrightarrow</code>
\boxrightarrow	<code>\boxRight</code>	\diamondrightarrow	<code>\DiamonddotRight</code>	\searrow	<code>\Searrow</code>
\circleftarrow	<code>\circleddotleft</code>	\diamondleftarrow	<code>\DiamondLeft</code>	\swarrow	<code>\Swarrow</code>

TABLE 147: mathabx Arrows

\circleftarrow	<code>\circlearrowleft</code>	\leftarrow	<code>\leftarrow</code>	\nearrow	<code>\nearrow</code>
\circrightarrow	<code>\circlearrowright</code>	\leftleftarrows	<code>\leftleftarrows</code>	\upharpoonright	<code>\restriction</code>
\curvearrowleft	<code>\curvearrowbotleft</code>	\leftrightarrows	<code>\leftrightarrows</code>	\rightarrow	<code>\rightarrow</code>
\curvearrowright	<code>\curvearrowbotletright</code>	\leftrightarrows	<code>\leftrightarrows</code>	\rightleftarrows	<code>\rightleftarrows</code>
\curvearrowleft	<code>\curvearrowbotright</code>	\leftrightsquigarrow	<code>\leftrightsquigarrow</code>	\rightrightarrows	<code>\rightrightarrows</code>
\curvearrowright	<code>\curvearrowleft</code>	\leftsquigarrow	<code>\leftsquigarrow</code>	\rightsquigarrow	<code>\rightsquigarrow</code>
\curvearrowright	<code>\curvearrowleftright</code>	\lefttorightarrow	<code>\lefttorightarrow</code>	\rightarrowleftarrow	<code>\rightarrowleftarrow</code>
\curvearrowleft	<code>\curvearrowright</code>	\looparrowleft	<code>\looparrowdownleft</code>	\Rrightarrow	<code>\Rsh</code>
\dLsh	<code>\dLsh</code>	\looparrowright	<code>\looparrowdownright</code>	\searrow	<code>\searrow</code>
\downdownarrows	<code>\downdownarrows</code>	\looparrowleft	<code>\looparrowleft</code>	\swarrow	<code>\swarrow</code>
\downtoupward	<code>\downtoupward</code>	\looparrowright	<code>\looparrowright</code>	\updownarrows	<code>\updownarrows</code>
\downuparrows	<code>\downuparrows</code>	\Lsh	<code>\Lsh</code>	\uptodownarrow	<code>\uptodownarrow</code>
\drsh	<code>\drsh</code>	\nearrow	<code>\nearrow</code>	\upuparrows	<code>\upuparrows</code>

TABLE 148: mathabx Negated Arrows

\nleftarrow	<code>\nleftarrow</code>	\nrightarrow	<code>\nrightarrow</code>	\rightarrow	<code>\rightarrow</code>
\leftarrow	<code>\leftarrow</code>	\nleftarrow	<code>\nleftarrow</code>	\rightarrow	<code>\rightarrow</code>

TABLE 149: mathabx Harpoons

$\bar{\leftarrow}$	<code>\barleftharpoon</code>	\leftarrow	<code>\leftharpoonup</code>	\rightleftarrows	<code>\rightleftharpoons</code>
$\bar{\rightarrow}$	<code>\barrightharpoon</code>	\leftleftarrows	<code>\leftleftharpoons</code>	\rightleftarrows	<code>\rightrightarpoons</code>
\Downarrow	<code>\downdownharpoons</code>	\leftleftarrows	<code>\leftrightharpoon</code>	\Downarrow	<code>\updownharpoons</code>
\Downarrow	<code>\downharpoonleft</code>	\rightleftarrows	<code>\leftrightharpoons</code>	\Uparrow	<code>\upharpoonleft</code>
\Downarrow	<code>\downharpoonright</code>	\rightleftarrows	<code>\rightbarharpoon</code>	\Uparrow	<code>\upharpoonright</code>
\Downarrow	<code>\downupharpoons</code>	\rightarrow	<code>\rightharpoondown</code>	\Uparrow	<code>\upupharpoons</code>
\Leftarrow	<code>\leftbarharpoon</code>	\rightarrow	<code>\rightharpoonup</code>		
\leftarrow	<code>\leftharpoondown</code>	\rightarrow	<code>\rightleftharpoon</code>		

TABLE 150: MnSymbol Arrows

\curvearrowright	<code>\curvearrowdownup</code>	\longleftarrow	<code>\longleftarrow</code>	\curvearrowright	<code>\rhookswarrow</code>
\curvearrowleft	<code>\curvearrowleftright</code>	\Longleftarrow	<code>\Longleftarrow</code>	\uparrow	<code>\rhookuparrow</code>
\curvearrowright	<code>\curvearrownesw</code>	\longleftrightarrow	<code>\longleftarrow</code>	\rightarrow	<code>\rightarrow</code>
\curvearrowright	<code>\curvearrownwse</code>	\longleftrightarrow	<code>\Longleftarrow</code>	\Rightarrow	<code>\Rightarrow</code>
\curvearrowright	<code>\curvearrowrightleft</code>	\mapsto	<code>\longmapsto</code>	\rightarrow	<code>\rightarrowtail</code>
\curvearrowright	<code>\curvearrowsenw</code>	\rightarrow	<code>\longrightarrow</code>	\rightleftarrows	<code>\rightleftarrows</code>
\curvearrowright	<code>\curvearrowswne</code>	\Rightarrow	<code>\longrightarrow</code>	\rightsquigarrow	<code>\rightsquigarrow</code>
\Downarrow	<code>\curvearrowupdown</code>	\looparrowleft	<code>\looparrowleft</code>	\mapsto	<code>\rightmapsto</code>
$\dashed\downarrow$	<code>\dasheddownarrow</code>	\looparrowright	<code>\looparrowright</code>	\Rightarrow	<code>\rightrightarrow</code>
\dashleftarrow	<code>\dashedleftarrow</code>	\Lsh	<code>\Lsh</code>	\rightsquigarrow	<code>\rightrightarrow</code>
\nearrow	<code>\dashednearrow</code>	\nearrow	<code>\nearrow</code>	\Rightarrow	<code>\Rightarrow</code>
\nearrow	<code>\dashednearrow</code>	\nearrow	<code>\nearrow</code>	\Rsh	<code>\Rsh</code>
\rightarrow	<code>\dashedrightarrow</code>	\nearrowtail	<code>\nearrowtail</code>	\searrow	<code>\searrow</code>
\searrow	<code>\dashedsearrow</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\swarrow	<code>\dashedswarrow</code>	\nearrow	<code>\nearrow</code>	\searrowtail	<code>\searrowtail</code>
\uparrow	<code>\dasheduparrow</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\Downarrow</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\downarrow	<code>\downarrow</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downarrowtail</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downdownarrows</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downlsquigarrow</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downmapsto</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downrsquigarrow</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\Downarrow	<code>\downuparrows</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\bigcirc	<code>\lrcirclearrowdown</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\bigcirc	<code>\lrcirclearrowleft</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\bigcirc	<code>\lrcirclearrowright</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\bigcirc	<code>\lrcirclearrowup</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\curvearrowright	<code>\lrcurvearrowdown</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\curvearrowleft	<code>\lrcurvearrowleft</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\curvearrowright	<code>\lrcurvearrowne</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\curvearrowright	<code>\lrcurvearrownw</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\curvearrowright	<code>\lrcurvearrowright</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\curvearrowright	<code>\lrcurvearrowse</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\curvearrowright	<code>\lrcurvearrowsw</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\curvearrowright	<code>\lrcurvearrowup</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\Leftarrow	<code>\Leftarrow</code>	\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>

(continued on next page)

(continued from previous page)

\leftarrow	<code>\leftarrow</code>	\circlearrowleft	<code>\partialvartrcirclearightint*</code>	\leftrightarrow	<code>\twoheadleftarrow</code>
\leftarrowtail	<code>\leftarrowtail</code>	\circlearrowright	<code>\rcirclearrowdown</code>	\nearrow	<code>\twoheadnearrow</code>
\Lleftarrow	<code>\Lleftarrow</code>	\curvearrowleft	<code>\rcirclearrowleft</code>	\nwarrow	<code>\twoheadnwarrow</code>
\leftleftarrows	<code>\leftleftarrows</code>	\curvearrowright	<code>\rcirclearrowright</code>	\rightarrow	<code>\twoheadrightarrow</code>
\rightsquigarrow	<code>\rightlsquigarrow</code>	\hookrightarrow	<code>\rcirclearrowup</code>	\searrow	<code>\twoheadsearrow</code>
\mapsto	<code>\leftmapsto</code>	\curvearrowright	<code>\rcurvearrowdown</code>	\swarrow	<code>\twoheadswarrow</code>
\rightleftarrows	<code>\leftrightrightarrow</code>	\curvearrowleft	<code>\rcurvearrowleft</code>	\uparrow	<code>\twoheaduparrow</code>
\rightarrows	<code>\leftrightrightarrows</code>	\curvearrowright	<code>\rcurvearrowne</code>	\Uparrow	<code>\uparrow</code>
\rightsquigarrow	<code>\leftrsquigarrow</code>	\curvearrowright	<code>\rcurvearrownw</code>	\Uparrow	<code>\Uparrow</code>
\hookrightarrow	<code>\hookdownarrow</code>	\curvearrowright	<code>\rcurvearrowright</code>	\uparrowtail	<code>\uparrowtail</code>
\hookleftarrow	<code>\hookleftarrow</code>	\curvearrowright	<code>\rcurvearrowse</code>	\updownarrow	<code>\updownarrow</code>
\hooknearrow	<code>\hooknearrow</code>	\curvearrowright	<code>\rcurvearrowsw</code>	\Updownarrow	<code>\Updownarrow</code>
\hooknwarrow	<code>\hooknwarrow</code>	\curvearrowright	<code>\rcurvearrowup</code>	\updownarrows	<code>\updownarrows</code>
\hookrightarrow	<code>\hookrightarrow</code>	\hookrightarrow	<code>\rhookdownarrow</code>	\uplsquigarrow	<code>\uplsquigarrow</code>
\hooksearrow	<code>\hooksearrow</code>	\hookleftarrow	<code>\rhookleftarrow</code>	\upmapsto	<code>\upmapsto</code>
\hookswarrow	<code>\hookswarrow</code>	\nearrow	<code>\rhooknearrow</code>	\uprsquigarrow	<code>\uprsquigarrow</code>
\hookuparrow	<code>\hookuparrow</code>	\nwarrow	<code>\rhooknwarrow</code>	\upuparrows	<code>\upuparrows</code>
\lightning	<code>\lightning</code>	\rightarrow	<code>\rhookrightarrow</code>		
\Lleftarrow	<code>\Lleftarrow</code>	\searrow	<code>\rhooksearrow</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

\circlearrowleft	<code>\circlearrowleft</code>	(same as <code>\rcirclearrowup</code>)
\circlearrowright	<code>\circlearrowright</code>	(same as <code>\lcirclearrowup</code>)
\curvearrowleft	<code>\curvearrowleft</code>	(same as <code>\rcurvearrowleft</code>)
\curvearrowright	<code>\curvearrowright</code>	(same as <code>\lcurvearrowright</code>)
\dashleftarrow	<code>\dashleftarrow</code>	(same as <code>\dashedleftarrow</code>)
\dashrightarrow	<code>\dashrightarrow</code>	(same as <code>\dashedrightarrow</code>)
\hookleftarrow	<code>\hookleftarrow</code>	(same as <code>\rhookleftarrow</code>)
\hookrightarrow	<code>\hookrightarrow</code>	(same as <code>\lhookrightarrow</code>)
\leadsto	<code>\leadsto</code>	(same as <code>\rightlsquigarrow</code>)
\leftrightsquigarrow	<code>\leftrightsquigarrow</code>	(same as <code>\squigarrowleftright</code>)
\mapsto	<code>\mapsto</code>	(same as <code>\rightmapsto</code>)
\rightsquigarrow	<code>\rightsquigarrow</code>	(same as <code>\rightlsquigarrow</code>)

* The `\partialvar...int` macros are intended to be used internally by MnSymbol to produce various types of integrals.

TABLE 151: MnSymbol Negated Arrows

\nrightarrow	<code>\nrightarrow</code>	\nhookrightarrow	<code>\nlhookrightarrow</code>	\nleftrightarrow	<code>\nleftrightarrow</code>
\nrightarrowtail	<code>\nrightarrowtail</code>	\nhookrightarrow	<code>\nlhookrightarrow</code>	\nrightarrow	<code>\nrightarrow</code>
\nrightarrow	<code>\nrightarrow</code>	\nhooksearrow	<code>\nlhooksearrow</code>	\nrightarrow	<code>\nrightarrow</code>
\nrightarrow	<code>\nrightarrow</code>	\nhookswarrow	<code>\nlhookswarrow</code>	\nrightarrow	<code>\nrightarrow</code>
\nrightarrow	<code>\nrightarrow</code>	\nhookuparrow	<code>\nlhookuparrow</code>	\nrightarrow	<code>\nrightarrow</code>
\nrightarrow	<code>\nrightarrow</code>	\nLleftarrow	<code>\nLleftarrow</code>	\nrightarrow	<code>\nrightarrow</code>
\nrightarrow	<code>\nrightarrow</code>	\nrightarrow	<code>\nnrightarrow</code>	\nrightarrow	<code>\nrightarrow</code>
\nrightarrow	<code>\nrightarrow</code>	\nrightarrow	<code>\nnrightarrow</code>	\nrightarrow	<code>\nrightarrow</code>

(continued on next page)

(continued from previous page)

	<code>\ndasheddownarrow</code>		<code>\nnearrowtail</code>		<code>\nsearrowtail</code>
	<code>\ndashedleftarrow</code>		<code>\nnelsquigarrow</code>		<code>\nselsquigarrow</code>
	<code>\ndashednearrow</code>		<code>\nnemapsto</code>		<code>\nsemapsto</code>
	<code>\ndashednwarrow</code>		<code>\nnenearrows</code>		<code>\nsenwarrows</code>
	<code>\ndashedrightarrow</code>		<code>\nnersquigarrow</code>		<code>\nsersquigarrow</code>
	<code>\ndashedsearrow</code>		<code>\nNeswarrow</code>		<code>\nsesearrows</code>
	<code>\ndashedswarrow</code>		<code>\neswarrow</code>		<code>\nsquigarrowdownup</code>
	<code>\ndasheduparrow</code>		<code>\neswarrows</code>		<code>\nsquigarrowleftright</code>
	<code>\ndownarrow</code>		<code>\nNwarrow</code>		<code>\nsquigarrownesw</code>
	<code>\nDownarrow</code>		<code>\nnwarrow</code>		<code>\nsquigarrownwse</code>
	<code>\ndownarrowtail</code>		<code>\nnwarrowtail</code>		<code>\nsquigarrowrightleft</code>
	<code>\ndowndownarrows</code>		<code>\nnwlsquigarrow</code>		<code>\nsquigarrowsenw</code>
	<code>\ndownlsquigarrow</code>		<code>\nnwmapsto</code>		<code>\nsquigarrowswne</code>
	<code>\ndownmapsto</code>		<code>\nnwnwarrows</code>		<code>\nsquigarrowupdown</code>
	<code>\ndownrsquigarrow</code>		<code>\nnwrsquigarrow</code>		<code>\nswarrow</code>
	<code>\ndownuparrows</code>		<code>\nnwsearrow</code>		<code>\nSswarrow</code>
	<code>\nrcirclearrowdown</code>		<code>\nNwsearrow</code>		<code>\nswarrowtail</code>
	<code>\nrcirclearrowleft</code>		<code>\nnwsearrows</code>		<code>\nswlsquigarrow</code>
	<code>\nrcirclearrowright</code>		<code>\nrcirclearrowdown</code>		<code>\nswmapsto</code>
	<code>\nrcirclearrowup</code>		<code>\nrcirclearrowleft</code>		<code>\nswnearrows</code>
	<code>\nrcurvearrowdown</code>		<code>\nrcirclearrowright</code>		<code>\nswrsquigarrow</code>
	<code>\nrcurvearrowleft</code>		<code>\nrcirclearrowup</code>		<code>\nswswarrows</code>
	<code>\nrcurvearrowne</code>		<code>\nrcurvearrowdown</code>		<code>\ntwoheaddownarrow</code>
	<code>\nrcurvearrownw</code>		<code>\nrcurvearrowleft</code>		<code>\ntwoheadleftarrow</code>
	<code>\nrcurvearrowright</code>		<code>\nrcurvearrowne</code>		<code>\ntwoheadnearrow</code>
	<code>\nrcurvearrowse</code>		<code>\nrcurvearrownw</code>		<code>\ntwoheadnwarrow</code>
	<code>\nrcurvearrowsw</code>		<code>\nrcurvearrowright</code>		<code>\ntwoheadrightarrow</code>
	<code>\nrcurvearrowup</code>		<code>\nrcurvearrowse</code>		<code>\ntwoheadsearrow</code>
	<code>\nLeftarrow</code>		<code>\nrcurvearrowsw</code>		<code>\ntwoheadswarrow</code>
	<code>\nleftarrow</code>		<code>\nrcurvearrowup</code>		<code>\ntwoheaduparrow</code>
	<code>\nleftarrowtail</code>		<code>\nrhookdownarrow</code>		<code>\nuparrow</code>
	<code>\nleftleftarrows</code>		<code>\nrhookleftarrow</code>		<code>\nUparrow</code>
	<code>\nleftlsquigarrow</code>		<code>\nrhooknearrow</code>		<code>\nuparrowtail</code>
	<code>\nleftmapsto</code>		<code>\nrhooknwarrow</code>		<code>\nupdownarrow</code>
	<code>\nleftrightarrow</code>		<code>\nrhookrightarrow</code>		<code>\nUpdownarrow</code>
	<code>\nleftsquigarrow</code>		<code>\nrhooksearrow</code>		<code>\nupdownarrows</code>
	<code>\nlefrightrightarrows</code>		<code>\nrhookswarrow</code>		<code>\nuplsquigarrow</code>
	<code>\nleftrsquigarrow</code>		<code>\nrhookuparrow</code>		<code>\nupmapsto</code>
	<code>\nlhookdownarrow</code>		<code>\nrhookrightarrow</code>		<code>\nuprsquigarrow</code>
	<code>\nlhookleftarrow</code>		<code>\nRightarrow</code>		<code>\nupuparrows</code>
	<code>\nlhooknearrow</code>		<code>\nrrightarrowtail</code>		

MnSymbol additionally defines synonyms for some of the preceding symbols:

\circlearrowleft	<code>\ncirclearrowleft</code>	(same as <code>\nrcirclearrowup</code>)
\circlearrowright	<code>\ncirclearrowright</code>	(same as <code>\nlcirclearrowup</code>)
\curvearrowleft	<code>\ncurvearrowleft</code>	(same as <code>\nrcurvearrowleft</code>)
\curvearrowright	<code>\ncurvearrowright</code>	(same as <code>\nlcurvearrowright</code>)
\dashrightarrow	<code>\ndasharrow</code>	(same as <code>\ndashedrightarrow</code>)
\dashleftarrow	<code>\ndashleftarrow</code>	(same as <code>\ndashedleftarrow</code>)
\dashrightarrow	<code>\ndashrightarrow</code>	(same as <code>\ndashedrightarrow</code>)
\leftarrow	<code>\ngets</code>	(same as <code>\leftarrow</code>)
\hookleftarrow	<code>\nhookleftarrow</code>	(same as <code>\rhookleftarrow</code>)
\hookrightarrow	<code>\nhookrightarrow</code>	(same as <code>\lhookrightarrow</code>)
\leadsto	<code>\nleadsto</code>	(same as <code>\rightsquigarrow</code>)
\leftrightsquigarrow	<code>\nleftrightsquigarrow</code>	(same as <code>\squigarrowleftright</code>)
\mapsto	<code>\nmapsto</code>	(same as <code>\rightrightmapsto</code>)
\rightsquigarrow	<code>\nrightrightarrow</code>	(same as <code>\rightsquigarrow</code>)
\rightarrow	<code>\nto</code>	(same as <code>\rightarrow</code>)

TABLE 152: MnSymbol Harpoons

\downharpoonccw^*	\swarrow	<code>\neswharpoons</code>	\searrow	<code>\seharpooncw</code>
\downharpooncw^*	\swarrow	<code>\neswharpoonsenw</code>	\swarrow	<code>\senwharpoons</code>
\downupharpoons	\swarrow	<code>\nwharpoonccw</code>	\swarrow	<code>\swharpoonccw</code>
\leftharpoonccw^*	\swarrow	<code>\nwharpooncw</code>	\swarrow	<code>\swharpooncw</code>
\leftharpooncw^*	\swarrow	<code>\nwseharpoonsesw</code>	\swarrow	<code>\swneharpoons</code>
\leftrightharpoondownup	\swarrow	<code>\nwseharpoons</code>	\updownharpoonleftright	<code>\updownharpoonleftright</code>
\leftrightharpoons	\swarrow	<code>\nwseharpoonswne</code>	\updownharpoonrightleft	<code>\updownharpoonrightleft</code>
\leftrightharpoonupdown	\rightarrow	<code>\rightharpoonccw^*</code>	\updownharpoons	<code>\updownharpoons</code>
\neharpoonccw	\rightarrow	<code>\rightharpooncw^*</code>	\upharpoonccw^*	<code>\upharpoonccw^*</code>
\neharpooncw	\rightleftharpoons	<code>\rightleftharpoons</code>	\upharpooncw^*	<code>\upharpooncw^*</code>
\neswharpoonnwse	\searrow	<code>\seharpoonccw</code>		

* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\upharpooncw` can be written as `\restriction`.)

TABLE 153: MnSymbol Negated Harpoons

\downharpoonccw^*	\swarrow	<code>\neswharpoons</code>	\searrow	<code>\nseharpooncw</code>
\downharpooncw^*	\swarrow	<code>\neswharpoonsenw</code>	\swarrow	<code>\nsenwharpoons</code>
\downupharpoons	\swarrow	<code>\nwharpoonccw</code>	\swarrow	<code>\nswharpoonccw</code>
\leftharpoonccw^*	\swarrow	<code>\nwharpooncw</code>	\swarrow	<code>\nswharpooncw</code>
\leftharpooncw^*	\swarrow	<code>\nwseharpoonsesw</code>	\swarrow	<code>\nswneharpoons</code>
\leftrightharpoondownup	\swarrow	<code>\nwseharpoons</code>	\updownharpoonleftright	<code>\nupdownharpoonleftright</code>
\leftrightharpoons	\swarrow	<code>\nwseharpoonswne</code>	\updownharpoonrightleft	<code>\nupdownharpoonrightleft</code>
\leftrightharpoonupdown	\rightarrow	<code>\nrightharpoonccw^*</code>	\updownharpoons	<code>\nupdownharpoons</code>
\nneharpoonccw	\rightarrow	<code>\nrightharpooncw^*</code>	\upharpoonccw^*	<code>\nupharpoonccw^*</code>
\nneharpooncw	\rightleftharpoons	<code>\nrightrightleftharpoons</code>	\upharpooncw^*	<code>\nupharpooncw^*</code>
\nneswharpoonnwse	\searrow	<code>\nseharpoonccw</code>		

* Where marked, the “ccw” suffix can be replaced with “up” and the “cw” suffix can be replaced with “down”. (In addition, `\nupharpooncw` can be written as `\nrestriction`.)

TABLE 154: fdsymbol Arrows

	<code>\acwcirclearrowdown</code>		<code>\leftarrow</code>		<code>\rightrightarrows</code>
	<code>\acwcirclearrowleft</code>		<code>\leftarrowtail</code>		<code>\rightwvearrow</code>
	<code>\acwcirclearrowright</code>		<code>\leftbkarrow</code>		<code>\rightarrow</code>
	<code>\acwcirclearrowup</code>		<code>\leftleftarrows</code>		<code>\Rsh</code>
	<code>\acwleftarrow</code>		<code>\leftmapsto</code>		<code>\searrow</code>
	<code>\acwnearrow</code>		<code>\Leftmapsto</code>		<code>\Searrow</code>
	<code>\acwnwarrow</code>		<code>\Leftrightarrow</code>		<code>\searrowtail</code>
	<code>\acwoverarrow</code>		<code>\leftrightharrow</code>		<code>\sebkarrow</code>
	<code>\acwrightarrow</code>		<code>\leftrightharrows</code>		<code>\senarrows</code>
	<code>\acwsearrow</code>		<code>\leftrighthwvearrow</code>		<code>\sesearrows</code>
	<code>\acswarrow</code>		<code>\leftwvearrow</code>		<code>\Swarrow</code>
	<code>\acwunderarrow</code>		<code>\lightning</code>		<code>\swarrow</code>
	<code>\bdleftarrow</code>		<code>\Lleftarrow</code>		<code>\swarrowtail</code>
	<code>\bdnearrow</code>		<code>\Longleftarrow</code>		<code>\swbkarrow</code>
	<code>\bdnwarrow</code>		<code>\longleftarrow</code>		<code>\swnearrows</code>
	<code>\bdoverarrow</code>		<code>\longleftrightarrow</code>		<code>\swsearrows</code>
	<code>\bdrigharrow</code>		<code>\Longleftrightarrow</code>		<code>\twoheaddownarrow</code>
	<code>\bdsearrow</code>		<code>\longleftwvearrow</code>		<code>\twoheadleftarrow</code>
	<code>\bdswarrow</code>		<code>\Longmapsfrom</code>		<code>\twoheadnearrow</code>
	<code>\bdunderarrow</code>		<code>\longmapsfrom</code>		<code>\twoheadnearrow</code>
	<code>\cwcirclearrowdown</code>		<code>\Longmapsto</code>		<code>\twoheadrightarrow</code>
	<code>\cwcirclearrowleft</code>		<code>\longmapsto</code>		<code>\twoheadsearrow</code>
	<code>\cwcirclearrowright</code>		<code>\longrightarrow</code>		<code>\twoheadswarrow</code>
	<code>\cwcirclearrowup</code>		<code>\Longrightarrow</code>		<code>\twoheaduparrow</code>
	<code>\cwleftarrow</code>		<code>\longrightwvearrow</code>		<code>\uparrow</code>
	<code>\cwnearrow</code>		<code>\looparrowleft</code>		<code>\Uparrow</code>
	<code>\cwnwarrow</code>		<code>\looparrowright</code>		<code>\uparrowtail</code>
	<code>\cwoverarrow</code>		<code>\Lsh</code>		<code>\upbkarrow</code>
	<code>\cwrightarrow</code>		<code>\nearrow</code>		<code>\Updownarrow</code>
	<code>\cwsearrow</code>		<code>\Nearrow</code>		<code>\updownarrow</code>
	<code>\cswarrow</code>		<code>\nearrowtail</code>		<code>\updownarrows</code>
	<code>\cwunderarrow</code>		<code>\nebkarrow</code>		<code>\updownwvearrow</code>
	<code>\Ddownarrow</code>		<code>\nenearrows</code>		<code>\upmapsto</code>
	<code>\Downarrow</code>		<code>\Neswarrow</code>		<code>\Upmapsto</code>
	<code>\downarrow</code>		<code>\neswarrow</code>		<code>\upuparrows</code>
	<code>\downarrowtail</code>		<code>\neswarrows</code>		<code>\upwvearrow</code>
	<code>\downbkarrow</code>		<code>\Nwarrow</code>		<code>\Uparrow</code>
	<code>\downdownarrows</code>		<code>\narrow</code>		<code>\vardownwvearrow</code>
	<code>\Downmapsto</code>		<code>\narrowtail</code>		<code>\varhookdownarrow</code>
	<code>\downmapsto</code>		<code>\nwbkarrow</code>		<code>\varhookleftarrow</code>
	<code>\downuparrows</code>		<code>\nwnwarrows</code>		<code>\varhooknearrow</code>
	<code>\downwvearrow</code>		<code>\Nwsearrow</code>		<code>\varhooknarrow</code>
	<code>\hookdownarrow</code>		<code>\nwsearrow</code>		<code>\varhookrightarrow</code>
	<code>\hookleftarrow</code>		<code>\nwsearrows</code>		<code>\varhooksearrow</code>
	<code>\hooknearrow</code>		<code>\Rdsh</code>		<code>\varhookswarrow</code>
	<code>\hooknarrow</code>		<code>\rightarrow</code>		<code>\varhookuparrow</code>
	<code>\hookrightarrow</code>		<code>\rightarrow</code>		<code>\varleftrighthwvearrow</code>
	<code>\hooksearrow</code>		<code>\rightarrowtail</code>		<code>\varleftwvearrow</code>
	<code>\hookswarrow</code>		<code>\rightbkarrow</code>		<code>\varrightwvearrow</code>
	<code>\hookuparrow</code>		<code>\rightleftarrows</code>		<code>\varupdownwvearrow</code>
	<code>\Ldsh</code>		<code>\Rightmapsto</code>		<code>\varupwvearrow</code>

(continued on next page)

(continued from previous page)

\Leftarrow `\Leftarrow` \mapsto `\rightmapsto`

fdsymbol defines synonyms for most of the preceding symbols:

\circlearrowleft	<code>\acwgapcirclearrow</code>	\leftrightarrow	<code>\leftrightsquigarrow</code>	\hookrightarrow	<code>\rhooknwarrow</code>
\circlearrowright	<code>\acwopencirclearrow</code>	\leftarrow	<code>\leftsquigarrow</code>	\rightarrow	<code>\rhookrightarrow</code>
\circlearrowleft	<code>\circlearrowleft</code>	\leftarrow	<code>\leftsquigarrow</code>	\hookrightarrow	<code>\rhooksearrow</code>
\circlearrowright	<code>\circlearrowright</code>	\hookrightarrow	<code>\leftupcurvedarrow</code>	\curvearrowright	<code>\rhookswarrow</code>
\curvearrowleft	<code>\curvearrowleft</code>	\downarrow	<code>\lhookdownarrow</code>	\uparrow	<code>\rhookuparrow</code>
\curvearrowright	<code>\curvearrowright</code>	\leftarrow	<code>\lhookleftarrow</code>	\curvearrowright	<code>\rightcurvedarrow</code>
\circlearrowleft	<code>\cwgapcirclearrow</code>	\curvearrowright	<code>\lhooknearrow</code>	\hookrightarrow	<code>\rightdowncurvedarrow</code>
\circlearrowright	<code>\cwopencirclearrow</code>	\hookrightarrow	<code>\lhooknwarrow</code>	\curvearrowright	<code>\righttlcurvearrow</code>
\dashrightarrow	<code>\dasharrow</code>	\rightarrow	<code>\lhookrightarrow</code>	\curvearrowleft	<code>\rightleftcurvearrow</code>
\dashleftarrow	<code>\dashleftarrow</code>	\hookrightarrow	<code>\lhooksearrow</code>	\leftrightarrow	<code>\rightleftsquigarrow</code>
\dashrightarrow	<code>\dashrightarrow</code>	\curvearrowright	<code>\lhookswarrow</code>	\curvearrowright	<code>\rightlsquigarrow</code>
\downleftarrow	<code>\downlcurvearrow</code>	\uparrow	<code>\lhookuparrow</code>	\curvearrowright	<code>\rightrcurvearrow</code>
\downleftarrow	<code>\downleftcurvedarrow</code>	\rightsquigarrow	<code>\longleadsto</code>	\curvearrowright	<code>\rightrsquigarrow</code>
\downleftarrow	<code>\downlsquigarrow</code>	\rightsquigarrow	<code>\longleftsquigarrow</code>	\curvearrowright	<code>\rightsquigarrow</code>
\downrightarrow	<code>\downrcurvearrow</code>	\rightsquigarrow	<code>\longrightsquigarrow</code>	\curvearrowright	<code>\rightupcurvedarrow</code>
\downrightarrow	<code>\downrightcurvedarrow</code>	\Downarrow	<code>\mapsdown</code>	\hookrightarrow	<code>\selcurvearrow</code>
\downrightarrow	<code>\downrsquigarrow</code>	\Downarrow	<code>\Mapsdown</code>	\hookrightarrow	<code>\senwcurvearrow</code>
\downrightarrow	<code>\downupcurvearrow</code>	\leftarrow	<code>\mapsfrom</code>	\hookrightarrow	<code>\sercurvearrow</code>
\downrightarrow	<code>\downupsquigarrow</code>	\Leftarrow	<code>\Mapsfrom</code>	\hookrightarrow	<code>\swlcurvearrow</code>
\downrightarrow	<code>\downzigzagarrow</code>	\mapsto	<code>\mapsto</code>	\curvearrowright	<code>\swnecurvearrow</code>
\leftarrow	<code>\gets</code>	\Rightarrow	<code>\Mapsto</code>	\curvearrowright	<code>\swrcurvearrow</code>
\hookrightarrow	<code>\hknearrow</code>	\uparrow	<code>\mapsup</code>	\rightarrow	<code>\to</code>
\hookrightarrow	<code>\hknwarrow</code>	\Uparrow	<code>\Mapsup</code>	\updownarrow	<code>\updowncurvearrow</code>
\hookrightarrow	<code>\hksearrow</code>	\rightarrow	<code>\nelcurvearrow</code>	\updownarrow	<code>\updownsquigarrow</code>
\hookrightarrow	<code>\hkswarrow</code>	\rightarrow	<code>\nercurvearrow</code>	\uparrow	<code>\uplcurvearrow</code>
\rightsquigarrow	<code>\leadsto</code>	\curvearrowright	<code>\neswcurvearrow</code>	\uparrow	<code>\upleftcurvedarrow</code>
\leftarrow	<code>\leftcurvedarrow</code>	\uparrow	<code>\nwlcurvearrow</code>	\uparrow	<code>\uplsquigarrow</code>
\leftarrow	<code>\leftdowncurvedarrow</code>	\hookrightarrow	<code>\nwrcurvearrow</code>	\uparrow	<code>\uprcurvearrow</code>
\leftarrow	<code>\lefttlcurvearrow</code>	\hookrightarrow	<code>\nwsecurvearrow</code>	\uparrow	<code>\uprightcurvearrow</code>
\leftarrow	<code>\leftlsquigarrow</code>	\downarrow	<code>\rhookdownarrow</code>	\uparrow	<code>\uprsquigarrow</code>
\leftarrow	<code>\leftrcurvearrow</code>	\leftarrow	<code>\rhookleftarrow</code>		
\leftarrow	<code>\leftrightcurvearrow</code>	\curvearrowright	<code>\rhooknearrow</code>		

TABLE 155: fdsymbol Negated Arrows

\nrightarrow	<code>\nacwcirclearrowdown</code>	\nleftarrow	<code>\nleftarrow</code>	\nrightarrow	<code>\nRrightarrow</code>
\nrightarrow	<code>\nacwcirclearrowleft</code>	\nleftarrow	<code>\nLeftarrow</code>	\nrightarrow	<code>\nsearrow</code>
\nrightarrow	<code>\nacwcirclearrowright</code>	\nleftarrow	<code>\nleftarrowtail</code>	\nrightarrow	<code>\nsearrowtail</code>
\nrightarrow	<code>\nacwcirclearrowup</code>	\nleftarrow	<code>\nleftbkarrow</code>	\nrightarrow	<code>\nsearrowtail</code>
\nrightarrow	<code>\nacwleftarcarrow</code>	\nleftarrow	<code>\nleftleftarrows</code>	\nrightarrow	<code>\nsebkarrow</code>
\nrightarrow	<code>\nacwnearcarrow</code>	\nleftarrow	<code>\nleftmapsto</code>	\nrightarrow	<code>\nsewarrows</code>
\nrightarrow	<code>\nacwnwarcarrow</code>	\nleftarrow	<code>\nLeftmapsto</code>	\nrightarrow	<code>\nsesearrows</code>
\nrightarrow	<code>\nacwoverarcarrow</code>	\nleftarrow	<code>\nleftrightarrow</code>	\nrightarrow	<code>\nswarrow</code>

(continued on next page)

(continued from previous page)

\curvearrowright	<code>\nacwrightararrow</code>	\Leftrightarrow	<code>\nLeftrightarrow</code>	\swarrow	<code>\nSwarrow</code>
\curvearrowleft	<code>\nacwseararrow</code>	$\$$	<code>\nletrightarrows</code>	\nwarrow	<code>\nswarrowtail</code>
\swarrow	<code>\nacwswararrow</code>	\curvearrowright	<code>\nletrightwavearrow</code>	\searrow	<code>\nswbkarrow</code>
\searrow	<code>\nacwunderararrow</code>	\curvearrowleft	<code>\nleftwavearrow</code>	\swarrow	<code>\nswnearrows</code>
\leftarrow	<code>\nbdleftararrow</code>	\Leftrightarrow	<code>\nLleftarrow</code>	\swarrow	<code>\nswswarrows</code>
\nearrow	<code>\nbdneararrow</code>	\leftarrow	<code>\nlongleftarrow</code>	\downarrow	<code>\ntwoheaddownarrow</code>
\nwarrow	<code>\nbdnwararrow</code>	\Leftrightarrow	<code>\nLongleftarrow</code>	\leftarrow	<code>\ntwoheadleftarrow</code>
\rightarrow	<code>\nbdoverararrow</code>	\rightarrow	<code>\nlongleftrightarrow</code>	\nearrow	<code>\ntwoheadnearrow</code>
\rightarrow	<code>\nbdrightararrow</code>	\Leftrightarrow	<code>\nLongleftrightarrow</code>	\nwarrow	<code>\ntwoheadnwarrow</code>
\curvearrowleft	<code>\nbdseararrow</code>	\curvearrowright	<code>\nlongleftwavearrow</code>	\rightarrow	<code>\ntwoheadrightarrow</code>
\searrow	<code>\nbdswararrow</code>	\leftarrow	<code>\nlongmapsfrom</code>	\searrow	<code>\ntwoheadsearrow</code>
\searrow	<code>\nbdunderararrow</code>	\Leftrightarrow	<code>\nLongmapsfrom</code>	\swarrow	<code>\ntwoheadswarrow</code>
\downarrow	<code>\ncwcirculararrowdown</code>	\rightarrow	<code>\nlongmapsto</code>	\uparrow	<code>\ntwoheaduparrow</code>
\leftarrow	<code>\ncwcirculararrowleft</code>	\Leftrightarrow	<code>\nLongmapsto</code>	\uparrow	<code>\nuparrow</code>
\rightarrow	<code>\ncwcirculararrowright</code>	\rightarrow	<code>\nlongrightarrow</code>	\uparrow	<code>\nUparrow</code>
\uparrow	<code>\ncwcirculararrowup</code>	\Leftrightarrow	<code>\nLongrightarrow</code>	\nearrow	<code>\nuparrowtail</code>
\leftarrow	<code>\ncwleftararrow</code>	\curvearrowright	<code>\nlongrightwavearrow</code>	\uparrow	<code>\nupbkarrow</code>
\nearrow	<code>\ncwneararrow</code>	\nearrow	<code>\nnearrow</code>	\downarrow	<code>\nupdownarrow</code>
\nearrow	<code>\ncwnwararrow</code>	\nwarrow	<code>\nNearrow</code>	\updownarrow	<code>\nUpdownarrow</code>
\rightarrow	<code>\ncwoverararrow</code>	\nearrow	<code>\nnearrowtail</code>	\updownarrow	<code>\nupdownarrows</code>
\rightarrow	<code>\ncwrightararrow</code>	\nearrow	<code>\nnebkarrow</code>	\downarrow	<code>\nupdownwavearrow</code>
\searrow	<code>\ncwseararrow</code>	\nwarrow	<code>\nnenearrows</code>	\uparrow	<code>\nupmapsto</code>
\searrow	<code>\ncwswararrow</code>	\nwarrow	<code>\nneswarrow</code>	\uparrow	<code>\nUpmapsto</code>
\searrow	<code>\ncwunderararrow</code>	\nwarrow	<code>\nNeswarrow</code>	\uparrow	<code>\nupuparrows</code>
\downarrow	<code>\nDdownarrow</code>	\nwarrow	<code>\nneswarrows</code>	\downarrow	<code>\nupwavearrow</code>
\downarrow	<code>\ndownarrow</code>	\nwarrow	<code>\nnwarrow</code>	\uparrow	<code>\nUuparrow</code>
\downarrow	<code>\nDownarrow</code>	\nwarrow	<code>\nNwarrow</code>	\downarrow	<code>\nvardownwavearrow</code>
\downarrow	<code>\ndownarrowtail</code>	\nwarrow	<code>\nnwarrowtail</code>	\downarrow	<code>\nvarhookdownarrow</code>
\downarrow	<code>\ndownbkarrow</code>	\nwarrow	<code>\nnwbkarrow</code>	\leftarrow	<code>\nvarhookleftarrow</code>
\downarrow	<code>\ndowndownarrows</code>	\nwarrow	<code>\nnwnwarrows</code>	\nearrow	<code>\nvarhooknearrow</code>
\downarrow	<code>\ndownmapsto</code>	\nwarrow	<code>\nnwsearrow</code>	\nwarrow	<code>\nvarhooknwarrow</code>
\downarrow	<code>\nDownmapsto</code>	\nwarrow	<code>\nNwsearrow</code>	\rightarrow	<code>\nvarhookrightarrow</code>
\downarrow	<code>\ndownuparrows</code>	\nwarrow	<code>\nnwsearrows</code>	\nwarrow	<code>\nvarhooksearrow</code>
\downarrow	<code>\ndownwavearrow</code>	\rightarrow	<code>\nrightarrow</code>	\nwarrow	<code>\nvarhookswarrow</code>
\downarrow	<code>\nhookdownarrow</code>	\rightarrow	<code>\nRightarrow</code>	\uparrow	<code>\nvarhookuparrow</code>
\leftarrow	<code>\nhookleftarrow</code>	\rightarrow	<code>\nrightarrowtail</code>	\curvearrowright	<code>\nvarleftrightwavearrow</code>
\nearrow	<code>\nhooknearrow</code>	\rightarrow	<code>\nrightbkarrow</code>	\leftarrow	<code>\nvarleftwavearrow</code>
\nwarrow	<code>\nhooknwarrow</code>	\rightarrow	<code>\nrightrightarrows</code>	\rightarrow	<code>\nvarrightwavearrow</code>
\rightarrow	<code>\nhookrightarrow</code>	\rightarrow	<code>\nrightmapsto</code>	\downarrow	<code>\nvarupdownwavearrow</code>
\searrow	<code>\nhooksearrow</code>	\Leftrightarrow	<code>\nRightmapsto</code>	\uparrow	<code>\nvarupwavearrow</code>
\swarrow	<code>\nhookswarrow</code>	\rightarrow	<code>\nrightrightarrows</code>		
\uparrow	<code>\nhookuparrow</code>	\rightarrow	<code>\nrightwavearrow</code>		

fdsymbol defines synonyms for most of the preceding symbols:

\circlearrowleft	<code>\nacwgapcirculararrow</code>	\nwarrow	<code>\nleftdowncurvedarrow</code>	\rightarrow	<code>\nrightcurvedarrow</code>
\circlearrowright	<code>\nacwopencirculararrow</code>	\nwarrow	<code>\nleftlcurvearrow</code>	\searrow	<code>\nrightdowncurvedarrow</code>
\leftarrow	<code>\ncirculararrowleft</code>	\leftarrow	<code>\nleftlsquigarrow</code>	\rightarrow	<code>\nrightrlcurvearrow</code>
\rightarrow	<code>\ncirculararrowright</code>	\nwarrow	<code>\nleftrcurvearrow</code>	\nwarrow	<code>\nrightrightcurvearrow</code>
\leftarrow	<code>\ncurvearrowleft</code>	\rightarrow	<code>\nleftrightsquigarrow</code>	\curvearrowright	<code>\nrightrightlsquigarrow</code>
\rightarrow	<code>\ncurvearrowright</code>	\curvearrowright	<code>\nleftrightsquigarrow</code>	\rightarrow	<code>\nrightrightlsquigarrow</code>
\leftarrow	<code>\ncwgapcirculararrow</code>	\leftarrow	<code>\nleftrsquigarrow</code>	\nwarrow	<code>\nrightrcurvearrow</code>
\rightarrow	<code>\ncwopencirculararrow</code>	\leftarrow	<code>\nleftsquigarrow</code>	\rightarrow	<code>\nrightrsquigarrow</code>

(continued on next page)

(continued from previous page)

->	\ndasharrow	↗	\nleftupcurvedarrow	↘	\nrightrightarrow
←-	\ndashleftarrow	↖	\nlongleadsto	↗	\nrightharpoonup
->	\ndashrightarrow	↗	\nlongleftsquigarrow	↘	\nsetcurvearrow
↓	\ndownlcurvearrow	↖	\nlongrightsquigarrow	↗	\nsenwcurvearrow
↙	\ndownleftcurvedarrow	↓	\nmapsdown	↘	\nsercurvearrow
↘	\ndownlsquigarrow	⤵	\nMapsdown	↖	\nswlcurvearrow
↘	\ndownrcurvearrow	←	\nmapsfrom	↗	\nswnecurvearrow
↘	\ndownrightcurvedarrow	↖	\nMapsfrom	↙	\nswrcurvearrow
↘	\ndownrsquigarrow	↗	\nmapsto	↘	\nto
↗	\ndownupcurvearrow	↖	\nMapsto	↗	\nupdowncurvearrow
↗	\ndownupsquigarrow	↑	\nmapsup	↘	\nupdownsquigarrow
←	\ngets	⤵	\nMapsup	↖	\nuplcurvearrow
↗	\nhknearrow	↗	\nnelcurvearrow	↘	\nupleftcurvedarrow
↗	\nhknwarrow	↘	\nnercurvearrow	↖	\nuplsquigarrow
↗	\nhksearrow	↗	\nneswcurvearrow	↖	\nuprcurvearrow
↗	\nhkswarrow	↘	\nnwlcurvearrow	↘	\nuprightcurvearrow
↗	\nleadsto	↗	\nnwrcurvearrow	↘	\nuprsquigarrow
←	\nleftcurvedarrow	↘	\nnwsecurvearrow		

TABLE 156: fdsymbol Harpoons

↓	\downharpoonleft	↗	\neswharpoons	↘	\seharpoonsw
↓	\downharpoonright	↖	\neswharpoonsenw	↗	\senwharpoons
⤵	\downupharpoons	↖	\nwharpoonne	↗	\swharpoonnw
←	\leftharpoondown	↖	\nwharpoonsw	↘	\swharpoone
←	\leftharpoonup	↖	\nwseharpoonesw	↗	\swneharpoons
↔	\leftrightharpoondownup	↖	\nwseharpoons	↑	\updownharpoonleftright
↔	\leftrightharpoons	↖	\nwseharpoonswne	↓	\updownharpoonrightleft
↔	\leftrightharpoonupdown	→	\rightharpoondown	⤵	\updownharpoons
↗	\neharpoonnw	→	\rightharpoonup	↑	\upharpoonleft
↗	\neharpoone	↔	\rightleftharpoons	↑	\upharpoonright
↗	\neswharpoonnwse	↖	\seharpoonne		

fdsymbol defines \restriction as a synonym for \upharpoonright, \updownharpoonsleftright as a synonym for \updownharpoons, and \downupharpoonsleftright as a synonym for \downupharpoons.

TABLE 157: fdsymbol Negated Harpoons

↵	<code>\ndownharpoonleft</code>	⌘	<code>\nneswharpoons</code>	⌘	<code>\nseharpoonsw</code>
↶	<code>\ndownharpoonright</code>	⌘	<code>\nneswharpoonsenw</code>	⌘	<code>\nsenwharpoons</code>
⤵	<code>\ndownupharpoons</code>	⌘	<code>\nnwharpoonne</code>	⌘	<code>\nswharpoonnw</code>
↵	<code>\nleftharpoondown</code>	⌘	<code>\nnwharpoonsw</code>	⌘	<code>\nswharpoonse</code>
↶	<code>\nleftharpoonup</code>	⌘	<code>\nnwseharpoonsesw</code>	⌘	<code>\nswneharpoons</code>
↷	<code>\nleftrightharpoondownup</code>	⌘	<code>\nnwseharpoons</code>	↵	<code>\nupdownharpoonleftright</code>
⤵	<code>\nleftrightharpoons</code>	⌘	<code>\nnwseharpoonswne</code>	↶	<code>\nupdownharpoonrightleft</code>
↷	<code>\nleftrightharpoonupdown</code>	↵	<code>\nrightharpoondown</code>	⤵	<code>\nupdownharpoons</code>
⌘	<code>\nneharpoonnw</code>	↶	<code>\nrightharpoonup</code>	↵	<code>\nupharpoonleft</code>
⌘	<code>\nneharpoonse</code>	⤵	<code>\nrightharpoonright</code>	↶	<code>\nupharpoonright</code>
⌘	<code>\nneswharpoonnwse</code>	⌘	<code>\nseharpoonne</code>		

fdsymbol defines `\nrestriction` as a synonym for `\nupharpoonright`, `\ndownupharpoonsleftright` as a synonym for `\ndownupharpoons`, and `\nupdownharpoonsleftright` as a synonym for `\nupdownharpoons`.

TABLE 158: boisik Arrows

←	<code>\barleftarrow</code>	↗	<code>\Lsh</code>
↔	<code>\barleftarrowrightarrowbar</code>	↓	<code>\mapsdown</code>
↖	<code>\barovernorthwestarrow</code>	←	<code>\Mapsfrom</code>
↵	<code>\carriagereturn</code>	←	<code>\mapsfrom</code>
↶	<code>\circlearrowleft</code>	⇒	<code>\Mapsto</code>
↷	<code>\circlearrowright</code>	⇒	<code>\mapsto</code>
↵	<code>\cupleftarrow</code>	↑	<code>\mapsup</code>
↵	<code>\curlyveedownarrow</code>	↗	<code>\Nearrow</code>
↶	<code>\curlyveeuparrow</code>	↘	<code>\nearrowcorner</code>
↷	<code>\curlywedgedownarrow</code>	↗	<code>\nnearrow</code>
↶	<code>\curlywedgeuparrow</code>	↖	<code>\nnwarrow</code>
↵	<code>\curvearrowbotleft</code>	↘	<code>\Nwarrow</code>
↷	<code>\curvearrowbotleftright</code>	↖	<code>\nwarrowcorner</code>
↵	<code>\curvearrowbotright</code>	→	<code>\rightarrowbar</code>
↶	<code>\curvearrowleft</code>	⇒	<code>\rightarrowcircle</code>
↷	<code>\curvearrowleftright</code>	⇒	<code>\rightarrowtail</code>
↷	<code>\curvearrowright</code>	→	<code>\rightarrowTriangle</code>
↵	<code>\dlsh</code>	→	<code>\rightarrowtriangle</code>
↓	<code>\downblackarrow</code>	→	<code>\rightblackarrow</code>
↓	<code>\downdasharrow</code>	→	<code>\rightdashedarrow</code>
↕	<code>\downdownarrows</code>	↔	<code>\rightleftarrows</code>
↶	<code>\downtouparrow</code>	⇒	<code>\rightrightarrows</code>
↓	<code>\downwhitearrow</code>	↗	<code>\rightsquigarrow</code>
↗	<code>\downzigzagarrow</code>	⇒	<code>\rightthreearrows</code>
↳	<code>\drsh</code>	↶	<code>\righttoleftarrow</code>
↔	<code>\eqleftarrow</code>	⇒	<code>\rightwhitearrow</code>
↶	<code>\hookleftarrow</code>	⇒	<code>\rightwhiteroundarrow</code>
↷	<code>\hookrightarrow</code>	⇒	<code>\Rrightarrow</code>
↶	<code>\leftarrowtail</code>	↗	<code>\Rsh</code>
←	<code>\leftarrowTriangle</code>	↘	<code>\Searrow</code>

(continued on next page)

(continued from previous page)

\leftarrow	<code>\leftarrowtriangle</code>	\searrow	<code>\ssearrow</code>
\blackleftarrow	<code>\leftblackarrow</code>	\swarrow	<code>\sswarrow</code>
\leftdasharrow	<code>\leftdasharrow</code>	\swarrow	<code>\Sswarrow</code>
\leftleftarrows	<code>\leftleftarrows</code>	\Downarrow	<code>\twoheaddownarrow</code>
\leftrightarrows	<code>\leftrightarrows</code>	\leftleftarrow	<code>\twoheadleftarrow</code>
\leftrightsquigarrow	<code>\leftrightsquigarrow</code>	\rightarrow	<code>\twoheadrightarrow</code>
\leftrightarrowtriangle	<code>\leftrightarrowtriangle</code>	\Uparrow	<code>\twoheaduparrow</code>
\leftrightarrowtriangle	<code>\leftrightarrowtriangle</code>	\Updownarrow	<code>\twoheadwhiteuparrow</code>
\blackrightarrow	<code>\rightblackarrow</code>	\Updownarrow	<code>\twoheadwhiteuparrowpedestal</code>
\rightsquigarrow	<code>\leftrightsquigarrow</code>	\Uparrow	<code>\upblackarrow</code>
\leftsquigarrow	<code>\leftsquigarrow</code>	\downdownarrows	<code>\updasharrow</code>
\lefttorightarrow	<code>\lefttorightarrow</code>	\Updownarrow	<code>\updownarrowbar</code>
\leftwhitearrow	<code>\leftwhitearrow</code>	\Updownarrow	<code>\updownblackarrow</code>
\leftwhiteroundarrow	<code>\leftwhiteroundarrow</code>	\Updownarrow	<code>\updownwhitearrow</code>
\leftzigzagarrow	<code>\leftzigzagarrow</code>	\Downarrow	<code>\uptodownarrow</code>
\linefeed	<code>\linefeed</code>	\Uparrow	<code>\upuparrows</code>
\Lleftarrow	<code>\Lleftarrow</code>	\Updownarrow	<code>\upwhitearrow</code>
\looparrowdownleft	<code>\looparrowdownleft</code>	\Updownarrow	<code>\whitearrowupfrombar</code>
\looparrowdownright	<code>\looparrowdownright</code>	\Updownarrow	<code>\whitearrowuppedestal</code>
\looparrowleft	<code>\looparrowleft</code>	\Updownarrow	<code>\whitearrowuppedestalhbar</code>
\looparrowright	<code>\looparrowright</code>	\Updownarrow	<code>\whitearrowuppedestalvbar</code>

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 159: boisik Negated Arrows

\nHdownarrow	<code>\nHdownarrow</code>	\nLeftrightarrow	<code>\nLeftrightarrow</code>	\nRightarrow	<code>\nRightarrow</code>
\nHuparrow	<code>\nHuparrow</code>	\nleftrightarrow	<code>\nleftrightarrow</code>	\nVleftarrow	<code>\nVleftarrow</code>
\nLeftarrow	<code>\nLeftarrow</code>	\nLeftrightarrow	<code>\nLeftrightarrow</code>	\nVrightarrow	<code>\nVrightarrow</code>
\nleftarrow	<code>\nleftarrow</code>	\nrightarrow	<code>\nrightarrow</code>		

Many of these symbols are defined only if the `arrows` package option is specified.

TABLE 160: boisik Harpoons

\downharpoonleft	<code>\downharpoonleft</code>	\leftrightharpoons	<code>\leftrightharpoons</code>	\upharpoonleft	<code>\upharpoonleft</code>
\downharpoonright	<code>\downharpoonright</code>	\rightarrow	<code>\rightarrow</code>	\upharpoonright	<code>\upharpoonright</code>
\leftharpoonup	<code>\leftharpoonup</code>	\rightarrow	<code>\rightarrow</code>		
\leftharpoonup	<code>\leftharpoonup</code>	\rightleftharpoons	<code>\rightleftharpoons</code>		

TABLE 161: stix Arrows

	<code>\acwcirclearrow</code>		<code>\longmapsto</code>
	<code>\acwgapcirclearrow</code>		<code>\Longmapsto</code>
	<code>\acwleftarcarrow</code>		<code>\longrightarrow</code>
	<code>\acwoverarcarrow</code>		<code>\Longrightarrow</code>
	<code>\acwunderarcarrow</code>		<code>\longrightsquigarrow</code>
	<code>\barleftarrow</code>		<code>\looparrowleft</code>
	<code>\barleftarrowrightarrowbar*</code>		<code>\looparrowright</code>
	<code>\barrightarrowdiamond</code>		<code>\Lsh</code>
	<code>\baruparrow</code>		<code>\mapsdown</code>
	<code>\bsimilarleftarrow</code>		<code>\Mapsfrom</code>
	<code>\bsimilarrightarrow</code>		<code>\mapsfrom</code>
	<code>\carriagereturn*</code>		<code>\mapsto</code>
	<code>\ccwundercurvearrow</code>		<code>\Mapsto</code>
	<code>\circlearrowleft</code>		<code>\mapsup</code>
	<code>\circlearrowright</code>		<code>\Nearrow</code>
	<code>\circleonleftarrow</code>		<code>\nearrow</code>
	<code>\circleonrightarrow</code>		<code>\neovnwarrow*</code>
	<code>\curvearrowleft</code>		<code>\neovsearrow*</code>
	<code>\curvearrowleftplus</code>		<code>\neswarrow</code>
	<code>\curvearrowright</code>		<code>\nwarrow</code>
	<code>\curvearrowrightminus</code>		<code>\Nwarrow</code>
	<code>\cwcirclearrow</code>		<code>\nwovnearrow*</code>
	<code>\cwgapcirclearrow</code>		<code>\nwsearrow</code>
	<code>\cwrightarcarrow</code>		<code>\rdiagovsearrow*</code>
	<code>\cwundercurvearrow</code>		<code>\Rdsh</code>
	<code>\dbkarrow</code>		<code>\Rightarrow</code>
	<code>\DDownarrow</code>		<code>\rightarrow</code>
	<code>\Ddownarrow</code>		<code>\rightarrowapprox</code>
	<code>\diamondleftarrow</code>		<code>\rightarrowbackapprox</code>
	<code>\diamondleftarrowbar</code>		<code>\rightarrowbar</code>
	<code>\downarrow</code>		<code>\rightarrowsimilar</code>
	<code>\Downarrow</code>		<code>\rightarrowdiamond</code>
	<code>\downarrowbar</code>		<code>\rightarrowonplus</code>
	<code>\downarrowbarred</code>		<code>\rightarrowplus</code>
	<code>\downdasharrow*</code>		<code>\rightarrowshortleftarrow</code>
	<code>\downdownarrows</code>		<code>\rightarrowsimilar</code>
	<code>\downrightcurvedarrow*</code>		<code>\rightarrowtail</code>
	<code>\downuparrows</code>		<code>\rightarrowtriangle</code>
	<code>\downwhitearrow*</code>		<code>\rightarrowx</code>
	<code>\downzigzagarrow</code>		<code>\rightbkarrow</code>
	<code>\draftingarrow*</code>		<code>\rightcurvedarrow</code>
	<code>\drbkarrow</code>		<code>\rightdasharrow*</code>
	<code>\equateleftarrow</code>		<code>\rightdotarrow</code>
	<code>\equalrightarrow</code>		<code>\rightdowncurvedarrow</code>
	<code>\fdiagovnearrow*</code>		<code>\rightleftarrows</code>
	<code>\hknearrow</code>		<code>\rightrightarrows</code>
	<code>\hknwarrow</code>		<code>\rightsquigarrow</code>
	<code>\hksearrow</code>		<code>\rightthreearrows</code>
	<code>\hkswarrow</code>		<code>\rightwavearrow</code>
	<code>\hookleftarrow</code>		<code>\rightwhitearrow*</code>
	<code>\hookrightarrow</code>		<code>\RRightarrow</code>
	<code>\Ldsh</code>		<code>\Rrightarrow</code>

(continued on next page)

(continued from previous page)

\leftarrow	<code>\leftarrow</code>	\Rrightarrow	<code>\Rsh</code>
\Leftarrow	<code>\Leftarrow</code>	\searrow	<code>\searrow</code>
$\leftarrow\approx$	<code>\leftarrowapprox</code>	$\searrow\approx$	<code>\Searrow</code>
$\leftarrow\backsim$	<code>\leftarrowbackapprox</code>	$\searrow\approx$	<code>\seovnearrow*</code>
$\leftarrow\sim$	<code>\leftarrowbsimilar</code>	\rightleftarrows	<code>\shortrightarrowleftarrow</code>
$\leftarrow\oplus$	<code>\leftarrowonoplus</code>	$\leftarrow\sim$	<code>\similarleftarrow</code>
$\leftarrow+$	<code>\leftarrowplus</code>	$\rightarrow\sim$	<code>\similarrightarrow</code>
$\leftarrow\rightarrow$	<code>\leftarrowshortrightarrow</code>	\swarrow	<code>\swarrow</code>
$\leftarrow\sim$	<code>\leftarrowsimilar</code>	\swarrow	<code>\Sswarrow</code>
$\leftarrow\rightsquigarrow$	<code>\leftarrowtail</code>	\swarrow	<code>\toea</code>
$\leftarrow\triangle$	<code>\leftarrowtriangle</code>	\swarrow	<code>\tona</code>
$\leftarrow*$	<code>\leftarrowx</code>	\swarrow	<code>\tosa</code>
$\leftarrow\bowtie$	<code>\leftbkarrow</code>	\swarrow	<code>\towa</code>
$\leftarrow\curvearrowright$	<code>\leftcurvedarrow</code>	\twoheadrightarrow	<code>\twoheadrightarrow</code>
$\leftarrow\cdots$	<code>\leftdasharrow*</code>	\twoheadleftarrow	<code>\twoheadleftarrow</code>
$\leftarrow\cdots\bowtie$	<code>\leftdbkarrow</code>	\twoheadleftarrow	<code>\twoheadleftarrowtail</code>
$\leftarrow\cdots$	<code>\leftdotarrow</code>	\twoheadleftarrow	<code>\twoheadleftdbkarrow</code>
$\leftarrow\curvearrowleft$	<code>\leftdowncurvedarrow</code>	\twoheadleftarrow	<code>\twoheadmapsfrom</code>
\leftleftarrows	<code>\leftleftarrows</code>	\twoheadleftarrow	<code>\twoheadmapsto</code>
\Leftrightarrow	<code>\Leftrightarrow</code>	\twoheadrightarrow	<code>\twoheadrightarrow</code>
\rightarrow	<code>\rightarrow</code>	\twoheadrightarrow	<code>\twoheadrightarrowtail</code>
$\rightarrow\circ$	<code>\rightarrowcircle</code>	\twoheaduparrow	<code>\twoheaduparrow</code>
$\rightarrow\rightarrow$	<code>\rightarrowarrows</code>	$\twoheaduparrow\circ$	<code>\twoheaduparrowcircle</code>
$\rightarrow\triangle$	<code>\rightarrowtriangle</code>	\uparrow	<code>\uparrow</code>
\rightsquigarrow	<code>\rightsquigarrow</code>	\Uparrow	<code>\Uparrow</code>
\rightsquigarrow	<code>\leftsquigarrow</code>	\uparrow	<code>\uparrowbarred</code>
$\rightarrow\rightarrow\rightarrow$	<code>\leftthreearrows</code>	\uparrow	<code>\updasharrow*</code>
$\rightarrow\rightsquigarrow$	<code>\leftwvearrow</code>	\Updownarrow	<code>\Updownarrow</code>
$\rightarrow\rightarrow$	<code>\leftwhitearrow*</code>	\updownarrow	<code>\updownarrow</code>
\rightarrow	<code>\linefeed*</code>	\updownarrow	<code>\updownarrowbar*</code>
\Lleftarrow	<code>\Lleftarrow</code>	\updownarrow	<code>\updownarrows</code>
\Lleftarrow	<code>\Lleftarrow</code>	$\rightarrow\curvearrowright$	<code>\uprightcurvedarrow*</code>
\longleftarrow	<code>\longleftarrow</code>	\upuparrows	<code>\upuparrows</code>
\Longleftarrow	<code>\Longleftarrow</code>	$\upwhitearrow*$	<code>\upwhitearrow*</code>
\Longleftrightarrow	<code>\Longleftrightarrow</code>	\Uparrow	<code>\Uparrow</code>
\longleftrightarrow	<code>\longleftrightarrow</code>	\Uparrow	<code>\Uparrow</code>
\longleftsquigarrow	<code>\longleftsquigarrow</code>	\varhookrightarrow	<code>\varcarriagereturn*</code>
\Longmapsfrom	<code>\Longmapsfrom</code>	\upwhitearrow	<code>\whitearrowupfrombar*</code>
\longmapsfrom	<code>\longmapsfrom</code>		

* Defined as an ordinary character, not as a binary relation.

stix defines `\acwopencirclearrow` as a synonym for `\circlearrowleft`, `\cwopencirclearrow` as a synonym for `\circlearrowright`, `\leadsto` as a synonym for `\rightsquigarrow`, `\dashleftarrow` as a synonym for `\leftdbkarrow`, and `\dashrightarrow` and `\dasharrow` as synonyms for `\dbkarrow`.

TABLE 162: stix Negated Arrows

\nrightarrow	<code>\nHdownarrow*</code>	\nleftrightarrow	<code>\nvLeftrightarrow</code>
\nleftarrow	<code>\nHuparrow*</code>	\nrightarrow	<code>\nVrightarrow</code>
\nleftarrow	<code>\nleftarrow[†]</code>	\nrightarrow	<code>\nvrightarrow</code>
\nleftarrow	<code>\nLeftarrow</code>	\nrightarrow	<code>\nvrightarrow</code>
\nleftrightarrow	<code>\nleftrightarrow</code>	\nrightarrow	<code>\nVrightarrowtail</code>
\nleftrightarrow	<code>\nLeftrightarrow</code>	\nrightarrow	<code>\nvrightarrowtail</code>
\nrightarrow	<code>\nRightarrow</code>	\nleftarrow	<code>\nVtwoheadleftarrow</code>
\nrightarrow	<code>\nrightarrow</code>	\nleftarrow	<code>\nVtwoheadleftarrow</code>
\nleftarrow	<code>\nvleftarrow</code>	\nleftarrow	<code>\nVtwoheadleftarrowtail</code>
\nleftarrow	<code>\nVleftarrow</code>	\nleftarrow	<code>\nVtwoheadleftarrowtail</code>
\nleftarrow	<code>\nVleftarrowtail</code>	\nrightarrow	<code>\nVtwoheadrightarrow</code>
\nleftarrow	<code>\nvleftarrowtail</code>	\nrightarrow	<code>\nVtwoheadrightarrowtail</code>
\nleftrightarrow	<code>\nvleftrightharpoonup</code>	\nrightarrow	<code>\nVtwoheadrightarrowtail</code>
\nleftrightarrow	<code>\nVleftrightharpoonup</code>		

* Defined as an ordinary character, not as a binary relation.

[†] stix defines `\ngets` as a synonym for `\nleftarrow`.

TABLE 163: stix Harpoons

\nrightarrow	<code>\bardownharpoonleft</code>	\nleftrightarrow	<code>\leftrightharpoons</code>
\nrightarrow	<code>\bardownharpoonright</code>	\nleftrightarrow	<code>\leftrightharpoonsdown</code>
\nrightarrow	<code>\barlefttharpoondown</code>	\nleftrightarrow	<code>\leftrightharpoonsup</code>
\nrightarrow	<code>\barlefttharpoonup</code>	\nleftrightarrow	<code>\leftrightharpoonupdown</code>
\nrightarrow	<code>\barrighttharpoondown</code>	\nleftrightarrow	<code>\leftrightharpoonupup</code>
\nrightarrow	<code>\barrighttharpoonup</code>	\nrightarrow	<code>\rightharpoondown</code>
\nrightarrow	<code>\barupharpoonleft</code>	\nrightarrow	<code>\rightharpoondownbar</code>
\nrightarrow	<code>\barupharpoonright</code>	\nleftrightarrow	<code>\rightharpoonsdown</code>
\nleftrightarrow	<code>\dashlefttharpoondown</code>	\nrightarrow	<code>\rightharpoonup</code>
\nleftrightarrow	<code>\dashrighttharpoondown</code>	\nrightarrow	<code>\rightharpoonupbar</code>
\nrightarrow	<code>\downharpoonleft</code>	\nleftrightarrow	<code>\rightharpoonupdash</code>
\nrightarrow	<code>\downharpoonleftbar</code>	\nleftrightarrow	<code>\rightleftharpoons</code>
\nrightarrow	<code>\downharpoonright</code>	\nleftrightarrow	<code>\rightleftharpoonsdown</code>
\nrightarrow	<code>\downharpoonrightbar</code>	\nleftrightarrow	<code>\rightleftharpoonsup</code>
\nrightarrow	<code>\downharpoonsleftright</code>	\nrightarrow	<code>\updownharpoonleftleft</code>
\nrightarrow	<code>\downupharpoonsleftright</code>	\nrightarrow	<code>\updownharpoonleftright</code>
\nrightarrow	<code>\lefttharpoondown</code>	\nrightarrow	<code>\updownharpoonrightleft</code>
\nrightarrow	<code>\lefttharpoondownbar</code>	\nrightarrow	<code>\updownharpoonrightright</code>
\nleftrightarrow	<code>\lefttharpoonsdown</code>	\nrightarrow	<code>\updownharpoonsleftright</code>
\nrightarrow	<code>\lefttharpoonup</code>	\nrightarrow	<code>\upharpoonleft</code>
\nrightarrow	<code>\lefttharpoonupbar</code>	\nrightarrow	<code>\upharpoonleftbar</code>
\nleftrightarrow	<code>\lefttharpoonupdash</code>	\nrightarrow	<code>\upharpoonright*</code>
\nrightarrow	<code>\leftrightharpoondowndown</code>	\nrightarrow	<code>\upharpoonrightbar</code>
\nrightarrow	<code>\leftrightharpoondownup</code>	\nrightarrow	<code>\upharpoonsleftright</code>

* stix defines `\restriction` as a synonym for `\upharpoonright`.

TABLE 164: harpoon Extensible Harpoons

\overleftarrow{abc}	<code>\overleftharp{abc}</code>	\overrightarrow{abc}	<code>\overrightharpdown{abc}</code>	\underline{abc}	<code>\underrightharp{abc}</code>
\overleftarrow{abc}	<code>\overleftharpdown{abc}</code>	\underline{abc}	<code>\underleftharp{abc}</code>	\overleftarrow{abc}	<code>\underrightharpdown{abc}</code>
\overrightarrow{abc}	<code>\overrightharp{abc}</code>	\underline{abc}	<code>\underleftharpdown{abc}</code>		

All of the harpoon symbols are implemented using the `graphics` package (specifically, `graphics`'s `\resizebox` command). Consequently, only T_EX backends that support graphical transformations (e.g., *not* Xdvi) can properly display these symbols.

TABLE 165: chemarrow Arrows

\rightarrow `\chemarrow`

TABLE 166: fge Arrows

\Rightarrow `\fgerightarrow` \Uparrow `\fgeuparrow`

TABLE 167: old-arrows Arrows

\downarrow	<code>\downarrow</code>	\longleftrightarrow	<code>\longlefttrightarrow</code>	\nwarrow	<code>\nwarhead</code>
\hookleftarrow	<code>\hookleftarrow</code>	\longleftarrow	<code>\longmapsfrom*</code>	\rightarrow	<code>\rightarrow</code>
\hookrightarrow	<code>\hookrightarrow</code>	\mapsto	<code>\longmapsto</code>	\searrow	<code>\searrow</code>
\leftarrow	<code>\leftarrow</code>	\longrightarrow	<code>\longrightarrow</code>	\swarrow	<code>\swarrow</code>
\leftrightarrow	<code>\leftrightarrow</code>	\mapsto	<code>\mapsfrom*</code>	\uparrow	<code>\uparrow</code>
\longhookrightarrow	<code>\longhookrightarrow</code>	\mapsto	<code>\mapsto</code>	\updownarrow	<code>\updownarrow</code>
\longleftarrow	<code>\longleftarrow</code>	\nearrow	<code>\nearrow</code>		

The arrows provided by `old-arrows` represent Donald Knuth's pre-1992 Computer Modern glyphs, which feature smaller arrowheads. Contrast the following:

\rightarrow vs. \rightarrow
 default old-arrows

In addition to the arrows shown above, `old-arrows` also reduces the arrowhead size for \mathcal{AMS} 's `\overleftarrow`, `\overrightarrow`, `\overleftrightarrow`, `\underleftarrow`, `\underrightarrow`, `\underleftrightarrow`, `\xleftarrow`, `\xrightarrow`, `\varinjlim`, and `\varprojlim` symbols (Table 246 on page 107, Table 262 on page 111, and Table 184 on page 91) and `mathtools`'s `\xleftrightarrow`, `\xhookleftarrow`, `\xhookrightarrow`, and `\xmapsto` symbols (Table 263 on page 111).

With the new package option, `old-arrows` prefixes all of the above with “`var`” (i.e., `\vardownarrow`, `\varhookleftarrow`, etc.) so both old and new glyphs can be used in the same document. See the `old-arrows` documentation for more information.

* Requires `stmaryrd`.

TABLE 168: old-arrows Harpoons

	<code>\longleftarrow</code>		<code>\longrightarrow</code>
	<code>\longleftarrow</code>		<code>\longrightarrow</code>

Unlike the symbols shown in Table 167 on the previous page, the new package option does not define a `\var...` version of the symbols in this table. Also unlike the symbols shown in Table 167, the harpoon arrowheads in this table are not reduced in size (i.e., relative to the size of those shown in Table 140 on page 72).

TABLE 169: esrelation Restrictions

	<code>\restrictbar</code>		<code>\restrictmallet</code>		<code>\restrictwand</code>
	<code>\restrictbarup</code>		<code>\restrictmalletup</code>		<code>\restrictwandup</code>

TABLE 170: MnSymbol Spoons

	<code>\downfilledspoon</code>		<code>\nnespoon</code>		<code>\nwfilledspoon</code>
	<code>\downspoon</code>		<code>\nnwfilledspoon</code>		<code>\nwspoon</code>
	<code>\leftfilledspoon</code>		<code>\nnwspoon</code>		<code>\rightfilledspoon</code>
	<code>\leftspoon</code>		<code>\nrighfilledspoon</code>		<code>\rightspoon*</code>
	<code>\ndownfilledspoon</code>		<code>\nrighspoon*</code>		<code>\sefilledspoon</code>
	<code>\ndownspoon</code>		<code>\nsefilledspoon</code>		<code>\sespoon</code>
	<code>\nefilledspoon</code>		<code>\nsespoon</code>		<code>\swfilledspoon</code>
	<code>\nespoon</code>		<code>\nswfilledspoon</code>		<code>\swspoon</code>
	<code>\nleftfilledspoon</code>		<code>\nswspoon</code>		<code>\upfilledspoon</code>
	<code>\nleftspoon</code>		<code>\nupfilledspoon</code>		<code>\upspoon</code>
	<code>\nnefilledspoon</code>		<code>\nupspoon</code>		

* MnSymbol defines `\multimap` as a synonym for `\rightspoon` and `\nmultimap` as a synonym for `\nrighspoon`.

TABLE 171: MnSymbol Pitchforks

	<code>\downpitchfork</code>		<code>\nnwpitchfork</code>		<code>\rightpitchfork</code>
	<code>\leftpitchfork</code>		<code>\nrighpitchfork</code>		<code>\sepitchfork</code>
	<code>\ndownpitchfork</code>		<code>\nsepitchfork</code>		<code>\swpitchfork</code>
	<code>\nepitchfork</code>		<code>\nswpitchfork</code>		<code>\uppitchfork</code>
	<code>\nleftpitchfork</code>		<code>\nuppitchfork</code>		
	<code>\nnepitchfork</code>		<code>\nwpitchfork</code>		

* MnSymbol defines `\pitchfork` as a synonym for `\uppitchfork` and `\npitchfork` as a synonym for `\nuppitchfork`.

TABLE 172: MnSymbol Smiles and Frowns

⤵	<code>\doublefrown</code>	☹	<code>\nsmileeq</code>	☺	<code>\smileeq</code>
⤴	<code>\doublefrowneq</code>	☹	<code>\nsmileeqfrown</code>	☺	<code>\smileeqfrown</code>
☺	<code>\doublesmile</code>	☹	<code>\nsmilefrown</code>	☺	<code>\smilefrown</code>
☺	<code>\doublesmileeq</code>	☹	<code>\nsmilefrowneq</code>	☺	<code>\smilefrowneq</code>
⤵	<code>\eqfrown</code>	☹	<code>\nsqdoublefrown</code>	⤵	<code>\sqdoublefrown</code>
☺	<code>\eqsmile</code>	☹	<code>\nsqdoublefrowneq</code>	⤵	<code>\sqdoublefrowneq</code>
⤵	<code>\frown</code>	☹	<code>\nsqdoublesmile</code>	☺	<code>\sqdoublesmile</code>
⤴	<code>\frowneq</code>	☹	<code>\nsqdoublesmileeq</code>	☺	<code>\sqdoublesmileeq</code>
☺	<code>\frowneqsmile</code>	☹	<code>\nsqeqfrown</code>	⤵	<code>\sqeqfrown</code>
☺	<code>\frownsmile</code>	☹	<code>\nsqeqsmile</code>	☺	<code>\sqeqsmile</code>
☺	<code>\frownsmileeq</code>	⤵	<code>\nsqfrown</code>	⤵	<code>\sqfrown</code>
☹	<code>\ndoublefrown</code>	☹	<code>\nsqfrowneq</code>	⤴	<code>\sqfrowneq</code>
☹	<code>\ndoublefrowneq</code>	☹	<code>\nsqfrowneqsmile</code>	☺	<code>\sqfrowneqsmile</code>
☹	<code>\ndoublesmile</code>	☹	<code>\nsqfrownsmile</code>	☺	<code>\sqfrownsmile</code>
☹	<code>\ndoublesmileeq</code>	⤵	<code>\nsqsmile</code>	⤵	<code>\sqsmile</code>
☹	<code>\neqfrown</code>	☹	<code>\nsqsmileeq</code>	☺	<code>\sqsmileeq</code>
☹	<code>\neqsmile</code>	☹	<code>\nsqsmileeqfrown</code>	☺	<code>\sqsmileeqfrown</code>
⤵	<code>\nfrown</code>	☹	<code>\nsqsmilefrown</code>	☺	<code>\sqsmilefrown</code>
☹	<code>\nfrowneq</code>	☹	<code>\nsqtriplefrown</code>	⤵	<code>\sqtriplefrown</code>
☹	<code>\nfrowneqsmile</code>	☹	<code>\nsqtriplesmile</code>	☺	<code>\sqtriplesmile</code>
☹	<code>\nfrownsmile</code>	☹	<code>\ntriplefrown</code>	⤵	<code>\triplefrown</code>
☹	<code>\nfrownsmileeq</code>	☹	<code>\ntriplesmile</code>	☺	<code>\triplesmile</code>
⤵	<code>\nsmile</code>	☺	<code>\smile</code>		

* MnSymbol defines `\smallsmile` as a synonym for `\smile`, `\smallfrown` as a synonym for `\frown`, `\asymp` as a synonym for `\smilefrown`, and `\nasymp` as a synonym for `\nsmilefrown`.

TABLE 173: fdsymbol Spoons

◉	<code>\blackwhitespoon</code>	⤵	<code>\downblackspoon</code>	⤴	<code>\nupblackspoon</code>
⤵	<code>\downblackspoon</code>	⤴	<code>\downspoon</code>	⤴	<code>\nupspoon</code>
⤵	<code>\downspoon</code>	◉	<code>\leftblackspoon</code>	◉	<code>\whiteblackspoon</code>
◉	<code>\leftblackspoon</code>	◉	<code>\leftrightblackspoon</code>	◉	<code>\rightblackspoon</code>
◉	<code>\leftrightblackspoon</code>	◉	<code>\leftrightspoon</code>	◉	<code>\rightspoon</code>
◉	<code>\leftrightspoon</code>	◉	<code>\leftspoon</code>	⤴	<code>\upblackspoon</code>
◉	<code>\leftspoon</code>	◉	<code>\rightblackspoon</code>	⤴	<code>\upspoon</code>
◉	<code>\nblackwhitespoon</code>	◉	<code>\rightspoon</code>	◉	<code>\whiteblackspoon</code>

fdsymbol defines synonyms for many of the preceding symbols:

⤴	<code>\circmid</code>	◉	<code>\multimapinv</code>	◉	<code>\nmultimap</code>
◉	<code>\dualmap</code>	⤴	<code>\ncircmid</code>	◉	<code>\nmultimapinv</code>
◉	<code>\imageof</code>	◉	<code>\ndualmap</code>	◉	<code>\norigof</code>
⤵	<code>\midcir</code>	◉	<code>\nimageof</code>	◉	<code>\origof</code>
◉	<code>\multimap</code>	⤴	<code>\nmidcir</code>		

TABLE 174: fdsymbol Pitchforks

Ψ	<code>\downpitchfork</code>	\nleftpitchfork	<code>\nleftpitchfork</code>	\ni	<code>\rightpitchfork</code>
\leftarrow	<code>\leftpitchfork</code>	\nrightpitchfork	<code>\nrightpitchfork</code>	\pitchfork	<code>\uppitchfork</code>
Ψ	<code>\ndownpitchfork</code>	\nuppitchfork	<code>\nuppitchfork</code>		

fdsymbol defines `\npitchfork` as a synonym for `\nuppitchfork` and `\pitchfork` as a synonym for `\uppitchfork`.

TABLE 175: fdsymbol Smiles and Frowns

\frown	<code>\frown</code>	\nfrown	<code>\nfrown</code>	\smilefrown	<code>\smilefrown</code>
\frown	<code>\frowneq</code>	\nfrown	<code>\nfrowneq</code>	\smile	<code>\smile</code>
\frown	<code>\frownsmile</code>	\smile	<code>\smile</code>	\smileeq	<code>\smileeq</code>
\frown	<code>\nfrown</code>	\smileeq	<code>\smileeq</code>	\smilefrown	<code>\smilefrown</code>

fdsymbol defines `\arceq` as a synonym for `\frowneq`, `\asym` as a synonym for `\smilefrown`, `\closure` as a synonym for `\frownsmile`, `\narceq` as a synonym for `\nfrowneq`, `\nasym` as a synonym for `\nsmilefrown`, `\nclosure` as a synonym for `\nfrownsmile`, `\smallfrown` as a synonym for `\frown`, and `\smallsmile` as a synonym for `\smile`.

TABLE 176: halloweenmath Brooms and Pitchforks

\leftarrow	<code>\hmleftpitchfork</code>	\leftarrow	<code>\leftbroom</code>
\rightarrow	<code>\hmrightpitchfork</code>	\rightarrow	<code>\rightbroom</code>

TABLE 177: ulsy Contradiction Symbols

\blitza	<code>\blitza</code>	\blitzb	<code>\blitzb</code>	\blitzc	<code>\blitzc</code>	\blitzd	<code>\blitzd</code>	\blitze	<code>\blitze</code>
-----------	----------------------	-----------	----------------------	-----------	----------------------	-----------	----------------------	-----------	----------------------

TABLE 178: Extension Characters

$\bar{}$	<code>\relbar</code>	$\bar{}$	<code>\Relbar</code>
---------------------	----------------------	---------------------	----------------------

TABLE 179: stmaryrd Extension Characters

\nrightarrow	<code>\Arrownot</code>	\mapsto	<code>\Mapsfromchar</code>	\mapsto	<code>\Mapstochar</code>
\nrightarrow	<code>\arrownot</code>	\mapsto	<code>\mapsfromchar</code>		

TABLE 180: txfonts/pxfonts Extension Characters

\mathbb{A}	<code>\Mappedfromchar</code>	\mathbb{A}	<code>\Mmappedfromchar</code>	\mathbb{A}	<code>\Mmapstochar</code>
\mathbb{A}	<code>\mappedfromchar</code>	\mathbb{A}	<code>\mmappedfromchar</code>	\mathbb{A}	<code>\mmapstochar</code>

TABLE 181: mathabx Extension Characters

	<code>\mapsfromchar</code>		<code>\mapstochar</code>
	<code>\Mapsfromchar</code>		<code>\Mapstochar</code>

TABLE 182: stix Extension Characters

‘	<code>\lhook</code>	-	<code>\relbar</code>	≡	<code>\RRelbar</code>
	<code>\mapsfromchar</code>	=	<code>\Relbar</code>	≡	<code>\Rrelbar</code>
	<code>\mapstochar</code>	’	<code>\rhook</code>		

TABLE 183: Log-like Symbols

<code>\arccos</code>	<code>\cos</code>	<code>\csc</code>	<code>\exp</code>	<code>\ker</code>	<code>\limsup</code>	<code>\min</code>	<code>\sinh</code>
<code>\arcsin</code>	<code>\cosh</code>	<code>\deg</code>	<code>\gcd</code>	<code>\lg</code>	<code>\ln</code>	<code>\Pr</code>	<code>\sup</code>
<code>\arctan</code>	<code>\cot</code>	<code>\det</code>	<code>\hom</code>	<code>\lim</code>	<code>\log</code>	<code>\sec</code>	<code>\tan</code>
<code>\arg</code>	<code>\coth</code>	<code>\dim</code>	<code>\inf</code>	<code>\liminf</code>	<code>\max</code>	<code>\sin</code>	<code>\tanh</code>

Calling the above “symbols” may be a bit misleading.³ Each log-like symbol merely produces the eponymous textual equivalent, but with proper surrounding spacing. See Section 10.4 for more information about log-like symbols. As `\bmod` and `\pmod` are arguably not symbols we refer the reader to the Short Math Guide for L^AT_EX [Dow00] for samples.

TABLE 184: \mathcal{AMS} Log-like Symbols

<code>injlim</code>	<code>\injlim</code>	\varinjlim	<code>\varinjlim</code>	$\overline{\lim}$	<code>\varlimsup</code>
<code>projlim</code>	<code>\projlim</code>	\varliminf	<code>\varliminf</code>	\varprojlim	<code>\varprojlim</code>

Load the `amsmath` package to get these symbols. See Section 10.4 for some additional comments regarding log-like symbols. As `\mod` and `\pod` are arguably not symbols we refer the reader to the Short Math Guide for L^AT_EX [Dow00] for samples.

³Michael J. Downes prefers the more general term, “atomic math objects”.

TABLE 185: mismath Log-like Symbols

adj	<code>\adj</code>	Conv	<code>\Conv</code>	id	<code>\id</code>	sech	<code>\sech</code>
arccot	<code>\arccot</code>	Cov	<code>\Cov</code>	Id	<code>\Id</code>	sgn	<code>\sgn</code>
arcosh	<code>\arcosh</code>	cov	<code>\cov</code>	im	<code>\im</code>	span	<code>\spa</code>
arcoth	<code>\arcoth</code>	csch	<code>\csch</code>	Im	<code>\Im*</code>	tr	<code>\tr</code>
arsch	<code>\arsch</code>	$\overrightarrow{\text{curl}}$	<code>\curl</code>	lb	<code>\lb</code>	Var	<code>\Var</code>
arsech	<code>\arsech</code>	div	<code>\divg</code>	lcm	<code>\lcm</code>	Z	<code>\Zu</code>
arsinh	<code>\arsinh</code>	End	<code>\End</code>	rank	<code>\rank</code>		
artanh	<code>\artanh</code>	erf	<code>\erf</code>	Re	<code>\Re*</code>		
Aut	<code>\Aut</code>	$\overrightarrow{\text{grad}}$	<code>\grad</code>	$\overrightarrow{\text{rot}}$	<code>\rot</code>		

* mismath renames L^AT_EX's `\Re` and `\Im` (Table 203) to `\oldRe` and `\oldIm`.

TABLE 186: mismath Asymptotic Notation

O	<code>\bigo</code>	Θ	<code>\bigO</code>	o	<code>\lito</code>
---	--------------------	---	--------------------	---	--------------------

TABLE 187: G_{PLA2e} Number Sets

C	<code>\Complex</code>	Z	<code>\Integer</code>	N	<code>\Natural</code>	Q	<code>\Rational</code>	R	<code>\Real</code>
C	<code>\COMPLEX</code>	Z	<code>\INTEGER</code>	N	<code>\NATURAL</code>	Q	<code>\RATIONAL</code>	R	<code>\REAL</code>

TABLE 188: Greek Letters

α	<code>\alpha</code>	θ	<code>\theta</code>	o	<code>o</code>	τ	<code>\tau</code>
β	<code>\beta</code>	ϑ	<code>\vartheta</code>	π	<code>\pi</code>	υ	<code>\upsilon</code>
γ	<code>\gamma</code>	ι	<code>\iota</code>	ϖ	<code>\varpi</code>	ϕ	<code>\phi</code>
δ	<code>\delta</code>	κ	<code>\kappa</code>	ρ	<code>\rho</code>	φ	<code>\varphi</code>
ϵ	<code>\epsilon</code>	λ	<code>\lambda</code>	ϱ	<code>\varrho</code>	χ	<code>\chi</code>
ε	<code>\varepsilon</code>	μ	<code>\mu</code>	σ	<code>\sigma</code>	ψ	<code>\psi</code>
ζ	<code>\zeta</code>	ν	<code>\nu</code>	ς	<code>\varsigma</code>	ω	<code>\omega</code>
η	<code>\eta</code>	ξ	<code>\xi</code>				
Γ	<code>\Gamma</code>	Λ	<code>\Lambda</code>	Σ	<code>\Sigma</code>	Ψ	<code>\Psi</code>
Δ	<code>\Delta</code>	Ξ	<code>\Xi</code>	Υ	<code>\Upsilon</code>	Ω	<code>\Omega</code>
Θ	<code>\Theta</code>	Π	<code>\Pi</code>	Φ	<code>\Phi</code>		

The remaining Greek majuscules can be produced with ordinary Latin letters. The symbol “M”, for instance, is used for both an uppercase “m” and an uppercase “ μ ”. To make available commands for *all* of the Greek majuscules, either use the `mathspec` package, which requires X_YL^AT_EX, or copy `mathspec.sty`’s Greek-letter definitions to your document’s preamble:

```

\DeclareMathSymbol{\Alpha}{\mathalpha}{operators}{"41}
\DeclareMathSymbol{\Beta}{\mathalpha}{operators}{"42}
\DeclareMathSymbol{\Epsilon}{\mathalpha}{operators}{"45}
\DeclareMathSymbol{\Zeta}{\mathalpha}{operators}{"5A}
\DeclareMathSymbol{\Eta}{\mathalpha}{operators}{"48}
\DeclareMathSymbol{\Iota}{\mathalpha}{operators}{"49}
\DeclareMathSymbol{\Kappa}{\mathalpha}{operators}{"4B}
\DeclareMathSymbol{\Mu}{\mathalpha}{operators}{"4D}
\DeclareMathSymbol{\Nu}{\mathalpha}{operators}{"4E}
\DeclareMathSymbol{\Omicron}{\mathalpha}{operators}{"4F}
\DeclareMathSymbol{\Rho}{\mathalpha}{operators}{"50}
\DeclareMathSymbol{\Tau}{\mathalpha}{operators}{"54}
\DeclareMathSymbol{\Chi}{\mathalpha}{operators}{"58}
\DeclareMathSymbol{\omicron}{\mathord}{letters}{"6F}

```

See Section 10.5 for examples of how to produce bold Greek letters.

The symbols in this table are intended to be used in mathematical typesetting. Greek body text can be typeset using the `babel` package’s `greek` (or `polutoniko-greek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 189: \mathcal{AMS} Greek Letters

F	<code>\digamma</code>	\varkappa	<code>\varkappa</code>
-----	-----------------------	-------------	------------------------

TABLE 190: txfonts/pxfonts Upright Greek Letters

α	<code>\alphaup</code>	θ	<code>\thetaaup</code>	π	<code>\piup</code>	ϕ	<code>\phiup</code>
β	<code>\betaaup</code>	ϑ	<code>\varthetaaup</code>	ϖ	<code>\varpiup</code>	φ	<code>\varphiup</code>
γ	<code>\gammaup</code>	ι	<code>\iotaup</code>	ρ	<code>\rhoup</code>	χ	<code>\chiup</code>
δ	<code>\deltaaup</code>	κ	<code>\kappaup</code>	ϱ	<code>\varrhoup</code>	ψ	<code>\psiup</code>
ϵ	<code>\epsilonup</code>	λ	<code>\lambdaup</code>	σ	<code>\sigmaup</code>	ω	<code>\omegaup</code>
ε	<code>\varepsilonup</code>	μ	<code>\muup</code>	ς	<code>\varsigmaup</code>		
ζ	<code>\zetaup</code>	ν	<code>\nuup</code>	τ	<code>\tauup</code>		
η	<code>\etaup</code>	ξ	<code>\xiup</code>	υ	<code>\upsilonup</code>		

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 191: upgreek Upright Greek Letters

α	<code>\upalpha</code>	θ	<code>\uptheta</code>	π	<code>\uppi</code>	ϕ	<code>\upphi</code>
β	<code>\upbeta</code>	ϑ	<code>\upvartheta</code>	ϖ	<code>\upvarpi</code>	φ	<code>\upvarphi</code>
γ	<code>\upgamma</code>	ι	<code>\upiota</code>	ρ	<code>\uprho</code>	χ	<code>\upchi</code>
δ	<code>\updelta</code>	κ	<code>\upkappa</code>	ϱ	<code>\upvarrho</code>	ψ	<code>\uppsi</code>
ϵ	<code>\upepsilon</code>	λ	<code>\uplambda</code>	σ	<code>\upsigma</code>	ω	<code>\upomega</code>
ε	<code>\upvarepsilon</code>	μ	<code>\upmu</code>	ς	<code>\upvarsigma</code>		
ζ	<code>\upzeta</code>	ν	<code>\upnu</code>	τ	<code>\uptau</code>		
η	<code>\upeta</code>	ξ	<code>\upxi</code>	υ	<code>\upupsilon</code>		
Γ	<code>\Upgamma</code>	Λ	<code>\Uplambda</code>	Σ	<code>\Upsilonigma</code>	Ψ	<code>\Uppsi</code>
Δ	<code>\Updelta</code>	Ξ	<code>\Upxi</code>	Υ	<code>\Upupsilon</code>	Ω	<code>\Upomega</code>
Θ	<code>\Uptheta</code>	Π	<code>\Uppi</code>	Φ	<code>\Upphi</code>		

`upgreek` utilizes upright Greek characters from either Euler Roman (depicted above) or the PostScript Symbol font. As a result, the glyphs may appear slightly different from the above. Contrast, for example, “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Euler) with “ $\Gamma\Delta\Theta\alpha\beta\gamma$ ” (Symbol). Also note that the `\var. . .` forms do not always produce a distinct glyph.

Unlike `textgreek` (Table 6 on page 15), `upgreek` works in math mode.

The symbols in this table are intended to be used sporadically throughout a document (e.g., to represent mathematical units or numerical quantities—“ $\pi \approx 3.14159$ ”). In contrast, Greek body text can be typeset using the `babel` package’s `greek` (or `polutonikogreek`) option—and, of course, a font that provides the glyphs for the Greek alphabet.

TABLE 192: fourier Variant Greek Letters

π	<code>\pi</code>	ρ	<code>\rho</code>
ϖ	<code>\varpi</code>	ϱ	<code>\varrho</code>
\varvarkappa	<code>\varvarkappa</code>	\varvarkappa	<code>\varvarkappa</code>

TABLE 193: txfonts/pxfonts Variant Latin Letters

g `\varg` v `\varv` w `\varw` y `\vary`

Pass the `varg` option to txfonts/pxfonts to replace g , v , w , and y with g , v , w , and y in every mathematical expression in your document.

TABLE 194: boisik Variant Greek Letters

β `\varbeta` κ `\varkappa` ϖ `\varpi` ς `\varsigma`
 ε `\varepsilon` φ `\varphi` ϱ `\varrho` ϑ `\vartheta`

TABLE 195: boisik Variant Latin Letters

g `\varg`

TABLE 196: stix Variant Greek Letters

ε `\varepsilon` φ `\varphi` ϱ `\varrho` ϑ `\vartheta`
 κ `\kappa` ϖ `\varpi` ς `\varsigma`

TABLE 197: stix Transformed Greek Letters

ε `\backepsilon` ι `\turnediota`
 υ `\mho` ε `\upbackepsilon`

TABLE 198: \mathcal{AMS} Hebrew Letters

\beth `\beth` \gimel `\gimel` \daleth `\daleth`

\aleph (\aleph) appears in Table 302 on page 118.

TABLE 199: MnSymbol Hebrew Letters

\aleph `\aleph` \beth `\beth` \gimel `\gimel` \daleth `\daleth`

TABLE 200: fdsymbol Hebrew Letters

\aleph `\aleph` \beth `\beth` \gimel `\gimel` \daleth `\daleth`

TABLE 201: boisik Hebrew Letters

\beth `\beth` \gimel `\gimel` \daleth `\daleth`

TABLE 202: stix Hebrew Letters

\aleph	<code>\aleph</code>	\beth	<code>\beth</code>	\gimel	<code>\gimel</code>	\daleth	<code>\daleth</code>
----------	---------------------	---------	--------------------	----------	---------------------	-----------	----------------------

TABLE 203: Letter-like Symbols

\perp	<code>\bot</code>	\forall	<code>\forall</code>	\imath	<code>\imath</code>	\ni	<code>\ni</code>	\top	<code>\top</code>
ℓ	<code>\ell</code>	\hbar	<code>\hbar</code>	\in	<code>\in</code>	∂	<code>\partial</code>	\wp	<code>\wp</code>
\exists	<code>\exists</code>	\Im	<code>\Im</code>	\jmath	<code>\jmath</code>	\Re	<code>\Re</code>		

TABLE 204: \mathcal{AMS} Letter-like Symbols

\mathbb{k}	<code>\Bbbk</code>	\mathbb{C}	<code>\complement</code>	\hbar	<code>\hbar</code>
\mathbb{R}	<code>\circledR</code>	\Finv	<code>\Finv</code>	\hslash	<code>\hslash</code>
\mathbb{S}	<code>\circledS</code>	\Game	<code>\Game</code>	\nexists	<code>\nexists</code>

TABLE 205: txfonts/pxfonts Letter-like Symbols

\mathcal{C}	<code>\mathcent</code>	\mathsterling	<code>\mathsterling*</code>	\notin	<code>\notin</code>	\notni	<code>\notni</code>
---------------	------------------------	-----------------	-----------------------------	----------	---------------------	----------	---------------------

* It's generally preferable to use the corresponding symbol from Table 3 on page 15 because the symbols in that table work properly in both text mode and math mode.

TABLE 206: mathabx Letter-like Symbols

$\bar{\in}$	<code>\barin</code>	\in	<code>\in</code>	\nottop	<code>\nottop</code>	\notin	<code>\notin</code>
\mathbb{C}	<code>\complement</code>	\nexists	<code>\nexists</code>	\owns	<code>\owns</code>	\notown	<code>\notown</code>
\exists	<code>\exists</code>	\notbot	<code>\notbot</code>	\ownsbar	<code>\ownsbar</code>		
\Finv	<code>\Finv</code>	\notin	<code>\notin</code>	∂	<code>\partial</code>		
\Game	<code>\Game</code>	\notowner	<code>\notowner</code>	\partialslash	<code>\partialslash</code>		

TABLE 207: MnSymbol Letter-like Symbols

\perp	<code>\bot</code>	\in	<code>\in</code>	\owns^*	<code>\owns*</code>	\top	<code>\top</code>
\exists	<code>\exists</code>	\nexists	<code>\nexists</code>	\owns	<code>\owns</code>	\wp	<code>\wp</code>
\forall	<code>\forall</code>	\in^*	<code>\in^*</code>	\mathcal{P}	<code>\powerset</code>		

* MnSymbol provides synonyms `\notin` for `\nin`, `\ni` for `\owns`, and `\intercal` for `\top`.

TABLE 208: fdsymbol Letter-like Symbols

\perp	<code>\bot</code>	\forall	<code>\forall</code>	\in	<code>\in</code>	\ni	<code>\owns</code>
\complement	<code>\complement</code>	\Game	<code>\Game</code>	\nexists	<code>\nexists</code>	\top	<code>\top</code>
\exists	<code>\exists</code>	\hbar	<code>\hbar</code>	\notin	<code>\notin</code>	\wp	<code>\wp</code>
\Finv	<code>\Finv</code>	\hslash	<code>\hslash</code>	\nexists	<code>\nexists</code>		

fdsymbol provides synonyms `\notin` for `\nin`, `\ni` for `\owns`, and `\ni` for `\owns`.

TABLE 209: boisik Letter-like Symbols

\Bbbk	<code>\Bbbk</code>	\Game	<code>\Game</code>	\imath	<code>\imath</code>	\nexists	<code>\nexists</code>
\complement	<code>\complement</code>	\hbar	<code>\hbar</code>	\intercal	<code>\intercal</code>	\wp	<code>\wp</code>
\Finv	<code>\Finv</code>	\hslash	<code>\hslash</code>	\jmath	<code>\jmath</code>		

TABLE 210: stix Letter-like Symbols

\AA	<code>\Angstrom</code>	\mathcal{E}	<code>\Eulerconst</code>	\imath	<code>\imath</code>	\top	<code>\top</code>
\mathbb{k}	<code>\Bbbk</code>	\exists	<code>\exists</code>	\intercal	<code>\intercal</code>	\topbot	<code>\topbot</code>
\perp	<code>\bot</code>	\Finv	<code>\Finv</code>	\jmath	<code>\jmath</code>	\wp	<code>\wp</code>
$\text{\textcircled{R}}$	<code>\circledR</code>	\forall	<code>\forall</code>	$\mathit{\$}$	<code>\mathdollar</code>	Υ	<code>\Yup</code>
$\text{\textcircled{S}}$	<code>\circledS</code>	\Game	<code>\Game</code>	$\mathit{\P}$	<code>\mathparagraph</code>	\mathbb{Z}	<code>\Zbar</code>
\complement	<code>\complement</code>	\hbar	<code>\hbar</code>	$\mathit{\pounds}$	<code>\mathsterling</code>		
\digamma	<code>\digamma</code>	\hslash	<code>\hslash</code>	\nexists	<code>\nexists</code>		
ℓ	<code>\ell</code>	\Im	<code>\Im</code>	\Re	<code>\Re</code>		

TABLE 211: trfsigns Letter-like Symbols

e	<code>\e</code>	j	<code>\im</code>
-----	-----------------	-----	------------------

TABLE 212: mathdesign Letter-like Symbols

\in	<code>\in</code>	\ni	<code>\owns</code>
\notin	<code>\notin</code>	\in	<code>\smallin</code>
\notin	<code>\notsmallin</code>	\ni	<code>\smallowns</code>
\ni	<code>\notsmallowns</code>		

The `mathdesign` package additionally provides versions of each of the letter-like symbols shown in Table 204 on the previous page.

TABLE 213: fge Letter-like Symbols

\forall	<code>\fgeA</code>	\mathfrak{g}	<code>\fgeeszett</code>	\mathfrak{m}	<code>\fgeleftB</code>	\mathfrak{U}	<code>\fgeU</code>
\mathfrak{b}	<code>\fgeC</code>	\mathfrak{H}	<code>\fgeF</code>	\mathfrak{C}	<code>\fgeleftC</code>		
\mathfrak{p}	<code>\fgeD</code>	\mathfrak{f}	<code>\fgef</code>	\mathfrak{B}	<code>\fgerightB</code>		
\mathfrak{b}	<code>\fgeE</code>	\mathfrak{p}	<code>\fgelb*</code>	\mathfrak{f}	<code>\fges</code>		

* The `fge` package defines `\fgeeta`, `\fgeN`, and `\fgeoverU` as synonyms for `\fgelb`.

TABLE 214: fourier Letter-like Symbols

∂ `\partial` ∂ `\varpartialdiff`

TABLE 215: cml Letter-like Symbols

\perp `\Bot` \sphericalangle `\simbot`

TABLE 216: \mathcal{AMS} Delimiters

\ulcorner `\ulcorner` \urcorner `\urcorner`
 \llcorner `\llcorner` \lrcorner `\lrcorner`

TABLE 217: stmaryrd Delimiters

\Leftrightarrow `\Lbag` \Rrightarrow `\Rbag` \Leftrightarrow `\lbag` \Rrightarrow `\rbag`
 \lceil `\llceil` \rceil `\rrceil` \lfloor `\lllfloor` \rfloor `\rrrfloor`
 \lparen `\llparenthesis` \rrparenthesis `\rrparenthesis`

TABLE 218: mathabx Delimiters

\lrcorner `\lrcorners` \rcorner `\rcorners`
 \ulcorner `\ulcorner` \urcorner `\urcorner`
 \llcorner `\llcorner` \lrcorner `\lrcorner`

TABLE 219: boisik Delimiters

\ulcorner `\ulcorner` \urcorner `\urcorner`
 \llcorner `\llcorner` \lrcorner `\lrcorner`

TABLE 220: stix Delimiters

\langle `\langedot` \rangle `\rangedot` \llcorner `\llangle` \ggcorner `\rrangle`
 \Leftrightarrow `\lbag` \Rrightarrow `\rbag` \llcorner `\llcorner` \lrcorner `\lrcorner`
 \lbrack `\lblkbrbrak` \rbrack `\rblkbrbrak` \lparen `\llparenthesis` \rrparenthesis `\rrparenthesis`
 \lbrack `\lbracklltick` \rbrack `\rbrackurtick` \lparen `\lparenltr` \rparen `\Rparenless`
 \lbrack `\lbrackubar` \rbrack `\rbrackubar` \lparen `\lparenless` \rparen `\rparenltr`
 \lbrack `\lbrackultick` \rbrack `\rbracklrtick` \lV `\lvzigzag` \rV `\rvzigzag`
 \lbrack `\Lbrbrak` \rbrack `\Rbrbrak` \lV `\Lvzigzag` \rV `\Rvzigzag`
 \lcurlyangle `\lcurvyangle` \rcurlyangle `\rcurvyangle` \ulcorner `\ulcorner` \urcorner `\urcorner`

TABLE 221: nath Delimiters

\llcorner `\niv` \lrcorner `\vin`

TABLE 222: Variable-sized Delimiters

\downarrow	\Downarrow	<code>\downarrow</code>	<code>\Downarrow</code>	$[$	$[$	$[$	$]$	$]$	$]$
\langle	\rangle	<code>\langle</code>	<code>\rangle</code>	$ $	$ $	$ $	$\ $	$\ $	<code>\ </code>
\lceil	\rceil	<code>\lceil</code>	<code>\rceil</code>	\uparrow	\uparrow	<code>\uparrow</code>	\Uparrow	\Uparrow	<code>\Uparrow</code>
\lfloor	\rfloor	<code>\lfloor</code>	<code>\rfloor</code>	\Downarrow	\Downarrow	<code>\updownarrow</code>	\Updownarrow	\Updownarrow	<code>\Updownarrow</code>
$($	$($	$($	$)$	$)$	$\{$	$\{$	$\{$	$\}$	$\}$
$/$	$/$	$/$	\backslash	\backslash	<code>\backslash</code>				

When used with `\left` and `\right`, these symbols expand to the height of the enclosed math expression. Note that `\vert` is a synonym for `|`, and `\Vert` is a synonym for `\|`.

ε -TeX provides a `\middle` analogue to `\left` and `\right`. `\middle` can be used, for example, to make an internal “|” expand to the height of the surrounding `\left` and `\right` symbols. (This capability is commonly needed when typesetting adjacent bras and kets in Dirac notation: “ $\langle\phi|\psi\rangle$ ”). A similar effect can be achieved in conventional L^AT_EX using the `braket` package.

TABLE 223: Large, Variable-sized Delimiters

\int	\int	<code>\lmoustache</code>	$\}$	$\}$	<code>\rmoustache</code>	$($	$($	<code>\lgroup</code>	$)$	$)$	<code>\rgroup</code>
$ $	$ $	<code>\arrowvert</code>	$\ $	$\ $	<code>\Arrowvert</code>	$ $	$ $	<code>\bracevert</code>			

These symbols *must* be used with `\left` and `\right`. The `mathabx` package, however, redefines `\lgroup` and `\rgroup` so that those symbols can work without `\left` and `\right`.

TABLE 224: $\mathcal{A}\mathcal{M}\mathcal{S}$ Variable-sized Delimiters

$ $	$ $	<code>\lvert</code>	$ $	$ $	<code>\rvert</code>
$\ $	$\ $	<code>\lVert</code>	$\ $	$\ $	<code>\rVert</code>

According to the `amsmath` documentation [AMS99], the preceding symbols are intended to be used as delimiters (e.g., as in “ $| - z |$ ”) while the `\vert` and `\Vert` symbols (Table 222) are intended to be used as operators (e.g., as in “ $p|q$ ”).

TABLE 225: `stmaryrd` Variable-sized Delimiters

\llbracket	\llbracket	<code>\llbracket</code>	\rrbracket	\rrbracket	<code>\rrbracket</code>
--------------	--------------	-------------------------	--------------	--------------	-------------------------

TABLE 226: mathabx Variable-sized Delimiters

\llbracket	\llbracket	<code>\ldbrack</code>	\rrbracket	\rrbracket	<code>\rdbrack</code>
\lrcorner	\lrcorner	<code>\lfilet</code>	\rlcorner	\rlcorner	<code>\rfilet</code>
$ $	$ $	<code>\thickvert</code>	$\ $	$\ $	<code>\vvvert</code>

TABLE 227: MnSymbol Variable-sized Delimiters

\Uparrow	\Uparrow	<code>\Arrowvert</code>	$\{$	$\{$	<code>\lbrace</code>	$\}$	$\}$	<code>\rceil</code>
\downarrow	\downarrow	<code>\arrowvert</code>	\lceil	\lceil	<code>\lceil</code>	\rceil	\rceil	<code>\rfloor</code>
\backslash	\backslash	<code>\backslash</code>	\lfloor	\lfloor	<code>\lfloor</code>	\rfloor	\rfloor	<code>\rgroup</code>
\lrcorner	\lrcorner	<code>\bracevert</code>	$($	$($	<code>\lgroup</code>	$\)$	$\)$	<code>\rmoustache</code>
\llbracket	\llbracket	\llbracket	\llcorner	\llcorner	<code>\llangle</code>	\ggcorner	\ggcorner	<code>\rrangle</code>
\lrcorner	\lrcorner	\lrcorner	\llcorner	\llcorner	<code>\llcorner</code>	\lrcorner	\lrcorner	<code>\rsem</code>
$($	$($	$($	\lrcorner	\lrcorner	<code>\lmoustache</code>	\ggcorner	\ggcorner	<code>\rWavy</code>
$)$	$)$	$)$	\lrcorner	\lrcorner	<code>\lrcorner</code>	\ggcorner	\ggcorner	<code>\rWavy</code>
$/$	$/$	$/$	\llbracket	\llbracket	<code>\lsem</code>	\lrcorner	\lrcorner	<code>\ulcorner</code>
\langle	\langle	\langle	\lrcorner	\lrcorner	<code>\lwavy</code>	\lrcorner	\lrcorner	<code>\ullcorner</code>
\rangle	\rangle	\rangle	\ggcorner	\ggcorner	<code>\lWavy</code>	\lrcorner	\lrcorner	<code>\ulrcorner</code>
$ $	$ $	$ $	\rangle	\rangle	<code>\rangle</code>	\lrcorner	\lrcorner	<code>\urcorner</code>

(continued on next page)

(continued from previous page)

<	{	<code>\langle</code>	}	}	<code>\ranglebar</code>			<code>\lvert</code>
<	{	<code>\langlebar</code>	}	}	<code>\rbrace</code>			

`\vert` is a synonym for `|`. `\Vert` is a synonym for `\lvert`. `\mid` and `\mvert` produce the same symbol as `\vert` but designated as math relations instead of ordinals. `\divides` produces the same symbol as `\vert` but designated as a binary operator instead of an ordinal. `\parallel` and `\mVert` produce the same symbol as `\Vert` but designated as math relations instead of ordinals.

TABLE 228: fdsymbol Variable-sized Delimiters

\	\	<code>\backslash</code>	,	,	<code>\lrcorner</code>))	<code>\rparen</code>
↓	↓	<code>\downarrow</code>			<code>\lvert</code>			<code>\rvert</code>
⇓	⇓	<code>\Downarrow</code>			<code>\lVert</code>			<code>\rVert</code>
⟨⟨	⟨⟨	<code>\lAngle</code>			<code>\lVvert</code>			<code>\rVvert</code>
<	<	<code>\langle</code>	/	/	<code>\mathslash</code>	⌞	⌞	<code>\ulcorner</code>
<	<	<code>\langledot</code>	>	>	<code>\rangle</code>	[[<code>\ullcorner</code>
{	{	<code>\lbrace</code>	⟩	⟩	<code>\rAngle</code>]]	<code>\ulrcorner</code>
[[<code>\lbrack</code>	>	>	<code>\rangledot</code>	↑	↑	<code>\uparrow</code>
⌈	⌈	<code>\lBrack</code>	}	}	<code>\rbrace</code>	↑	↑	<code>\Uparrow</code>

(continued on next page)

(continued from previous page)

[[\lceil]]	\rBrack	↕	↕	\updownarrow
[[\lfloor]]	\rbrack	↕	↕	\Updownarrow
{	[\lgroup]	\rceil	⌞	⌞	\urcorner
⌞	⌞	\llcorner]	\rfloor			\vert
]]	\lmoustache]	\rgroup			\Vert
((\lparen)	\rmoustache			\Vvert

fdsymbol defines “(” as a synonym for \lparen, “)” as a synonym for \rparen, “[” as a synonym for \lbrack, “]” as a synonym for \rbrack, “{” as a synonym for \lbrace, “}” as a synonym for \rbrace, “/” as a synonym for \mathslash, “|” as a synonym for \vert, “\|” as a synonym for \Vert, \lsem as a synonym for \lBrack, and \rsem as a synonym for \rBrack.

TABLE 229: stix Variable-sized Delimiters

⋈		\Arrowvert	⋈	⋈	\lAngle]	\rceil
		\arrowvert	{	{	\lbrace]	\rfloor
\	\	\backslash	{	{	\lBrace)	\rgroup
⇓		\Ddownarrow]]]]	\lBrack)	\rmoustache
⇓		\DDownarrow	((\lbrbrak)	\rParen

(continued on next page)

(continued from previous page)

\downarrow	$\Big\downarrow$	<code>\downarrow</code>	\lceil	<code>\lceil</code>	\uparrow	$\Big\uparrow$	<code>\uparrow</code>
\Downarrow	\Downarrow	<code>\Downarrow</code>	\lfloor	<code>\lfloor</code>	\Uparrow	\Uparrow	<code>\Uparrow</code>
$[$	$[$	<code>[</code>	$($	<code>\lgroup</code>	\Updownarrow	\Updownarrow	<code>\Updownarrow</code>
$]$	$]$	<code>]</code>	$\}$	<code>\lmoustache</code>	\updownarrow	\updownarrow	<code>\updownarrow</code>
$($	$($	<code>(</code>	$(($	<code>\lParen</code>	\Uparrow	\Uparrow	<code>\Uparrow</code>
$)$	$)$	<code>)</code>	\gg	<code>\rAngle</code>	\Uparrow	\Uparrow	<code>\Uparrow</code>
$/$	$/$	<code>/</code>	\rangle	<code>\rangle</code>	\Vert	\Vert	<code>\Vert</code>
\langle	\langle	<code><</code>	$\}$	<code>\rbrace</code>	$ $	$ $	<code>\vert</code>
\rangle	\rangle	<code>></code>	$\} $	<code>\rbrace</code>	\equiv	\equiv	<code>\vvert</code>
$ $	$ $	<code> </code>	$\ $	<code>\rBrack</code>			
\langle	\langle	<code>\langle</code>	\rangle	<code>\rbrbrak</code>			

TABLE 230: mathdesign Variable-sized Delimiters

$\left\langle$	<code>\leftwave</code>	$\right\langle$	<code>\rightwave</code>
$\left\langle$	<code>\lefttevaw</code>	$\right\langle$	<code>\righttevaw</code>

The definitions of these symbols include a preceding `\left` or `\right`. It is therefore an error to specify `\left` or `\right` explicitly. The internal, “primitive” versions of these symbols are called `\lwave`, `\rwave`, `\levaw`, and `\revaw`.

TABLE 231: `nath` Variable-sized Delimiters (Double)

\langle	$\langle\langle$	<code>\lAngle</code>	$\rangle\rangle$	\rangle	<code>\rAngle</code>
\llbracket	$\llbracket\llbracket$	<code>\lBrack</code>	$\rrbracket\rrbracket$	\rrbracket	<code>\rBrack</code>
\lceil	$\lceil\lceil$	<code>\lCeil</code>	$\rceil\lceil$	\rceil	<code>\rCeil</code>
\lfloor	$\lfloor\lfloor$	<code>\lFloor</code>	$\rfloor\rfloor$	\rfloor	<code>\rFloor</code>
\lVert	$\lVert\lVert$	<code>\lVert*</code>	$\rVert\lVert$	\rVert	<code>\rVert*</code>

* `nath` redefines all of the above to include implicit `\left` and `\right` commands. Hence, separate `\lVert` and `\rVert` commands are needed to disambiguate whether “|” is a left or right delimiter.

All of the symbols in Table 231 can also be expressed using the `\double` macro. See the `nath` documentation for examples and additional information.

TABLE 232: `nath` Variable-sized Delimiters (Triple)

\lll	$\lll\lll$	<code>\triple<</code>	$\ggg\ggg$	<code>\triple></code>
\lllbracket	$\lllbracket\lllbracket$	<code>\triple[</code>	$\rrrbracket\rrrbracket$	<code>\triple]</code>
\lllvert	$\lllvert\lllvert$	<code>\triple *</code>	$\rrrvert\rrrvert$	<code>\triple *</code>

* Similar to `\lVert` and `\rVert` in Table 231, `\ltriple` and `\rtriple` must be used instead of `\triple` to disambiguate whether “|” is a left or right delimiter.

Note that `\triple`—and the corresponding `\double`—is actually a macro that takes a delimiter as an argument.

TABLE 233: `fourier` Variable-sized Delimiters

\llbracket	$\llbracket\llbracket$	<code>\llbracket</code>	$\rrbracket\rrbracket$	\rrbracket	<code>\rrbracket</code>
\lllvert	$\lllvert\lllvert$	<code>\VERT</code>			

TABLE 234: `textcomp` Text-mode Delimiters

\langle	<code>\textlangle</code>	\rangle	<code>\textrangle</code>
\llbracket	<code>\textlbrackdbl</code>	\rrbracket	<code>\textrbrackdbl</code>
$\{$	<code>\textlquill</code>	$\}$	<code>\textrquill</code>

TABLE 235: metre Text-mode Delimiters

}	<code>\alad</code>	}	<code>\Alad</code>	†	<code>\crux</code>	†	<code>\Crux</code>
{	<code>\alas</code>	{	<code>\Alas</code>]	<code>\quadrad</code>]	<code>\Quadrad</code>
>	<code>\angud</code>	>	<code>\Angud</code>	[<code>\quadras</code>	[<code>\Quadras</code>
<	<code>\angus</code>	<	<code>\Angus</code>				

TABLE 236: Math-mode Accents

á	<code>\acute{a}</code>	ǎ	<code>\check{a}</code>	à	<code>\grave{a}</code>	ã	<code>\tilde{a}</code>
ā	<code>\bar{a}</code> *	ä	<code>\ddot{a}</code>	â	<code>\hat{a}</code>	ā	<code>\vec{a}</code>
ă	<code>\breve{a}</code>	ȃ	<code>\dot{a}</code>	â	<code>\mathring{a}</code>		

Note also the existence of `\imath` and `\jmath`, which produce dotless versions of “*i*” and “*j*”. (See Table 302 on page 118.) These are useful when the accent is supposed to replace the dot. For example, “`\hat{\imath}`” produces a correct “ \hat{i} ”, while “`\hat{i}`” would yield the rather odd-looking “ \hat{i} ”.

* The `\overline` command (Table 246 on page 107) produces a wider accent than `\bar`: “ \overline{A} ” vs. “ \bar{A} ”. However, unlike adjacent `\bars`, adjacent `\overlines` run together, which is often not desired: “ \overline{AB} ” vs. “ $\overline{\bar{A}\bar{B}}$ ”. If wider bars than `\bar` are needed, the following code from Enrico Gregorio can be used to add the requisite inter-symbol spacing [Gre09]:

```
\newcommand{\closure}[2][3]{%
  {\mkern#1mu\overline{\mkern-#1mu#2}}
```

With that definition, “`\closure{A}\closure{B}`” produces “ $\overline{\bar{A}\bar{B}}$ ”, with a visible gap between the two accents. The optional argument can be used to fine-tune the spacing.

TABLE 237: \mathcal{AMS} Math-mode Accents

¨	<code>\dddot{a}</code>	¨¨	<code>\ddddot{a}</code>
---	------------------------	----	-------------------------

These accents are also provided by the `mathabx` and `accents` packages and are redefined by the `mathdots` package if the `amsmath` and `amssymb` packages have previously been loaded. All of the variations except for the original \mathcal{AMS} ones tighten the space between the dots (from \ddot{a} to \ddot{a}). The `mathabx` and `mathdots` versions also function properly within subscripts and superscripts ($x^{\ddot{a}}$ instead of $x^{\ddot{a}}$).

TABLE 238: MnSymbol Math-mode Accents

ā	<code>\vec{a}</code>
---	----------------------

TABLE 239: fdsymbol Math-mode Accents

a	<code>\middlebar{a}</code>	\cancel{a}	<code>\strokethrough{a}</code>
a	<code>\middleslash{a}</code>	\vec{a}	<code>\vec{a}</code>

`\middlebar` and `\middleslash` are applied here to “ a ” for consistency with the rest of the document, but they generally look better when applied to taller lowercase characters.

TABLE 240: boisik Math-mode Accents

\vec{a}	<code>\vec{a}</code>
-----------	----------------------

TABLE 241: stix Math-mode Accents

\acute{a}	<code>\acute{a}</code>	\hat{a}	<code>\hat{a}</code>
\overline{a}	<code>\annuity{a}</code>	\overleftarrow{a}	<code>\leftarrowaccent{a}</code>
$\overset{*}{a}$	<code>\asteraccent{a}</code>	$\overleftarrow{\smile}a$	<code>\leftharpoonaccent{a}</code>
\bar{a}	<code>\bar{a}</code>	\overrightarrow{a}	<code>\rightarrowaccent{a}</code>
\breve{a}	<code>\breve{a}</code>	\mathring{a}	<code>\mathring{a}</code>
\candra{a}	<code>\candra{a}</code>	$\overset{\circ}{a}$	<code>\ocommatopright{a}</code>
\check{a}	<code>\check{a}</code>	$\overset{\circ}{\smile}a$	<code>\oturnedcomma{a}</code>
\dddot{a}	<code>\ddddot{a}</code>	$\overset{\circ}{\smile}a$	<code>\ovhook{a}</code>
\ddot{a}	<code>\dddot{a}</code>	$\overrightarrow{\smile}a$	<code>\rightharpoonaccent{a}</code>
\dot{a}	<code>\ddot{a}</code>	\tilde{a}	<code>\tilde{a}</code>
\dot{a}	<code>\dot{a}</code>	\vec{a}	<code>\vec{a}</code>
\droang{a}	<code>\droang{a}</code>	$\overline{\overline{a}}$	<code>\widebridgeabove{a}</code>
\grave{a}	<code>\grave{a}</code>		

TABLE 242: fge Math-mode Accents

$\grave{\grave{a}}$	<code>\spirituslenis{A}\spirituslenis{a}</code> *
---------------------	---

* When `fge` is passed the `crescent` option, `\spirituslenis` instead uses a crescent accent as in “ $\grave{\grave{a}}$ ”.

TABLE 243: yhmath Math-mode Accents











\ring{a}	<code>\ring{a}</code>
------------	-----------------------

This symbol is largely obsolete, as standard $\text{\LaTeX} 2_{\epsilon}$ has supported `\mathring` (Table 236 on the previous page) since June 1998 [L^AT₉₈].

TABLE 244: halloweenmath Halloween-Themed Math-mode Accents

\overbar{a}	<code>\overbat{a}</code>	\underbar{a}	<code>\underbat{a}</code>
$\overbar{*a}$	<code>\overbat*{a}</code>	$\underbar{*a}$	<code>\underbat*{a}</code>

TABLE 245: realhats Math-mode Hat Accents

	<code>\hat{ash}{a}</code>		<code>\hat{fez}{a}</code>
	<code>\hat{beret}{a}</code>		<code>\hat{santa}{a}</code>
	<code>\hat{cowboy}{a}</code>		<code>\hat{sombbrero}{a}</code>
	<code>\hat{crown}{a}</code>		<code>\hat{tophat}{a}</code>
	<code>\hat{dunce}{a}</code>		<code>\hat{witch}{a}</code>

These hats are drawn by scaling a graphic image and placing it at an appropriate location.

If `\hat` is used with no argument, it selects a hat at random. Alternatively, a hat type can be passed as an option to `realhats` to specify the default hat. See the `realhats` documentation for more information.

TABLE 246: Extensible Accents

\widetilde{abc}	<code>\widetilde{abc}</code> *	\widehat{abc}	<code>\widehat{abc}</code> *
\overleftarrow{abc}	<code>\overleftarrow{abc}</code> †	\overrightarrow{abc}	<code>\overrightarrow{abc}</code> †
\overline{abc}	<code>\overline{abc}</code>	\underline{abc}	<code>\underline{abc}</code>
\overbrace{abc}	<code>\overbrace{abc}</code>	\underbrace{abc}	<code>\underbrace{abc}</code>
\sqrt{abc}	<code>\sqrt{abc}</code> ‡		

As demonstrated in a 1997 TUGboat article about typesetting long-division problems [Gib97], an extensible long-division sign (“ \overline{abc} ”) can be faked by putting a “`\big`” in a `tabular` environment with an `\hline` or `\cline` in the preceding row. The article also presents a piece of code (uploaded to CTAN as `longdiv.tex`) that automatically solves and typesets—by putting an `\overline` atop “`\big`” and the desired text—long-division problems. More recently, the STIX fonts include a true long-division sign. See `\longdivision` in Table 252 for a sample of this symbol. See also the `polynom` package, which automatically solves and typesets polynomial-division problems in a similar manner.

* These symbols are made more extensible by the `MnSymbol` package (Table 250 on the following page). and even more extensible by the `yhmath` package (Table 248 on the following page).

† If you’re looking for an extensible *diagonal* line or arrow to be used for canceling or reducing mathematical subexpressions (e.g., “ $x + \overleftarrow{x}$ ” or “ $3 + \overrightarrow{2^5}$ ”) then consider using the `cancel` package.

‡ With an optional argument, `\sqrt` typesets *n*th roots. For example, “`\sqrt[3]{abc}`” produces “ $\sqrt[3]{abc}$ ” and “`\sqrt[n]{abc}`” produces “ $\sqrt[n]{abc}$ ”.

TABLE 247: overrightarrow Extensible Accents

\overrightarrow{abc}	<code>\Overrightarrow{abc}</code>
------------------------	-----------------------------------

TABLE 248: yhmath Extensible Accents

\widehat{abc}	<code>\widehat{abc}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>
\wideparen{abc}	<code>\wideparen{abc}</code>	\widetriangle{abc}	<code>\widetriangle{abc}</code>
$\overset{\circ}{abc}$	<code>\widering{abc}</code>		

TABLE 249: $\mathcal{A}\mathcal{M}\mathcal{S}$ Extensible Accents

\overleftrightarrow{abc}	<code>\overleftrightarrow{abc}</code>	$\underleftrightarrow{abc}$	<code>\underleftrightarrow{abc}</code>
\underline{abc}	<code>\underline{abc}</code>		

TABLE 250: MnSymbol Extensible Accents

\overbrace{abc}	<code>\overbrace{abc}</code>	\undergroup{abc}	<code>\undergroup{abc}</code>
\overgroup{abc}	<code>\overgroup{abc}</code>	\underline{abc}	<code>\underline{abc}</code>
\overleftharpoonup{abc}	<code>\overleftharpoonup{abc}</code>	\widehat{abc}	<code>\widehat{abc}</code>
\overline{abc}	<code>\overline{abc}</code>	\wideparen{abc}	<code>\wideparen{abc}</code>
\overrightarrow{abc}	<code>\overrightarrow{abc}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>
\underbrace{abc}	<code>\underbrace{abc}</code>		

TABLE 251: fdsymbol Extensible Accents

\overbrace{abc}	<code>\overbrace{abc}</code>	\undergroup{abc}	<code>\undergroup{abc}</code>
\overgroup{abc}	<code>\overgroup{abc}</code>	\underline{abc}	<code>\underline{abc}</code>
\overleftharpoonup{abc}	<code>\overleftharpoonup{abc}</code>	\widehat{abc}	<code>\widehat{abc}</code>
\overline{abc}	<code>\overline{abc}</code>	\wideparen{abc}	<code>\wideparen{abc}</code>
\overrightarrow{abc}	<code>\overrightarrow{abc}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>
\underbrace{abc}	<code>\underbrace{abc}</code>		

TABLE 252: stix Extensible Accents

\overline{abc}	<code>\longdivision{abc}</code>	\underline{abc}	<code>\underbracket{abc}</code>
\overbrace{abc}	<code>\overbrace{abc}</code>	\underlineleftarrow{abc}	<code>\underleftarrow{abc}</code>
\overbracket{abc}	<code>\overbracket{abc}</code>	$\underlinelefttharpoon{abc}$	<code>\underleftharpoon{abc}</code>
\overleftarrow{abc}	<code>\overleftarrow{abc}</code>	$\underlinelefttrightharpoon{abc}$	<code>\underleftrightharpoon{abc}</code>
\overleftharpoon{abc}	<code>\overleftharpoon{abc}</code>	\underparen{abc}	<code>\underparen{abc}</code>
$\overleftrightharpoon{abc}$	<code>\overleftrightharpoon{abc}</code>	\underrightarrow{abc}	<code>\underrightarrow{abc}</code>
\overparen{abc}	<code>\overparen{abc}</code>	\underightharpoon{abc}	<code>\underrightharpoon{abc}</code>
\overrightarrow{abc}	<code>\overrightarrow{abc}</code>	\widetilde{abc}	<code>\widecheck{abc}</code>
\overrightharpoon{abc}	<code>\overrightharpoon{abc}</code>	\widehat{abc}	<code>\widehat{abc}</code>
\sqrt{abc}	<code>\sqrt{abc}</code>	\widetilde{abc}	<code>\widetilde{abc}</code>
\underbrace{abc}	<code>\underbrace{abc}</code>		

TABLE 253: mathtools Extensible Accents

\overbrace{abc}	<code>\overbrace{abc}</code>	\underbrace{abc}	<code>\underbrace{abc}</code>
\overbracket{abc}	<code>\overbracket{abc}</code> *	\underbracket{abc}	<code>\underbracket{abc}</code> *

* `\overbracket` and `\underbracket` accept optional arguments that specify the bracket height and thickness. See the `mathtools` documentation for more information.

TABLE 254: mathabx Extensible Accents

\overbrace{abc}	<code>\overbrace{abc}</code>	\overline{abc}	<code>\widebar{abc}</code>
\overgroup{abc}	<code>\overgroup{abc}</code>	\widetilde{abc}	<code>\widecheck{abc}</code>
\underbrace{abc}	<code>\underbrace{abc}</code>	\wideparen{abc}	<code>\wideparen{abc}</code>
\undergroup{abc}	<code>\undergroup{abc}</code>	\widehat{abc}	<code>\widering{abc}</code>
\overrightarrow{abc}	<code>\widearrow{abc}</code>		

The braces shown for `\overbrace` and `\underbrace` appear in their minimum size. They can expand arbitrarily wide, however.

TABLE 255: fourier Extensible Accents

\widearc{abc}	<code>\widearc{abc}</code>	\wideparen{abc}	<code>\wideparen{abc}</code>
$\wide0arc{abc}$	<code>\wide0arc{abc}</code>	\widehat{abc}	<code>\widering{abc}</code>

TABLE 256: esvect Extensible Accents

\overrightarrow{abc}	<code>\vv{abc}</code> with package option a
\overrightarrow{abc}	<code>\vv{abc}</code> with package option b
\overrightarrow{abc}	<code>\vv{abc}</code> with package option c
\overrightarrow{abc}	<code>\vv{abc}</code> with package option d
\overrightarrow{abc}	<code>\vv{abc}</code> with package option e
\overrightarrow{abc}	<code>\vv{abc}</code> with package option f
\overrightarrow{abc}	<code>\vv{abc}</code> with package option g
\overrightarrow{abc}	<code>\vv{abc}</code> with package option h

esvect also defines a `\vv*` macro which is used to typeset arrows over vector variables with subscripts. See the esvect documentation for more information.

TABLE 257: abrases Extensible Accents

\overbrace{abc}	<code>\aoverbrace{abc}</code>	\underbrace{abc}	<code>\aunderbrace{abc}</code>
-------------------	-------------------------------	--------------------	--------------------------------

`\aoverbrace` and `\aunderbrace` accept optional arguments that provide a great deal of control over the braces' appearance. For example, these commands can produce braces with asymmetric endpoints, braces that span lines, dashed braces, and multicolored braces. See the abrases documentation for more information.

TABLE 258: undertilde Extensible Accents

$\underset{\sim}{abc}$	<code>\utilde{abc}</code>
------------------------	---------------------------

Because `\utilde` is based on `\widetilde` it is also made more extensible by the yhmath package (Table 248 on page 108).

TABLE 259: ushort Extensible Accents

\underline{abc}	<code>\ushortdw{abc}</code>	\underline{abc}	<code>\ushortw{abc}</code>
-------------------	-----------------------------	-------------------	----------------------------

`\ushortw` and `\ushortdw` are intended to be used with multi-character arguments (“words”) while `\ushortand` and `\ushortd` are intended to be used with single-character arguments.

The underlines produced by the ushort commands are shorter than those produced by the `\underline` command. Consider the output from the expression “`\ushort{x}\ushort{y}\underline{x}\underline{y}`”, which looks like “ \underline{xyxy} ”.

TABLE 260: mdwmath Extensible Accents

\sqrt{abc}	<code>\sqrt*{abc}</code>
--------------	--------------------------

TABLE 261: actuarialangle Extensible Accents

$$\overline{abc} \quad \backslash\text{actuarialangle}\{abc\}$$

The `actuarialangle` package additionally defines `\angl` as `\actuarialangle` with a small amount of extra space to the right of the accented expression under the $\bar{}$, `\angln` as `\angl{n}`, and `\anglr` as `\angl{r}`.

TABLE 262: \mathcal{AMS} Extensible Arrows
$$\overleftarrow{abc} \quad \backslash\text{xleftarrow}\{abc\} \quad \overrightarrow{abc} \quad \backslash\text{xrightarrow}\{abc\}$$
TABLE 263: `mathtools` Extensible Arrows
$$\begin{array}{ll} \overleftarrow{abc} & \backslash\text{xhookleftarrow}\{abc\} & \overleftrightarrow{abc} & \backslash\text{xleftrightharpoons}\{abc\} \\ \overrightarrow{abc} & \backslash\text{xhookrightarrow}\{abc\} & \xmapsto{abc} & \backslash\text{xmapsto}\{abc\} \\ \overleftarrow{\overleftarrow{abc}} & \backslash\text{xLeftarrow}\{abc\} & \overrightarrow{\overrightarrow{abc}} & \backslash\text{xRrightarrow}\{abc\} \\ \overleftarrow{\downarrow abc} & \backslash\text{xleftharpoondown}\{abc\} & \overrightarrow{\downarrow abc} & \backslash\text{xrightharpoondown}\{abc\} \\ \overleftarrow{\uparrow abc} & \backslash\text{xleftharpoonup}\{abc\} & \overrightarrow{\uparrow abc} & \backslash\text{xrightharpoonup}\{abc\} \\ \overleftarrow{\overrightarrow{abc}} & \backslash\text{xleftrightharpoonup}\{abc\} & \overrightarrow{\overleftarrow{abc}} & \backslash\text{xrightleftharpoons}\{abc\} \\ \overleftrightarrow{\overleftrightarrow{abc}} & \backslash\text{xLeftrightarrow}\{abc\} & & \end{array}$$
TABLE 264: `chemarr` Extensible Arrows
$$\overleftarrow{\overleftarrow{abc}} \quad \backslash\text{xrightleftharpoons}\{abc\}$$
TABLE 265: `chemarrow` Extensible Arrows
$$\begin{array}{ll} \overleftarrow{abc} & \backslash\text{autoleftarrow}\{abc\}\{def\} & \overrightarrow{abc} & \backslash\text{autorightarrow}\{abc\}\{def\} \\ def & & def & \\ \overleftrightarrow{\overleftrightarrow{abc}} & \backslash\text{autoleftrightharpoons}\{abc\}\{def\} & \overleftrightarrow{\overleftrightarrow{abc}} & \backslash\text{autorightleftharpoons}\{abc\}\{def\} \\ def & & def & \end{array}$$

In addition to the symbols shown above, `chemarrow` also provides `\larrowfill`, `\rarrowfill`, `\leftrightharpoonsfill`, and `\rightleftharpoonsfill` macros. Each of these takes a length argument and produces an arrow of the specified length.

TABLE 266: extarrows Extensible Arrows

\overleftrightarrow{abc}	<code>\xLeftrightarrow{abc}</code>	\overleftarrow{abc}	<code>\xLongleftarrow{abc}</code>
\overrightarrow{abc}	<code>\xRrightarrow{abc}</code>	\overrightarrow{abc}	<code>\xLongrightarrow{abc}</code>
\overlongequal{abc}	<code>\xlongequal{abc}</code>	\overlongrightarrow{abc}	<code>\xlongrightarrow{abc}</code>
\overleftarrow{abc}	<code>\xlongleftarrow{abc}</code>	\overrightarrow{abc}	<code>\xlongrightarrow{abc}</code>
\overleftarrow{abc}	<code>\xlongleftarrow{abc}</code>		

TABLE 267: extpfeil Extensible Arrows

\overlongequal{abc}	<code>\xlongequal{abc}</code>	\overleftarrow{abc}	<code>\twoheadleftarrow{abc}</code>
\overrightarrow{abc}	<code>\xmapsto{abc}</code>	\overrightarrow{abc}	<code>\twoheadrightarrow{abc}</code>
\overleftrightarrow{abc}	<code>\xleftrightarrow{abc}</code>		

The extpfeil package also provides a `\newextarrow` command to help you define your own extensible arrow symbols. See the extpfeil documentation for more information.

TABLE 268: DotArrow Extensible Arrows

\overrightarrow{a}	<code>\dotarrow{a}</code>
----------------------	---------------------------

The DotArrow package provides mechanisms for lengthening the arrow, adjusting the distance between the arrow and its symbol, and altering the arrowhead. See the DotArrow documentation for more information.

TABLE 269: halloweenmath Extensible Arrows

\overleftarrow{abc}	<code>\oversetleftarrow{abc}</code>	\overleftarrow{abc}	<code>\undersetleftarrow{abc}</code>
\overleftrightarrow{abc}	<code>\oversetleftrightarrow{abc}</code>	\overleftrightarrow{abc}	<code>\undersetleftrightarrow{abc}</code>
\overrightarrow{abc}	<code>\oversetrightarrow{abc}</code>	\overrightarrow{abc}	<code>\undersetrightarrow{abc}</code>

These commands always typeset the arrow in script (small) style, hence the “script” in their names. Contrast the size of the arrowheads in the following examples:

\overrightarrow{abc}	vs.	\overrightarrow{abc}
<code>\overrightarrow{abc}</code>		<code>\oversetrightarrow{abc}</code>

TABLE 270: trfsigns Extensible Transform Symbols

\overline{abc}	<code>\dft{abc}</code>	\overline{abc}	<code>\DFT{abc}</code>
------------------	------------------------	------------------	------------------------

TABLE 271: esrelation Extensible Relations

\overleftarrow{abc}	<code>\relationleftproject{abc}</code>	\overrightarrow{abc}	<code>\relationrightproject{abc}</code>
\underline{abc}	<code>\relationlifting{abc}</code>		

TABLE 272: halloweenmath Extensible Brooms and Pitchforks

\overleftarrow{abc}	<code>\overleftbroom{abc}</code>	\overrightarrow{abc}	<code>\underrightbroom{abc}</code>
\overleftpitchfork{abc}	<code>\overleftpitchfork{abc}</code>	\overrightarrow{abc}	<code>\underrightpitchfork{abc}</code>
\overrightarrow{abc}	<code>\overrightbroom{abc}</code>	\overleftarrow{abc}	<code>\xleftbroom{abc}</code>
\overrightarrow{abc}	<code>\overrightpitchfork{abc}</code>	\overleftarrow{abc}	<code>\xleftpitchfork{abc}</code>
\underline{abc}	<code>\underleftbroom{abc}</code>	\underline{abc}	<code>\xrightbroom{abc}</code>
\underline{abc}	<code>\underleftpitchfork{abc}</code>	\underline{abc}	<code>\xrightpitchfork{abc}</code>

TABLE 273: halloweenmath Extensible Witches

\overleftarrow{abc}	<code>\overleftwitchonbroom{abc}</code>	\overrightarrow{abc}	<code>\underrightwitchonbroom{abc}</code>
\overleftarrow{abc}	<code>\overleftwitchonbroom*{abc}</code>	\overrightarrow{abc}	<code>\underrightwitchonbroom*{abc}</code>
\overleftarrow{abc}	<code>\overleftwitchonpitchfork*{abc}</code>	\overrightarrow{abc}	<code>\underrightwitchonpitchfork*{abc}</code>
\overleftarrow{abc}	<code>\overleftwitchonpitchfork{abc}</code>	\overrightarrow{abc}	<code>\underrightwitchonpitchfork{abc}</code>
\overrightarrow{abc}	<code>\overrightwitchonbroom*{abc}</code>	\overleftarrow{abc}	<code>\xleftwitchonbroom*{abc}</code>
\overrightarrow{abc}	<code>\overrightwitchonbroom{abc}</code>	\overleftarrow{abc}	<code>\xleftwitchonbroom{abc}</code>
\overrightarrow{abc}	<code>\overrightwitchonpitchfork*{abc}</code>	\overleftarrow{abc}	<code>\xleftwitchonpitchfork*{abc}</code>
\overrightarrow{abc}	<code>\overrightwitchonpitchfork{abc}</code>	\overleftarrow{abc}	<code>\xleftwitchonpitchfork{abc}</code>
\underline{abc}	<code>\underleftwitchonbroom{abc}</code>	\underline{abc}	<code>\xrightwitchonbroom{abc}</code>
\underline{abc}	<code>\underleftwitchonbroom*{abc}</code>	\underline{abc}	<code>\xrightwitchonbroom*{abc}</code>
\underline{abc}	<code>\underleftwitchonpitchfork*{abc}</code>	\underline{abc}	<code>\xrightwitchonpitchfork{abc}</code>
\underline{abc}	<code>\underleftwitchonpitchfork{abc}</code>	\underline{abc}	<code>\xrightwitchonpitchfork*{abc}</code>

TABLE 274: halloweenmath Extensible Ghosts







 abc	<code>\overleftswishingghost{abc}</code>	 abc	<code>\overrightswishingghost{abc}</code>
 abc	<code>\underleftswishingghost{abc}</code>	 abc	<code>\underrightswishingghost{abc}</code>
 abc	<code>\xleftswishingghost{abc}</code>	 abc	<code>\xrightswishingghost{abc}</code>

TABLE 275: halloweenmath Extensible Bats







 abc	<code>\overleftflutteringbat{abc}</code>	 abc	<code>\overrightflutteringbat{abc}</code>
 abc	<code>\underleftflutteringbat{abc}</code>	 abc	<code>\underrightflutteringbat{abc}</code>
 abc	<code>\xleftflutteringbat{abc}</code>	 abc	<code>\xrightflutteringbat{abc}</code>

TABLE 276: holtpolt Non-commutative Division Symbols

$\frac{abc}{def}$	<code>\holter{abc}{def}</code>	$\frac{abc}{def}$	<code>\polter{abc}{def}</code>
-------------------	--------------------------------	-------------------	--------------------------------

TABLE 277: Dots

\cdot	<code>\cdotp</code>	:	<code>\colon*</code>	\cdot	<code>\ldotp</code>	\vdots	<code>\vdots†</code>
\dots	<code>\cdots</code>	\ddots	<code>\ddots†</code>	\dots	<code>\ldots</code>		

* While “:” is valid in math mode, `\colon` uses different surrounding spacing. See Section 10.4 and the Short Math Guide for L^AT_EX [Dow00] for more information on math-mode spacing.

† The `mathdots` package redefines `\ddots` and `\vdots` (Table 283) to make them scale properly with font size. (They normally scale horizontally but not vertically.) `\fixedddots` and `\fixedvdots` provide the original, fixed-height functionality of L^AT_EX 2_ε’s `\ddots` and `\vdots` macros.

TABLE 278: \mathcal{AMS} Dots

\because	<code>\because*</code>	\dots	<code>\dotsi</code>	\therefore	<code>\therefore*</code>
\dots	<code>\dotsb</code>	\dots	<code>\dotsm</code>		
\dots	<code>\dotsc</code>	\dots	<code>\dotso</code>		

* `\because` and `\therefore` are defined as binary relations and therefore also appear in Table 90 on page 50.

The \mathcal{AMS} `\dots_` symbols are named according to their intended usage: `\dotsb` between pairs of binary operators/relations, `\dotsc` between pairs of commas, `\dotsi` between pairs of integrals, `\dotsm` between pairs of multiplication signs, and `\dotso` between other symbol pairs.

TABLE 279: wasysym Dots

\therefore `\wasytherefore`

TABLE 280: MnSymbol Dots

\cdot <code>\cdot</code>	\cdots <code>\hdotdotdot</code>	\therefore <code>\udots</code>
\ddots <code>\ddotdotdot</code>	\cdots <code>\hdots</code>	\therefore <code>\uptherefore</code>
\ddots <code>\ddots</code>	\therefore <code>\lefttherefore</code>	$:$ <code>\vdotdot</code>
\diamond <code>\diamonddots</code>	\therefore <code>\righttherefore</code>	$:$ <code>\vdots</code>
\downarrow <code>\downtherefore</code>	\therefore <code>\squaredots</code>	
\vdots <code>\fivedots</code>	\cdot <code>\udotdot</code>	

MnSymbol defines `\therefore` as `\uptherefore` and `\because` as `\downtherefore`. Furthermore, `\cdot` and `\colon` produce the same glyphs as `\cdot` and `\vdotdot` respectively but serve as T_EX math punctuation (class 6 symbols) instead of T_EX binary operators (class 2).

All of the above except `\hdots` and `\vdots` are defined as binary operators and therefore also appear in Table 56 on page 31.

TABLE 281: fdsymbol Dots

\cdot <code>\cdot</code>	\cdots <code>\hdots</code>	\therefore <code>\udots</code>
\ddots <code>\ddotdotdot</code>	\therefore <code>\lefttherefore</code>	\therefore <code>\uptherefore</code>
\ddots <code>\ddots</code>	\therefore <code>\righttherefore</code>	$:$ <code>\vdotdot</code>
\downarrow <code>\downtherefore</code>	\therefore <code>\squaredots</code>	
\cdots <code>\hdotdotdot</code>	\cdot <code>\udotdot</code>	

fdsymbol defines `\adots` as a synonym for `\udots`; `\because` as a synonym for `\downtherefore`; `\cdot` as a synonym for `\cdot`; `\cdots` as a synonym for `\hdots`; `\Colon` as a synonym for `\squaredots`; `\colon`, `\mathcolon`, and `\mathratio` as synonyms for `\vdotdot`; and `\therefore` as a synonym for `\uptherefore`. (Some of these serve different mathematical roles, such as relations versus binary operators.)

TABLE 282: stix Dots

\therefore <code>\adots</code>	\cdots <code>\cdots</code>	\vdots <code>\fourvdots</code>
\therefore <code>\because</code>	\therefore <code>\Colon</code>	\cdot <code>\ldotp</code>
\cdot <code>\cdot</code>	\ddots <code>\ddots</code>	\cdots <code>\mathellipsis</code>
\cdot <code>\cdot</code>	\cdots <code>\enleadertwodots</code>	\therefore <code>\therefore</code>

stix defines `\centerdot` as a synonym for `\cdot` and `\dotsb` and `\dotsm` as synonyms for `\cdots`.

TABLE 283: mathdots Dots

\ddots `\ddots` \therefore `\iddots` $:$ `\vdots`

Unlike the default definitions of the above (Table 277), `mathdots`'s commands are designed to scale properly with the surrounding font size.

TABLE 284: yhmath Dots

\dots `\adots`

TABLE 285: teubner Dots

\vdots `\:` \ddots `\:` \dotscolor{red} `\?` antilabe `\antilabe`

TABLE 286: begriff Begriffsschrift Symbols

\vdash `\BGassert` \dashv `\BGcontent` \top `\BGnot`
 $\left[\begin{array}{l} b \\ a \end{array} \right]$ `\BGconditional{a}{b}` $\overset{a}{\cup}$ `\BGquant{a}`

The `begriff` package contains additional commands for typesetting Frege’s Begriffsschrift notation for second-order logic. See the `begriff` documentation for more information.

TABLE 287: frege Begriffsschrift Symbols

\vdash	<code>\Facontent</code>	\vdash	<code>\Fanncontent</code>	\dashv	<code>\Fncontent</code>
\vdash	<code>\Fancontent</code>	\dashv	<code>\Fcontent</code>	\dashv	<code>\Fnncontent</code>
$\vdash \overset{a}{\cup}$	<code>\Fannquant{a}</code>	$\vdash \overset{a}{\cup}$	<code>\Faquant{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fnquant{a}</code>
$\vdash \overset{a}{\cup}$	<code>\Fannquantn{a}</code>	$\vdash \overset{a}{\cup}$	<code>\Faquantn{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fnquantn{a}</code>
$\vdash \overset{a}{\cup}$	<code>\Fannquantnn{a}</code>	$\vdash \overset{a}{\cup}$	<code>\Faquantnn{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fnquantnn{a}</code>
$\vdash \overset{a}{\cup}$	<code>\Fanquant{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fnnquant{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fquant{a}</code>
$\vdash \overset{a}{\cup}$	<code>\Fanquantn{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fnnquantn{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fquantn{a}</code>
$\vdash \overset{a}{\cup}$	<code>\Fanquantnn{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fnnquantnn{a}</code>	$\dashv \overset{a}{\cup}$	<code>\Fquantnn{a}</code>

The `frege` package contains additional commands for typesetting Frege’s Begriffsschrift notation for second-order logic. See the `frege` documentation for more information.

TABLE 288: mathcomp Math Symbols

$^{\circ}\text{C}$ `\tccentigrade` Ω `\tcohm` ‰ `\tcpertousand`
 μ `\tcmu` ‰‰ `\tcpertenthousand`

TABLE 289: marvosym Math Symbols

\angle	<code>\AngleSign</code>	\geq	<code>\LargerOrEqual</code>	\times	<code>\MVMultiplication</code>
\Rightarrow	<code>\Conclusion</code>	\leq	<code>\LessOrEqual</code>	\cdot	<code>\MVPeriod</code>
\equiv	<code>\Congruent</code>	\cdot	<code>\MultiplicationDot</code>	$+$	<code>\MVPlus</code>
\cong	<code>\Corresponds</code>	$,$	<code>\MVComma</code>	\rightarrow	<code>\MVRightArrow</code>
\div	<code>\Divides</code>	$/$	<code>\MVDivision</code>	$)$	<code>\MVRightBracket</code>
\nmid	<code>\DividesNot</code>	$($	<code>\MVLeftBracket</code>	\neq	<code>\NotCongruent</code>
\Leftrightarrow	<code>\Equivalence</code>	$-$	<code>\MVMinus</code>		

TABLE 290: marvosym Digits

0	<code>\MVZero</code>	2	<code>\MVTwo</code>	4	<code>\MVFour</code>	6	<code>\MVSix</code>	8	<code>\MVEight</code>
1	<code>\MVOne</code>	3	<code>\MVThree</code>	5	<code>\MVFive</code>	7	<code>\MVSeven</code>	9	<code>\MVNine</code>

TABLE 291: fge Digits

0	<code>\fgestruckzero</code>	1	<code>\fgestruckone</code>
---	-----------------------------	---	----------------------------

TABLE 292: dozenal Base-12 Digits

ζ	<code>\x</code>	ε	<code>\e</code>
---	-----------------	---	-----------------

TABLE 293: mathabx Mayan Digits

⊕	<code>\maya{0}</code>	:	<code>\maya{2}</code>	:	<code>\maya{4}</code>
.	<code>\maya{1}</code>	:	<code>\maya{3}</code>	:	<code>\maya{5}</code>

TABLE 294: stix Infinities

⊕	<code>\acidfree</code>	∞	<code>\infty</code>	∞	<code>\tieinfty</code>
∞	<code>\iinfin</code>	ϕ	<code>\nvinfty</code>		

TABLE 295: stix Primes

'	<code>\prime</code>	\	<code>\backprime</code>
"	<code>\dprime</code>	\	<code>\backdprime</code>
'''	<code>\trprime</code>	\	<code>\backtrprime</code>
'''	<code>\qprime</code>		

TABLE 296: stix Empty Sets

∅	<code>\emptyset</code>	∅̄	<code>\emptysettoarr</code>	∅	<code>\varnothing</code>
∅̄	<code>\emptysettoarr</code>	∅̄	<code>\emptysettocirc</code>		
∅̄	<code>\emptysettoarrl</code>	∅̄	<code>\reemptyset</code>		

TABLE 297: \mathcal{AMS} Angles

∠	<code>\angle</code>	∠	<code>\measuredangle</code>	∠	<code>\sphericalangle</code>
---	---------------------	---	-----------------------------	---	------------------------------

TABLE 298: MnSymbol Angles

∠	<code>\angle</code>	∠	<code>\measuredangle</code>	∠	<code>\sphericalangle</code>
---	---------------------	---	-----------------------------	---	------------------------------

TABLE 299: fdsymbol Angles

\sphericalangle	<code>\angle</code>	\sphericalangle	<code>\revangle</code>	\sphericalangle	<code>\sphericalangle</code>
\sphericalangle	<code>\measuredangle</code>	\sphericalangle	<code>\revmeasuredangle</code>	\sphericalangle	<code>\sphericalangledown</code>
\sphericalangle	<code>\measuredrightangle</code>	\sphericalangle	<code>\rightangle</code>	\sphericalangle	<code>\sphericalangleleft</code>
\sphericalangle	<code>\measuredrightangledot</code>	\sphericalangle	<code>\rightanglesquare</code>	\sphericalangle	<code>\sphericalangleup</code>

fdsymbol defines `\measuredangleleft` as a synonym for `\revmeasuredangle`; `\revsphericalangle` and `\gtlpar` as synonyms for `\sphericalangleleft`; `\rightanglesqr` as a synonym for `\rightanglesquare`; and `\rightangledot` as a synonym for `\measuredrightangledot`.

TABLE 300: boisik Angles

\sphericalangle	<code>\angle</code>	\sphericalangle	<code>\rightangle</code>	\sphericalangle	<code>\sphericalangle</code>
\sphericalangle	<code>\measuredangle</code>	\sphericalangle	<code>\rightangledot</code>		
\sphericalangle	<code>\measuredrightangle</code>	\sphericalangle	<code>\rightanglesqr</code>		

TABLE 301: stix Angles

\sphericalangle	<code>\angdnr</code>	\sphericalangle	<code>\measanglerutone</code>	\sphericalangle	<code>\rightangledot</code>
\sphericalangle	<code>\angle</code>	\sphericalangle	<code>\measangleultonw</code>	\sphericalangle	<code>\rightanglesqr</code>
\sphericalangle	<code>\angles</code>	\sphericalangle	<code>\measangleurtone</code>	\sphericalangle	<code>\sphericalangle</code>
\sphericalangle	<code>\angleubar</code>	\sphericalangle	<code>\measuredangle</code>	\sphericalangle	<code>\sphericalangleup</code>
\sphericalangle	<code>\gtlpar</code>	\sphericalangle	<code>\measuredangleleft</code>	\sphericalangle	<code>\threeangle</code>
\sphericalangle	<code>\measangledltosw</code>	\sphericalangle	<code>\measuredrightangle</code>	\sphericalangle	<code>\turnangle</code>
\sphericalangle	<code>\measangledrtose</code>	\sphericalangle	<code>\rangledownzigzagarrow</code>	\sphericalangle	<code>\wideangledown</code>
\sphericalangle	<code>\measangleldtosw</code>	\sphericalangle	<code>\revangle</code>	\sphericalangle	<code>\wideangleup</code>
\sphericalangle	<code>\measanglelultonw</code>	\sphericalangle	<code>\revangleubar</code>		
\sphericalangle	<code>\measanglerdtose</code>	\sphericalangle	<code>\rightangle</code>		

TABLE 302: Miscellaneous L^AT_EX 2_ε Math Symbols

\aleph	<code>\aleph</code>	\Box	<code>\Box^{*,†}</code>	∇	<code>\nabla</code>	\triangle	<code>\triangle</code>
\emptyset	<code>\emptyset[‡]</code>	\diamond	<code>\Diamond[*]</code>	\neg	<code>\neg</code>		
\angle	<code>\angle</code>	∞	<code>\infty</code>	\prime	<code>\prime</code>		
\backslash	<code>\backslash</code>	\mho	<code>\mho[*]</code>	\surd	<code>\surd</code>		

* Not predefined in L^AT_EX 2_ε. Use one of the packages `latexsym`, `amfonts`, `amssymb`, `txfonts`, `pxfonts`, or `wasysym`. Note, however, that `amfonts` and `amssymb` define `\Diamond` to produce the same glyph as `\lozenge` (“◊”); the other packages produce a squarer `\Diamond` as depicted above.

† To use `\Box`—or any other symbol—as an end-of-proof (Q.E.D.) marker, consider using the `ntheorem` package, which properly juxtaposes a symbol with the end of the proof text.

‡ Many people prefer the look of $\mathcal{A}\mathcal{M}\mathcal{S}$ ’s `\varnothing` (“∅”, Table 303) to that of L^AT_EX’s `\emptyset`.

TABLE 303: Miscellaneous $\mathcal{A}\mathcal{M}\mathcal{S}$ Math Symbols

\backslash	<code>\backprime</code>	\blacktriangledown	<code>\blacktriangledown</code>	\mho	<code>\mho</code>
\star	<code>\bigstar</code>	\diagdown	<code>\diagdown</code>	\square	<code>\square</code>
\blacklozenge	<code>\blacklozenge</code>	\diagup	<code>\diagup</code>	\triangledown	<code>\triangledown</code>
\blacksquare	<code>\blacksquare</code>	\eth	<code>\eth</code>	\varnothing	<code>\varnothing</code>
\blacktriangle	<code>\blacktriangle</code>	\lozenge	<code>\lozenge</code>	\vartriangle	<code>\vartriangle</code>

TABLE 304: Miscellaneous wasysym Math Symbols

\square	<code>\Box</code>	\diamond	<code>\Diamond</code>	\mho^*	<code>\mho^*</code>	\vartriangleleft	<code>\vartriangleleft</code>
-----------	-------------------	------------	-----------------------	----------	---------------------	--------------------	-------------------------------

* wasysym also defines an `\agem0` symbol, which is the same glyph as `\mho` but is intended for use in text mode.

TABLE 305: Miscellaneous txfonts/pxfonts Math Symbols

\blacklozenge	<code>\Diamondblack</code>	λ	<code>\lambdabar</code>
\diamond	<code>\Diamonddot</code>	λ	<code>\lambdaslash</code>

TABLE 306: Miscellaneous mathabx Math Symbols

\circ	<code>\degree</code>	\ulcorner	<code>\fourth</code>	\sphericalangle	<code>\measuredangle</code>	\prime	<code>\second</code>
\diagdown	<code>\diagdown</code>	$\#$	<code>\hash</code>	\pitchfork	<code>\pitchfork</code>	\sphericalangle	<code>\sphericalangle</code>
\diagup	<code>\diagup</code>	∞	<code>\infty</code>	\propto	<code>\propto</code>	\prime	<code>\third</code>
\varnothing	<code>\diameter</code>	\times	<code>\leftthreetimes</code>	\times	<code>\rightthreetimes</code>	$\#$	<code>\varhash</code>

TABLE 307: Miscellaneous MnSymbol Math Symbols

\neg	<code>\backneg</code>	\varnothing	<code>\diameter</code>	\neg	<code>\invneg</code>	\neg	<code>\neg</code>
\backprime	<code>\backprime</code>	∞	<code>\infty</code>	\maltese	<code>\maltese</code>	\prime	<code>\prime</code>
\checkmark	<code>\checkmark</code>	\neg	<code>\invbackneg</code>	∇	<code>\nabla</code>	f	<code>\smallint</code>

MnSymbol defines `\emptyset` and `\varnothing` as synonyms for `\diameter`; `\not` and `\minushookdown` as synonyms for `\neg`; `\minushookup` as a synonym for `\invneg`; `\hookdownminus` as a synonym for `\backneg`; and, `\hookupminus` as a synonym for `\invbackneg`.

TABLE 308: Miscellaneous Internal MnSymbol Math Symbols

\cdots	<code>\partialvardint</code>	\cdots	<code>\partialvartint</code>
\smile	<code>\partialvardlanddownint</code>	\smile	<code>\partialvartlanddownint</code>
\frown	<code>\partialvardlandupint</code>	\frown	<code>\partialvartlandupint</code>
\circlearrowleft	<code>\partialvardlcircleleftint</code>	\circlearrowleft	<code>\partialvartlcircleleftint</code>
\circlearrowright	<code>\partialvardlcirclerightint</code>	\circlearrowright	<code>\partialvartlcirclerightint</code>
\bigcirc	<code>\partialvardoint</code>	\bigcirc	<code>\partialvartoint</code>
\smallcirc	<code>\partialvardoint</code>	\smallcirc	<code>\partialvartoint</code>
\circlearrowleft	<code>\partialvardrcircleleftint</code>	\circlearrowleft	<code>\partialvartrcircleleftint</code>
\circlearrowright	<code>\partialvardrcirclerightint</code>	\circlearrowright	<code>\partialvartrcirclerightint</code>
\dashv	<code>\partialvardstrokedint</code>	\dashv	<code>\partialvartstrokedint</code>
Σ	<code>\partialvardsumint</code>	Σ	<code>\partialvartsumint</code>

These symbols are intended to be used internally by MnSymbol to construct the integrals appearing in Table 80 on page 44 but can nevertheless be used in isolation.

TABLE 309: Miscellaneous fdsymbol Math Symbols

\neg	<code>\backneg</code>	∞	<code>\infty</code>	$'$	<code>\prime</code>
∇	<code>\backprime</code>	\neg	<code>\invneg</code>	\emptyset	<code>\reemptyset</code>
\checkmark	<code>\checkmark</code>	✠	<code>\maltese</code>	∇	<code>\sector</code>
\emptyset	<code>\emptyset</code>	\neg	<code>\neg</code>	\int	<code>\smallint</code>

fdsymbol defines `\hookdownminus` as a synonym for `\backneg`; `\invneg` and `\invnot` as synonyms for `\backneg`; `\lnot` and `\minushookdown` as synonyms for `\neg`; `\turnedbackneg` as a synonym for `\intprodr`; `\turnedneg` as a synonym for `\intprod`; and `\diameter` and `\varnothing` as synonyms for `\emptyset`.

TABLE 310: Miscellaneous boisik Math Symbols


ε	<code>\backepsilon</code>	\dagger	<code>\hermitmatrix</code>	$\not\perp$	<code>\notbot</code>
\backprime	<code>\backprime</code>	∞	<code>\iinfin</code>	$\not\top$	<code>\nottop</code>
\checkmark	<code>\checkmark</code>	\neg	<code>\invnot</code>	i	<code>\riota</code>
\square	<code>\dalambert</code>	λ	<code>\lambdabar</code>	\sim	<code>\sinewave</code>
\diagdown	<code>\diagdown</code>	λ	<code>\lambdaslash</code>	\emptyset	<code>\varnothing</code>
\diagup	<code>\diagup</code>	✠	<code>\maltese</code>		

TABLE 311: Miscellaneous stix Math Symbols

\approx	<code>\accurrent</code>	\dagger	<code>\hermitmatrix</code>	$\text{\textcircled{P}}$	<code>\PropertyLine</code>
\backslash	<code>\backslashslash</code>	\cdot	<code>\hyphenbullet</code>	\blacksquare	<code>\QED</code>
$\text{\textbar}\text{\textbar}\text{\textbar}$	<code>\bbrktbrk</code>	\sim	<code>\hzigzag</code>	$??$	<code>\Question</code>
\perp	<code>\bigbot</code>	Δ	<code>\increment</code>	\times	<code>\rdiagovfdiag</code>
$\text{\textbar}\text{\textbar}\text{\textbar}\text{\textbar}\text{\textbar}\text{\textbar}$	<code>\biginterleave</code>	\blacksquare	<code>\inversebullet</code>	$\text{\textcircled{X}}$	<code>\rightouterjoin</code>
\top	<code>\bigtop</code>	\neg	<code>\invnot</code>	$\text{\textcircled{J}}$	<code>\sansLmirrored</code>
$\text{\textcircled{S}}$	<code>\blacksmiley</code>	$\text{\textcircled{X}}$	<code>\Join</code>	$\text{\textcircled{7}}$	<code>\sansLturned</code>
$\text{\textbar}\text{\textbar}\text{\textbar}$	<code>\bracevert</code>	\square	<code>\laplac</code>	\sim	<code>\sinewave</code>
\wedge	<code>\caretinsert</code>	$\text{\textcircled{X}}$	<code>\leftouterjoin</code>	$\text{\textcircled{—}}$	<code>\strns</code>
\checkmark	<code>\checkmark</code>	\cup	<code>\llarc</code>	$\text{\textcircled{+}}$	<code>\thermod</code>
$\text{\texttriangleright}$	<code>\conictaper</code>	\cup	<code>\lrarc</code>	$\text{\textcircled{J}}$	<code>\topcir</code>
$\text{\textcircled{Z}}$	<code>\danger</code>	$\text{\textcircled{+}}$	<code>\maltese</code>	\neg	<code>\turnednot</code>
\diagdown	<code>\diagdown</code>	$\text{\textcircled{S}}$	<code>\mathsection</code>	$\text{\textcircled{—}}$	<code>\ubrbrak</code>
\diagup	<code>\diagup</code>	$_$	<code>\mathvisiblespace</code>	$\text{\textcircled{C}}$	<code>\ularc</code>
\emptyset	<code>\diameter</code>	∇	<code>\nabla</code>	$\text{\textcircled{C}}$	<code>\urarc</code>
$*$	<code>\dingasterisk</code>	\neg	<code>\neg*</code>	$\text{\textcircled{#}}$	<code>\viewdata</code>
$\text{\textcircled{X}}$	<code>\elinters</code>	$\text{\textcircled{—}}$	<code>\obrbrak</code>	$\text{\textcircled{v}}$	<code>\vzigzag</code>
\eth	<code>\eth</code>	\perp	<code>\perps</code>	$\text{\textcircled{Y}}$	<code>\yen</code>
$!!$	<code>\Exclam</code>	$\text{\textcircled{—}}$	<code>\postalmark</code>	$\text{\textcircled{9}}$	<code>\zcmp</code>
\times	<code>\fdiagovrdiag</code>	$\text{\textcircled{C}}$	<code>\profline</code>	$\text{\textcircled{>>}}$	<code>\zpipe</code>
$\text{\textcircled{X}}$	<code>\fullouterjoin</code>	\triangle	<code>\profsurf</code>	\uparrow	<code>\zproject</code>

* stix defines `\lnot` as a synonym for `\neg`.

TABLE 312: endofproofwd End-of-Proof Symbols

 `\wasserdicht`

`\wasserdicht` is implemented as an external PDF graphic. The command in fact typesets the symbol flush right on the page to signify the end of proof. To use the command in inline text, simply load the underlying graphic file directly:

```
\includegraphics[width=10pt]{endofproofwd.pdf}
```

TABLE 313: Miscellaneous textcomp Text-mode Math Symbols

$^\circ$	<code>\textdegree*</code>	$\frac{1}{2}$	<code>\textonehalf[†]</code>	$\frac{3}{4}$	<code>\textthreequarters[†]</code>
\div	<code>\textdiv</code>	$\frac{1}{4}$	<code>\textonequarter[†]</code>	3	<code>\textthreesuperior</code>
$/$	<code>\textfractionsolidus</code>	1	<code>\textonesuperior</code>	\times	<code>\texttimes</code>
\neg	<code>\textlnot</code>	\pm	<code>\textpm</code>	2	<code>\texttwosuperior</code>
$-$	<code>\textminus</code>	$\sqrt{\quad}$	<code>\textsurd</code>		

* If you prefer a larger degree symbol you might consider defining one as `\ensuremath{\text{\textcircled{°}}}` (“°”).

[†] `nicefrac` (part of the `units` package) or the newer `xfrac` package can be used to construct vulgar fractions like “1/2”, “1/4”, “3/4”, and even “c/o”.

TABLE 314: Miscellaneous fge Math Symbols

\backslash	<code>\fgebackslash</code>	\frown	<code>\fgecap</code>	\smile	<code>\fgecupacute</code>	\sphericalangle	<code>\fgeangle</code>
\perp	<code>\fgebaracute</code>	\cong	<code>\fgecapbar</code>	\cong	<code>\fgecupbar</code>	\lrcorner	<code>\fgeupbracket</code>
$\bar{\smile}$	<code>\fgebarcap</code>	\cup	<code>\fgecup</code>	∞	<code>\fgeinfty</code>		

TABLE 315: Miscellaneous mathdesign Math Symbols

\llcorner	<code>\rightangle</code>
-------------	--------------------------

TABLE 316: Math Alphabets

Font sample	Generating command	T _E X font	Required package
ABCdef123	<code>\mathrm{ABCdef123}</code>	cmr10	<i>none</i>
<i>ABCdef123</i>	<code>\mathit{ABCdef123}</code>	cmmi10	<i>none</i>
<i>ABCdef</i> 123	<code>\mathnormal{ABCdef123}</code>	cmmi10	<i>none</i>
<i>ABC</i>	<code>\mathcal{ABC}</code>	cmsy10	<i>none</i>
<i>ABC</i>	<code>\mathscr{ABC}</code>	rsfs10	mathrsfs
	<i>or</i> <code>\mathcal{ABC}</code>	rsfs10	calrsfs
<i>ABC</i>	<code>\mathcal{ABC}</code>	eusm10	euscript with the <code>mathcal</code> option
	<i>or</i> <code>\mathscr{ABC}</code>	eusm10	euscript with the <code>mathscr</code> option
<i>ABC</i>	<code>\mathcal{ABC}</code>	rsfso10	rsfso
	<i>or</i> <code>\mathscr{ABC}</code>	rsfso10	rsfso with the <code>scr</code> option
<i>ABC</i>	<code>\mathcal{ABC}</code>	urwchancal	urwchancal*
	<i>or</i> <code>\mathscr{ABC}</code>	urwchancal	urwchancal* with the <code>mathscr</code> option
ABC	<code>\mathbb{ABC}</code>	msbm10	amsmath, [§] amssymb, txfonts, or pxfonts
ABC	<code>\varmathbb{ABC}</code>	txmia	txfonts or pxfonts
ABCdef123	<code>\mathbb{ABCdef123}</code>	bbold10	bbold or mathbbol [†]
ABCdef123	<code>\mathbb{ABCdef123}</code>	mbb10	mbboard [†]
ABCdef12	<code>\mathbbm{ABCdef12}</code>	bbm10	bbm
ABCdef12	<code>\mathbbmss{ABCdef12}</code>	bbmss10	bbm
ABCdef12	<code>\mathbbmstt{ABCdef12}</code>	bbmstt10	bbm
ABC1	<code>\mathds{ABC1}</code>	dsrom10	dsfont
ABC1	<code>\mathds{ABC1}</code>	dsss10	dsfont with the <code>sans</code> option
ABCdef123	<code>\mathbb{ABCdef123}</code>	DSSerif	dsserif
ABCdef123	<code>\mathbbb{ABCdef123}</code>	DSSerif-Bold	dsserif
ABC	<code>\symA\symB\symC</code>	china10	china2e [‡]
$\frac{ABCdef123}{ABCdef123}$	<code>\mathfrak{ABCdef123}</code>	eufm10	eufrak
$\frac{ABCdef123}{ABCdef123}$	<code>\textfrac{ABCdef123}</code>	yfrac	yfonts [¶]
$\frac{ABCdef123}{ABCdef123}$	<code>\textswab{ABCdef123}</code>	yswab	yfonts [¶]
$\frac{ABCdef123}{ABCdef123}$	<code>\textgoth{ABCdef123}</code>	ygoth	yfonts [¶]

The “T_EX font” column lists the underlying T_EX font (or, more accurately, the .tfm file) that provides the math alphabet. See the corresponding table in the associated Raw Font Tables document for the math alphabet’s complete character set.

* `urwchancal` redefines `\mathcal` or `\mathscr` to use Zapf Chancery as the calligraphic or script font. However, like all `\mathcal` and `\mathscr` commands shown in Table 316, these support only uppercase letters. An alternative is to put “`\DeclareMathAlphabet{\mathpzc}{OT1}{pzc}{m}{it}`” in your document’s preamble to make `\mathpzc` typeset a wider set of characters in Zapf Chancery. Unfortunately, with this technique accents, superscripts, and subscripts don’t align as well as they do with `urwchancal`.

As a similar trick, you can typeset the Calligra font’s script “*z*” (or other calligraphic symbols) in math mode by loading the `calligra` package and putting “`\DeclareMathAlphabet{\mathcalligra}{T1}{calligra}{m}{n}`” in your document’s preamble to make `\mathcalligra` typeset its argument in the Calligra font. You may also want to specify “`\DeclareFontShape{T1}{calligra}{m}{n}{<->s*[2.2]callig15}{}`” to set Calligra at 2.2 times its design size for a better blend with typical body fonts.

† The `mathbbol` package defines some additional blackboard bold characters: parentheses, square brackets, angle brackets, and—if the `bbgreekl` option is passed to `mathbbol`—Greek letters. For instance, “ $\langle[\alpha\beta\gamma]\rangle$ ” is produced by “`\mathbb{\langle\lbrack\lparen\bbalpha\bbbeta\bbgamma\rparen\rbrack\rangle}`”.

`mboard` extends the blackboard bold symbol set significantly further. It supports not only the Greek alphabet—including “Greek-like” symbols such as `\bbnabla` (“ ∇ ”)—but also *all* punctuation marks, various currency symbols such as `\bbdollar` (“\$”) and `\bbeuro` (“€”), and the Hebrew alphabet (e.g., “`\bbfinalnun\byod\bbqof\bbpe`” → “װײַזײַטװײַט”).

‡ The `\sym...` commands provided by the `GfNA2e` package are actually text-mode commands. They are included in Table 316 because they resemble the blackboard-bold symbols that appear in the rest of the table. In addition to the 26 letters of the English alphabet, `GfNA2e` provides three unlauded blackboard-bold letters: `\symAE` (“Å”), `\symOE` (“Ö”), and `\symUE` (“Ü”). Note that `GfNA2e` does provide math-mode commands for the most common number-set symbols. These are presented in Table 187 on page 92.

¶ As their `\text...` names imply, the fonts provided by the `yfonts` package are actually text fonts. They are included in Table 316 because they are frequently used in a mathematical context.

§ An older (i.e., prior to 1991) version of the `AMS`’s fonts rendered \mathbb{C} , \mathbb{N} , \mathbb{R} , \mathbb{S} , and \mathbb{Z} as `C`, `N`, `R`, `S`, and `Z`. As some people prefer the older glyphs—much to the `AMS`’s surprise—and because those glyphs fail to build under modern versions of `METAFONT`, Berthold Horn uploaded PostScript fonts for the older blackboard-bold glyphs to CTAN, to the `fonts/msym10` directory. As of this writing, however, there are no $\text{\LaTeX} 2_{\epsilon}$ packages for utilizing the now-obsolete glyphs.

4 Science and technology symbols

This section lists symbols that are employed in various branches of science and engineering.









TABLE 317: gensymb Symbols Defined to Work in Both Math and Text Mode

°C	<code>\celsius</code>	μ	<code>\micro</code>	‰	<code>\perthousand</code>
°	<code>\degree</code>	Ω	<code>\ohm</code>		

TABLE 318: wasysym Electrical and Physical Symbols



~	<code>\AC</code>	≈	<code>\VHF</code>	⋈	<code>\photon</code>	≈	<code>\HF</code>	⋈	<code>\gluon</code>
---	------------------	---	-------------------	---	----------------------	---	------------------	---	---------------------

TABLE 319: ifsym Pulse Diagram Symbols

	<code>\FallingEdge</code>		<code>\LongPulseLow</code>		<code>\PulseLow</code>		<code>\ShortPulseHigh</code>
	<code>\LongPulseHigh</code>		<code>\PulseHigh</code>		<code>\RaisingEdge</code>		<code>\ShortPulseLow</code>

In addition, within `\textifsym{...}`, the following codes are valid:

<code>_ l</code>	<code>- m</code>	<code>- h</code>	<code>- d</code>	<code>< <</code>	<code>> ></code>
<code>_ L</code>	<code>- M</code>	<code>- H</code>	<code>- D</code>	<code>< <<</code>	<code>> >></code>

This enables one to write “`\textifsym{mm<DDD>mm}`” to get “” or “`\textifsym{L|H|L|H|L}`” to get “”. See also the `timing` package, which provides a wide variety of pulse-diagram symbols within an environment designed specifically for typesetting pulse diagrams.

Finally, `\textifsym` supports the display of segmented digits, as would appear on an LCD: “`\textifsym{-123.456}`” produces “- 123.456”. “`\textifsym{b}`” outputs a blank with the same width as an “8”.

TABLE 320: ar Aspect Ratio Symbol

\mathcal{R}	<code>\AR</code>
---------------	------------------

TABLE 321: textcomp Text-mode Science and Engineering Symbols

°C	<code>\textcelsius</code>	Ω	<code>\textmho</code>	μ	<code>\textmu</code>	Ω	<code>\textohm</code>
----	---------------------------	---	-----------------------	---	----------------------	---	-----------------------

TABLE 322: steinmetz Extensible Phasor Symbol

$\langle abc \rangle$ `\phase{abc}`

The `\phase` command uses the `pict2e` package to draw a horizontally and vertically scalable Steinmetz phasor symbol. Consequently, `\phase` works only with those `TEX` backends supported by `pict2e`. See the `pict2e` documentation for more information.

TABLE 323: emf Electromotive Force Symbols

\mathcal{E} `\emf` with package option `boondox` (default)
 \mathcal{E} `\emf` with package option `cal`*
 \mathcal{E} `\emf` with package option `calligra`
 \mathcal{E} `\emf` with package option `chorus`
 \mathcal{E} `\emf` with package option `cmr`
 \mathcal{E} `\emf` with package option `fourier`
 \mathcal{E} `\emf` with package option `frursive`
 \mathcal{E} `\emf` with package option `miama`
 \mathcal{E} `\emf` with package option `rsfs`

* With the `cal` package option, `\emf` uses `\mathcalcal`. Hence, the depiction of “E” depends on the currently loaded math font.

TABLE 324: wasysym Astronomical Symbols

$\♁$	<code>\mercury</code>	$\♁$	<code>\earth</code>	$\♃$	<code>\jupiter</code>	$\♅$	<code>\uranus</code>	$\♇$	<code>\pluto</code>
$\♀$	<code>\venus</code>	$\♂$	<code>\mars</code>	$\♄$	<code>\saturn</code>	$\♆$	<code>\neptune</code>		
\odot	<code>\astrosun</code>	\bigcirc	<code>\fullmoon</code>	$\☾$	<code>\leftmoon</code>	\bullet	<code>\newmoon</code>	$\☽$	<code>\rightmoon</code>
$\♈$	<code>\aries</code>	$\♋$	<code>\cancer</code>	$\♎$	<code>\libra</code>	$\♏$	<code>\aquarius</code>		
$\♉$	<code>\taurus</code>	$\♌$	<code>\leo</code>	$\♍$	<code>\scorpio</code>	$\♐$	<code>\capricornus</code>		
$\♊$	<code>\gemini</code>	$\♍$	<code>\virgo</code>	$\♎$	<code>\sagittarius</code>	$\♑$	<code>\pisces</code>		
$\♁$	<code>\ascnode</code>	$\♂$	<code>\descnode</code>	$\♁$	<code>\conjunction</code>	$\♁$	<code>\opposition</code>	$\♈$	<code>\vernal</code>

TABLE 325: marvosym Astronomical Symbols

$\♁$	<code>\Mercury</code>	$\♁$	<code>\Earth</code>	$\♃$	<code>\Jupiter</code>	$\♅$	<code>\Uranus</code>	$\♇$	<code>\Pluto</code>
$\♀$	<code>\Venus</code>	$\♂$	<code>\Mars</code>	$\♄$	<code>\Saturn</code>	$\♆$	<code>\Neptune</code>		
$\☾$	<code>\Moon</code>	\odot	<code>\Sun</code>						
$\♈$	<code>\Aries</code>	$\♋$	<code>\Cancer</code>	$\♎$	<code>\Libra</code>	$\♏$	<code>\Capricorn</code>		
$\♉$	<code>\Taurus</code>	$\♌$	<code>\Leo</code>	$\♍$	<code>\Scorpio</code>	$\♐$	<code>\Aquarius</code>		
$\♊$	<code>\Gemini</code>	$\♍$	<code>\Virgo</code>	$\♎$	<code>\Sagittarius</code>	$\♑$	<code>\Pisces</code>		

Note that `\Aries... \Pisces` can also be specified with `\Zodiac{1}... \Zodiac{12}`.

TABLE 326: fontawesome Astronomical Symbols

♂	<code>\faMars</code>	☾	<code>\faMoon0</code>	♀	<code>\faVenus</code>
☿	<code>\faMercury</code>	☼	<code>\faSun0</code>		

TABLE 327: mathabx Astronomical Symbols

☿	<code>\Mercury</code>	♁	<code>\Earth</code>	♃	<code>\Jupiter</code>	♅	<code>\Uranus</code>	♇	<code>\Pluto</code>
♀	<code>\Venus</code>	♂	<code>\Mars</code>	♄	<code>\Saturn</code>	♆	<code>\Neptune</code>	♁	<code>\varEarth</code>
◯	<code>\fullmoon</code>	☾	<code>\leftmoon</code>	●	<code>\newmoon</code>	☽	<code>\rightmoon</code>	☼	<code>\Sun</code>
♈	<code>\Aries</code>	♉	<code>\Taurus</code>	♊	<code>\Gemini</code>				

`mathabx` also defines `\girl` as an alias for `\Venus`, `\boy` as an alias for `\Mars`, and `\Moon` as an alias for `\leftmoon`.

TABLE 328: stix Astronomical Symbols

☼	<code>\astrosun</code>	☾	<code>\leftmoon</code>	☽	<code>\rightmoon</code>	☼	<code>\sun</code>
---	------------------------	---	------------------------	---	-------------------------	---	-------------------

TABLE 329: starfont Astronomical Symbols

☿	\Mercury	♂	\Mars	♅	\Uranus	♁	\varTerra
♀	\Venus	♃	\Jupiter	♆	\Neptune	♁	\varUranus
♁	\Terra	♄	\Saturn	♇	\Pluto	♇	\varPluto
☉	\Sun	☾	\Moon	☾	\varMoon		
♄	\Cupido	♀	\Zeus	♃	\Apollon	♁	\Vulkanus
♁	\Hades	♁	\Kronos	♁	\Admetos	♁	\Poseidon
♁	\Lilith	♁	\NorthNode	♁	\SouthNode		
♁	\Amor	♁	\Eros	♁	\Juno	♁	\Sappho
♁	\Ceres	♁	\Hidalgo	♁	\Pallas	♁	\Vesta
♁	\Chiron	♁	\Hygiea	♁	\Psyche		
♁	\Fortune						
♈	\Aries	♌	\Leo	♐	\Sagittarius	♐	\varCapricorn
♉	\Taurus	♍	\Virgo	♑	\Capricorn		
♊	\Gemini	♎	\Libra	♒	\Aquarius		
♋	\Cancer	♏	\Scorpio	♓	\Pisces		
♌	\Conjunction	□	\Square	♌	\Semisextile		
♍	\Opposition	✕	\Sextile	♍	\Semisquare		
♎	\Trine	♎	\Quincunx	♎	\Sesquiquadrate		
A ^{asc}	\ASC	E ^p	\EastPoint	M ^c	\MC		
D ^{asc}	\DSC	I ^c	\IC	V ^x	\Vertex		
D ⁱ	\Direct	R _x	\Retrograde	S ⁱ	\Station		
♁	\Air	♁	\Earth	♁	\Fire	♁	\Water
N ^u	\Natal	★	\Pentagram	R ^{ad}	\Radix		

TABLE 330: wasysym APL Symbols

□	\APLbox	⊠	\APLin	*	\APLstar
⊠	\APLcomment	⊠	\APLleftarrowbox	△	\APLup
▽	\APLdown	⊠	\APLlog	⊠	\APLuparrowbox
⊠	\APLdownarrowbox	-	\APLminus	↖	\notbackslash
⊠	\APLinput	⊠	\APLrightarrowbox	↗	\notslash
a	\APLcirc{a}	⊠	\APLnot{a}	⊠	\APLvert{a}

TABLE 331: stix APL Symbols

⊠	\APLboxquestion	↖	\APLnotbackslash
⊠	\APLboxupcaret	↗	\APLnotslash

TABLE 332: apl APL Symbols

	\AB	∞	\DD	∇	\GD	†	\LK	∅	\PD	↑	\UA	<u>G</u>	\ZG	<u>Q</u>	\ZQ
α	\AM	⊥	\DE	≥	\GE	○	\LO	∩	\QQ	_	\US	<u>H</u>	\ZH	<u>B</u>	\ZR
\	\BL	∇	\DL	→	\GO	∩	\LU	}	\RB	U	\UU	<u>I</u>	\ZI	<u>S</u>	\ZS
□	\BX	◇	\DM	△	\GU	≠	\NE	†	\RK	±	\XQ	<u>J</u>	\ZJ	<u>T</u>	\ZT
\	\CB	⊞	\DQ	±	\IB	-	\NG	ρ	\RO	<u>A</u>	\ZA	<u>K</u>	\ZK	<u>U</u>	\ZU
∫	\CE	∩	\DU	~	\IO	★	\NN	c	\RU	<u>B</u>	\ZB	<u>L</u>	\ZL	<u>V</u>	\ZV
⊇	\CO	τ	\EN	{	\LB	∅	\NR	φ	\RV	<u>C</u>	\ZC	<u>M</u>	\ZM	<u>W</u>	\ZW
○	\CR	∈	\EP	Δ	\LD	~	\NT	◦	\SO	<u>D</u>	\ZD	<u>N</u>	\ZN	<u>X</u>	\ZX
/	\CS	⊥	\FL	≤	\LE	ω	\OM	SS	\SS	<u>E</u>	\ZE	<u>O</u>	\ZO	<u>Y</u>	\ZY
↓	\DA	∅	\FM	⊕	\LG	v	\OR	∅	\TR	<u>F</u>	\ZF	<u>P</u>	\ZP	<u>Z</u>	\ZZ

TABLE 333: marvosym Computer Hardware Symbols

































	\ComputerMouse		\ParallelPort		\SerialInterface
	\Keyboard		\Printer		\SerialPort

TABLE 334: keystroke Computer Keys

	\Alt		\Enter*		\PrtSc*
	\AltGr		\Esc*		\RArrow
	\Break*		\Home*		\Return
	\Bspace [†]		\Ins*		\Scroll*
	\Ctrl*		\LArrow		\Shift*
	\DArrow		\NumLock		\Spacebar
	\Del*		\PgDown*		\Tab [†]
	\End*		\PgUp*		\UArrow

* Changes based on the language option passed to the `keystroke` package. For example, the `german` option makes `\Del` produce “” instead of “”.

[†] These symbols utilize the `rotating` package and therefore display improperly in most DVI viewers.


The `\keystroke` command draws a key with an arbitrary label. For example, “`\keystroke{F7}`” produces “”.

TABLE 335: ascii Control Characters (CP437)

⊙	\SOH	■	\BS	*	\SI	-	\SYN	↔	\GS
●	\STX	○	\HT	▶	\DLE	‡	\ETB	▲	\RS
♥	\ETX	◼	\LF	◀	\DCa	↑	\CAN	-	\US
♦	\EOT	♂	\VT	‡	\DCb	↓	\EM		
♣	\ENQ	♀	\FF	!!	\DCc	→	\SUB		
♠	\ACK	⊙	\CR	‡	\DCd	←	\ESC		
•	\BEL	◦	\SO	§	\NAK	L	\FS		
△	\DEL	⋈	\NBSP	⋈	\NUL	‡	\splitvert		

Code Page 437 (CP437), which was first utilized by the original IBM PC, uses the symbols \SOH through \US to depict ASCII characters 1–31 and \DEL to depict ASCII character 127. The \NUL symbol, not part of CP437, represents ASCII character 0. \NBSP, also not part of CP437, represents a nonbreaking space. \splitvert is merely the “|” character drawn as it was on the IBM PC.

TABLE 336: logic Logic Gates
























	\ANDd		\BUFu		\NANDl		\ORd
	\ANDl		\BusWidth		\NANDr		\ORl
	\ANDr		\INVd		\NANDu		\ORr
	\ANDu		\INVl		\NORd		\ORu
	\BUFd		\INVr		\NORl		
	\BUF1		\INVu		\NORr		
	\BUFr		\NANDd		\NORu		

The logic package implements the digital logic-gate symbols specified by the U.S. Department of Defense’s MIL-STD-806 standard. Note that on CTAN, the package is *called* logic, but the package is *loaded* using `\usepackage{milstd}`. (There was already a—completely unrelated—milstd package on CTAN at the time of logic’s release.) Consequently, package details are listed under milstd in Table 547 and Table 548 on page 239.

TABLE 337: marvosym Communication Symbols

	\Email		\fax		\Faxmachine		\Lightning		\Pickup
	\EmailCT		\FAX		\Letter		\Mobilephone		\Telefon

TABLE 338: marvosym Engineering Symbols

	<code>\Beam</code>		<code>\Force</code>		<code>\Octosteel</code>		<code>\RoundedTTsteel</code>
	<code>\Bearing</code>		<code>\Hexasteel</code>		<code>\Rectpipe</code>		<code>\Squarepipe</code>
	<code>\Circpipe</code>		<code>\Lefttorque</code>		<code>\Rectsteel</code>		<code>\Squaresteel</code>
	<code>\Circsteel</code>		<code>\Line load</code>		<code>\Righttorque</code>		<code>\Tsteel</code>
	<code>\Fixedbearing</code>		<code>\Loosebearing</code>		<code>\RoundedLsteel*</code>		<code>\TTsteel</code>
	<code>\Flatsteel</code>		<code>\Lsteel</code>		<code>\RoundedTsteel*</code>		

* `\RoundedLsteel` and `\RoundedTsteel` seem to be swapped, at least in the 2000/05/01 version of marvosym.

TABLE 339: wasysym Biological Symbols



	<code>\female</code>		<code>\male</code>
---	----------------------	---	--------------------

TABLE 340: stix Biological Symbols





	<code>\female</code>		<code>\male</code>
	<code>\Hermaphrodite</code>		<code>\neuter</code>

TABLE 341: marvosym Biological Symbols























	<code>\FEMALE</code>		<code>\FemaleMale</code>		<code>\Male</code>		<code>\Neutral</code>
	<code>\Female</code>		<code>\Hermaphrodite</code>		<code>\MALE</code>		
	<code>\FemaleFemale</code>		<code>\HERMAPHRODITE</code>		<code>\MaleMale</code>		

TABLE 342: fontawesome Biological Symbols








































	<code>\faGenderless</code>		<code>\faMarsStrokeH</code>		<code>\faTransgenderAlt</code>
	<code>\faMars</code>		<code>\faMarsStrokeV</code>		<code>\faVenus</code>
	<code>\faMarsDouble</code>		<code>\faNeuter</code>		<code>\faVenusDouble</code>
	<code>\faMarsStroke</code>		<code>\faTransgender</code>		<code>\faVenusMars</code>

fontawesome defines `\faIntersex` as a synonym for `\faTransgender`

TABLE 343: marvosym Safety-related Symbols

	<code>\Biohazard</code>		<code>\CEsign</code>		<code>\Explosionsafe</code>		<code>\Radioactivity</code>
	<code>\BSEfree</code>		<code>\Estatically</code>		<code>\Laserbeam</code>		<code>\Stopsign</code>


























































TABLE 344: feyn Feynman Diagram Symbols

	<code>\bigbosonloop</code>		<code>\hfermion</code>		<code>\smallbosonloopV</code>		
	<code>\bigbosonloopA</code>		<code>\shfermion</code>		<code>\wfermion</code>		
	<code>\bigbosonloopV</code>		<code>\smallbosonloop</code>		<code>\whfermion</code>		
	<code>\gvcropped</code>		<code>\smallbosonloopA</code>				
	<code>\feyn{a}</code>		<code>\feyn{fu}</code>		<code>\feyn{glS}</code>		<code>\feyn{hs}</code>
	<code>\feyn{c}</code>		<code>\feyn{fv}</code>		<code>\feyn{glu}</code>		<code>\feyn{hu}</code>
	<code>\feyn{f}</code>		<code>\feyn{g}</code>		<code>\feyn{gu}</code>		<code>\feyn{m}</code>
	<code>\feyn{fd}</code>		<code>\feyn{g1}</code>		<code>\feyn{gv}</code>		<code>\feyn{ms}</code>
	<code>\feyn{fl}</code>		<code>\feyn{gd}</code>		<code>\feyn{gvs}</code>		<code>\feyn{p}</code>
	<code>\feyn{flS}</code>		<code>\feyn{gl}</code>		<code>\feyn{h}</code>		<code>\feyn{P}</code>
	<code>\feyn{fs}</code>		<code>\feyn{glB}</code>		<code>\feyn{hd}</code>		<code>\feyn{x}</code>

All other arguments to the `\feyn` command produce a “?” symbol.

The `feyn` package provides various commands for composing the preceding symbols into complete Feynman diagrams. See the `feyn` documentation for examples and additional information.

TABLE 345: svrsymbols Physics Ideograms

	<code>\adsorbate</code>		<code>\experimentalsym</code>		<code>\protein</code>
	<code>\adsorbent</code>		<code>\externalsym</code>		<code>\proton</code>
	<code>\antimuon</code>		<code>\fermiDistrib</code>		<code>\quadrupole</code>
	<code>\antineutrino</code>		<code>\fermion</code>		<code>\quark</code>
	<code>\antineutron</code>		<code>\Gluon</code>		<code>\quarkb</code>
	<code>\antiproton</code>		<code>\graphene</code>		<code>\quarkc</code>
	<code>\antiquark</code>		<code>\graviton</code>		<code>\quarkd</code>
	<code>\antiquarkb</code>		<code>\hbond</code>		<code>\quarks</code>
	<code>\antiquarkc</code>		<code>\Higgsboson</code>		<code>\quarkt</code>
	<code>\antiquarkd</code>		<code>\hole</code>		<code>\quarku</code>
	<code>\antiquarks</code>		<code>\interaction</code>		<code>\reference</code>
	<code>\antiquarkt</code>		<code>\internalsym</code>		<code>\resistivity</code>
	<code>\antiquarku</code>		<code>\ion</code>		<code>\rhomesonminus</code>
	<code>\anyon</code>		<code>\ionicbond</code>		<code>\rhomesonnull</code>
	<code>\assumption</code>		<code>\Jpsimeson</code>		<code>\rhomesonplus</code>
	<code>\atom</code>		<code>\Kaonminus</code>		<code>\solid</code>
	<code>\bigassumption</code>		<code>\Kaonnull</code>		<code>\spin</code>
	<code>\Bigassumption</code>		<code>\Kaonplus</code>		<code>\spindown</code>
	<code>\biggassumption</code>		<code>\magnon</code>		<code>\spinup</code>

(continued on next page)

(continued from previous page)

B^-	<code>\Bmesonminus</code>	\mathcal{M}	<code>\maxwellDistrib</code>	Φ	<code>\surface</code>
B^0	<code>\Bmesonnull</code>	\mathcal{M}	<code>\metalbond</code>	\mathbb{W}	<code>\svrexample</code>
B^+	<code>\Bmesonplus</code>	\mathcal{M}	<code>\method</code>	f	<code>\svrphoton</code>
—	<code>\bond</code>	μ^-	<code>\muon</code>	t	<code>\tachyon</code>
\mathcal{B}	<code>\boseDistrib</code>	ν	<code>\neutrino</code>	τ^-	<code>\tauleptonminus</code>
\mathcal{B}	<code>\boson</code>	n^0	<code>\neutron</code>	τ^+	<code>\tauleptonplus</code>
\otimes	<code>\conductivity</code>	•••	<code>\nucleus</code>	T^-	<code>\Tmesonminus</code>
\ominus	<code>\covbond</code>	\curvearrowright	<code>\orbit</code>	T^0	<code>\Tmesonnull</code>
d	<code>\dipole</code>	ϕ	<code>\phimeson</code>	T^+	<code>\Tmesonplus</code>
D^-	<code>\Dmesonminus</code>	ϕ^0	<code>\phimesonnull</code>	⊖	<code>\triplecovbond</code>
D^0	<code>\Dmesonnull</code>	f	<code>\phonon</code>	Y	<code>\Upsilonmeson</code>
D^+	<code>\Dmesonplus</code>	π^-	<code>\pionminus</code>	f	<code>\varphoton</code>
⊖	<code>\doublecovbond</code>	π^0	<code>\pionnull</code>	•	<code>\water</code>
e^-	<code>\electron</code>	π^+	<code>\pionplus</code>	W	<code>\Wboson</code>
\mathbb{E}	<code>\errorsym</code>	~e~	<code>\plasmon</code>	W^-	<code>\Wbosonminus</code>
η	<code>\etameson</code>	⊗	<code>\polariton</code>	W^+	<code>\Wbosonplus</code>
η'	<code>\etamesonprime</code>	~f~	<code>\polaron</code>	Z	<code>\Zboson</code>
$\text{~}h^+$	<code>\exciton</code>	e^+	<code>\positron</code>		

5 Dingbats

Dingbats are symbols such as stars, arrows, and geometric shapes. They are commonly used as bullets in itemized lists or, more generally, as a means to draw attention to the text that follows.

The `pifont` dingbat package warrants special mention. Among other capabilities, `pifont` provides a \LaTeX interface to the Zapf Dingbats font (one of the standard 35 PostScript fonts). However, rather than name each of the dingbats individually, `pifont` merely provides a single `\ding` command, which outputs the character that lies at a given position in the font. The consequence is that the `pifont` symbols can't be listed by name in this document's index, so be mindful of that fact when searching for a particular symbol.

TABLE 346: `bbding` Arrows






	<code>\ArrowBoldDownRight</code>		<code>\ArrowBoldRightShort</code>		<code>\ArrowBoldUpRight</code>
	<code>\ArrowBoldRightCircled</code>		<code>\ArrowBoldRightStrobe</code>		

TABLE 347: `pifont` Arrows































































































	<code>\ding{212}</code>		<code>\ding{221}</code>		<code>\ding{230}</code>		<code>\ding{239}</code>		<code>\ding{249}</code>
	<code>\ding{213}</code>		<code>\ding{222}</code>		<code>\ding{231}</code>		<code>\ding{241}</code>		<code>\ding{250}</code>
	<code>\ding{214}</code>		<code>\ding{223}</code>		<code>\ding{232}</code>		<code>\ding{242}</code>		<code>\ding{251}</code>
	<code>\ding{215}</code>		<code>\ding{224}</code>		<code>\ding{233}</code>		<code>\ding{243}</code>		<code>\ding{252}</code>
	<code>\ding{216}</code>		<code>\ding{225}</code>		<code>\ding{234}</code>		<code>\ding{244}</code>		<code>\ding{253}</code>
	<code>\ding{217}</code>		<code>\ding{226}</code>		<code>\ding{235}</code>		<code>\ding{245}</code>		<code>\ding{254}</code>
	<code>\ding{218}</code>		<code>\ding{227}</code>		<code>\ding{236}</code>		<code>\ding{246}</code>		
	<code>\ding{219}</code>		<code>\ding{228}</code>		<code>\ding{237}</code>		<code>\ding{247}</code>		
	<code>\ding{220}</code>		<code>\ding{229}</code>		<code>\ding{238}</code>		<code>\ding{248}</code>		

TABLE 348: `adfsymbols` Arrows

	<code>\adfarrowe1</code>		<code>\adfarrowe1</code>		<code>\adfarrows1</code>		<code>\adfarrowsw1</code>
	<code>\adfarrowe2</code>		<code>\adfarrowe2</code>		<code>\adfarrows2</code>		<code>\adfarrowsw2</code>
	<code>\adfarrowe3</code>		<code>\adfarrowe3</code>		<code>\adfarrows3</code>		<code>\adfarrowsw3</code>
	<code>\adfarrowe4</code>		<code>\adfarrowe4</code>		<code>\adfarrows4</code>		<code>\adfarrowsw4</code>
	<code>\adfarrowe5</code>		<code>\adfarrowe5</code>		<code>\adfarrows5</code>		<code>\adfarrowsw5</code>
	<code>\adfarrowe6</code>		<code>\adfarrowe6</code>		<code>\adfarrows6</code>		<code>\adfarrowsw6</code>
	<code>\adfarrown1</code>		<code>\adfarrownw1</code>		<code>\adfarrowse1</code>		<code>\adfarrownw1</code>
	<code>\adfarrown2</code>		<code>\adfarrownw2</code>		<code>\adfarrowse2</code>		<code>\adfarrownw2</code>
	<code>\adfarrown3</code>		<code>\adfarrownw3</code>		<code>\adfarrowse3</code>		<code>\adfarrownw3</code>
	<code>\adfarrown4</code>		<code>\adfarrownw4</code>		<code>\adfarrowse4</code>		<code>\adfarrownw4</code>
	<code>\adfarrown5</code>		<code>\adfarrownw5</code>		<code>\adfarrowse5</code>		<code>\adfarrownw5</code>
	<code>\adfarrown6</code>		<code>\adfarrownw6</code>		<code>\adfarrowse6</code>		<code>\adfarrownw6</code>
		<code>\adhalfarrowleft</code>			<code>\adhalfarrowright</code>		
		<code>\adhalfarrowleftsolid</code>			<code>\adhalfarrowrightsolid</code>		

Technically, the digit at the end of each `\adfarrow` $\langle dir \rangle \langle digit \rangle$ command is a macro argument, not part of the command name.

The preceding symbols can also be produced by passing a number or a style/direction pair to the `\adfarrow` command. For example, both `\adfarrow{19}` and `\adfarrow[comic]{east}` produce \blacktriangleright . See the `adfsymbols` documentation for more information.

TABLE 349: adorn Arrows

↵	<code>\adfhalfleftarrow</code>	➤	<code>\adfhalfrightarrowhead</code>
↵	<code>\adfhalfleftarrowhead</code>	↵	<code>\adleftarrowhead</code>
➤	<code>\adhalfrightarrow</code>	➤	<code>\adrightarrowhead</code>

TABLE 350: arev Arrows

➤	<code>\arrowbullet</code>
---	---------------------------

TABLE 351: fontawesome Arrows

⬇	<code>\faArrowCircleDown</code>	⬇	<code>\faArrowDown</code>	⬇	<code>\faLongArrowDown</code>
⬅	<code>\faArrowCircleLeft</code>	⬅	<code>\faArrowLeft</code>	⬅	<code>\faLongArrowLeft</code>
⬇	<code>\faArrowCircleODown</code>	➡	<code>\faArrowRight</code>	➡	<code>\faLongArrowRight</code>
⬅	<code>\faArrowCircleOLeft</code>	↔	<code>\faArrows</code>	⬆	<code>\faLongArrowUp</code>
➡	<code>\faArrowCircleORight</code>	⌘	<code>\faArrowsAlt</code>	↻	<code>\faRepeat</code>
⬆	<code>\faArrowCircleOUp</code>	↔	<code>\faArrowsH</code>	↺	<code>\faUndo</code>
➡	<code>\faArrowCircleRight</code>	⬆	<code>\faArrowsV</code>		
⬆	<code>\faArrowCircleUp</code>	⬆	<code>\faArrowUp</code>		

fontawesome defines `\faRotateLeft` as a synonym for `\faUndo` and `\faRotateRight` as a synonym for `\faRepeat`.

TABLE 352: fontawesome Chevrons

⬇	<code>\faChevronCircleDown</code>	⬆	<code>\faChevronCircleUp</code>	➤	<code>\faChevronRight</code>
⬅	<code>\faChevronCircleLeft</code>	⬇	<code>\faChevronDown</code>	⬆	<code>\faChevronUp</code>
⬆	<code>\faChevronCircleRight</code>	⬅	<code>\faChevronLeft</code>		

TABLE 353: marvosym Scissors

✂	<code>\CutLeft</code>	---	<code>\CuttingLine</code>	✂	<code>\RightScissors</code>
✂	<code>\CutRight</code>	✂	<code>\LeftScissors</code>		

TABLE 354: bbding Scissors

✂	<code>\ScissorHollowLeft</code>	✂	<code>\ScissorLeftBrokenTop</code>
✂	<code>\ScissorHollowRight</code>	✂	<code>\ScissorRight</code>
✂	<code>\ScissorLeft</code>	✂	<code>\ScissorRightBrokenBottom</code>
✂	<code>\ScissorLeftBrokenBottom</code>	✂	<code>\ScissorRightBrokenTop</code>

TABLE 355: pifont Scissors

✂	<code>\ding{33}</code>	✂	<code>\ding{34}</code>	✂	<code>\ding{35}</code>	✂	<code>\ding{36}</code>
---	------------------------	---	------------------------	---	------------------------	---	------------------------

TABLE 356: dingbat Pencils



 `\largepencil`  `\smallpencil`

TABLE 357: arev Pencils


 `\pencil`

TABLE 358: fontawesome Pencils




 `\faPencil`  `\faPencilSquare`  `\faPencilSquareO`

TABLE 359: bbding Pencils and Nibs











	<code>\NibLeft</code>		<code>\PencilLeft</code>		<code>\PencilRightDown</code>
	<code>\NibRight</code>		<code>\PencilLeftDown</code>		<code>\PencilRightUp</code>
	<code>\NibSolidLeft</code>		<code>\PencilLeftUp</code>		
	<code>\NibSolidRight</code>		<code>\PencilRight</code>		

TABLE 360: pifont Pencils and Nibs






 `\ding{46}`  `\ding{47}`  `\ding{48}`  `\ding{49}`  `\ding{50}`

TABLE 361: dingbat Fists








	<code>\leftpointright</code>		<code>\rightpointleft</code>		<code>\rightpointright</code>
	<code>\leftthumbsdown</code>		<code>\rightthumbsdown</code>		
	<code>\leftthumbsup</code>		<code>\rightthumbsup</code>		

TABLE 362: bbding Fists










	<code>\HandCuffLeft</code>		<code>\HandCuffRightUp</code>		<code>\HandPencilLeft</code>
	<code>\HandCuffLeftUp</code>		<code>\HandLeft</code>		<code>\HandRight</code>
	<code>\HandCuffRight</code>		<code>\HandLeftUp</code>		<code>\HandRightUp</code>

TABLE 363: pifont Fists





 `\ding{42}`  `\ding{43}`  `\ding{44}`  `\ding{45}`

TABLE 364: fourier Fists

 `\lefthand`  `\righthand`

TABLE 365: arev Fists

















 `\pointright`

TABLE 366: fontawesome Fists

	<code>\faHandLizard0</code>		<code>\faHandPaper0</code>		<code>\faHandSpock0</code>
	<code>\faHand0Down</code>		<code>\faHandPeace0</code>		<code>\faThumbsDown</code>
	<code>\faHand0Left</code>		<code>\faHandPointer0</code>		<code>\faThumbs0Down</code>
	<code>\faHand0Right</code>		<code>\faHandRock0</code>		<code>\faThumbs0Up</code>
	<code>\faHand0Up</code>		<code>\faHandScissors0</code>		<code>\faThumbsUp</code>

fontawesome defines `\faHandGrab0` as a synonym for `\faHandRock0` and `\faHandStop0` as a synonym for `\faHandPaper0`.

TABLE 367: bbding Crosses and Plusses











	<code>\Cross</code>		<code>\CrossOpenShadow</code>		<code>\PlusOutline</code>
	<code>\CrossBoldOutline</code>		<code>\CrossOutline</code>		<code>\PlusThinCenterOpen</code>
	<code>\CrossCloverTips</code>		<code>\Plus</code>		
	<code>\CrossMaltese</code>		<code>\PlusCenterOpen</code>		

TABLE 368: pifont Crosses and Plusses









	<code>\ding{57}</code>		<code>\ding{59}</code>		<code>\ding{61}</code>		<code>\ding{63}</code>
	<code>\ding{58}</code>		<code>\ding{60}</code>		<code>\ding{62}</code>		<code>\ding{64}</code>

TABLE 369: adfsymbols Crosses and Plusses

	<code>\adfbullet{4}</code>		<code>\adfbullet{6}</code>		<code>\adfbullet{8}</code>		<code>\adfbullet{10}</code>
	<code>\adfbullet{5}</code>		<code>\adfbullet{7}</code>		<code>\adfbullet{9}</code>		

TABLE 370: arev Crosses

 `\eastcross`  `\westcross`

TABLE 371: bbding Xs and Check Marks






	<code>\Checkmark</code>		<code>\XSolid</code>		<code>\XSolidBrush</code>
	<code>\CheckmarkBold</code>		<code>\XSolidBold</code>		

TABLE 372: pifont Xs and Check Marks

✓	<code>\ding{51}</code>	×	<code>\ding{53}</code>	✗	<code>\ding{55}</code>
✓	<code>\ding{52}</code>	✖	<code>\ding{54}</code>	✗	<code>\ding{56}</code>

TABLE 373: wasysym Xs and Check Marks

☑	<code>\CheckedBox</code>	□	<code>\Square</code>	☒	<code>\XBox</code>
---	--------------------------	---	----------------------	---	--------------------

TABLE 374: marvosym Xs and Check Marks

☑	<code>\Checkedbox</code>	☒	<code>\CrossedBox*</code>	□	<code>\HollowBox</code>
---	--------------------------	---	---------------------------	---	-------------------------

* marvosym defines `\Crossedbox` as a synonym for `\CrossedBox`.

TABLE 375: arev Xs and Check Marks

✓	<code>\ballotcheck</code>	✗	<code>\ballotx</code>
---	---------------------------	---	-----------------------

TABLE 376: fontawesome Xs and Check Marks

✓	<code>\faCheck</code>	☑	<code>\faCheckSquare</code>	⊗	<code>\faTimesCircle</code>
⊗	<code>\faCheckCircle</code>	☑	<code>\faCheckSquare0</code>	⊗	<code>\faTimesCircle0</code>
⊗	<code>\faCheckCircle0</code>	✗	<code>\faTimes*</code>		

* fontawesome defines both `\faClose` and `\faRemove` as synonyms for `\faTimes`.

TABLE 377: pifont Circled Numerals

①	<code>\ding{172}</code>	❶	<code>\ding{182}</code>	①	<code>\ding{192}</code>	❶	<code>\ding{202}</code>
②	<code>\ding{173}</code>	❷	<code>\ding{183}</code>	②	<code>\ding{193}</code>	❷	<code>\ding{203}</code>
③	<code>\ding{174}</code>	❸	<code>\ding{184}</code>	③	<code>\ding{194}</code>	❸	<code>\ding{204}</code>
④	<code>\ding{175}</code>	❹	<code>\ding{185}</code>	④	<code>\ding{195}</code>	❹	<code>\ding{205}</code>
⑤	<code>\ding{176}</code>	❺	<code>\ding{186}</code>	⑤	<code>\ding{196}</code>	❺	<code>\ding{206}</code>
⑥	<code>\ding{177}</code>	❻	<code>\ding{187}</code>	⑥	<code>\ding{197}</code>	❻	<code>\ding{207}</code>
⑦	<code>\ding{178}</code>	❼	<code>\ding{188}</code>	⑦	<code>\ding{198}</code>	❼	<code>\ding{208}</code>
⑧	<code>\ding{179}</code>	❽	<code>\ding{189}</code>	⑧	<code>\ding{199}</code>	❽	<code>\ding{209}</code>
⑨	<code>\ding{180}</code>	❾	<code>\ding{190}</code>	⑨	<code>\ding{200}</code>	❾	<code>\ding{210}</code>
⑩	<code>\ding{181}</code>	❿	<code>\ding{191}</code>	⑩	<code>\ding{201}</code>	❿	<code>\ding{211}</code>

pifont (part of the `psnfss` package) provides a `dingautolist` environment which resembles `enumerate` but uses circled numbers as bullets.⁴ See the `psnfss` documentation for more information.

⁴In fact, `dingautolist` can use any set of consecutive Zapf Dingbats symbols.

TABLE 378: wasysym Stars

⊠ `\davidstar` * `\hexstar` * `\varhexstar`

TABLE 379: bbding Stars, Flowers, and Similar Shapes

	<code>\Asterisk</code>		<code>\FiveFlowerPetal</code>		<code>\JackStar</code>
	<code>\AsteriskBold</code>		<code>\FiveStar</code>		<code>\JackStarBold</code>
	<code>\AsteriskCenterOpen</code>		<code>\FiveStarCenterOpen</code>		<code>\SixFlowerAlternate</code>
	<code>\AsteriskRoundedEnds</code>		<code>\FiveStarConvex</code>		<code>\SixFlowerAltPetal</code>
	<code>\AsteriskThin</code>		<code>\FiveStarLines</code>		<code>\SixFlowerOpenCenter</code>
	<code>\AsteriskThinCenterOpen</code>		<code>\FiveStarOpen</code>		<code>\SixFlowerPetalDotted</code>
	<code>\DavidStar</code>		<code>\FiveStarOpenCircled</code>		<code>\SixFlowerPetalRemoved</code>
	<code>\DavidStarSolid</code>		<code>\FiveStarOpenDotted</code>		<code>\SixFlowerRemovedOpenPetal</code>
	<code>\EightAsterisk</code>		<code>\FiveStarOutline</code>		<code>\SixStar</code>
	<code>\EightFlowerPetal</code>		<code>\FiveStarOutlineHeavy</code>		<code>\SixteenStarLight</code>
	<code>\EightFlowerPetalRemoved</code>		<code>\FiveStarShadow</code>		<code>\Snowflake</code>
	<code>\EightStar</code>		<code>\FourAsterisk</code>		<code>\SnowflakeChevron</code>
	<code>\EightStarBold</code>		<code>\FourCloverOpen</code>		<code>\SnowflakeChevronBold</code>
	<code>\EightStarConvex</code>		<code>\FourCloverSolid</code>		<code>\Sparkle</code>
	<code>\EightStarTaper</code>		<code>\FourStar</code>		<code>\SparkleBold</code>
	<code>\FiveFlowerOpen</code>		<code>\FourStarOpen</code>		<code>\TwelveStar</code>

TABLE 380: pifont Stars, Flowers, and Similar Shapes

	<code>\ding{65}</code>		<code>\ding{74}</code>		<code>\ding{83}</code>		<code>\ding{92}</code>		<code>\ding{101}</code>
	<code>\ding{66}</code>		<code>\ding{75}</code>		<code>\ding{84}</code>		<code>\ding{93}</code>		<code>\ding{102}</code>
	<code>\ding{67}</code>		<code>\ding{76}</code>		<code>\ding{85}</code>		<code>\ding{94}</code>		<code>\ding{103}</code>
	<code>\ding{68}</code>		<code>\ding{77}</code>		<code>\ding{86}</code>		<code>\ding{95}</code>		<code>\ding{104}</code>
	<code>\ding{69}</code>		<code>\ding{78}</code>		<code>\ding{87}</code>		<code>\ding{96}</code>		<code>\ding{105}</code>
	<code>\ding{70}</code>		<code>\ding{79}</code>		<code>\ding{88}</code>		<code>\ding{97}</code>		<code>\ding{106}</code>
	<code>\ding{71}</code>		<code>\ding{80}</code>		<code>\ding{89}</code>		<code>\ding{98}</code>		<code>\ding{107}</code>
	<code>\ding{72}</code>		<code>\ding{81}</code>		<code>\ding{90}</code>		<code>\ding{99}</code>		
	<code>\ding{73}</code>		<code>\ding{82}</code>		<code>\ding{91}</code>		<code>\ding{100}</code>		

TABLE 381: adfsymbols Stars, Flowers, and Similar Shapes

	<code>\adfbullet{1}</code>		<code>\adfbullet{13}</code>		<code>\adfbullet{18}</code>		<code>\adfbullet{23}</code>
	<code>\adfbullet{2}</code>		<code>\adfbullet{14}</code>		<code>\adfbullet{19}</code>		<code>\adfbullet{24}</code>
	<code>\adfbullet{3}</code>		<code>\adfbullet{15}</code>		<code>\adfbullet{20}</code>		<code>\adfbullet{25}</code>
	<code>\adfbullet{11}</code>		<code>\adfbullet{16}</code>		<code>\adfbullet{21}</code>		<code>\adfbullet{26}</code>
	<code>\adfbullet{12}</code>		<code>\adfbullet{17}</code>		<code>\adfbullet{22}</code>		

TABLE 382: adorn Stars

	<code>\adfast{1}</code>		<code>\adfast{3}</code>		<code>\adfast{5}</code>		<code>\adfast{7}</code>		<code>\adfast{9}</code>
	<code>\adfast{2}</code>		<code>\adfast{4}</code>		<code>\adfast{6}</code>		<code>\adfast{8}</code>		<code>\adfast{10}</code>

TABLE 383: fontawesome Stars

★ `\faStar` ☆ `\faStarHalf` ☆ `\faStarHalf0` ☆ `\faStar0`

fontawesome defines both `\faStarHalfEmpty` and `\faStarHalfFull` as synonyms for `\faStarHalf0`.

TABLE 384: fourier Fleurons and Flowers

🌀	<code>\aldine</code>	✿	<code>\decoone</code>	🌸	<code>\floweroneright</code>
🌀	<code>\aldineleft</code>	✧	<code>\decosix</code>	🍃	<code>\leafleft</code>
🌀	<code>\aldineright</code>	🌀	<code>\decothreeleft</code>	🍃	<code>\leafNE</code>
🌀	<code>\aldinesmall</code>	🌀	<code>\decothreeright</code>	🍃	<code>\leafright</code>
🌀	<code>\decofourleft</code>	🌀	<code>\decotwo</code>	✦	<code>\starredbullet</code>
🌀	<code>\decofourright</code>	🌸	<code>\floweroneleft</code>		

TABLE 385: adorn Fleurons and Flowers

🍃	<code>\adfdownhalfleafleft</code>	🍃	<code>\adfdownhalfleafright</code>
🍃	<code>\adfdownleafleft</code>	🍃	<code>\adfdownleafright</code>
🍃	<code>\adfflatdownhalfleafleft</code>	🍃	<code>\adfflatdownhalfleafright</code>
🍃	<code>\adfflatdownoutlineleafleft</code>	🍃	<code>\adfflatdownoutlineleafright</code>
🍃	<code>\adfflatleafleft</code>	🍃	<code>\adfflatleafright</code>
🍃	<code>\adfflatleafoutlineleft</code>	🍃	<code>\adfflatleafoutlineright</code>
🍃	<code>\adfflatleafsolidleft</code>	🍃	<code>\adfflatleafsolidright</code>
🍃	<code>\adfflowerleft</code>	🍃	<code>\adfflowerright</code>
🍃	<code>\adfhalfleafleft</code>	🍃	<code>\adfhalfleafright</code>
🍃	<code>\adfhangingleafleft</code>	🍃	<code>\adfhangingleafright</code>
🍃	<code>\adfleafleft</code>	🍃	<code>\adfleafright</code>
🍃	<code>\adfoutlineleafleft</code>	🍃	<code>\adfoutlineleafright</code>
🍃	<code>\adfsmallhangingleafleft</code>	🍃	<code>\adfsmallhangingleafright</code>
🍃	<code>\adfsmallleafleft</code>	🍃	<code>\adfsmallleafright</code>
🍃	<code>\adfsolidleafleft</code>	🍃	<code>\adfsolidleafright</code>

TABLE 386: wasysym Geometric Shapes

○	<code>\Circle</code>	◐	<code>\LEFTcircle</code>	◑	<code>\octagon</code>	◑	<code>\RIGHTcircle</code>
●	<code>\CIRCLE</code>	◓	<code>\LEFTCIRCLE</code>	◔	<code>\pentagon</code>	◓	<code>\RIGHTCIRCLE</code>
◕	<code>\hexagon</code>	◑	<code>\Leftcircle</code>	◑	<code>\Rightcircle</code>	◕	<code>\varhexagon</code>

TABLE 387: MnSymbol Geometric Shapes

★	<code>\filledlargestar</code>	◇	<code>\largelozenge</code>	◇	<code>\medlozenge</code>
◆	<code>\filledlozenge</code>	☆	<code>\largepentagram</code>	☆	<code>\medstarofdavid</code>
◆	<code>\filledmedlozenge</code>	□	<code>\largesquare</code>	◇	<code>\smalllozenge</code>
○	<code>\largecircle</code>	☆	<code>\largestar</code>		
◇	<code>\largediamond</code>	☆	<code>\largestarofdavid</code>		

MnSymbol defines `\bigcirc` as a synonym for `\largecircle`; `\bigstar` as a synonym for `\filledlargestar`; `\lozenge` as a synonym for `\medlozenge`; and, `\blacklozenge` as a synonym for `\filledmedlozenge`.

TABLE 388: fdsymbol Geometric Shapes

●	<code>\largeblackcircle</code>	▽	<code>\largetriangledown</code>	◇	<code>\medlozenge</code>
■	<code>\largeblacksquare</code>	△	<code>\largetriangleup</code>	◆	<code>\smallblacklozenge</code>
★	<code>\largeblackstar</code>	☆	<code>\largewhitestar</code>	◇	<code>\smalllozenge</code>
○	<code>\largecircle</code>	◊	<code>\lozengeminus</code>	☆	<code>\starofdavid</code>
□	<code>\largsquare</code>	◆	<code>\medblacklozenge</code>		

fdsymbol defines synonyms for almost all of the preceding symbols:

○	<code>\bigcirc</code>	■	<code>\lgblksquare</code>	◇	<code>\mdlgwhtlozenge</code>
★	<code>\bigstar</code>	○	<code>\lgwhtcircle</code>	◇	<code>\mdwhtlozenge</code>
▽	<code>\bigtriangledown</code>	□	<code>\lgwhtsquare</code>	◆	<code>\smbklozenge</code>
△	<code>\bigtriangleup</code>	◇	<code>\lozenge</code>	◇	<code>\smwhtlozenge</code>
◆	<code>\blacklozenge</code>	◆	<code>\mdbklozenge</code>		
●	<code>\lgblkcircle</code>	◆	<code>\mdlgbklozenge</code>		

TABLE 389: boisik Geometric Shapes

★	<code>\bigstar</code>	◇	<code>\diamond</code>	▽	<code>\triangledown</code>
◆	<code>\blacklozenge</code>	◇	<code>\lozenge</code>	◁	<code>\triangleleft</code>
■	<code>\blacksquare</code>	◇	<code>\lozengedot</code>	▷	<code>\triangleright</code>
▲	<code>\blacktriangle</code>	□	<code>\square</code>	◁	<code>\varlrrtriangle</code>
▼	<code>\blacktriangledown</code>	*	<code>\star</code>		

TABLE 390: stix Geometric Shapes

↻	<code>\acwopencirclearrow</code>	▽	<code>\downtriangleleftblack</code>	◁	<code>\smalltriangleleft</code>
↶	<code>\barovernorthwestarrow</code>	▽	<code>\downtrianglerightblack</code>	▷	<code>\smalltriangleright</code>
⊕	<code>\benzenr</code>	○	<code>\enclosecircle</code>	◆	<code>\smbkldiamond</code>
▼	<code>\bigblacktriangledown</code>	◇	<code>\enclosediamond</code>	◆	<code>\smbklozenge</code>
▲	<code>\bigblacktriangleup</code>	□	<code>\enclosesquare</code>	■	<code>\smbklsquare</code>
★	<code>\bigstar</code>	△	<code>\enclosetriangle</code>	☆	<code>\smwhitestar</code>
▽	<code>\bigtriangledown</code>	●	<code>\errbarblackcircle</code>	○	<code>\smwhtcircle</code>
◁	<code>\bigtriangleleft</code>	◆	<code>\errbarblackdiamond</code>	◇	<code>\smwhtdiamond</code>
△	<code>\bigtriangleup</code>	■	<code>\errbarblacksquare</code>	◇	<code>\smwhtlozenge</code>
☆	<code>\bigwhitestar</code>	○	<code>\errbarcircle</code>	□	<code>\smwhtsquare</code>
●	<code>\blackcircledownarrow</code>	◇	<code>\errbardiamond</code>	◻	<code>\sqlozenge</code>
●	<code>\blackcircledrightdot</code>	◻	<code>\errbarsquare</code>	◼	<code>\squarebotblack</code>
⊙	<code>\blackcircledtwodots</code>	●	<code>\fisheye</code>	▣	<code>\squarecrossfill</code>
◐	<code>\blackcircleulquadwhite</code>	▱	<code>\fltns</code>	▩	<code>\squarehfill</code>
◆	<code>\blackdiamonddownarrow</code>	⬡	<code>\hexagon</code>	▩	<code>\squarehvfill</code>
◇	<code>\blackinwhitediamond</code>	⬛	<code>\hexagonblack</code>	◼	<code>\squareleftblack</code>
◼	<code>\blackinwhitesquare</code>	⬜	<code>\house</code>	◼	<code>\squarellblack</code>
◐	<code>\blacklefthalfcircle</code>	▭	<code>\hrectangle</code>	◼	<code>\squarellquad</code>
◆	<code>\blacklozenge</code>	▬	<code>\hrectangleblack</code>	◼	<code>\squarelrblack</code>
◀	<code>\blackpointerleft</code>	⊙	<code>\inversewhitecircle</code>	◼	<code>\squarelrquad</code>
▶	<code>\blackpointerright</code>	◐	<code>\invwhitelowerhalfcircle</code>	▨	<code>\squareneswfill</code>
◑	<code>\blackrighthalfcircle</code>	◑	<code>\invwhiteupperhalfcircle</code>	▩	<code>\squarenwsefill</code>

(continued on next page)

(continued from previous page)

▲	\blacktriangle	●	\lgblkcircle	◻	\squaresrightblack
▼	\blacktriangledown	■	\lgblksquare	◼	\squaretopblack
◀	\blacktriangleleft	○	\lgwhtcircle	◻	\squareulblack
▶	\blacktriangleright	◻	\lgwhtsquare	◻	\squareulquad
●	\blkhorzoval	◼	\llblacktriangle	◻	\squareurblack
●	\blkvertoval	◻	\lltriangle	◻	\squareurquad
⊂	\botsemicircle	◼	\lrblacktriangle	▨	\squarevfill
▣	\boxonbox	◻	\lrtriangle	○	\squoval
◎	\bullseye	●	\mdblkcircle	⤿	\topsemicircle
◦	\circ	◆	\mdblkdiamond	◻	\trapezium
◐	\circlebottomhalfblack	◆	\mdblklozenge	△	\trianglecdot
◑	\circledbullet	■	\mdblksquare	▽	\triangledown
◒	\circledownarrow	●	\mdlgbkcircle	◼	\triangleleftblack
◓	\circledrightdot	◆	\mdlgbkdiamond	△	\triangleodot
☆	\circledstar	■	\mdlgbklsquare	◼	\trianglerightblack
⊙	\circledtwodots	◇	\mdlgwhtdiamond	△	\triangles
◉	\circledwhitebullet	◇	\mdlgwhtlozenge	△	\triangleubar
◌	\circlelefthalfblack	◻	\mdlgwhtsquare	◼	\ulblacktriangle
⊕	\circlellquad	●	\mdsmbkcircle	◻	\ultriangle
⊖	\circlelrquad	■	\mdsmbklsquare	⤿	\uparrowoncircle
◐	\cirlerrighthalfblack	◦	\mdsmwhtcircle	◼	\urblacktriangle
◑	\cirlertophalfblack	◻	\mdsmwhtsquare	◻	\urtriangle
⊕	\circleulquad	○	\mdwhtcircle	⬡	\varhexagon
⊖	\circleurquad	◇	\mdwhtdiamond	⬛	\varhexagonblack
◐	\circleurquadblack	◇	\mdwhtlozenge	⬢	\varhexagonlronds
◐	\circlevertfill	◻	\mdwhtsquare	◻	\varlrtriangle
○	\cirE	★	\medblackstar	★	\varstar
◌	\cirscir	☆	\medwhitestar	◻	\vrectangle
↻	\cwopencirclearrow	▭	\parallelogram	◼	\vrectangleblack
◼	\diamondbotblack	▨	\parallelogramblack	▪	\vysmbklsquare
◊	\diamondcdot	◻	\pentagon	◦	\vysmwhtsquare
◼	\diamondleftblack	⬛	\pentagonblack	△	\whiteinwhitetriangle
◼	\diamondrightblack	◻	\rightpentagon	◁	\whitepointerleft
◼	\diamondtopblack	⬛	\rightpentagonblack	▷	\whitepointerright
⊘	\dottedcircle	◀	\smallblacktriangleleft	○	\whthorzoval
◻	\dottedsquare	▶	\smallblacktriangleright	○	\whtvertoval

stix defines \diamond as a synonym for \smwhtdiamond, \blacksquare as a synonym for \mdlgbklsquare, \square and \Box as synonyms for \mdlgwhtsquare, \triangle and \varbigtriangleup as synonyms for \bigtriangleup, \rhd as a synonym for \vartriangleright, \varbigtriangledown as a synonym for \bigtriangledown, \lhd as a synonym for \vartriangleleft, \Diamond and \lozenge as synonyms for \mglgwhtlozenge, \bigcirc as a synonym for \mglgwhtcircle, \circ as a synonym for \smwhtcircle. and \mdlgbklozenge as a synonym for \blacklozenge.

TABLE 391: ifsym Geometric Shapes

	<code>\BigCircle</code>		<code>\FilledBigTriangleRight</code>		<code>\SmallCircle</code>
	<code>\BigCross</code>		<code>\FilledBigTriangleUp</code>		<code>\SmallCross</code>
	<code>\BigDiamondshape</code>		<code>\FilledCircle</code>		<code>\SmallDiamondshape</code>
	<code>\BigHBar</code>		<code>\FilledDiamondShadowA</code>		<code>\SmallHBar</code>
	<code>\BigLowerDiamond</code>		<code>\FilledDiamondShadowC</code>		<code>\SmallLowerDiamond</code>
	<code>\BigRightDiamond</code>		<code>\FilledDiamondshape</code>		<code>\SmallRightDiamond</code>
	<code>\BigSquare</code>		<code>\FilledSmallCircle</code>		<code>\SmallSquare</code>
	<code>\BigTriangleDown</code>		<code>\FilledSmallDiamondshape</code>		<code>\SmallTriangleDown</code>
	<code>\BigTriangleLeft</code>		<code>\FilledSmallSquare</code>		<code>\SmallTriangleLeft</code>
	<code>\BigTriangleRight</code>		<code>\FilledSmallTriangleDown</code>		<code>\SmallTriangleRight</code>
	<code>\BigTriangleUp</code>		<code>\FilledSmallTriangleLeft</code>		<code>\SmallTriangleUp</code>
	<code>\BigVBar</code>		<code>\FilledSmallTriangleRight</code>		<code>\SmallVBar</code>
	<code>\Circle</code>		<code>\FilledSmallTriangleUp</code>		<code>\SpinDown</code>
	<code>\Cross</code>		<code>\FilledSquare</code>		<code>\SpinUp</code>
	<code>\DiamondShadowA</code>		<code>\FilledSquareShadowA</code>		<code>\Square</code>
	<code>\DiamondShadowB</code>		<code>\FilledSquareShadowC</code>		<code>\SquareShadowA</code>
	<code>\DiamondShadowC</code>		<code>\FilledTriangleDown</code>		<code>\SquareShadowB</code>
	<code>\Diamondshape</code>		<code>\FilledTriangleLeft</code>		<code>\SquareShadowC</code>
	<code>\FilledBigCircle</code>		<code>\FilledTriangleRight</code>		<code>\TriangleDown</code>
	<code>\FilledBigDiamondshape</code>		<code>\FilledTriangleUp</code>		<code>\TriangleLeft</code>
	<code>\FilledBigSquare</code>		<code>\HBar</code>		<code>\TriangleRight</code>
	<code>\FilledBigTriangleDown</code>		<code>\LowerDiamond</code>		<code>\TriangleUp</code>
	<code>\FilledBigTriangleLeft</code>		<code>\RightDiamond</code>		<code>\VBar</code>

The ifsym documentation points out that one can use `\rlap` to combine some of the above into useful, new symbols. For example, `\BigCircle` and `\FilledSmallCircle` combine to give “”. Likewise, `\Square` and `\Cross` combine to give “”. See Section 10.3 for more information about constructing new symbols out of existing symbols.

TABLE 392: bbding Geometric Shapes

	<code>\CircleShadow</code>		<code>\Rectangle</code>		<code>\SquareShadowTopLeft</code>
	<code>\CircleSolid</code>		<code>\RectangleBold</code>		<code>\SquareShadowTopRight</code>
	<code>\DiamondSolid</code>		<code>\RectangleThin</code>		<code>\SquareSolid</code>
	<code>\Ellipse</code>		<code>\Square</code>		<code>\TriangleDown</code>
	<code>\EllipseShadow</code>		<code>\SquareCastShadowBottomRight</code>		<code>\TriangleUp</code>
	<code>\EllipseSolid</code>		<code>\SquareCastShadowTopLeft</code>		
	<code>\HalfCircleLeft</code>		<code>\SquareCastShadowTopRight</code>		
	<code>\HalfCircleRight</code>		<code>\SquareShadowBottomRight</code>		

TABLE 393: pifont Geometric Shapes

● <code>\ding{108}</code>	□ <code>\ding{111}</code>	□ <code>\ding{114}</code>	◆ <code>\ding{117}</code>	█ <code>\ding{121}</code>
○ <code>\ding{109}</code>	□ <code>\ding{112}</code>	▲ <code>\ding{115}</code>	◀ <code>\ding{119}</code>	█ <code>\ding{122}</code>
■ <code>\ding{110}</code>	□ <code>\ding{113}</code>	▼ <code>\ding{116}</code>	<code>\ding{120}</code>	

TABLE 394: universa Geometric Shapes

● <code>\baucircle</code>	■ <code>\bausquare</code>	▲ <code>\bautriangle</code>
---------------------------	---------------------------	-----------------------------

TABLE 395: adfsymbols Geometric Shapes

• <code>\adfbullet{27}</code>	▶ <code>\adfbullet{32}</code>	• <code>\adfbullet{43}</code>	◆ <code>\adfbullet{48}</code>
• <code>\adfbullet{28}</code>	▲ <code>\adfbullet{33}</code>	• <code>\adfbullet{44}</code>	◆ <code>\adfbullet{49}</code>
■ <code>\adfbullet{29}</code>	▼ <code>\adfbullet{34}</code>	◦ <code>\adfbullet{45}</code>	◆ <code>\adfbullet{50}</code>
◆ <code>\adfbullet{30}</code>	• <code>\adfbullet{41}</code>	▪ <code>\adfbullet{46}</code>	◊ <code>\adfbullet{51}</code>
◀ <code>\adfbullet{31}</code>	• <code>\adfbullet{42}</code>	■ <code>\adfbullet{47}</code>	◦ <code>\adfbullet{52}</code>

TABLE 396: fontawesome Geometric Shapes

● <code>\faCircle</code>	○ <code>\faCircleONotch</code>	⦿ <code>\faDotCircle0</code>	□ <code>\faSquare0</code>
○ <code>\faCircle0</code>	○ <code>\faCircleThin</code>	■ <code>\faSquare</code>	

TABLE 397: oplotsymb1 Geometric Shapes

○ <code>\circlet</code>	◆ <code>\rhombusfillha</code>	△ <code>\trianglepalineh</code>
⊗ <code>\circletcross</code>	◆ <code>\rhombusfillhb</code>	△ <code>\trianglepalinev</code>
⊙ <code>\circletdot</code>	◆ <code>\rhombusfillhl</code>	△ <code>\trianglepalinevh</code>
● <code>\circletfill</code>	◆ <code>\rhombusfillhr</code>	▽ <code>\trianglepb</code>
◐ <code>\circletfillha</code>	◇ <code>\rhombuslineh</code>	⊗ <code>\trianglepbcross</code>
◑ <code>\circletfillhb</code>	◇ <code>\rhombuslinev</code>	▽ <code>\trianglepbdot</code>
◒ <code>\circletfillhl</code>	◇ <code>\rhombuslinevh</code>	▼ <code>\trianglepbfll</code>
◓ <code>\circletfillhr</code>	□ <code>\squad</code>	▽ <code>\trianglepbfllha</code>
⊖ <code>\circletlineh</code>	⊗ <code>\squadcross</code>	▼ <code>\trianglepbfllhb</code>
⊕ <code>\circletlinev</code>	◼ <code>\squaddot</code>	▼ <code>\trianglepbfllhl</code>
⊕ <code>\circletlinevh</code>	■ <code>\squadfill</code>	▼ <code>\trianglepbfllhr</code>
⬡ <code>\hexago</code>	■ <code>\squadfillha</code>	▽ <code>\trianglepblineh</code>
⊗ <code>\hexagocross</code>	■ <code>\squadfillhb</code>	▽ <code>\trianglepblinev</code>
⊙ <code>\hexagodot</code>	■ <code>\squadfillhl</code>	▽ <code>\trianglepblinevh</code>
● <code>\hexagofill</code>	■ <code>\squadfillhr</code>	◁ <code>\trianglepl</code>
◐ <code>\hexagofillha</code>	▢ <code>\squadlineh</code>	⊗ <code>\triangleplcross</code>
◑ <code>\hexagofillhb</code>	▢ <code>\squadlinev</code>	◁ <code>\trianglepldot</code>
◒ <code>\hexagofillhl</code>	▢ <code>\squadlinevh</code>	◀ <code>\triangleplfill</code>
◓ <code>\hexagofillhr</code>	☆ <code>\starlet</code>	◁ <code>\triangleplfillha</code>

(continued on next page)

(continued from previous page)

	<code>\hexagolineh</code>		<code>\starletcross</code>		<code>\triangleplfillhb</code>
	<code>\hexagolinev</code>		<code>\starletdot</code>		<code>\triangleplfillhl</code>
	<code>\hexagolinevh</code>		<code>\starletfill</code>		<code>\triangleplfillhr</code>
	<code>\pentago</code>		<code>\starletfillha</code>		<code>\trianglepllineh</code>
	<code>\pentagocross</code>		<code>\starletfillhb</code>		<code>\trianglepllinev</code>
	<code>\pentagodot</code>		<code>\starletfillhl</code>		<code>\trianglepllinevh</code>
	<code>\pentagofill</code>		<code>\starletfillhr</code>		<code>\trianglepr</code>
	<code>\pentagofillha</code>		<code>\starletlineh</code>		<code>\triangleprcross</code>
	<code>\pentagofillhb</code>		<code>\starletlinev</code>		<code>\triangleprdot</code>
	<code>\pentagofillhl</code>		<code>\starletlinevh</code>		<code>\triangleprfill</code>
	<code>\pentagofillhr</code>		<code>\trianglepa</code>		<code>\triangleprfillha</code>
	<code>\pentagolineh</code>		<code>\trianglepacross</code>		<code>\triangleprfillhb</code>
	<code>\pentagolinev</code>		<code>\trianglepadot</code>		<code>\triangleprfillhl</code>
	<code>\pentagolinevh</code>		<code>\trianglepafill</code>		<code>\triangleprfillhr</code>
	<code>\rhombus</code>		<code>\trianglepafillha</code>		<code>\triangleprlineh</code>
	<code>\rhombuscross</code>		<code>\trianglepafillhb</code>		<code>\triangleprlinev</code>
	<code>\rhombusdot</code>		<code>\trianglepafillhl</code>		<code>\triangleprlinevh</code>
	<code>\rhombusfill</code>		<code>\trianglepafillhr</code>		

“fillha”, “fillhb”, “fillhl”, and “fillhr”, imply, respectively, “half-filled above”, “half-filled below”, “half-filled left”, and “half-filled right”. In the `\triangle...` symbols, “pa”, “pb”, “pr”, and “pl” refer respectively to “peak above”, “peak below”, “peak left”, and “peak right”.

All `oplotsymb` symbols are implemented with `TikZ` graphics, not with a font.

TABLE 398: L^AT_EX 2_ε Playing-Card Suits

`\clubsuit` `\diamondsuit` `\heartsuit` `\spadesuit`

TABLE 399: txfonts/pxfonts Playing-Card Suits

`\varclubsuit` `\vardiamondsuit` `\varheartsuit` `\varspadesuit`

TABLE 400: MnSymbol Playing-Card Suits

`\clubsuit` `\diamondsuit` `\heartsuit` `\spadesuit`

TABLE 401: fdsymbol Playing-Card Suits

`\clubsuit` `\heartsuit` `\vardiamondsuit`
`\diamondsuit` `\spadesuit` `\varheartsuit`

TABLE 402: boisik Playing-Card Suits

`\clubsuit` `\diamondsuit` `\heartsuit` `\spadesuit`

TABLE 403: stix Playing-Card Suits

♣	<code>\clubsuit</code>	♥	<code>\heartsuit</code>	♠	<code>\varclubsuit</code>	♥	<code>\varheartsuit</code>
◇	<code>\diamondsuit</code>	♠	<code>\spadesuit</code>	♦	<code>\vardiamondsuit</code>	♠	<code>\varspadesuit</code>

TABLE 404: arev Playing-Card Suits

♣	<code>\varclub</code>	♦	<code>\vardiamond</code>	♥	<code>\varheart</code>	♠	<code>\varspade</code>
---	-----------------------	---	--------------------------	---	------------------------	---	------------------------

TABLE 405: adorn Flourishes

~	<code>\adfclosedflourishleft</code>	~	<code>\adfclosedflourishright</code>
~	<code>\adfdoubleflourishleft</code>	~	<code>\adfdoubleflourishright</code>
~	<code>\adfdoublesharpflourishleft</code>	~	<code>\adfdoublesharpflourishright</code>
~	<code>\adfflourishleft</code>	~	<code>\adfflourishright</code>
~	<code>\adfflourishlefthdouble</code>	~	<code>\adfflourishrightdouble</code>
~	<code>\adfopenflourishleft</code>	~	<code>\adfopenflourishright</code>
~	<code>\adfsharpflourishleft</code>	~	<code>\adfsharpflourishright</code>
~	<code>\adsickleflourishleft</code>	~	<code>\adsickleflourishright</code>
~	<code>\adfsingleflourishleft</code>	~	<code>\adfsingleflourishright</code>
~	<code>\adftripleflourishleft</code>	~	<code>\adftripleflourishright</code>
~	<code>\adfwavesleft</code>	~	<code>\adfwavesright</code>

TABLE 406: Miscellaneous oplotsymb1 Symbols

—	<code>\lineh</code>		<code>\linev</code>	+	<code>\linevh</code>	×	<code>\scross</code>	*	<code>\scrossvh</code>
---	---------------------	--	---------------------	---	----------------------	---	----------------------	---	------------------------

All oplotsymb1 symbols are implemented with TikZ graphics, not with a font.

TABLE 407: Miscellaneous dingbat Dingbats

⚓	<code>\anchor</code>	👁	<code>\eye</code>	☒	<code>\Sborder</code>
↪	<code>\carriagereturn</code>	◼	<code>\filledsquarewithdots</code>	◻	<code>\squarewithdots</code>
✓	<code>\checkmark</code>	📡	<code>\satellitedish</code>	☒	<code>\Zborder</code>

TABLE 408: Miscellaneous bbding Dingbats

✉	<code>\Envelope</code>	☺	<code>\Peace</code>	☎	<code>\PhoneHandset</code>	☀	<code>\SunshineOpenCircled</code>
◆	<code>\OrnamentDiamondSolid</code>	☎	<code>\Phone</code>	✈	<code>\Plane</code>	📞	<code>\Tape</code>

TABLE 409: Miscellaneous pifont Dingbats

☒	<code>\ding{37}</code>	✈	<code>\ding{40}</code>	♥	<code>\ding{164}</code>	☺	<code>\ding{167}</code>	♠	<code>\ding{171}</code>
☎	<code>\ding{38}</code>	☒	<code>\ding{41}</code>	☺	<code>\ding{165}</code>	♣	<code>\ding{168}</code>	♦	<code>\ding{169}</code>
☎	<code>\ding{39}</code>	◆	<code>\ding{118}</code>	☺	<code>\ding{166}</code>	♥	<code>\ding{170}</code>		

TABLE 410: Miscellaneous adorn Dingbats

• `\adfbullet` ◊ `\adfdiamond` § `\adfgee` § `\adfS` ◻ `\adfsquare`

6 Ancient languages

This section presents letters and ideograms from various ancient scripts. Some of these symbols may also be useful in other typesetting contexts because of their pictorial nature.

TABLE 411: phaistos Symbols from the Phaistos Disk













































































	<code>\PHarrow</code>		<code>\PHeagle</code>		<code>\PHplumedHead</code>
	<code>\PHbee</code>		<code>\PHflute</code>		<code>\PHram</code>
	<code>\PHbeehive</code>		<code>\PHgauntlet</code>		<code>\PHrosette</code>
	<code>\PHboomerang</code>		<code>\PHgrater</code>		<code>\PHsaw</code>
	<code>\PHbow</code>		<code>\PHhelmet</code>		<code>\PHshield</code>
	<code>\PHbullLeg</code>		<code>\PHhide</code>		<code>\PHship</code>
	<code>\PHcaptive</code>		<code>\PHhorn</code>		<code>\PHsling</code>
	<code>\PHcarpentryPlane</code>		<code>\PHlid</code>		<code>\PHsmallAxe</code>
	<code>\PHcat</code>		<code>\PHlily</code>		<code>\PHstrainer</code>
	<code>\PHchild</code>		<code>\PHmanacles</code>		<code>\PHTattooedHead</code>
	<code>\PHclub</code>		<code>\PHmattock</code>		<code>\PHTiara</code>
	<code>\PHcolumn</code>		<code>\PHoxBack</code>		<code>\PHTunny</code>
	<code>\PHcomb</code>		<code>\PHpapyrus</code>		<code>\PHvine</code>
	<code>\PHdolium</code>		<code>\PHpedestrian</code>		<code>\PHwavyBand</code>
	<code>\PHdove</code>		<code>\PHplaneTree</code>		<code>\PHwoman</code>

TABLE 412: protosem Proto-Semitic Characters

	<code>\Aaleph</code>		<code>\AAhe</code>		<code>\Akaph</code>		<code>\Asamekh</code>		<code>\AAresh</code>
	<code>\AAaleph</code>		<code>\Azayin</code>		<code>\AAkaph</code>		<code>\Ape</code>		<code>\Ashin</code>
	<code>\Abeth</code>		<code>\Avav</code>		<code>\Alamed</code>		<code>\AApe</code>		<code>\Ahelmet</code>
	<code>\AAbeth</code>		<code>\Aheth</code>		<code>\AAalamed</code>		<code>\Asade</code>		<code>\AAahelmet</code>
	<code>\Agimel</code>		<code>\AAheth</code>		<code>\Amem</code>		<code>\AAsade</code>		<code>\Atav</code>
	<code>\Adaleth</code>		<code>\Ateth</code>		<code>\Anun</code>		<code>\Aqoph</code>		
	<code>\AAdaleth</code>		<code>\Ayod</code>		<code>\Aayin</code>		<code>\AAqoph</code>		
	<code>\Ahe</code>		<code>\AAyod</code>		<code>\AAayin</code>		<code>\Aresh</code>		

The protosem package defines abbreviated control sequences for each of the above. In addition, single-letter shortcuts can be used within the argument to the `\textproto` command (e.g., “`\textproto{Pakyn}`” produces “`𐤀𐤁𐤂𐤃𐤄𐤅𐤆𐤇𐤈`”). See the protosem documentation for more information.

TABLE 413: hieroglf Hieroglyphics

	<code>\HA</code>		<code>\HI</code>		<code>\Hn</code>		<code>\HT</code>
	<code>\Ha</code>		<code>\Hi</code>		<code>\HO</code>		<code>\Ht</code>
	<code>\HB</code>		<code>\Hibl</code>		<code>\Ho</code>		<code>\Htongue</code>
	<code>\Hb</code>		<code>\Hibp</code>		<code>\Hp</code>		<code>\HU</code>
	<code>\Hc</code>		<code>\Hibs</code>		<code>\HP</code>		<code>\Hu</code>
	<code>\HC</code>		<code>\Hibw</code>		<code>\Hplural</code>		<code>\HV</code>
	<code>\HD</code>		<code>\HJ</code>		<code>\Hplus</code>		<code>\Hv</code>
	<code>\Hd</code>		<code>\Hj</code>		<code>\HQ</code>		<code>\Hvbar</code>
	<code>\Hdual</code>		<code>\Hk</code>		<code>\Hq</code>		<code>\Hw</code>
	<code>\He</code>		<code>\HK</code>		<code>\Hquery</code>		<code>\HW</code>
	<code>\HE</code>		<code>\HL</code>		<code>\HR</code>		<code>\HX</code>
	<code>\Hf</code>		<code>\HL</code>		<code>\Hr</code>		<code>\Hx</code>
	<code>\HF</code>		<code>\Hm</code>		<code>\Hs</code>		<code>\HY</code>
	<code>\HG</code>		<code>\HM</code>		<code>\HS</code>		<code>\Hy</code>
	<code>\Hg</code>		<code>\Hman</code>		<code>\Hscribe</code>		<code>\Hz</code>
	<code>\Hh</code>		<code>\Hms</code>		<code>\Hslash</code>		<code>\HZ</code>
	<code>\HH</code>		<code>\HN</code>		<code>\Hsv</code>		
	<code>\Hone</code>		<code>\Hhundred</code>		<code>\HXthousand</code>		<code>\Hmillion</code>
	<code>\Hten</code>		<code>\Hthousand</code>		<code>\HCthousand</code>		

The hieroglf package defines alternate control sequences and single-letter short-cuts for each of the above which can be used within the argument to the `\textpmhg` command (e.g., “`\textpmhg{Pakin}`” produces “”). See the hieroglf documentation for more information.

TABLE 414: linearA Linear A Script

	<code>\LinearAI</code>		<code>\LinearAXIX</code>		<code>\LinearACXCVII</code>		<code>\LinearACCXCV</code>
	<code>\LinearAII</code>		<code>\LinearAC</code>		<code>\LinearACXCVIII</code>		<code>\LinearACCXCVI</code>
	<code>\LinearAIII</code>		<code>\LinearACI</code>		<code>\LinearACXCIX</code>		<code>\LinearACCXCVII</code>
	<code>\LinearAIV</code>		<code>\LinearACII</code>		<code>\LinearACC</code>		<code>\LinearACCXCVIII</code>
	<code>\LinearAV</code>		<code>\LinearACIII</code>		<code>\LinearACCI</code>		<code>\LinearACCXCIX</code>
	<code>\LinearAVI</code>		<code>\LinearACIV</code>		<code>\LinearACCII</code>		<code>\LinearACC</code>
	<code>\LinearAVII</code>		<code>\LinearACV</code>		<code>\LinearACCIII</code>		<code>\LinearACCCI</code>
	<code>\LinearAVIII</code>		<code>\LinearACVI</code>		<code>\LinearACCIV</code>		<code>\LinearACCCII</code>
	<code>\LinearAIX</code>		<code>\LinearACVII</code>		<code>\LinearACCV</code>		<code>\LinearACCCIII</code>
	<code>\LinearAX</code>		<code>\LinearACVIII</code>		<code>\LinearACCVI</code>		<code>\LinearACCCIV</code>
	<code>\LinearAXI</code>		<code>\LinearACIX</code>		<code>\LinearACCVII</code>		<code>\LinearACCCV</code>
	<code>\LinearAXII</code>		<code>\LinearACX</code>		<code>\LinearACCVIII</code>		<code>\LinearACCCVI</code>
	<code>\LinearAXIII</code>		<code>\LinearACXI</code>		<code>\LinearACCIX</code>		<code>\LinearACCCVII</code>

(continued on next page)

(continued from previous page)

𠄎	\LinearAXIV	𠄎	\LinearACXII	𠄎	\LinearACCX	𠄎	\LinearACCCVIII
𠄏	\LinearAXV	𠄏	\LinearACXIII	𠄏	\LinearACCXI	𠄏	\LinearACCCIX
𠄐	\LinearAXVI	𠄐	\LinearACXIV	𠄐	\LinearACCXII	𠄐	\LinearACCCX
𠄑	\LinearAXVII	𠄑	\LinearACXV	𠄑	\LinearACCXIII	𠄑	\LinearACCCXI
𠄒	\LinearAXVIII	𠄒	\LinearACXVI	𠄒	\LinearACCXIV	𠄒	\LinearACCCXII
𠄓	\LinearAXIX	𠄓	\LinearACXVII	𠄓	\LinearACCXV	𠄓	\LinearACCCXIII
𠄔	\LinearAXX	𠄔	\LinearACXVIII	𠄔	\LinearACCXVI	𠄔	\LinearACCCXIV
𠄕	\LinearAXXI	𠄕	\LinearACXIX	𠄕	\LinearACCXVII	𠄕	\LinearACCCXV
𠄖	\LinearAXXII	𠄖	\LinearACXX	𠄖	\LinearACCXVIII	𠄖	\LinearACCCXVI
𠄗	\LinearAXXIII	𠄗	\LinearACXXI	𠄗	\LinearACCXIX	𠄗	\LinearACCCXVII
𠄘	\LinearAXXIV	𠄘	\LinearACXXII	𠄘	\LinearACCXX	𠄘	\LinearACCCXVIII
𠄙	\LinearAXXV	𠄙	\LinearACXXIII	𠄙	\LinearACCXXI	𠄙	\LinearACCCXIX
𠄚	\LinearAXXVI	𠄚	\LinearACXXIV	𠄚	\LinearACCXXII	𠄚	\LinearACCCXX
𠄛	\LinearAXXVII	𠄛	\LinearACXXV	𠄛	\LinearACCXXIII	𠄛	\LinearACCCXXI
𠄜	\LinearAXXVIII	𠄜	\LinearACXXVI	𠄜	\LinearACCXXIV	𠄜	\LinearACCCXXII
𠄝	\LinearAXXIX	𠄝	\LinearACXXVII	𠄝	\LinearACCXXV	𠄝	\LinearACCCXXIII
𠄞	\LinearAXXX	𠄞	\LinearACXXVIII	𠄞	\LinearACCXXVI	𠄞	\LinearACCCXXIV
𠄟	\LinearAXXXI	𠄟	\LinearACXXIX	𠄟	\LinearACCXXVII	𠄟	\LinearACCCXXV
𠄠	\LinearAXXXII	𠄠	\LinearACXXX	𠄠	\LinearACCXXVIII	𠄠	\LinearACCCXXVI
𠄡	\LinearAXXXIII	𠄡	\LinearACXXXI	𠄡	\LinearACCXXIX	𠄡	\LinearACCCXXVII
𠄢	\LinearAXXXIV	𠄢	\LinearACXXXII	𠄢	\LinearACCXXX	𠄢	\LinearACCCXXVIII
𠄣	\LinearAXXXV	𠄣	\LinearACXXXIII	𠄣	\LinearACCXXXI	𠄣	\LinearACCCXXIX
𠄤	\LinearAXXXVI	𠄤	\LinearACXXXIV	𠄤	\LinearACCXXXII	𠄤	\LinearACCCXXX
𠄥	\LinearAXXXVII	𠄥	\LinearACXXXV	𠄥	\LinearACCXXXIII	𠄥	\LinearACCCXXXI
𠄦	\LinearAXXXVIII	𠄦	\LinearACXXXVI	𠄦	\LinearACCXXXIV	𠄦	\LinearACCCXXXII
𠄧	\LinearAXXXIX	𠄧	\LinearACXXXVII	𠄧	\LinearACCXXXV	𠄧	\LinearACCCXXXIII
𠄨	\LinearAXL	𠄨	\LinearACXXXVIII	𠄨	\LinearACCXXXVI	𠄨	\LinearACCCXXXIV
𠄩	\LinearAXLI	𠄩	\LinearACXXXIX	𠄩	\LinearACCXXXVII	𠄩	\LinearACCCXXXV
𠄪	\LinearAXLII	𠄪	\LinearACXL	𠄪	\LinearACCXXXVIII	𠄪	\LinearACCCXXXVI
𠄫	\LinearAXLIII	𠄫	\LinearACXLI	𠄫	\LinearACCXXXIX	𠄫	\LinearACCCXXXVII
𠄬	\LinearAXLIV	𠄬	\LinearACXLII	𠄬	\LinearACCXL	𠄬	\LinearACCCXXXVIII
𠄭	\LinearAXLV	𠄭	\LinearACXLIII	𠄭	\LinearACCXLI	𠄭	\LinearACCCXXXIX
𠄮	\LinearAXLVI	𠄮	\LinearACXLIV	𠄮	\LinearACCXLII	𠄮	\LinearACCCXL
𠄯	\LinearAXLVII	𠄯	\LinearACXLV	𠄯	\LinearACCXLIII	𠄯	\LinearACCCXLI
𠄰	\LinearAXLVIII	𠄰	\LinearACXLVI	𠄰	\LinearACCXLIV	𠄰	\LinearACCCXLII
𠄱	\LinearAXLIX	𠄱	\LinearACXLVII	𠄱	\LinearACCXLV	𠄱	\LinearACCCXLIII
𠄲	\LinearAL	𠄲	\LinearACXLVIII	𠄲	\LinearACCXLVI	𠄲	\LinearACCCXLIV
𠄳	\LinearALI	𠄳	\LinearACXLIX	𠄳	\LinearACCXLVII	𠄳	\LinearACCCXLV
𠄴	\LinearALII	𠄴	\LinearACL	𠄴	\LinearACCXLVIII	𠄴	\LinearACCCXLVI
𠄵	\LinearALIII	𠄵	\LinearACLI	𠄵	\LinearACCXLIX	𠄵	\LinearACCCXLVII
𠄶	\LinearALIV	𠄶	\LinearACLII	𠄶	\LinearACCL	𠄶	\LinearACCCXLVIII
𠄷	\LinearALV	𠄷	\LinearACLIII	𠄷	\LinearACCLI	𠄷	\LinearACCCXLIX
𠄸	\LinearALVI	𠄸	\LinearACLIV	𠄸	\LinearACCLII	𠄸	\LinearACCCCL
𠄹	\LinearALVII	𠄹	\LinearACLV	𠄹	\LinearACCLIII	𠄹	\LinearACCCCLI
𠄺	\LinearALVIII	𠄺	\LinearACLVI	𠄺	\LinearACCLIV	𠄺	\LinearACCCCLII
𠄻	\LinearALIX	𠄻	\LinearACLVII	𠄻	\LinearACCLV	𠄻	\LinearACCCCLIII
𠄼	\LinearALX	𠄼	\LinearACLVIII	𠄼	\LinearACCLVI	𠄼	\LinearACCCCLIV
𠄽	\LinearALXI	𠄽	\LinearACLIX	𠄽	\LinearACCLVII	𠄽	\LinearACCCCLV
𠄾	\LinearALXII	𠄾	\LinearACLX	𠄾	\LinearACCLVIII	𠄾	\LinearACCCCLVI
𠄿	\LinearALXIII	𠄿	\LinearACLXI	𠄿	\LinearACCLIX	𠄿	\LinearACCCCLVII
𠅀	\LinearALXIV	𠅀	\LinearACLXII	𠅀	\LinearACCLX	𠅀	\LinearACCCCLVIII
𠅁	\LinearALXV	𠅁	\LinearACLXIII	𠅁	\LinearACCLXI	𠅁	\LinearACCCCLIX
𠅂	\LinearALXVI	𠅂	\LinearACLXIV	𠅂	\LinearACCLXII	𠅂	\LinearACCCCLX

(continued on next page)

(continued from previous page)

𠂇	\LinearALXVII	𠂇	\LinearACLXV	𠂇	\LinearACCLXIII	𠂇	\LinearACCCLXI
𠂈	\LinearALXVIII	𠂈	\LinearACLXVI	𠂈	\LinearACCLXIV	𠂈	\LinearACCCLXII
𠂉	\LinearALXIX	𠂉	\LinearACLXVII	𠂉	\LinearACCLXV	𠂉	\LinearACCCLXIII
𠂊	\LinearALXX	𠂊	\LinearACLXVIII	𠂊	\LinearACCLXVI	𠂊	\LinearACCCLXIV
𠂋	\LinearALXXI	𠂋	\LinearACLXIX	𠂋	\LinearACCLXVII	𠂋	\LinearACCCLXV
𠂌	\LinearALXXII	𠂌	\LinearACLXX	𠂌	\LinearACCLXVIII	𠂌	\LinearACCCLXVI
𠂍	\LinearALXXIII	𠂍	\LinearACLXXI	𠂍	\LinearACCLXIX	𠂍	\LinearACCCLXVII
𠂎	\LinearALXXIV	𠂎	\LinearACLXXII	𠂎	\LinearACCLXX	𠂎	\LinearACCCLXVIII
𠂏	\LinearALXXV	𠂏	\LinearACLXXIII	𠂏	\LinearACCLXXI	𠂏	\LinearACCCLXIX
𠂐	\LinearALXXVI	𠂐	\LinearACLXXIV	𠂐	\LinearACCLXXII	𠂐	\LinearACCCLXX
𠂑	\LinearALXXVII	𠂑	\LinearACLXXV	𠂑	\LinearACCLXXIII	𠂑	\LinearACCCLXXI
𠂒	\LinearALXXVIII	𠂒	\LinearACLXXVI	𠂒	\LinearACCLXXIV	𠂒	\LinearACCCLXXII
𠂓	\LinearALXXIX	𠂓	\LinearACLXXVII	𠂓	\LinearACCLXXV	𠂓	\LinearACCCLXXIII
𠂔	\LinearALXXX	𠂔	\LinearACLXXVIII	𠂔	\LinearACCLXXVI	𠂔	\LinearACCCLXXIV
𠂕	\LinearALXXXI	𠂕	\LinearACLXXIX	𠂕	\LinearACCLXXVII	𠂕	\LinearACCCLXXV
𠂖	\LinearALXXXII	𠂖	\LinearACLXXX	𠂖	\LinearACCLXXVIII	𠂖	\LinearACCCLXXVI
𠂗	\LinearALXXXIII	𠂗	\LinearACLXXXI	𠂗	\LinearACCLXXIX	𠂗	\LinearACCCLXXVII
𠂘	\LinearALXXXIV	𠂘	\LinearACLXXXII	𠂘	\LinearACCLXXX	𠂘	\LinearACCCLXXVIII
𠂙	\LinearALXXXV	𠂙	\LinearACLXXXIII	𠂙	\LinearACCLXXXI	𠂙	\LinearACCCLXXIX
𠂚	\LinearALXXXVI	𠂚	\LinearACLXXXIV	𠂚	\LinearACCLXXXII	𠂚	\LinearACCCLXXX
𠂛	\LinearALXXXVII	𠂛	\LinearACLXXXV	𠂛	\LinearACCLXXXIII	𠂛	\LinearACCCLXXXI
𠂜	\LinearALXXXVIII	𠂜	\LinearACLXXXVI	𠂜	\LinearACCLXXXIV	𠂜	\LinearACCCLXXXII
𠂝	\LinearALXXXIX	𠂝	\LinearACLXXXVII	𠂝	\LinearACCLXXXV	𠂝	\LinearACCCLXXXIII
𠂞	\LinearALXXXX	𠂞	\LinearACLXXXVIII	𠂞	\LinearACCLXXXVI	𠂞	\LinearACCCLXXXIV
𠂟	\LinearAXCI	𠂟	\LinearACLXXXIX	𠂟	\LinearACCLXXXVII	𠂟	\LinearACCCLXXXV
𠂠	\LinearAXCII	𠂠	\LinearACLXXXX	𠂠	\LinearACCLXXXVIII	𠂠	\LinearACCCLXXXVI
𠂡	\LinearAXCIII	𠂡	\LinearACXCI	𠂡	\LinearACCLXXXIX	𠂡	\LinearACCCLXXXVII
𠂢	\LinearAXCIV	𠂢	\LinearACXCII	𠂢	\LinearACCLXXXX	𠂢	\LinearACCCLXXXVIII
𠂣	\LinearAXCV	𠂣	\LinearACXCIII	𠂣	\LinearACCXCI	𠂣	\LinearACCCLXXXIX
𠂤	\LinearAXCVI	𠂤	\LinearACXCIV	𠂤	\LinearACCXCII		
𠂥	\LinearAXCVII	𠂥	\LinearACXCV	𠂥	\LinearACCXCIII		
𠂦	\LinearAXCVIII	𠂦	\LinearACXCVI	𠂦	\LinearACCXCIV		

TABLE 415: linearb Linear B Basic and Optional Letters

	<code>\Ba</code>		<code>\Bja</code>		<code>\Bmu</code>		<code>\Bpte</code>		<code>\Broii</code>		<code>\Bto</code>
	<code>\Baii</code>		<code>\Bje</code>		<code>\Bna</code>		<code>\Bpu</code>		<code>\Bru</code>		<code>\Btu</code>
	<code>\Baiiii</code>		<code>\Bjo</code>		<code>\Bne</code>		<code>\Bpuii</code>		<code>\Bsa</code>		<code>\Btwo</code>
	<code>\Bau</code>		<code>\Bju</code>		<code>\Bni</code>		<code>\Bqa</code>		<code>\Bse</code>		<code>\Bu</code>
	<code>\Bda</code>		<code>\Bka</code>		<code>\Bno</code>		<code>\Bqe</code>		<code>\Bsi</code>		<code>\Bwa</code>
	<code>\Bde</code>		<code>\Bke</code>		<code>\Bnu</code>		<code>\Bqi</code>		<code>\Bso</code>		<code>\Bwe</code>
	<code>\Bdi</code>		<code>\Bki</code>		<code>\Bnwa</code>		<code>\Bqo</code>		<code>\Bsu</code>		<code>\Bwi</code>
	<code>\Bdo</code>		<code>\Bko</code>		<code>\Bo</code>		<code>\Bra</code>		<code>\Bswa</code>		<code>\Bwo</code>
	<code>\Bdu</code>		<code>\Bku</code>		<code>\Bpa</code>		<code>\Brai</code>		<code>\Bswi</code>		<code>\Bza</code>
	<code>\Bdwe</code>		<code>\Bma</code>		<code>\Bpaiiii</code>		<code>\Brai</code>		<code>\Bta</code>		<code>\Bze</code>
	<code>\Bdwo</code>		<code>\Bme</code>		<code>\Bpe</code>		<code>\Bre</code>		<code>\Btai</code>		<code>\Bzo</code>
	<code>\Be</code>		<code>\Bmi</code>		<code>\Bpi</code>		<code>\Bri</code>		<code>\Bte</code>		
	<code>\Bi</code>		<code>\Bmo</code>		<code>\Bpo</code>		<code>\Bro</code>		<code>\Bti</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textlinb{\Bpa\Bki\Bna}`” and “`\textlinb{pcn}`” produce “ $\text{ϕ} \text{ϕ} \text{ϕ}$ ”, for example. See the linearb documentation for more information.

TABLE 416: linearb Linear B Numerals

<code>1</code>	<code>\BNi</code>		<code>\BNvii</code>	<code>==</code>	<code>\BNxl</code>		<code>\BNc</code>		<code>\BNdcc</code>
<code>2</code>	<code>\BNii</code>		<code>\BNviii</code>	<code>≡=</code>	<code>\BNl</code>		<code>\BNcc</code>		<code>\BNdcc</code>
<code>3</code>	<code>\BNiii</code>		<code>\BNix</code>	<code>≡≡</code>	<code>\BNlx</code>		<code>\BNccc</code>		<code>\BNcm</code>
<code>4</code>	<code>\BNiv</code>	<code>=</code>	<code>\BNx</code>	<code>≡≡≡</code>	<code>\BNlxx</code>		<code>\BNcd</code>		<code>\BNm</code>
<code>5</code>	<code>\BNv</code>	<code>=</code>	<code>\BNxx</code>	<code>≡≡≡≡</code>	<code>\BNlxxx</code>		<code>\BNd</code>		
<code>6</code>	<code>\BNvi</code>	<code>≡</code>	<code>\BNxxx</code>	<code>≡≡≡≡≡</code>	<code>\BNxc</code>		<code>\BNdc</code>		







































These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 417: linearb Linear B Weights and Measures

	<code>\BPtalent</code>		<code>\BPvolb</code>		<code>\BPvolcf</code>		<code>\BPwtb</code>		<code>\BPwtd</code>
	<code>\BPvola</code>		<code>\BPvolcd</code>		<code>\BPwta</code>		<code>\BPwtc</code>		














These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 418: linearb Linear B Ideograms

	<code>\BPamphora</code>		<code>\BPchassis</code>		<code>\BPman</code>		<code>\BPwheat</code>
	<code>\BParrow</code>		<code>\BPcloth</code>		<code>\BPnanny</code>		<code>\BPwheel</code>
	<code>\BPbarley</code>		<code>\BPcow</code>		<code>\BPolive</code>		<code>\BPwine</code>
	<code>\BPbilly</code>		<code>\BPcup</code>		<code>\BPox</code>		<code>\BPwineiih</code>
	<code>\BPboar</code>		<code>\BPewe</code>		<code>\BPpig</code>		<code>\BPwineiiih</code>
	<code>\BPbronze</code>		<code>\BPfoal</code>		<code>\BPram</code>		<code>\BPwineivh</code>
	<code>\BPbull</code>		<code>\BPgoat</code>		<code>\BPsheep</code>		<code>\BPwoman</code>
	<code>\BPcauldroni</code>		<code>\BPgoblet</code>		<code>\BPsow</code>		<code>\BPwool</code>
	<code>\BPcauldronii</code>		<code>\BPgold</code>		<code>\BPspear</code>		
	<code>\BPchariot</code>		<code>\BPhorse</code>		<code>\BPsword</code>		



























































These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 419: linearb Unidentified Linear B Symbols

	<code>\BUi</code>		<code>\BUiv</code>		<code>\BUvii</code>		<code>\BUx</code>		<code>\Btwe</code>
	<code>\BUii</code>		<code>\BUv</code>		<code>\BUviii</code>		<code>\BUxi</code>		
	<code>\BUiii</code>		<code>\BUvi</code>		<code>\BUix</code>		<code>\BUxii</code>		

These symbols must appear either within the argument to `\textlinb` or following the `\linbfamily` font-selection command within a scope.

TABLE 420: cypriot Cypriot Letters

	<code>\Ca</code>		<code>\Cku</code>		<code>\Cmu</code>		<code>\Cpo</code>		<code>\Cso</code>		<code>\Cwi</code>
	<code>\Ce</code>		<code>\Cla</code>		<code>\Cna</code>		<code>\Cpu</code>		<code>\Csu</code>		<code>\Cwo</code>
	<code>\Cga</code>		<code>\Cle</code>		<code>\Cne</code>		<code>\Cra</code>		<code>\Cta</code>		<code>\Cxa</code>
	<code>\Ci</code>		<code>\Cli</code>		<code>\Cni</code>		<code>\Cre</code>		<code>\Cte</code>		<code>\Cxe</code>
	<code>\Cja</code>		<code>\Clo</code>		<code>\Cno</code>		<code>\Cri</code>		<code>\Cti</code>		<code>\Cya</code>
	<code>\Cjo</code>		<code>\Clu</code>		<code>\Cnu</code>		<code>\Cro</code>		<code>\Cto</code>		<code>\Cyo</code>
	<code>\Cka</code>		<code>\Cma</code>		<code>\Cco</code>		<code>\Cru</code>		<code>\Ctu</code>		<code>\Cza</code>
	<code>\Cke</code>		<code>\Cme</code>		<code>\Cpa</code>		<code>\Csa</code>		<code>\Cu</code>		<code>\Czo</code>
	<code>\Cki</code>		<code>\Cmi</code>		<code>\Cpe</code>		<code>\Cse</code>		<code>\Cwa</code>		
	<code>\Cko</code>		<code>\Cmo</code>		<code>\Cpi</code>		<code>\Csi</code>		<code>\Cwe</code>		

These symbols must appear either within the argument to `\textcypr` or following the `\cyprfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textcypr{\Cpa\Cki\Cna}`” and “`\textcypr{pcn}`” produce “ $\ddagger \Upsilon \bar{\Gamma}$ ”, for example. See the cypriot documentation for more information.

TABLE 421: sarabian South Arabian Letters

◦	<code>\SAa</code>	𐩨	<code>\SAz</code>	𐩧	<code>\SAm</code>	𐩨	<code>\SAsd</code>	𐩨	<code>\Sadb</code>
𐩨	<code>\SAb</code>	𐩨	<code>\SAhd</code>	𐩨	<code>\SAh</code>	𐩨	<code>\SAq</code>	𐩨	<code>\SAtb</code>
𐩨	<code>\SAg</code>	𐩨	<code>\SAtd</code>	𐩨	<code>\SAs</code>	𐩨	<code>\SAr</code>	𐩨	<code>\SAga</code>
𐩨	<code>\SAd</code>	𐩨	<code>\SAy</code>	𐩨	<code>\SAf</code>	𐩨	<code>\SAsv</code>	𐩨	<code>\SAzd</code>
𐩨	<code>\SAh</code>	𐩨	<code>\SAk</code>	𐩨	<code>\SAIq</code>	𐩨	<code>\SAt</code>	𐩨	<code>\SAsa</code>
◦	<code>\SAw</code>	𐩨	<code>\SAI</code>	𐩨	<code>\SAo</code>	𐩨	<code>\SAhu</code>	𐩨	<code>\SAdd</code>

These symbols must appear either within the argument to `\textsarab` or following the `\sarabfamily` font-selection command within a scope. Single-character shortcuts are also supported: Both “`\textsarab{\SAb\Sak\SAn}`” and “`\textsarab{bkn}`” produce “𐩨𐩨𐩨”, for example. See the sarabian documentation for more information.

TABLE 422: teubner Archaic Greek Letters and Greek Numerals

Ϟ	<code>\Coppa[†]</code>	Ϟ	<code>\Digamma*</code>	Ϟ	<code>\sampi*</code>	Ϟ	<code>\varstigma</code>
ϟ	<code>\coppa[†]</code>	ϟ	<code>\koppa*</code>	Ϟ	<code>\Stigma</code>		
Ϟ	<code>\digamma*[‡]</code>	Ϟ	<code>\Sampi</code>	Ϟ	<code>\stigma*</code>		

* Technically, these symbols do not require `teubner`; it is sufficient to load the `babel` package with the `greek` option (upon which `teubner` depends)—but use `\qoppa` for `\koppa` and `\ddigamma` for `\digamma`.
















† For compatibility with other naming conventions `teubner` defines `\Koppa` as a synonym for `\Coppa` and `\varcoppa` as a synonym for `\coppa`.

‡ If both `teubner` and `amssymb` are loaded, `teubner`’s `\digamma` replaces `amssymb`’s `\digamma`, regardless of package-loading order.

TABLE 423: boisik Archaic Greek Letters and Greek Numerals


















































Ϟ	<code>\Digamma</code>	ϟ	<code>\qoppa</code>	Ϟ	<code>\stigma</code>	Ϟ	<code>\varsampi</code>
Ϟ	<code>\digamma</code>	ϟ	<code>\Qoppa</code>	Ϟ	<code>\Stigma</code>		
Ϟ	<code>\heta</code>	Ϟ	<code>\Sampi</code>	Ϟ	<code>\vardigamma</code>		
Ϟ	<code>\Heta</code>	Ϟ	<code>\sampi</code>	Ϟ	<code>\Varsampi</code>		

TABLE 424: epiolmec Epi-Olmec Script

	<code>\EOafter</code>		<code>\EOMiddle</code>		<code>\EOStarWarrior</code>
	<code>\EOandThen</code>		<code>\EOMonster</code>		<code>\EOstep</code>
	<code>\EOAppear</code>		<code>\EOMountain</code>		<code>\EOSu</code>
	<code>\EOBeardMask</code>		<code>\EOMuu</code>		<code>\EOsu</code>
	<code>\EOBedeck</code>		<code>\EOna</code>		<code>\EOSun</code>

(continued on next page)

(continued from previous page)

	\EOBlood		\EOne		\EOSuu
	\EObrace		\EOni		\EOSuu
	\EObuilding		\EOnow		\EOta
	\EOBundle		\EOnu		\EOte
	\EOChop		\EOnuu		\EOthrone
	\EOChronI		\EOofficerI		\EOti
	\EOCloth		\EOofficerII		\EOtime
	\EODealWith		\EOofficerIII		\EOTime
	\EODeer		\EOofficerIV		\EOTitle
	\EOeat		\EOpa		\EOTitleII
	\EOflint		\EOpak		\EOTitleIV
	\EOflower		\EOPatron		\EOto
	\EOFold		\EOPatronII		\EOtu
	\EOGod		\EOpe		\EOtuki
	\EOGoUp		\EOpenis		\EOtukpa
	\EOgovernor		\EOpi		\EOturtle
	\EOGuise		\EOPierce		\EOtuu
	\EOHallow		\EOPlant		\EOtza
	\EOja		\EOPlay		\EOtze
	\EOjaguar		\EOpo		\EOtzetze
	\EOje		\EOpriest		\EOtzi
	\EOji		\EOPrince		\EOtzu
	\EOJI		\EOpu		\EOtzuu
	\EOjo		\EOpuu		\EOundef
	\EOju		\EOpuuk		\EOvarBeardMask
	\EOkak		\EORain		\EOvarja
	\EOke		\EOSa		\EOvarji
	\EOki		\EOSa		\EOvarki
	\EOkij		\EOSacrifice		\EOvarkuu
	\EOKing		\EOSaw		\EOvarni
	\EOknottedCloth		\EOScorpius		\EOvarpa

(continued on next page)

(continued from previous page)

	\EOknottedClothStraps		\EOset		\EOvarSi
	\EOko		\EOSi		\EOvarsi
	\EOku		\EOSi		\EOvartza
	\EOkuu		\EOSing		\EOvarwuu
	\EOLetBlood		\EOSini		\EOvarYear
	\EOLoinCloth		\EOSkin		\EOwa
	\EOLongLipII		\EOSky		\EOwe
	\EOLord		\EOSkyAnimal		\EOwi
	\EOLose		\EOSkyPillar		\EOwo
	\EOma		\EOSnake		\EOwuu
	\EOMacaw		\EOSo		\EOya
	\EOMacawI		\EOSpan		\EOyaj
	\EOme		\EOSprinkle		\EOye
	\EOMexNew		\EOstar		\EOYear
	\EOmi		\EOstarWarrior		\EOyuu

TABLE 425: epiolmec Epi-Olmec Numerals

	\EOzero		\EOvi		\EOxii		\EOxviii
	\EOi		\EOvii		\EOxiii		\EOxix
	\EOii		\EOviii		\EOxiv		\EOxx
	\EOiii		\EOix		\EOxv		
	\EOiv		\EOx		\EOxvi		
	\EOv		\EOxi		\EOxvii		

TABLE 426: allrunes Runes

þ	\a	Ǽ	E	ǿ	\ING	ƿ	m	ŷ	R	ſ	\sthree
*	\A	ƿ	F	ǿ	\ing	þ	n	Ŷ	\RR	†	T
ƿ	a	ƿ	f	ǿ	\Ing	ǿ	\NG	ſ	\s	↑	t
ǿ	A	X	g	ǿ	\j	ǿ	\ng	ſ	s	↳	\textsection
ƿ	b	ƿ	\h	ǿ	j	ǿ	o	ſ	S	↳	\th
ƿ	B	N	H	ǿ	J	ǿ	\p	ſ	\seight	^	U
ƿ	\d	H	h	ǿ	\k	ǿ	p	ſ	\sfive	∩	u
ǿ	D	ƿ	\i	ǿ	\K	ǿ	P	ſ	\sfour	ƿ	w
ƿ	d	ǿ	i	<	k	ǿ	\R	ſ	\sseven		
ǿ	e	ǿ	I	↑	l	ǿ	r	ſ	\ssix		

The symbols in this table should appear within the argument to `\textarc` (for common Germanic runes), `\textara` (for Anglo-Frisian runes), `\textarn` (for normal runes), `\textart` (for short-twig runes), `\textarl` (for staveless runes), `\textarm` (for medieval runes), or within a scope that sets, respectively, `\arcfamily`, `\arafamily`, `\arnfamily`, `\artfamily`, `\arlfamily`, or `\armfamily`. Each family presents slightly different glyphs and/or slightly different subsets of the available runes. (The table presents the common Germanic runes.) See the `allrunes` documentation for more information.

TABLE 427: allrunes Rune Separators

	\bar	:	\doubleeye	+	\plus	:	\tripleddot
*	\cross	‡	\doubleplus	⋮	\quaddot	⋆	\tripleeye
·	\dot	⌘	\doublestar	⋄	\quadeye	‡	\tripleplus
!	\doublebar	·	\eye	*	\star		
⌘	\doublecross	⋮	\pentdot	!	\triplebar		
:	\doubledot	⋆	\penteeye	⌘	\triplecross		

See the usage comment under Table 426.

7 Musical symbols

The following symbols are used to typeset musical notation. The *lily[♩]lyp[♯]bs* package provides a large subset of the symbols in this section. Note, however, that *lily[♩]lyp[♯]bs* depends upon the *fontspec* package, OpenType (*.otf*) fonts, and some PDF graphics and therefore works only with Lua^ℒTEX or Xe^ℒTEX.

A simple way to typeset time signatures, due to Daniel Hirst, is to attach a superscript and a subscript to an empty math object. For example, $\{\}^3_4$ renders as “ $\frac{3}{4}$ ”. Because superscripts and subscripts are left-justified, some extra padding may need to be added if the beats per measure and beat unit contain different numbers of digits. A 5 mu space (“\;”) vertically centers the “8” relative to the “12” in $\{\}^12_{\;\;8}$ (“ $\frac{12}{8}$ ”). For boldface time signatures (e.g., “ $\frac{4}{4}$ ”), consider the boldface-math options presented in Section 10.5. See also Table 440.

TABLE 428: L^AT_EX 2_ε Musical Symbols

\flat \flat \natural \natural \sharp \sharp

TABLE 429: textcomp Musical Symbols

musicalnote \textmusicalnote

TABLE 430: wasysym Musical Symbols

eighthnote \eighthnote halfnote \halfnote twonotes \twonotes fullnote \fullnote quarternote \quarternote

TABLE 431: MnSymbol Musical Symbols

\flat \flat \natural \natural \sharp \sharp

TABLE 432: fdsymbol Musical Symbols

\flat \flat \natural \natural \sharp \sharp

TABLE 433: boisik Musical Symbols

\flat \flat \natural \natural \sharp \sharp























































TABLE 434: stix Musical Symbols

eighthnote \eighthnote \natural \natural \sharp \sharp
 \flat \flat quarternote \quarternote twonotes \twonotes

TABLE 435: arev Musical Symbols



quarternote \quarternote eighthnote \eighthnote sixteenthnote \sixteenthnote

TABLE 436: MusiX_TE_X Musical Symbols

	<code>\allabreve</code>		<code>\lsf</code>		<code>\shake</code>
	<code>\altoclef</code>		<code>\lsfz</code>		<code>\Shake</code>
	<code>\backturn</code>		<code>\maxima</code>		<code>\Shake1</code>
	<code>\bassclef</code>		<code>\meterplus</code>		<code>\Shakene</code>
	<code>\caesura</code>		<code>\mordent</code>		<code>\Shakenw</code>
	<code>\coda</code>		<code>\Mordent</code>		<code>\Shakesw</code>
	<code>\Coda</code>		<code>\PAUSE</code>		<code>\smallaltoclef</code>
	<code>\Dep</code>		<code>\PAuse</code>		<code>\smallbassclef</code>
	<code>\doublethumb</code>		<code>\pause</code>		<code>\smalltrebleclef</code>
	<code>\downbow</code>		<code>\Ped</code>		<code>\sPed</code>
	<code>\ds</code>		<code>\qp</code>		<code>\trebleclef</code>
	<code>\duevolte</code>		<code>\qqs</code>		<code>\trill</code>
	<code>\fermatadown</code>		<code>\qs</code>		<code>\turn</code>
	<code>\fermataup</code>		<code>\reverseallabreve</code>		<code>\upbow</code>
	<code>\flageolett</code>		<code>\reverseC</code>		<code>\usf</code>
	<code>\hpause</code>		<code>\sDep</code>		<code>\usfz</code>
	<code>\hs</code>		<code>\Segno</code>		<code>\wq</code>
	<code>\longa</code>		<code>\segno</code>		<code>\wqq</code>




























All of these symbols are intended to be used in the context of typesetting musical scores. See the MusiX_TE_X documentation for more information.

TABLE 437: MusiX_{TEX} Alternative Clefs

	<code>\drumclef</code>		<code>\gregorianFclef</code>
	<code>\gregorianCclef</code>		<code>\oldGclef</code>





















In addition to MusiX_{TEX}, `\drumclef` requires the `musixper` package; `\oldGclef` requires the `musixlit` package; and both `\gregorianCclef` and `\gregorianFclef` require the `musixgre` package. Together with MusiX_{TEX}, these packages provide a complete system for typesetting percussion notation (`musixper`), liturgical music (`musixlit`), and Gregorian chants (`musixgre`, including the staves and all of the necessary neumes. See the MusiX_{TEX} documentation for more information.

TABLE 438: harmony Musical Symbols

	<code>\AAcht</code>		<code>\DDohne</code>		<code>\Halb</code>		<code>\SechBR</code>		<code>\VM</code>
	<code>\Acht</code>		<code>\Dohne</code>		<code>\HaPa</code>		<code>\SechBr</code>		<code>\Zwdr</code>
	<code>\AchtBL</code>		<code>\Ds</code>		<code>\Pu</code>		<code>\SePa</code>		<code>\ZwPa</code>
	<code>\AchtBR</code>		<code>\DS</code>		<code>\Sech</code>		<code>\UB</code>		
	<code>\AcPa</code>		<code>\Ganz</code>		<code>\SechBL</code>		<code>\Vier</code>		
	<code>\DD</code>		<code>\GaPa</code>		<code>\SechBl</code>		<code>\ViPa</code>		

The MusiX_{TEX} package must be installed to use harmony.

TABLE 439: musicography Musical Symbols

	<code>\musDoubleFlat</code>		<code>\musNatural</code>		<code>\musSixtyFourth</code>
	<code>\musDoubleSharp</code>		<code>\musQuarter</code>		<code>\musSixtyFourthDotted</code>
	<code>\musEighth</code>		<code>\musQuarterDotted</code>		<code>\musThirtySecond</code>
	<code>\musEighthDotted</code>		<code>\musSegno</code>		<code>\musThirtySecondDotted</code>
	<code>\musFlat</code>		<code>\musSharp</code>		<code>\musWhole</code>
	<code>\musHalf</code>		<code>\musSixteenth</code>		<code>\musWholeDotted</code>
	<code>\musHalfDotted</code>		<code>\musSixteenthDotted</code>		

musicography defines `\fl`, `\sh`, and `\na` as shorthands for `\musFlat`, `\musSharp`, and `\musNatural`, respectively. It also defines `\musCorchea` as an alias for `\musEighth`, `\musCorcheaDotted` as an alias for `\musEighthDotted`, `\musFusa` as an alias for `\musEighth`, `\musFusaDotted` as an alias for `\musEighthDotted`, `\musMinim` as an alias for `\musHalf`, `\musMinimDotted` as an alias for `\musHalfDotted`, `\musSemibreve` as an alias for `\musWhole`, `\musSemibreveDotted` as an alias for `\musWholeDotted`, `\musSemiminim` as an alias for `\musQuarter`, and `\musSeminiminimDotted` as an alias for `\musQuarterDotted`.

The MusiX_{TEX} package must be installed to use musicography.

TABLE 440: musicography Time Signatures

C	<code>\meterC</code>	C₂³	<code>\meterCThreeTwo</code>	CZ	<code>\meterCZ</code>
C3	<code>\meterCThree</code>	♯	<code>\meterCutC</code>	○	<code>\meterO</code>

Other time signatures can be specified with `\musMeter`, as in

$$\code{\musMeter{2}{4}} \rightarrow \frac{2}{4}$$

The M_usiX_TE_X package must be installed to use `musicography`.

TABLE 441: harmony Musical Accents



























$\hat{A}a$	<code>\Ferli{A}\Ferli{a}</code> *	$\acute{A}a$	<code>\Ohne{A}\Ohne{a}</code> *
$\frown Aa$	<code>\Fermi{A}\Fermi{a}</code>	$\overline{A a}$	<code>\Umd{A}\Umd{a}</code> *
$\textcircled{A} \textcircled{a}$	<code>\Kr{A}\Kr{a}</code>		

* These symbols take an optional argument which shifts the accent either horizontally or vertically (depending on the command) by the given distance.

In addition to the accents shown above, `\HH` is a special accent command that accepts five period-separated characters and typesets them such that “`\HH.X.a.b.c.d.`” produces “ X_a^b ”. All arguments except the first can be omitted: “`\HH.X....`” produces “ X ”. `\Takt` takes two arguments and composes them into a musical time signature. For example, “`\Takt{12}{8}`” produces “ $\frac{12}{8}$ ”. As two special cases, “`\Takt{c}{0}`” produces “**C**” and “`\Takt{c}{1}`” produces “**♯**”.







The M_usiX_TE_X package must be installed to use `harmony`.

TABLE 442: *lilyglyphs* Single Notes

	<code>\eighthNote</code>		<code>\quarterNoteDottedDown</code>
	<code>\eighthNoteDotted</code>		<code>\quarterNoteDown</code>
	<code>\eighthNoteDottedDouble</code>		<code>\sixteenthNote</code>
	<code>\eighthNoteDottedDoubleDown</code>		<code>\sixteenthNoteDotted</code>
	<code>\eighthNoteDottedDown</code>		<code>\sixteenthNoteDottedDouble</code>
	<code>\eighthNoteDown</code>		<code>\sixteenthNoteDottedDoubleDown</code>
	<code>\halfNote</code>		<code>\sixteenthNoteDottedDown</code>
	<code>\halfNoteDotted</code>		<code>\sixteenthNoteDown</code>
	<code>\halfNoteDottedDouble</code>		<code>\thirtysecondNote</code>
	<code>\halfNoteDottedDoubleDown</code>		<code>\thirtysecondNoteDotted</code>
	<code>\halfNoteDottedDown</code>		<code>\thirtysecondNoteDottedDouble</code>
	<code>\halfNoteDown</code>		<code>\thirtysecondNoteDottedDoubleDown</code>
	<code>\quarterNote</code>		<code>\thirtysecondNoteDottedDown</code>

(continued on next page)

(continued from previous page)

	<code>\quarterNoteDotted</code>		<code>\thirtysecondNoteDown</code>
	<code>\quarterNoteDottedDouble</code>		<code>\wholeNote</code>
	<code>\quarterNoteDottedDoubleDown</code>		<code>\wholeNoteDotted</code>

`lily\lypbs` defines synonyms for all of the preceding symbols:

































	<code>\crotchet</code>		<code>\minimDottedDown</code>
	<code>\crotchetDotted</code>		<code>\minimDown</code>
	<code>\crotchetDottedDouble</code>		<code>\quaver</code>
	<code>\crotchetDottedDoubleDown</code>		<code>\quaverDotted</code>
	<code>\crotchetDottedDown</code>		<code>\quaverDottedDouble</code>
	<code>\crotchetDown</code>		<code>\quaverDottedDoubleDown</code>
	<code>\demisemiquaver</code>		<code>\quaverDottedDown</code>
	<code>\demisemiquaverDotted</code>		<code>\quaverDown</code>
	<code>\demisemiquaverDottedDouble</code>		<code>\semibreve</code>
	<code>\demisemiquaverDottedDoubleDown</code>		<code>\semibreveDotted</code>
	<code>\demisemiquaverDottedDown</code>		<code>\semiquaver</code>
	<code>\demisemiquaverDown</code>		<code>\semiquaverDotted</code>
	<code>\minim</code>		<code>\semiquaverDottedDouble</code>
	<code>\minimDotted</code>		<code>\semiquaverDottedDoubleDown</code>
	<code>\minimDottedDouble</code>		<code>\semiquaverDottedDown</code>
	<code>\minimDottedDoubleDown</code>		<code>\semiquaverDown</code>

TABLE 443: `lily\lypbs` Beamed Notes









	<code>\twoBeamedQuavers</code>		<code>\threeBeamedQuaversII</code>
	<code>\threeBeamedQuavers</code>		<code>\threeBeamedQuaversIII</code>
	<code>\threeBeamedQuaversI</code>		

TABLE 444: `lily\lypbs` Clefs

	<code>\clefC</code>		<code>\clefF</code>		<code>\clefG</code>
---	---------------------	---	---------------------	---	---------------------

Each of these symbols provides a smaller, “inline” form (`\clefCInline`, `\clefFInline`, and `\clefGInline`, respectively) intended for use within a paragraph. See the `lily\lypbs` documentation for more information.

TABLE 445: *lilypond* Time Signatures

C	<code>\lilyTimeC</code>	♯	<code>\lilyTimeCHalf</code>
----------	-------------------------	----------	-----------------------------

lilypond also provides a `\lilyTimeSignature` command that lets a user typeset single and compound time signatures by specifying a numerator and a denominator. See the *lilypond* documentation for more information.

TABLE 446: *lilypond* Accidentals

×	<code>\doublesharp</code>	♯↓	<code>\sharpArrowdown</code>
b	<code>\flat</code>	♯↑	<code>\sharpArrowup</code>
♭♭	<code>\flatflat</code>	♯	<code>\sharpSlashslashslashStem</code>
♮	<code>\natural</code>	♯	<code>\sharpSlashslashslashStemstem</code>
♯	<code>\sharp</code>	♯	<code>\sharpSlashslashStem</code>
♯↑	<code>\sharpArrowboth</code>	♯	<code>\sharpSlashslashStemstemstem</code>

TABLE 447: *lilypond* Rests

↗	<code>\crotchetRest</code>	?	<code>\quaverRestDotted</code>
↗.	<code>\crotchetRestDotted</code>	?.	<code>\semiquaverRest</code>
—	<code>\halfNoteRest</code>	?.	<code>\semiquaverRestDotted</code>
—.	<code>\halfNoteRestDotted</code>	—	<code>\wholeNoteRest</code>
?.	<code>\quaverRest</code>	—.	<code>\wholeNoteRestDotted</code>

Multiply dotted rests can be produced with the `\lilyPrintMoreDots` command. See the *lilypond* documentation for more information.

TABLE 448: *lilypond* Dynamics Letters

f	<code>\lilyDynamics{f}</code>	r	<code>\lilyDynamics{r}</code>
p	<code>\lilyDynamics{p}</code>	s	<code>\lilyDynamics{s}</code>
m	<code>\lilyDynamics{m}</code>	z	<code>\lilyDynamics{z}</code>
rf	<code>\lilyRF</code>	rfz	<code>\lilyRFZ</code>

These letters and the digits 0–9 are the only alphanumerics defined by *lilypond*'s underlying Emmentaler fonts.

TABLE 449: *lilypond* Dynamics Symbols

<	<code>\crescHairpin</code>	>	<code>\decrescHairpin</code>
-------------	----------------------------	-------------	------------------------------

TABLE 450: *lilyglyphs* Articulations

>	<code>\lilyAccent</code>	^	<code>\marcato</code>	,	<code>\staccatissimo</code>
<>	<code>\lilyEspressivo</code>	v	<code>\marcatoDown</code>	-	<code>\tenuto</code>
.	<code>\lilyStaccato</code>	:	<code>\portato</code>		
◦	<code>\lilyThumb</code>	:	<code>\portatoDown</code>		

TABLE 451: *lilyglyphs* Scripts

⤿	<code>\fermata</code>
---	-----------------------

TABLE 452: *lilyglyphs* Accordion Notation

☰	<code>\accordionBayanBass</code>	⊗	<code>\accordionOldEE</code>	⊖	<code>\accordionStdBass</code>
⊖	<code>\accordionDiscant</code>	⌋	<code>\accordionPull</code>		
⊖	<code>\accordionFreeBass</code>	>	<code>\accordionPush</code>		

TABLE 453: *lilyglyphs* Named Time Signatures

Ⓒ	<code>\lilyGlyph{timesig.C22}</code>	ϕ	<code>\lilyGlyph{timesig.mensural98}</code>
Ⓒ	<code>\lilyGlyph{timesig.C44}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural22}</code>
ϕ	<code>\lilyGlyph{timesig.mensural22}</code>	Ⓓ	<code>\lilyGlyph{timesig.neomensural24}</code>
ϕ	<code>\lilyGlyph{timesig.mensural24}</code>	ⓐ	<code>\lilyGlyph{timesig.neomensural32}</code>
ⓐ	<code>\lilyGlyph{timesig.mensural32}</code>	ⓑ	<code>\lilyGlyph{timesig.neomensural34}</code>
ϕ	<code>\lilyGlyph{timesig.mensural34}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural44}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural44}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural48}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural48}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural64}</code>
Ⓒ	<code>\lilyGlyph{timesig.mensural64}</code>	Ⓒ	<code>\lilyGlyph{timesig.neomensural68}</code>
ϕ	<code>\lilyGlyph{timesig.mensural68}</code>	ⓐ	<code>\lilyGlyph{timesig.neomensural68alt}</code>
ⓐ	<code>\lilyGlyph{timesig.mensural68alt}</code>	ⓐ	<code>\lilyGlyph{timesig.neomensural94}</code>
ⓐ	<code>\lilyGlyph{timesig.mensural94}</code>	ⓐ	<code>\lilyGlyph{timesig.neomensural98}</code>

lilyglyphs defines shorter names for a few of these symbols. See Table 445.

TABLE 454: *lilyglyphs* Named Scripts

◁	<code>\lilyGlyph{scripts.arpeggio}</code>	↗	<code>\lilyGlyph{scripts.prallmordent}</code>
↗	<code>\lilyGlyph{scripts.arpeggio.arrow.1}</code>	↘	<code>\lilyGlyph{scripts.prallprall}</code>
↘	<code>\lilyGlyph{scripts.arpeggio.arrow.M1}</code>	↙	<code>\lilyGlyph{scripts.prallup}</code>
.	<code>\lilyGlyph{scripts.augmentum}</code>	,	<code>\lilyGlyph{scripts.rcomma}</code>
§	<code>\lilyGlyph{scripts.barline.kievan}</code>	↶	<code>\lilyGlyph{scripts.reverseturn}</code>
//	<code>\lilyGlyph{scripts.caesura.curved}</code>	/	<code>\lilyGlyph{scripts.rvarcomma}</code>
//	<code>\lilyGlyph{scripts.caesura.straight}</code>	§	<code>\lilyGlyph{scripts.segno}</code>
.	<code>\lilyGlyph{scripts.circulus}</code>	>	<code>\lilyGlyph{scripts.sforzato}</code>
⊕	<code>\lilyGlyph{scripts.coda}</code>	⊙	<code>\lilyGlyph{scripts.snappizzicato}</code>
.	<code>\lilyGlyph{scripts.daccentus}</code>	.	<code>\lilyGlyph{scripts.staccato}</code>
☺	<code>\lilyGlyph{scripts.dfermata}</code>	+	<code>\lilyGlyph{scripts.stopped}</code>
⏏	<code>\lilyGlyph{scripts.dlongfermata}</code>	-	<code>\lilyGlyph{scripts.tenuto}</code>
v	<code>\lilyGlyph{scripts.dmarcato}</code>	◊	<code>\lilyGlyph{scripts.thumb}</code>
⌒	<code>\lilyGlyph{scripts.downbow}</code>	✓	<code>\lilyGlyph{scripts.tickmark}</code>
↘	<code>\lilyGlyph{scripts.downmordent}</code>	♣	<code>\lilyGlyph{scripts.trielement}</code>
↘	<code>\lilyGlyph{scripts.downprall}</code>	♣	<code>\lilyGlyph{scripts.trill}</code>
n	<code>\lilyGlyph{scripts.dpedalheel}</code>	~	<code>\lilyGlyph{scripts.trill_element}</code>
^	<code>\lilyGlyph{scripts.dpedaltoe}</code>	∞	<code>\lilyGlyph{scripts.turn}</code>
τ	<code>\lilyGlyph{scripts.dportato}</code>	.	<code>\lilyGlyph{scripts.uaccentus}</code>
.	<code>\lilyGlyph{scripts.dsemicirculus}</code>	☺	<code>\lilyGlyph{scripts.ufermata}</code>
V	<code>\lilyGlyph{scripts.dshortfermata}</code>	⏏	<code>\lilyGlyph{scripts.ulongfermata}</code>
§	<code>\lilyGlyph{scripts.dsignumcongruentiae}</code>	^	<code>\lilyGlyph{scripts.umarcato}</code>
ı	<code>\lilyGlyph{scripts.dstaccatissimo}</code>	V	<code>\lilyGlyph{scripts.upbow}</code>
⏏	<code>\lilyGlyph{scripts.dverylongfermata}</code>	u	<code>\lilyGlyph{scripts.upedalheel}</code>
<>	<code>\lilyGlyph{scripts.espr}</code>	v	<code>\lilyGlyph{scripts.upedaltoe}</code>
o	<code>\lilyGlyph{scripts.flageolet}</code>	↗	<code>\lilyGlyph{scripts.upmordent}</code>
∂	<code>\lilyGlyph{scripts.halfopen}</code>	±	<code>\lilyGlyph{scripts.uportato}</code>
⊕	<code>\lilyGlyph{scripts.halfopenvertical}</code>	↘	<code>\lilyGlyph{scripts.uprall}</code>
.	<code>\lilyGlyph{scripts.ictus}</code>	.	<code>\lilyGlyph{scripts.usemicirculus}</code>
,	<code>\lilyGlyph{scripts.lcomma}</code>	^	<code>\lilyGlyph{scripts.ushortfermata}</code>
↘	<code>\lilyGlyph{scripts.lineprall}</code>	§	<code>\lilyGlyph{scripts.usignumcongruentiae}</code>
/	<code>\lilyGlyph{scripts.lvarcomma}</code>	ı	<code>\lilyGlyph{scripts.ustaccatissimo}</code>
↗	<code>\lilyGlyph{scripts.mordent}</code>	⏏	<code>\lilyGlyph{scripts.uverylongfermata}</code>
o	<code>\lilyGlyph{scripts.open}</code>	♯	<code>\lilyGlyph{scripts.varcoda}</code>
		♯	
↘	<code>\lilyGlyph{scripts.prall}</code>	♯	<code>\lilyGlyph{scripts.varsegno}</code>
↘	<code>\lilyGlyph{scripts.pralldown}</code>		

lilyglyphs defines `\fermata` as a shorter name for “☺” than `\lilyGlyph{scripts.ufermata}`. See Table 451.

TABLE 455: *lilyglyphs* Named Rests

■	<code>\lilyGlyph{rests.0}</code>	♩	<code>\lilyGlyph{rests.4mensural}</code>
◦	<code>\lilyGlyph{rests.0mensural}</code>	♩	<code>\lilyGlyph{rests.4neomensural}</code>
◦	<code>\lilyGlyph{rests.0neomensural}</code>	♩	<code>\lilyGlyph{rests.5}</code>
■	<code>\lilyGlyph{rests.0o}</code>	♩	<code>\lilyGlyph{rests.6}</code>
■	<code>\lilyGlyph{rests.1}</code>	♩	<code>\lilyGlyph{rests.7}</code>
◦	<code>\lilyGlyph{rests.1mensural}</code>	■	<code>\lilyGlyph{rests.M1}</code>
◦	<code>\lilyGlyph{rests.1neomensural}</code>	◦	<code>\lilyGlyph{rests.M1mensural}</code>
■	<code>\lilyGlyph{rests.1o}</code>	◦	<code>\lilyGlyph{rests.M1neomensural}</code>
♩	<code>\lilyGlyph{rests.2}</code>	■	<code>\lilyGlyph{rests.M1o}</code>
♩	<code>\lilyGlyph{rests.2classical}</code>	■	<code>\lilyGlyph{rests.M2}</code>
♩	<code>\lilyGlyph{rests.2mensural}</code>	■	<code>\lilyGlyph{rests.M2mensural}</code>
♩	<code>\lilyGlyph{rests.2neomensural}</code>	■	<code>\lilyGlyph{rests.M2neomensural}</code>
♩	<code>\lilyGlyph{rests.3}</code>	■	<code>\lilyGlyph{rests.M3}</code>
♩	<code>\lilyGlyph{rests.3mensural}</code>	■	<code>\lilyGlyph{rests.M3mensural}</code>
♩	<code>\lilyGlyph{rests.3neomensural}</code>	■	<code>\lilyGlyph{rests.M3neomensural}</code>
♩	<code>\lilyGlyph{rests.4}</code>		

lilyglyphs defines shorter names for a few of these symbols. See Table 447.

TABLE 456: *lilyglyphs* Named Pedals

♯	<code>\lilyGlyph{pedal.*}</code>	-	<code>\lilyGlyph{pedal.M}</code>
◦	<code>\lilyGlyph{pedal..}</code>	⌘	<code>\lilyGlyph{pedal.P}</code>
∂	<code>\lilyGlyph{pedal.d}</code>	⌘	<code>\lilyGlyph{pedal.Ped}</code>
ε	<code>\lilyGlyph{pedal.e}</code>		



















































TABLE 457: *lilyglyphs* Named Flags

⌋	<code>\lilyGlyph{flags.d3}</code>	⌋	<code>\lilyGlyph{flags.mensuralu03}</code>
⌋	<code>\lilyGlyph{flags.d4}</code>	⌋	<code>\lilyGlyph{flags.mensuralu04}</code>
⌋	<code>\lilyGlyph{flags.d5}</code>	⌋	<code>\lilyGlyph{flags.mensuralu05}</code>
⌋	<code>\lilyGlyph{flags.d6}</code>	⌋	<code>\lilyGlyph{flags.mensuralu06}</code>
⌋	<code>\lilyGlyph{flags.d7}</code>	⌋	<code>\lilyGlyph{flags.mensuralu13}</code>
⌋	<code>\lilyGlyph{flags.dgrace}</code>	⌋	<code>\lilyGlyph{flags.mensuralu14}</code>
⌋	<code>\lilyGlyph{flags.mensurald03}</code>	⌋	<code>\lilyGlyph{flags.mensuralu15}</code>
⌋	<code>\lilyGlyph{flags.mensurald04}</code>	⌋	<code>\lilyGlyph{flags.mensuralu16}</code>
⌋	<code>\lilyGlyph{flags.mensurald05}</code>	⌋	<code>\lilyGlyph{flags.mensuralu23}</code>
⌋	<code>\lilyGlyph{flags.mensurald06}</code>	⌋	<code>\lilyGlyph{flags.mensuralu24}</code>
⌋	<code>\lilyGlyph{flags.mensurald13}</code>	⌋	<code>\lilyGlyph{flags.mensuralu25}</code>
⌋	<code>\lilyGlyph{flags.mensurald14}</code>	⌋	<code>\lilyGlyph{flags.mensuralu26}</code>
⌋	<code>\lilyGlyph{flags.mensurald15}</code>	⌋	<code>\lilyGlyph{flags.u3}</code>
⌋	<code>\lilyGlyph{flags.mensurald16}</code>	⌋	<code>\lilyGlyph{flags.u4}</code>
⌋	<code>\lilyGlyph{flags.mensurald23}</code>	⌋	<code>\lilyGlyph{flags.u5}</code>
⌋	<code>\lilyGlyph{flags.mensurald24}</code>	⌋	<code>\lilyGlyph{flags.u6}</code>
⌋	<code>\lilyGlyph{flags.mensurald25}</code>	⌋	<code>\lilyGlyph{flags.u7}</code>
⌋	<code>\lilyGlyph{flags.mensurald26}</code>	⌋	<code>\lilyGlyph{flags.ugrace}</code>

TABLE 458: *lilyglyphs* Named Custodes

⌋	<code>\lilyGlyph{custodes.hufnagel.d0}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d0}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.d1}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d1}</code>
⌋	<code>\lilyGlyph{custodes.hufnagel.d2}</code>	⌋	<code>\lilyGlyph{custodes.mensural.d2}</code>
✓	<code>\lilyGlyph{custodes.hufnagel.u0}</code>	✓	<code>\lilyGlyph{custodes.mensural.u0}</code>
✓	<code>\lilyGlyph{custodes.hufnagel.u1}</code>	✓	<code>\lilyGlyph{custodes.mensural.u1}</code>
✓	<code>\lilyGlyph{custodes.hufnagel.u2}</code>	✓	<code>\lilyGlyph{custodes.mensural.u2}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d0}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d0}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d1}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d1}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.d2}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.d2}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u0}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u0}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u1}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u1}</code>
⌋	<code>\lilyGlyph{custodes.medicaea.u2}</code>	⌋	<code>\lilyGlyph{custodes.vaticana.u2}</code>

TABLE 459: *lily&lypbs* Named Clefs

	<code>\lilyGlyph{clefs.blackmensural.c}</code>		<code>\lilyGlyph{clefs.mensural.g_change}</code>
	<code>\lilyGlyph{clefs.blackmensural.c_change}</code>		<code>\lilyGlyph{clefs.neomensural.c}</code>
	<code>\lilyGlyph{clefs.C}</code>		<code>\lilyGlyph{clefs.neomensural.c_change}</code>
	<code>\lilyGlyph{clefs.C_change}</code>		<code>\lilyGlyph{clefs.percussion}</code>
	<code>\lilyGlyph{clefs.F}</code>		<code>\lilyGlyph{clefs.percussion_change}</code>
	<code>\lilyGlyph{clefs.F_change}</code>		<code>\lilyGlyph{clefs.petrucci.c1}</code>
	<code>\lilyGlyph{clefs.G}</code>		<code>\lilyGlyph{clefs.petrucci.c1_change}</code>
	<code>\lilyGlyph{clefs.G_change}</code>		<code>\lilyGlyph{clefs.petrucci.c2}</code>
	<code>\lilyGlyph{clefs.hufnagel.do}</code>		<code>\lilyGlyph{clefs.petrucci.c2_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c3}</code>
	<code>\lilyGlyph{clefs.hufnagel.do.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c3_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.c4}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa}</code>		<code>\lilyGlyph{clefs.petrucci.c4_change}</code>
	<code>\lilyGlyph{clefs.hufnagel.fa_change}</code>		<code>\lilyGlyph{clefs.petrucci.c5}</code>
	<code>\lilyGlyph{clefs.kievan.do}</code>		<code>\lilyGlyph{clefs.petrucci.c5_change}</code>
	<code>\lilyGlyph{clefs.kievan.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.f}</code>
	<code>\lilyGlyph{clefs.medicaea.do}</code>		<code>\lilyGlyph{clefs.petrucci.f_change}</code>
	<code>\lilyGlyph{clefs.medicaea.do_change}</code>		<code>\lilyGlyph{clefs.petrucci.g}</code>
	<code>\lilyGlyph{clefs.medicaea.fa}</code>		<code>\lilyGlyph{clefs.petrucci.g_change}</code>
	<code>\lilyGlyph{clefs.medicaea.fa_change}</code>		<code>\lilyGlyph{clefs.tab}</code>
	<code>\lilyGlyph{clefs.mensural.c}</code>		<code>\lilyGlyph{clefs.tab_change}</code>
	<code>\lilyGlyph{clefs.mensural.c_change}</code>		<code>\lilyGlyph{clefs.vaticana.do}</code>
	<code>\lilyGlyph{clefs.mensural.f}</code>		<code>\lilyGlyph{clefs.vaticana.do_change}</code>
	<code>\lilyGlyph{clefs.mensural.f_change}</code>		<code>\lilyGlyph{clefs.vaticana.fa}</code>
	<code>\lilyGlyph{clefs.mensural.g}</code>		<code>\lilyGlyph{clefs.vaticana.fa_change}</code>



















































lily&lypbs defines shorter names for a few of these symbols. See Table 444.

TABLE 460: *lily&lypbs* Named Noteheads

◦	<code>\lilyGlyph{noteheads.d0doFunk}</code>
◡	<code>\lilyGlyph{noteheads.d0fa}</code>
◢	<code>\lilyGlyph{noteheads.d0faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d0faThin}</code>
◊	<code>\lilyGlyph{noteheads.d0miFunk}</code>
◀	<code>\lilyGlyph{noteheads.d0reFunk}</code>
◊	<code>\lilyGlyph{noteheads.d0tiFunk}</code>
▲	<code>\lilyGlyph{noteheads.d1do}</code>
◦	<code>\lilyGlyph{noteheads.d1doFunk}</code>
◢	<code>\lilyGlyph{noteheads.d1doThin}</code>
◣	<code>\lilyGlyph{noteheads.d1doWalker}</code>
◡	<code>\lilyGlyph{noteheads.d1fa}</code>
◢	<code>\lilyGlyph{noteheads.d1faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d1faThin}</code>
◢	<code>\lilyGlyph{noteheads.d1faWalker}</code>
◊	<code>\lilyGlyph{noteheads.d1miFunk}</code>
◦	<code>\lilyGlyph{noteheads.d1re}</code>
◀	<code>\lilyGlyph{noteheads.d1reFunk}</code>
◦	<code>\lilyGlyph{noteheads.d1reThin}</code>
◣	<code>\lilyGlyph{noteheads.d1reWalker}</code>
◊	<code>\lilyGlyph{noteheads.d1ti}</code>
◊	<code>\lilyGlyph{noteheads.d1tiFunk}</code>
◊	<code>\lilyGlyph{noteheads.d1tiThin}</code>
◀	<code>\lilyGlyph{noteheads.d1tiWalker}</code>
◃	<code>\lilyGlyph{noteheads.d1triangle}</code>
▲	<code>\lilyGlyph{noteheads.d2do}</code>
◦	<code>\lilyGlyph{noteheads.d2doFunk}</code>
◢	<code>\lilyGlyph{noteheads.d2doThin}</code>
◣	<code>\lilyGlyph{noteheads.d2doWalker}</code>
◡	<code>\lilyGlyph{noteheads.d2fa}</code>
◢	<code>\lilyGlyph{noteheads.d2faFunk}</code>
◣	<code>\lilyGlyph{noteheads.d2faThin}</code>
◢	<code>\lilyGlyph{noteheads.d2faWalker}</code>
◡	<code>\lilyGlyph{noteheads.d2kievan}</code>
◦	<code>\lilyGlyph{noteheads.d2re}</code>
◀	<code>\lilyGlyph{noteheads.d2reFunk}</code>
◦	<code>\lilyGlyph{noteheads.d2reThin}</code>
◣	<code>\lilyGlyph{noteheads.d2reWalker}</code>
◊	<code>\lilyGlyph{noteheads.d2ti}</code>
◊	<code>\lilyGlyph{noteheads.d2tiFunk}</code>
◊	<code>\lilyGlyph{noteheads.d2tiThin}</code>
◀	<code>\lilyGlyph{noteheads.d2tiWalker}</code>
◃	<code>\lilyGlyph{noteheads.d2triangle}</code>
◡	<code>\lilyGlyph{noteheads.d3kievan}</code>
◡	<code>\lilyGlyph{noteheads.dM2}</code>
◡	<code>\lilyGlyph{noteheads.dM2blackmensural}</code>
◡	<code>\lilyGlyph{noteheads.dM2mensural}</code>
◡	<code>\lilyGlyph{noteheads.dM2neomensural}</code>
◡	<code>\lilyGlyph{noteheads.dM2semimensural}</code>
◡	<code>\lilyGlyph{noteheads.dM3blackmensural}</code>

(continued on next page)

(continued from previous page)

 `\lilyGlyph{noteheads.dM3mensural}`
 `\lilyGlyph{noteheads.dM3neomensural}`
 `\lilyGlyph{noteheads.dM3semimensural}`
 `\lilyGlyph{noteheads.drM2mensural}`
 `\lilyGlyph{noteheads.drM2neomensural}`
 `\lilyGlyph{noteheads.drM2semimensural}`
 `\lilyGlyph{noteheads.drM3mensural}`
 `\lilyGlyph{noteheads.drM3neomensural}`
 `\lilyGlyph{noteheads.drM3semimensural}`
 `\lilyGlyph{noteheads.s0}`
 `\lilyGlyph{noteheads.s0blackmensural}`
 `\lilyGlyph{noteheads.s0blackpetrucci}`
 `\lilyGlyph{noteheads.s0cross}`
 `\lilyGlyph{noteheads.s0diamond}`
 `\lilyGlyph{noteheads.s0do}`
 `\lilyGlyph{noteheads.s0doThin}`
 `\lilyGlyph{noteheads.s0doWalker}`
 `\lilyGlyph{noteheads.s0faWalker}`
 `\lilyGlyph{noteheads.s0harmonic}`
 `\lilyGlyph{noteheads.s0kievan}`
 `\lilyGlyph{noteheads.s0la}`
 `\lilyGlyph{noteheads.s0laFunk}`
 `\lilyGlyph{noteheads.s0laThin}`
 `\lilyGlyph{noteheads.s0laWalker}`
 `\lilyGlyph{noteheads.s0mensural}`
 `\lilyGlyph{noteheads.s0mi}`
 `\lilyGlyph{noteheads.s0miMirror}`
 `\lilyGlyph{noteheads.s0miThin}`
 `\lilyGlyph{noteheads.s0miWalker}`
 `\lilyGlyph{noteheads.s0neomensural}`
 `\lilyGlyph{noteheads.s0petrucci}`
 `\lilyGlyph{noteheads.s0re}`
 `\lilyGlyph{noteheads.s0reThin}`
 `\lilyGlyph{noteheads.s0reWalker}`
 `\lilyGlyph{noteheads.s0slash}`
 `\lilyGlyph{noteheads.s0sol}`
 `\lilyGlyph{noteheads.s0solFunk}`
 `\lilyGlyph{noteheads.s0ti}`
 `\lilyGlyph{noteheads.s0tiThin}`
 `\lilyGlyph{noteheads.s0tiWalker}`
 `\lilyGlyph{noteheads.s0triangle}`
 `\lilyGlyph{noteheads.s1}`
 `\lilyGlyph{noteheads.s1blackpetrucci}`
 `\lilyGlyph{noteheads.s1cross}`
 `\lilyGlyph{noteheads.s1diamond}`
 `\lilyGlyph{noteheads.s1kievan}`
 `\lilyGlyph{noteheads.s1la}`
 `\lilyGlyph{noteheads.s1laFunk}`
 `\lilyGlyph{noteheads.s1laThin}`
 `\lilyGlyph{noteheads.s1laWalker}`
 `\lilyGlyph{noteheads.s1mensural}`
 `\lilyGlyph{noteheads.s1mi}`
 `\lilyGlyph{noteheads.s1miMirror}`

(continued on next page)

(continued from previous page)

◊ \lilyGlyph{noteheads.s1miThin}
◊ \lilyGlyph{noteheads.s1miWalker}
◊ \lilyGlyph{noteheads.s1neomensural}
◊ \lilyGlyph{noteheads.s1petrucci}
// \lilyGlyph{noteheads.s1slash}
◊ \lilyGlyph{noteheads.s1sol}
◊ \lilyGlyph{noteheads.s1solFunk}
● \lilyGlyph{noteheads.s2}
◆ \lilyGlyph{noteheads.s2blackpetrucci}
× \lilyGlyph{noteheads.s2cross}
/ \lilyGlyph{noteheads.s2diamond}
◆ \lilyGlyph{noteheads.s2harmonic}
■ \lilyGlyph{noteheads.s2la}
■ \lilyGlyph{noteheads.s2laFunk}
■ \lilyGlyph{noteheads.s2laThin}
■ \lilyGlyph{noteheads.s2laWalker}
· \lilyGlyph{noteheads.s2mensural}
◊ \lilyGlyph{noteheads.s2mi}
◊ \lilyGlyph{noteheads.s2miFunk}
◊ \lilyGlyph{noteheads.s2miMirror}
◊ \lilyGlyph{noteheads.s2miThin}
◊ \lilyGlyph{noteheads.s2miWalker}
◊ \lilyGlyph{noteheads.s2neomensural}
◆ \lilyGlyph{noteheads.s2petrucci}
/ \lilyGlyph{noteheads.s2slash}
● \lilyGlyph{noteheads.s2sol}
● \lilyGlyph{noteheads.s2solFunk}
⊗ \lilyGlyph{noteheads.s2xcircle}
/ \lilyGlyph{noteheads.shufnagel.lpes}
◆ \lilyGlyph{noteheads.shufnagel.punctum}
↑ \lilyGlyph{noteheads.shufnagel.virga}
⊠ \lilyGlyph{noteheads.sM1}
■ \lilyGlyph{noteheads.sM1blackmensural}
⊠ \lilyGlyph{noteheads.sM1double}
≡ \lilyGlyph{noteheads.sM1kievan}
H \lilyGlyph{noteheads.sM1mensural}
H \lilyGlyph{noteheads.sM1neomensural}
H \lilyGlyph{noteheads.sM1semimensural}
H \lilyGlyph{noteheads.sM2blackligmensural}
H \lilyGlyph{noteheads.sM2kievan}
H \lilyGlyph{noteheads.sM2ligmensural}
H \lilyGlyph{noteheads.sM2semiligmensural}
H \lilyGlyph{noteheads.sM3blackligmensural}
H \lilyGlyph{noteheads.sM3ligmensural}
H \lilyGlyph{noteheads.sM3semiligmensural}
◆ \lilyGlyph{noteheads.smedicaea.inclinatum}
■ \lilyGlyph{noteheads.smedicaea.punctum}
┆ \lilyGlyph{noteheads.smedicaea.rvirga}
┆ \lilyGlyph{noteheads.smedicaea.virga}
┆ \lilyGlyph{noteheads.sr1kievan}
H \lilyGlyph{noteheads.srM1mensural}
H \lilyGlyph{noteheads.srM1neomensural}
H \lilyGlyph{noteheads.srM1semimensural}

(continued on next page)

(continued from previous page)

Ⓜ \lilyGlyph{noteheads.srM2ligmensural}
Ⓜ \lilyGlyph{noteheads.srM2semiligmensural}
Ⓜ \lilyGlyph{noteheads.srM3ligmensural}
Ⓜ \lilyGlyph{noteheads.srM3semiligmensural}
⋅ \lilyGlyph{noteheads.ssolesmes.auct.asc}
⋅ \lilyGlyph{noteheads.ssolesmes.auct.desc}
⋅ \lilyGlyph{noteheads.ssolesmes.incl.auctum}
⋅ \lilyGlyph{noteheads.ssolesmes.incl.parvum}
⋅ \lilyGlyph{noteheads.ssolesmes.oriscus}
⋅ \lilyGlyph{noteheads.ssolesmes.stropha}
⋅ \lilyGlyph{noteheads.ssolesmes.stropha.aucta}
⋅ \lilyGlyph{noteheads.svaticana.cephalicus}
⋅ \lilyGlyph{noteheads.svaticana.epiphonus}
⋅ \lilyGlyph{noteheads.svaticana.inclinatum}
⋅ \lilyGlyph{noteheads.svaticana.inner.cephalicus}
Ⓜ \lilyGlyph{noteheads.svaticana.linea.punctum}
Ⓜ \lilyGlyph{noteheads.svaticana.linea.punctum.cavum}
Ⓜ \lilyGlyph{noteheads.svaticana.lpes}
⋅ \lilyGlyph{noteheads.svaticana.plica}
⋅ \lilyGlyph{noteheads.svaticana.punctum}
Ⓜ \lilyGlyph{noteheads.svaticana.punctum.cavum}
⋅ \lilyGlyph{noteheads.svaticana.quilisma}
⋅ \lilyGlyph{noteheads.svaticana.reverse.plica}
⋅ \lilyGlyph{noteheads.svaticana.reverse.vplica}
⋅ \lilyGlyph{noteheads.svaticana.upes}
⋅ \lilyGlyph{noteheads.svaticana.vepiphonus}
⋅ \lilyGlyph{noteheads.svaticana.vlpes}
⋅ \lilyGlyph{noteheads.svaticana.vplica}
⋅ \lilyGlyph{noteheads.svaticana.vupes}
Ⓜ \lilyGlyph{noteheads.u0doFunk}
⋄ \lilyGlyph{noteheads.u0fa}
⋄ \lilyGlyph{noteheads.u0faFunk}
⋄ \lilyGlyph{noteheads.u0faThin}
⋄ \lilyGlyph{noteheads.u0miFunk}
⋄ \lilyGlyph{noteheads.u0reFunk}
⋄ \lilyGlyph{noteheads.u0tiFunk}
⋄ \lilyGlyph{noteheads.u1do}
Ⓜ \lilyGlyph{noteheads.u1doFunk}
⋄ \lilyGlyph{noteheads.u1doThin}
⋄ \lilyGlyph{noteheads.u1doWalker}
⋄ \lilyGlyph{noteheads.u1fa}
⋄ \lilyGlyph{noteheads.u1faFunk}
⋄ \lilyGlyph{noteheads.u1faThin}
⋄ \lilyGlyph{noteheads.u1faWalker}
⋄ \lilyGlyph{noteheads.u1miFunk}
Ⓜ \lilyGlyph{noteheads.u1re}
⋄ \lilyGlyph{noteheads.u1reFunk}
Ⓜ \lilyGlyph{noteheads.u1reThin}
⋄ \lilyGlyph{noteheads.u1reWalker}
⋄ \lilyGlyph{noteheads.u1ti}
⋄ \lilyGlyph{noteheads.u1tiFunk}
⋄ \lilyGlyph{noteheads.u1tiThin}
⋄ \lilyGlyph{noteheads.u1tiWalker}

(continued on next page)

(continued from previous page)

▷	<code>\lilyGlyph{noteheads.u1triangle}</code>
▲	<code>\lilyGlyph{noteheads.u2do}</code>
•	<code>\lilyGlyph{noteheads.u2doFunk}</code>
▲	<code>\lilyGlyph{noteheads.u2doThin}</code>
▪	<code>\lilyGlyph{noteheads.u2doWalker}</code>
▼	<code>\lilyGlyph{noteheads.u2fa}</code>
▼	<code>\lilyGlyph{noteheads.u2faFunk}</code>
▼	<code>\lilyGlyph{noteheads.u2faThin}</code>
▼	<code>\lilyGlyph{noteheads.u2faWalker}</code>
┌	<code>\lilyGlyph{noteheads.u2kievan}</code>
•	<code>\lilyGlyph{noteheads.u2re}</code>
▼	<code>\lilyGlyph{noteheads.u2reFunk}</code>
•	<code>\lilyGlyph{noteheads.u2reThin}</code>
▼	<code>\lilyGlyph{noteheads.u2reWalker}</code>
◆	<code>\lilyGlyph{noteheads.u2ti}</code>
▼	<code>\lilyGlyph{noteheads.u2tiFunk}</code>
◆	<code>\lilyGlyph{noteheads.u2tiThin}</code>
▼	<code>\lilyGlyph{noteheads.u2tiWalker}</code>
▼	<code>\lilyGlyph{noteheads.u2triangle}</code>
↳	<code>\lilyGlyph{noteheads.u3kievan}</code>
⊠	<code>\lilyGlyph{noteheads.uM2}</code>
⊠	<code>\lilyGlyph{noteheads.uM2blackmensural}</code>
⊠	<code>\lilyGlyph{noteheads.uM2mensural}</code>
⊠	<code>\lilyGlyph{noteheads.uM2neomensural}</code>
⊠	<code>\lilyGlyph{noteheads.uM2semimensural}</code>
⊠	<code>\lilyGlyph{noteheads.uM3blackmensural}</code>
⊠	<code>\lilyGlyph{noteheads.uM3mensural}</code>
⊠	<code>\lilyGlyph{noteheads.uM3neomensural}</code>
⊠	<code>\lilyGlyph{noteheads.uM3semimensural}</code>
⊠	<code>\lilyGlyph{noteheads.urM2mensural}</code>
⊠	<code>\lilyGlyph{noteheads.urM2neomensural}</code>
⊠	<code>\lilyGlyph{noteheads.urM2semimensural}</code>
⊠	<code>\lilyGlyph{noteheads.urM3mensural}</code>
⊠	<code>\lilyGlyph{noteheads.urM3neomensural}</code>
⊠	<code>\lilyGlyph{noteheads.urM3semimensural}</code>

TABLE 461: *lily&lypbs* Named Accordion Symbols

⊠	<code>\lilyGlyph{accordion.bayanbass}</code>	⊗	<code>\lilyGlyph{accordion.oldEE}</code>
⊖	<code>\lilyGlyph{accordion.discant}</code>	⌋	<code>\lilyGlyph{accordion.pull}</code>
.	<code>\lilyGlyph{accordion.dot}</code>	>	<code>\lilyGlyph{accordion.push}</code>
⊖	<code>\lilyGlyph{accordion.freebass}</code>	⊖	<code>\lilyGlyph{accordion.stdbass}</code>

lily&lypbs defines shorter names for all of these symbols except `\lilyGlyph{accordion.dot}`. See Table 452.

TABLE 462: *lilyglyphs* Named Accidentals

⌘	<code>\lilyGlyph{accidentals.doublesharp}</code>
♭	<code>\lilyGlyph{accidentals.flat}</code>
↕	<code>\lilyGlyph{accidentals.flat.arrowboth}</code>
↴	<code>\lilyGlyph{accidentals.flat.arrowdown}</code>
↵	<code>\lilyGlyph{accidentals.flat.arrowup}</code>
♮	<code>\lilyGlyph{accidentals.flat.slash}</code>
♯	<code>\lilyGlyph{accidentals.flat slasheslash}</code>
♭♭	<code>\lilyGlyph{accidentals.flatflat}</code>
♭♯	<code>\lilyGlyph{accidentals.flatflat.slash}</code>
♭	<code>\lilyGlyph{accidentals.hufnagelM1}</code>
⌘	<code>\lilyGlyph{accidentals.kievan1}</code>
⓪	<code>\lilyGlyph{accidentals.kievanM1}</code>
(<code>\lilyGlyph{accidentals.leftparen}</code>
♭	<code>\lilyGlyph{accidentals.medicaeaM1}</code>
×	<code>\lilyGlyph{accidentals.mensural1}</code>
♭	<code>\lilyGlyph{accidentals.mensuralM1}</code>
♯	<code>\lilyGlyph{accidentals.mirroredflat}</code>
♯	<code>\lilyGlyph{accidentals.mirroredflat.backslash}</code>
♯	<code>\lilyGlyph{accidentals.mirroredflat.flat}</code>
♮	<code>\lilyGlyph{accidentals.natural}</code>
↕	<code>\lilyGlyph{accidentals.natural.arrowboth}</code>
↴	<code>\lilyGlyph{accidentals.natural.arrowdown}</code>
↵	<code>\lilyGlyph{accidentals.natural.arrowup}</code>
)	<code>\lilyGlyph{accidentals.rightparen}</code>
♯	<code>\lilyGlyph{accidentals.sharp}</code>
↕	<code>\lilyGlyph{accidentals.sharp.arrowboth}</code>
↴	<code>\lilyGlyph{accidentals.sharp.arrowdown}</code>
↵	<code>\lilyGlyph{accidentals.sharp.arrowup}</code>
♯	<code>\lilyGlyph{accidentals.sharp slasheslash.stem}</code>
♯♯	<code>\lilyGlyph{accidentals.sharp slasheslash.stemstem}</code>
♯♯	<code>\lilyGlyph{accidentals.sharp slasheslashslash.stem}</code>
♯♯	<code>\lilyGlyph{accidentals.sharp slasheslashslash.stemstem}</code>
♯	<code>\lilyGlyph{accidentals.vaticana0}</code>
♯	<code>\lilyGlyph{accidentals.vaticanaM1}</code>

lilyglyphs defines shorter names for a few of these symbols. See Table 446.

TABLE 463: *lilyglyphs* Named Arrowheads

▶	<code>\lilyGlyph{arrowheads.close.O1}</code>	>	<code>\lilyGlyph{arrowheads.open.O1}</code>
◀	<code>\lilyGlyph{arrowheads.close.O0M1}</code>	<	<code>\lilyGlyph{arrowheads.open.O0M1}</code>
▲	<code>\lilyGlyph{arrowheads.close.I1}</code>	^	<code>\lilyGlyph{arrowheads.open.I1}</code>
▼	<code>\lilyGlyph{arrowheads.close.I0M1}</code>	v	<code>\lilyGlyph{arrowheads.open.I0M1}</code>

TABLE 464: *lilyglyphs* Named Alphanumerics and Punctuation

0	<code>\lilyGlyph{zero}</code>	4	<code>\lilyGlyph{four}</code>	8	<code>\lilyGlyph{eight}</code>
1	<code>\lilyGlyph{one}</code>	5	<code>\lilyGlyph{five}</code>	9	<code>\lilyGlyph{nine}</code>
2	<code>\lilyGlyph{two}</code>	6	<code>\lilyGlyph{six}</code>		
3	<code>\lilyGlyph{three}</code>	7	<code>\lilyGlyph{seven}</code>		
<i>f</i>	<code>\lilyGlyph{f}</code>	<i>p</i>	<code>\lilyGlyph{p}</code>	<i>s</i>	<code>\lilyGlyph{s}</code>
<i>m</i>	<code>\lilyGlyph{m}</code>	<i>r</i>	<code>\lilyGlyph{r}</code>	<i>z</i>	<code>\lilyGlyph{z}</code>
,	<code>\lilyGlyph{comma}</code>	.	<code>\lilyGlyph{period}</code>		
-	<code>\lilyGlyph{hyphen}</code>	+	<code>\lilyGlyph{plus}</code>		

See Table 448 for an alternative way to typeset dynamics letters. *lilyglyphs* additionally provides a `\lilyText` command that can be useful for typesetting groups of the preceding symbols. See the *lilyglyphs* documentation for more information.

TABLE 465: Miscellaneous *lilyglyphs* Named Musical Symbols

⋄	<code>\lilyGlyph{brackettips.down}</code>	.	<code>\lilyGlyph{dots.dotvaticana}</code>
⋄	<code>\lilyGlyph{brackettips.up}</code>	⌋	<code>\lilyGlyph{ties.lyric.default}</code>
.	<code>\lilyGlyph{dots.dot}</code>	⌋	<code>\lilyGlyph{ties.lyric.short}</code>
•	<code>\lilyGlyph{dots.dotkievan}</code>		

8 Other symbols

The following are all the symbols that didn't fit neatly or unambiguously into any of the previous sections. (Do weather symbols belong under "Science and technology"? Should dice be considered "mathematics"?) While some of the tables contain clearly related groups of symbols (e.g., symbols related to various board games), others represent motley assortments of whatever the font designer felt like drawing.

TABLE 466: textcomp Genealogical Symbols

★	<code>\textborn</code>	∅	<code>\textdivorced</code>	⊙	<code>\textmarried</code>
+	<code>\textdied</code>	🍃	<code>\textleaf</code>		

TABLE 467: wasysym General Symbols

🎮	<code>\ataribox</code>	∅	<code>\diameter</code>	⚡	<code>\lightning</code>	☀	<code>\sun</code>
🔔	<code>\bell</code>	▼	<code>\DOWNarrow</code>	☎	<code>\phone</code>	▲	<code>\UParrow</code>
☹	<code>\blacksmiley</code>	☹	<code>\frownie</code>	☞	<code>\pointer</code>	⌘	<code>\wasycmd*</code>
🎩	<code>\Bowtie</code>	∅	<code>\invdiameter</code>	🎧	<code>\recorder</code>	⊞	<code>\wasylouenge</code>
⋮	<code>\brokenvert</code>	✝	<code>\kreuz</code>	▶	<code>\RIGHTarrow</code>		
✓	<code>\checked</code>	◀	<code>\LEFTarrow</code>	↻	<code>\rightturn</code>		
🕒	<code>\clock</code>	↻	<code>\leftturn</code>	☺	<code>\smiley</code>		

* wasysym defines `\applecmd` as a synonym for `\wasycmd`.

TABLE 468: manfnt Dangerous Bend Symbols

⚠	<code>\dbend</code>	⚠	<code>\lhbend</code>	⚠	<code>\reversedvideobend</code>
---	---------------------	---	----------------------	---	---------------------------------

Note that these symbols descend far beneath the baseline. `manfnt` also defines non-descending versions, which it calls, correspondingly, `\textdbend`, `\textlhbend`, and `\textreversedvideobend`.

TABLE 469: Miscellaneous manfnt Symbols

👤	<code>\manboldkidney</code>	👤	<code>\manpenkidney</code>
🌀	<code>\manconcentriccircles</code>	🌀	<code>\manquadrifolium</code>
🔲	<code>\manconcentricdiamond</code>	⌒	<code>\manquartercircle</code>
🔺	<code>\mancone</code>	🌀	<code>\manrotatedquadrifolium</code>
🔲	<code>\mancube</code>	⌒	<code>\manrotatedquartercircle</code>
↘	<code>\manerrarrow</code>	☆	<code>\manstar</code>
🔺	<code>\manfilledquartercircle</code>	🖋	<code>\mantilt pennib</code>
—	<code>\manhpennib</code>	▼	<code>\mantriangledown</code>
🔲	<code>\manimpossiblecube</code>	▶	<code>\mantriangleright</code>
👤	<code>\mankidney</code>	▲	<code>\mantriangleup</code>
👤	<code>\manlhpenkidney</code>	🖋	<code>\manvpennib</code>

TABLE 470: marvosym Media Control Symbols

▶	\Forward	▼	\MoveDown	◀◀	\RewindToIndex	▲	\ToTop
▶▶	\ForwardToEnd	▲	\MoveUp	◀	\RewindToStart		
▶▶▶	\ForwardToIndex	◀	\Rewind	▼	\ToBottom		

TABLE 471: marvosym Laundry Symbols

	\AtForty		\Handwash		\ShortNinetyFive
	\AtNinetyFive		\IroningI		\ShortSixty
	\AtSixty		\IroningII		\ShortThirty
△	\Bleech		\IroningIII		\SpecialForty
Ⓐ	\CleaningA	⊗	\NoBleech	◻	\Tumbler
Ⓕ	\CleaningF	⊗	\NoChemicalCleaning		\WashCotton
Ⓖ	\CleaningFF		\NoIroning		\WashSynthetics
Ⓟ	\CleaningP	⊗	\NoTumbler		\WashWool
Ⓢ	\CleaningPP		\ShortFifty		
	\Dontwash		\ShortForty		

TABLE 472: marvosym Information Symbols

	\Bicycle	♂	\Gentsroom		\PointingHand
	\ClockLogo		\Industry		\Wheelchair
	\Coffeecup		\Info		\WritingHand
	\Football	♀	\Ladiesroom		

TABLE 473: Other marvosym Symbols

†	\Ankh		\Bouquet	♥	\Heart		\PeaceDove
	\Bat	☩	\Celtcross		\ManFace	☺	\Smiley
	\BOLogo	⊕	\CircledA		\MineSign		\WomanFace
	\BOLogoL	†	\Cross		\Mundus	☯	\Yinyang
	\BOLogoP	☹	\Frowny	@	\MVAt		

TABLE 474: Miscellaneous universa Symbols






















	\bauforms		\bauhead
--	-----------	--	----------








TABLE 475: Miscellaneous fourier Symbols

	\bomb	☹	\noway	⊗	\textxsdown*	⚠	\warning
	\grimace	⚡	\textthing*	⊗	\textxsup*		

* fourier defines math-mode synonyms for a few of the preceding symbols: \thething (“⚡”), \xswdsup (“⊗”), and \xswdsdown (“⊗”).

TABLE 476: ifsym Weather Symbols

	<code>\Cloud</code>		<code>\Hail</code>		<code>\Sleet</code>		<code>\WeakRain</code>
	<code>\FilledCloud</code>		<code>\HalfSun</code>		<code>\Snow</code>		<code>\WeakRainCloud</code>
	<code>\FilledRainCloud</code>		<code>\Lightning</code>		<code>\SnowCloud</code>		<code>\FilledSnowCloud</code>
	<code>\FilledSunCloud</code>		<code>\NoSun</code>		<code>\Sun</code>		
	<code>\FilledWeakRainCloud</code>		<code>\Rain</code>		<code>\SunCloud</code>		
	<code>\Fog</code>		<code>\RainCloud</code>		<code>\ThinFog</code>		

In addition, `\Thermo{0}... \Thermo{6}` produce thermometers that are between 0/6 and 6/6 full of mercury:       




Similarly, `\wind{<sun>}{<angle>}{<strength>}` will draw wind symbols with a given amount of sun (0–4), a given angle (in degrees), and a given strength in km/h (0–100). For example, `\wind{0}{0}{0}` produces “”, `\wind{2}{0}{0}` produces “”, and `\wind{4}{0}{100}` produces “”.

TABLE 477: ifsym Alpine Symbols

























	<code>\SummitSign</code>		<code>\Summit</code>		<code>\SurveySign</code>		<code>\HalfFilledHut</code>
	<code>\StoneMan</code>		<code>\Mountain</code>		<code>\Joch</code>		<code>\VarSummit</code>
	<code>\Hut</code>		<code>\IceMountain</code>		<code>\Flag</code>		
	<code>\FilledHut</code>		<code>\VarMountain</code>		<code>\VarFlag</code>		
	<code>\Village</code>		<code>\VarIceMountain</code>		<code>\Tent</code>		

TABLE 478: ifsym Clocks

	<code>\Interval</code>		<code>\StopWatchStart</code>		<code>\VarClock</code>		<code>\Wecker</code>
	<code>\StopWatchEnd</code>		<code>\Taschenuhr</code>		<code>\VarTaschenuhr</code>		


ifsym also exports a `\showclock` macro. `\showclock{<hours>}{<minutes>}` outputs a clock displaying the corresponding time. For instance, “`\showclock{5}{40}`” produces “”. `<hours>` must be an integer from 0 to 11, and `<minutes>` must be an integer multiple of 5 from 0 to 55.

TABLE 479: Other ifsym Symbols
























	<code>\FilledSectioningDiamond</code>		<code>\Letter</code>		<code>\Radiation</code>
	<code>\Fire</code>		<code>\PaperLandscape</code>		<code>\SectioningDiamond</code>
	<code>\Irritant</code>		<code>\PaperPortrait</code>		<code>\Telephone</code>
	<code>\Cube{1}</code>		<code>\Cube{3}</code>		<code>\Cube{5}</code>
	<code>\Cube{2}</code>		<code>\Cube{4}</code>		<code>\Cube{6}</code>
	<code>\StrokeOne</code>		<code>\StrokeThree</code>		<code>\StrokeFive</code>
	<code>\StrokeTwo</code>		<code>\StrokeFour</code>		

TABLE 480: clock Clocks

<code>\ClockStyle</code>	<code>\ClockFramefalse</code>	<code>\ClockFrametrue</code>
0		
1		
2		
3		

The clock package provides a `\clock` command to typeset an arbitrary time on an analog clock (and `\clocktime` to typeset the document's build time). For example, the clocks in the above table were produced with `\clock{15}{41}`. Clock symbols are composed from a font of clock-face fragments using one of four values for `\ClockStyle` and either `\ClockFrametrue` or `\ClockFramefalse` as illustrated above. See the clock documentation for more information.

TABLE 481: epsdice Dice













 <code>\epsdice{1}</code>	 <code>\epsdice{3}</code>	 <code>\epsdice{5}</code>
 <code>\epsdice{2}</code>	 <code>\epsdice{4}</code>	 <code>\epsdice{6}</code>

TABLE 482: hhcount Dice

 <code>\fcdice{1}</code>	 <code>\fcdice{3}</code>	 <code>\fcdice{5}</code>
 <code>\fcdice{2}</code>	 <code>\fcdice{4}</code>	 <code>\fcdice{6}</code>


The `\fcdice` command accepts values larger than 6. For example, `"\fcdice{47}"` produces `"`".

TABLE 483: stix Dice







 <code>\dicei</code>	 <code>\diceiii</code>	 <code>\dicev</code>
 <code>\diceii</code>	 <code>\diceiv</code>	 <code>\dicevi</code>

TABLE 484: `bullcntr` Tally Markers

•	<code>\bullcntr{⟨1⟩}</code>	••	<code>\bullcntr{⟨4⟩}</code>	••••	<code>\bullcntr{⟨7⟩}</code>
••	<code>\bullcntr{⟨2⟩}</code>	••••	<code>\bullcntr{⟨5⟩}</code>	•••••	<code>\bullcntr{⟨8⟩}</code>
••••	<code>\bullcntr{⟨3⟩}</code>	•••••	<code>\bullcntr{⟨6⟩}</code>	••••••	<code>\bullcntr{⟨9⟩}</code>

The notation for `\bullcntr` used in the above bears explanation. `\bullcntr` does not take a number as its argument but rather a L^AT_EX counter, whose value it uses to typeset a tally marker. “`\bullcntr{⟨3⟩}`”, for example, means to invoke `\bullcntr` with a counter whose value is 3. (`\bullcntr` usage is therefore akin to that of L^AT_EX’s `\fnsymbol`.) The intention is to use `\bullcntr` indirectly via the `bullemum` package’s `bullemum` environment, which is a variation on the `enumerate` environment that uses `\bullcntr` to typeset the labels.

To typeset individual tally markers, one can define a helper command:

```

\newcounter{bull}
\newcommand{\showbullcntr}[1]{%
  \setcounter{bull}{#1}%
  \bullcntr{bull}%
}

```

`bullcntr`’s package options `smallctrbull`, `largectrbull`, and `heartctrbull` and corresponding commands `\smallctrbull`, `\largectrbull`, and `\heartctrbull` control the formatting of each tally marker:

	small	large	heart
<code>\bullcntr{⟨5⟩}</code>	••••	••••	♡♡♡♡

The default is `smartctrbull` (`\smartctrbull`), which maps counter values 1–5 to large pips and 6–9 to small pips. It is also possible to use arbitrary symbols for `\bullcntr`’s pips. See the `bullcntr` documentation for more information.

TABLE 485: `hhcount` Tally Markers

	<code>\fcscore{1}</code>		<code>\fcscore{3}</code>	#####	<code>\fcscore{5}</code>
	<code>\fcscore{2}</code>		<code>\fcscore{4}</code>		

The `\fcscore` command accepts values larger than 5. For example, “`\fcscore{47}`” produces “##### ||”.

TABLE 486: `dozenal` Tally Markers

	<code>\tally{1}</code>	□	<code>\tally{3}</code>	⊠	<code>\tally{5}</code>
⊔	<code>\tally{2}</code>	□	<code>\tally{4}</code>	⊠	<code>\tally{6}</code>

TABLE 487: skull Symbols


 \skull

TABLE 488: Non-Mathematical mathabx Symbols

± \rip

TABLE 489: skak Chess Informator Symbols







































	\bbetter		\doublepawns		\seppawns
	\bdecisive		\ending		\shortcastling
	\betteris	=	\equal		\timelimit
	\bishoppair		\file	∞	\unclear
	\bupperhand	\gg	\kside	∞	\unitedpawns
\times	\capturesymbol		\longcastling	R	\various
	\castlingchar	\times	\markera	\pm	\wbetter
-	\castlinghyphen		\markerb	$+-$	\wdecisive
	\centre	$\#$	\mate	\times	\weakpt
$+$	\checksymbol	$>$	\morepawns	\perp	\with
RR	\chesscomment		\moreroom	\rightarrow	\withattack
\parallel	\chessetc	N	\novelty	\triangle	\withidea
-	\chesssee		\onlymove	\uparrow	\withinit
∞	\compensation		\opposbishops	\lrcorner	\without
\leftrightarrow	\counterplay	\circ	\passedpawn	\pm	\wupperhand
	\devadvantage	\ll	\qside	\odot	\zugzwang
\nearrow	\diagonal		\samebishops		

TABLE 490: skak Chess Pieces and Chessboard Squares

	<code>\BlackBishopOnBlack</code>		<code>\BlackRookOnBlack</code>		<code>\WhiteKingOnBlack</code>
	<code>\BlackBishopOnWhite</code>		<code>\BlackRookOnWhite</code>		<code>\WhiteKingOnWhite</code>
	<code>\BlackEmptySquare</code>		<code>\symbishop</code>		<code>\WhiteKnightOnBlack</code>
	<code>\BlackKingOnBlack</code>		<code>\symking</code>		<code>\WhiteKnightOnWhite</code>
	<code>\BlackKingOnWhite</code>		<code>\symknight</code>		<code>\WhitePawnOnBlack</code>
	<code>\BlackKnightOnBlack</code>		<code>\sympawn</code>		<code>\WhitePawnOnWhite</code>
	<code>\BlackKnightOnWhite</code>		<code>\symqueen</code>		<code>\WhiteQueenOnBlack</code>
	<code>\BlackPawnOnBlack</code>		<code>\symrook</code>		<code>\WhiteQueenOnWhite</code>
	<code>\BlackPawnOnWhite</code>		<code>\WhiteBishopOnBlack</code>		<code>\WhiteRookOnBlack</code>
	<code>\BlackQueenOnBlack</code>		<code>\WhiteBishopOnWhite</code>		<code>\WhiteRookOnWhite</code>
	<code>\BlackQueenOnWhite</code>		<code>\WhiteEmptySquare</code>		

The skak package also provides commands for drawing complete chessboards. See the skak documentation for more information.

TABLE 491: igo Go Symbols

	<code>\blackstone[\igocircle]</code>		<code>\whitestone[\igocircle]</code>
	<code>\blackstone[\igocross]</code>		<code>\whitestone[\igocross]</code>
	<code>\blackstone[\igonone]</code>		<code>\whitestone[\igonone]</code>
	<code>\blackstone[\igosquare]</code>		<code>\whitestone[\igosquare]</code>
	<code>\blackstone[\igotriangle]</code>		<code>\whitestone[\igotriangle]</code>

In addition to the symbols shown above, igo's `\blackstone` and `\whitestone` commands accept numbers from 1 to 99 and display them circled as ❶, ❷, ❸, ..., ❹❹ and ❶, ❷, ❸, ..., ❹❹, respectively.

The igo package is intended to typeset complete Go boards (goban). See the igo documentation for more information.

TABLE 492: go Go Symbols

	<code>\botborder</code>		<code>\lftbotcorner</code>		<code>\rttopcorner</code>
	<code>\empty</code>		<code>\lfttopcorner</code>		<code>\square</code>
	<code>\hoshi</code>		<code>\rtborder</code>		<code>\topborder</code>
	<code>\lftborder</code>		<code>\rtbotcorner</code>		<code>\triangle</code>

In addition to the board fragments and stones shown above, go's `\black` and `\white` commands accept numbers from 1 to 253 and display them circled as , , , ..., and , , , ..., , respectively. `\black` and `\white` additionally accept `\square` and `\triangle` as arguments, producing and and for `\black` and and for `\white`.

The go package is intended to typeset complete Go boards (goban). See the go documentation for more information.

TABLE 493: metre Metrical Symbols

	<code>\a</code>		<code>\bBm</code>		<code>\cc</code>		<code>\Mbb</code>		<code>\Pppp</code>		<code>\t</code>
	<code>\B</code>		<code>\bbm</code>		<code>\Ccc</code>		<code>\mbbx</code>		<code>\pppp</code>		<code>\tsbm</code>
	<code>\b</code>		<code>\Bbm</code>		<code>\m</code>		<code>\oo</code>		<code>\Ppppp</code>		<code>\tsmb</code>
	<code>\BB</code>		<code>\bbmb</code>		<code>\M</code>		<code>\p</code>		<code>\ppppp</code>		<code>\tsmm</code>
	<code>\BBB</code>		<code>\bbmx</code>		<code>\ma</code>		<code>\pm</code>		<code>\ps</code>		<code>\vppm</code>
	<code>\bb</code>		<code>\bm</code>		<code>\Mb</code>		<code>\pp</code>		<code>\pxp</code>		<code>\vppppm</code>
	<code>\bB</code>		<code>\Bm</code>		<code>\mb</code>		<code>\Pp</code>		<code>\Pxp</code>		<code>\x</code>
	<code>\bba</code>		<code>\c</code>		<code>\mBb</code>		<code>\ppm</code>		<code>\R</code>		
	<code>\bbb</code>		<code>\C</code>		<code>\mbB</code>		<code>\ppp</code>		<code>\r</code>		
	<code>\BBm</code>		<code>\Cc</code>		<code>\mbb</code>		<code>\Ppp</code>		<code>\T</code>		

The preceding symbols are valid only within the argument to the `metre` command.

TABLE 494: metre Small and Large Metrical Symbols

	<code>\anacclasis</code>		<code>\Anacclasis</code>
	<code>\antidiple</code>		<code>\Antidiple</code>
	<code>\antidiple*</code>		<code>\Antidiple*</code>
	<code>\antisigma</code>		<code>\Antisigma</code>
	<code>\asteriscus</code>		<code>\Asteriscus</code>
	<code>\catalexis</code>		<code>\Catalexis</code>
	<code>\diple</code>		<code>\Diple</code>
	<code>\diple*</code>		<code>\Diple*</code>
	<code>\obelus</code>		<code>\Obelus</code>
	<code>\obelus*</code>		<code>\Obelus*</code>
	<code>\respondens</code>		<code>\Respondens</code>
	<code>\terminus</code>		<code>\Terminus</code>
	<code>\terminus*</code>		<code>\Terminus*</code>

TABLE 495: teubner Metrical Symbols

∞	<code>\aeolicbii</code>	∩	<code>\barbrevis</code>	+	<code>\ipercatal</code>
∞∞	<code>\aeolicbiii</code>	∪	<code>\bbrevis</code>	—	<code>\longa</code>
∞∞∞	<code>\aeolicbiv</code>	∩	<code>\brevis</code>	∩	<code>\ubarbbrevis</code>
×	<code>\anceps</code>	^	<code>\catal</code>	∩	<code>\ubarbrevis</code>
×	<code>\ancepsdbrevis</code>	∩	<code>\corona</code>	∩	<code>\ubarsbrevis</code>
×	<code>\banceps</code>	∩	<code>\coronainv</code>	∩	<code>\ubrevislonga</code>
∩	<code>\barbbrevis</code>	H	<code>\hiatus</code>		

The `teubner` package provides a `\newmetrics` command that helps users combine the preceding symbols as well as other `teubner` symbols. For example, the predefined `\pentam` symbol uses `\newmetrics` to juxtapose six `\longas`, two `\barbbrevises`, four `\brevises`, and a `\dBar` into “`—∩—∩—||—∩—∩—`”. See the `teubner` documentation for more information.

TABLE 496: dictsym Dictionary Symbols






















	<code>\dsaeronautical</code>		<code>\dscommercial</code>		<code>\dsmedical</code>
	<code>\dsagricultural</code>		<code>\ds heraldical</code>		<code>\dsmilitary</code>
	<code>\dsarchitectural</code>		<code>\dsjuridical</code>		<code>\dsrailways</code>
	<code>\dsbiological</code>		<code>\dsliterary</code>		<code>\dstechnical</code>
	<code>\dschemical</code>		<code>\ds mathematical</code>		









TABLE 497: simpsons Characters from *The Simpsons*

	<code>\Bart</code>		<code>\Homer</code>		<code>\Maggie</code>		<code>\SNPP</code>
	<code>\Burns</code>		<code>\Lisa</code>		<code>\Marge</code>		

The location of the characters’ pupils can be controlled with the `\Goofy` command. See *A METAFONT of ‘Simpsons’ characters* [Che98] for more information. Also, each of the above can be prefixed with `\Left` to make the character face left instead of right:




































TABLE 498: pmboxdraw Box-Drawing Symbols

	<code>\textblock</code>	\vrule	<code>\textSFli</code>	$\vrule\hrule$	<code>\textSFxli</code>	$\vrule\hrule\hrule$	<code>\textSFxxiii</code>
	<code>\textdkshade</code>	$\vrule\hrule$	<code>\textSFlii</code>	$\vrule\hrule\hrule$	<code>\textSFxlii</code>	$\vrule\hrule\hrule\hrule$	<code>\textSFxxiv</code>
	<code>\textdnblock</code>	$\vrule\hrule\hrule$	<code>\textSFliii</code>	$\vrule\hrule\hrule\hrule$	<code>\textSFxl iii</code>	$\vrule\hrule\hrule\hrule\hrule$	<code>\textSFxxv</code>
	<code>\textlfblock</code>	$\vrule\hrule\hrule\hrule$	<code>\textSFliv</code>	$\vrule\hrule\hrule\hrule\hrule$	<code>\textSFxliv</code>	$\vrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxxvi</code>
	<code>\textltshade</code>	$\vrule\hrule\hrule\hrule\hrule$	<code>\textSFv</code>	$\vrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxlix</code>	$\vrule\hrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxxvii</code>
	<code>\textrtblock</code>	$\vrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFvi</code>	$\vrule\hrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxlv</code>	$\vrule\hrule\hrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxxviii</code>
\lrcorner	<code>\textSFi</code>	\perp	<code>\textSFvii</code>	$\vrule\hrule\hrule$	<code>\textSFxlvi</code>	$\vrule\hrule\hrule\hrule$	<code>\textSFxxxix</code>
\llcorner	<code>\textSFii</code>	\lrcorner	<code>\textSFviii</code>	$\vrule\hrule\hrule\hrule$	<code>\textSFxlvii</code>	$\vrule\hrule\hrule\hrule\hrule$	<code>\textSFxxxvi</code>
\lrcorner	<code>\textSFiii</code>	---	<code>\textSFx</code>	$\vrule\hrule\hrule\hrule\hrule$	<code>\textSFxlviii</code>	$\vrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxxxvii</code>
\lrcorner	<code>\textSFiv</code>	\lrcorner	<code>\textSFxi</code>	$\vrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxx</code>	$\vrule\hrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxxxviii</code>
\lrcorner	<code>\textSFix</code>	\lrcorner	<code>\textSFxix</code>	$\vrule\hrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxxi</code>		<code>\textshade</code>
\lrcorner	<code>\textSF1</code>	$\vrule\hrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxl</code>	$\vrule\hrule\hrule\hrule\hrule\hrule\hrule\hrule$	<code>\textSFxxii</code>		<code>\textupblock</code>

Code Page 437 (CP437), which was first utilized by the original IBM PC, contains the set of box-drawing symbols (sides, corners, and intersections of single- and double-ruled boxes) shown above in character positions 176–223. These symbols also appear in the Unicode Box Drawing and Block Element tables.




































The `pmboxdraw` package draws the CP437 box-drawing symbols using $\text{T}_{\text{E}}\text{X}$ rules (specifically, `\vrule`) instead of with a font and thereby provides the ability to alter both rule width and the separation between rules. See the `pmboxdraw` documentation for more information.

TABLE 499: staves Magical Staves

	<code>\staveI</code>		<code>\staveXXIV</code>		<code>\staveXLVII</code>
	<code>\staveII</code>		<code>\staveXXV</code>		<code>\staveXLVIII</code>
	<code>\staveIII</code>		<code>\staveXXVI</code>		<code>\staveXLIX</code>
	<code>\staveIV</code>		<code>\staveXXVII</code>		<code>\staveL</code>
	<code>\staveV</code>		<code>\staveXXVIII</code>		<code>\staveLI</code>
	<code>\staveVI</code>		<code>\staveXXIX</code>		<code>\staveLII</code>
	<code>\staveVII</code>		<code>\staveXXX</code>		<code>\staveLIII</code>
	<code>\staveVIII</code>		<code>\staveXXXI</code>		<code>\staveLIV</code>
	<code>\staveIX</code>		<code>\staveXXXII</code>		<code>\staveLV</code>
	<code>\staveX</code>		<code>\staveXXXIII</code>		<code>\staveLVI</code>
	<code>\staveXI</code>		<code>\staveXXXIV</code>		<code>\staveLVII</code>

(continued on next page)

(continued from previous page)

	<code>\staveXII</code>		<code>\staveXXXV</code>		<code>\staveLVIII</code>
	<code>\staveXIII</code>		<code>\staveXXXVI</code>		<code>\staveLIX</code>
	<code>\staveXIV</code>		<code>\staveXXXVII</code>		<code>\staveLX</code>
	<code>\staveXV</code>		<code>\staveXXXVIII</code>		<code>\staveLXI</code>
	<code>\staveXVI</code>		<code>\staveXXXIX</code>		<code>\staveLXII</code>
	<code>\staveXVII</code>		<code>\staveXL</code>		<code>\staveLXIII</code>
	<code>\staveXVIII</code>		<code>\staveXLI</code>		<code>\staveLXIV</code>
	<code>\staveXIX</code>		<code>\staveXLII</code>		<code>\staveLXV</code>
	<code>\staveXX</code>		<code>\staveXLIII</code>		<code>\staveLXVI</code>
	<code>\staveXXI</code>		<code>\staveXLIV</code>		<code>\staveLXVII</code>
	<code>\staveXXII</code>		<code>\staveXLV</code>		<code>\staveLXVIII</code>
	<code>\staveXXIII</code>		<code>\staveXLVI</code>		


The meanings of these symbols are described on the Web site for the Museum of Icelandic Sorcery and Witchcraft at http://www.galdrasyning.is/index.php?option=com_content&task=category§ionid=5&id=18&Itemid=60 (TinyURL: <http://tinyurl.com/25979m>). For example, `\staveL` (“”) is intended to ward off ghosts and evil spirits.

TABLE 500: pigpen Cipher Symbols



























	<code>{\pigpenfont A}</code>		<code>{\pigpenfont J}</code>		<code>{\pigpenfont S}</code>
	<code>{\pigpenfont B}</code>		<code>{\pigpenfont K}</code>		<code>{\pigpenfont T}</code>
	<code>{\pigpenfont C}</code>		<code>{\pigpenfont L}</code>		<code>{\pigpenfont U}</code>
	<code>{\pigpenfont D}</code>		<code>{\pigpenfont M}</code>		<code>{\pigpenfont V}</code>
	<code>{\pigpenfont E}</code>		<code>{\pigpenfont N}</code>		<code>{\pigpenfont W}</code>
	<code>{\pigpenfont F}</code>		<code>{\pigpenfont O}</code>		<code>{\pigpenfont X}</code>
	<code>{\pigpenfont G}</code>		<code>{\pigpenfont P}</code>		<code>{\pigpenfont Y}</code>
	<code>{\pigpenfont H}</code>		<code>{\pigpenfont Q}</code>		<code>{\pigpenfont Z}</code>
	<code>{\pigpenfont I}</code>		<code>{\pigpenfont R}</code>		

TABLE 501: GnA2e Phases of the Moon

	<code>\MoonPha{1}</code>		<code>\MoonPha{2}</code>		<code>\MoonPha{3}</code>		<code>\MoonPha{4}</code>
---	--------------------------	---	--------------------------	---	--------------------------	---	--------------------------

TABLE 502: GnA2e Recycling Symbols


	<code>\Greenpoint</code>
---	--------------------------

TABLE 503: marvosym Recycling Symbols




 `\PackingWaste`  `\Recycling`

TABLE 504: recycle Recycling Symbols



The METAFONT code that implements the recycling symbols shown above is, in the words of its author, “awful code [that] doesn’t even put the logo in a box (properly)”. Expect to receive “**Inconsistent equation (off by $\langle number \rangle$)**” errors from METAFONT. Fortunately, if you tell METAFONT to proceed past those errors (e.g., by pressing Enter after each one or by specifying “`-interaction=nonstopmode`” on the METAFONT command line) it should produce a valid font.

The commands listed above should be used within a group (e.g., “`{\recycle}`”) because they exhibit the side effect of *changing* the font to the recycle font.

TABLE 505: Other G_UA₂e Symbols





 `\Info`  `\Request`
 `\Postbox`  `\Telephone`

TABLE 506: soyombo Soyombo Symbols



* These symbols require that the Soyombo font be active (“`{\soyombo ... }`”).

TABLE 507: knitting Knitting Symbols

\wedge	<code>\textknit{!}</code>	\rightleftarrows	<code>\textknit{[]}</code>		<code>\textknit{Q}</code>
	<code>\textknit{"}</code>	\leftleftarrows	<code>\textknit{]}</code>		<code>\textknit{q}</code>
\backslash	<code>\textknit{(}</code>	\blacktriangleup	<code>\textknit{A}</code>	\nearrow	<code>\textknit{R}</code>
$/$	<code>\textknit{)}</code>	\blacktriangleright	<code>\textknit{a}</code>	\nwarrow	<code>\textknit{r}</code>
$*$	<code>\textknit{*}</code>		<code>\textknit{B}</code>	\leftarrow	<code>\textknit{S}</code>
$ $	<code>\textknit{-}</code>		<code>\textknit{b}</code>	\rightarrow	<code>\textknit{s}</code>
	<code>\textknit{2}</code>	\blacktriangledown	<code>\textknit{E}</code>		<code>\textknit{T}</code>
	<code>\textknit{3}</code>	\frown	<code>\textknit{F}</code>		<code>\textknit{t}</code>
\times	<code>\textknit{4}</code>	\smile	<code>\textknit{f}</code>		<code>\textknit{U}</code>
\sphericalangle	<code>\textknit{5}</code>	\uparrow	<code>\textknit{H}</code>	\sphericalangle	<code>\textknit{u}</code>
∇	<code>\textknit{6}</code>	\downarrow	<code>\textknit{h}</code>		<code>\textknit{V}</code>
\sphericalangle	<code>\textknit{7}</code>		<code>\textknit{I}</code>	\sphericalangle	<code>\textknit{v}</code>
\sphericalangle	<code>\textknit{8}</code>		<code>\textknit{i}</code>		<code>\textknit{W}</code>
\sphericalangle	<code>\textknit{9}</code>		<code>\textknit{J}</code>	\sphericalangle	<code>\textknit{w}</code>
	<code>\textknit{:}</code>		<code>\textknit{j}</code>		<code>\textknit{X}</code>
	<code>\textknit{;}</code>	\blacktriangleright	<code>\textknit{L}</code>	\sphericalangle	<code>\textknit{x}</code>
\sphericalangle	<code>\textknit{<}</code>	\blacktriangleright	<code>\textknit{l}</code>	\sphericalangle	<code>\textknit{Y}</code>
$-$	<code>\textknit{=}</code>	m	<code>\textknit{M}</code>	\sphericalangle	<code>\textknit{y}</code>
\sphericalangle	<code>\textknit{>}</code>	m	<code>\textknit{m}</code>	$\textcircled{\textcircled{0}}$	<code>\textknit{Z}</code>
\bullet	<code>\textknit{@}</code>	\bigcirc	<code>\textknit{O}</code>	$\textcircled{\textcircled{0}}$	<code>\textknit{z}</code>

The knitting package is intended to typeset complete knitting charts. See the knitting documentation for more information.
















Some symbols behave differently when used as part of a sequence. For example, contrast `\textknit{1}` (“ \blacktriangleright ”), `\textknit{11}` (“ $\blacktriangleright\blacktriangleright$ ”), and `\textknit{111}` (“ $\blacktriangleright\blacktriangleright\blacktriangleright$ ”). Similarly, contrast `\textknit{"}` (“ \curvearrowright ”) and `\textknit{"}` (“ \curvearrowright ”). Again, see the knitting documentation for more information.

TABLE 508: countriesofeuropa Country Maps

	<code>\Albania</code>		<code>\Latvia</code>
	<code>\Andorra</code>		<code>\Liechtenstein</code>
	<code>\Austria</code>		<code>\Lithuania</code>
	<code>\Belarus</code>		<code>\Luxembourg</code>
	<code>\Belgium</code>		<code>\Macedonia</code>
	<code>\Bosnia</code>		<code>\Malta</code>


(continued on next page)

(continued from previous page)

	<code>\Bulgaria</code>		<code>\Moldova</code>
	<code>\Croatia</code>		<code>\Montenegro</code>
	<code>\Czechia</code>		<code>\Netherlands</code>
	<code>\Denmark</code>		<code>\Norway</code>
	<code>\Estonia</code>		<code>\Poland</code>
	<code>\Finland</code>		<code>\Portugal</code>
	<code>\France</code>		<code>\Romania</code>
	<code>\Germany</code>		<code>\Serbia</code>
	<code>\GreatBritain</code>		<code>\Slovakia</code>
	<code>\Greece</code>		<code>\Slovenia</code>

(continued on next page)

(continued from previous page)



The preceding commands work only when the CountriesOfEurope font family is active. For convenience, the package defines a `\countriesofeuropfamily` command that switches to that font family.


By default, countries are drawn in the current font size. Hence, “`{\countriesofeuropfamily\France}`” draws a nearly unrecognizable “”. For clarity of presentation, Table 508 scales each glyph to 72 pt. via an explicit `\fontsize{72}{72}`. An alternative is to specify the scaled package option to scale all country glyphs by a given factor of the font size.

TABLE 509: euflag European Union flag



The `\euflag` flag is drawn using the \LaTeX `picture` environment.

TABLE 510: Miscellaneous arev Symbols















 <code>\anchor</code>	 <code>\invsmileface</code>	 <code>\skull</code>	 <code>\warning</code>
 <code>\biohazard</code>	 <code>\radiation</code>	 <code>\smileface</code>	 <code>\yinyang</code>
 <code>\heavyqleft</code>	 <code>\recycle</code>	 <code>\steaming</code>	
 <code>\heavyqright</code>	 <code>\sadface</code>	 <code>\swords</code>	

TABLE 511: cookingsymbols Cooking Symbols





























	<code>\Bottomheat</code>		<code>\Fork</code>		<code>\Knife</code>		<code>\Topbottomheat</code>
	<code>\Dish</code>		<code>\Gasstove</code>		<code>\Oven</code>		<code>\Topheat</code>
	<code>\Fanoven</code>		<code>\Gloves</code>		<code>\Spoon</code>		

























TABLE 512: tikzsymbols Cooking Symbols

	<code>\bakingplate</code>		<code>\eggbeater</code>		<code>\pan</code>		<code>\squeezer</code>
	<code>\blender</code>		<code>\fryingpan</code>		<code>\peeler</code>		<code>\trident</code>
	<code>\bottle</code>		<code>\garlicpress</code>		<code>\pot</code>		
	<code>\bowl</code>		<code>\grater</code>		<code>\rollingpin</code>		
	<code>\cooker</code>		<code>\oven</code>		<code>\sieve</code>		

`tikzsymbols` defines German-language aliases for each of the above: `\Backblech` for `\bakingplate`, `\Bratpfanne` for `\fryingpan`, `\Dreizack` for `\trident`, `\Flasche` for `\bottle`, `\Herd` for `\cooker`, `\Kochtopf` for `\pot`, `\Knoblauchpresse` for `\garlicpress`, `\Nudelholz` for `\rollingpin`, `\Ofen` for `\oven`, `\Pfanne` for `\pan`, `\Purierstab` for `\blender`, `\Reibe` for `\grater`, `\Saftpresse` for `\squeezer`, `\Schaler` for `\peeler`, `\Schneebesen` for `\eggbeater`, `\Schussel` for `\bowl`, and `\Sieb` for `\sieve`.





















All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font.

TABLE 513: tikzsymbols Emoticons

	<code>\Annoey</code>		<code>\Laughy</code>		<code>\rWalley</code>		<code>\Tongey</code>
	<code>\Cat</code>		<code>\Neutrey</code>		<code>\Sadey</code>		<code>\Vomey</code>
	<code>\cChangey{1}</code>		<code>\NiceReapey</code>		<code>\SchrodingersCat{0}</code>		<code>\Walley</code>
	<code>\Changey{1}</code>		<code>\Ninja</code>		<code>\Sey</code>		<code>\Winkey</code>
	<code>\Cooley</code>		<code>\Nursey</code>		<code>\Sleepy</code>		<code>\wInnocey</code>
	<code>\Innocey</code>		<code>\oldWinkey</code>		<code>\Smiley</code>		<code>\Xey</code>






All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. Hence, symbols like `\Ninja` can include color. In fact, most of the commands shown above accept one or more color arguments for further customization. Also note that `\cChangey`, `\Changey`, and `\SchrodingersCat` take a mandatory argument. See the `tikzsymbols` documentation for more information.

TABLE 514: tikzsymbols 3D Emoticons

	<code>\dAnnoey</code>		<code>\dLaughy</code>		<code>\dSadey</code>		<code>\dVomey</code>
	<code>\dcChangey{1}</code>		<code>\dNeutrey</code>		<code>\dSey</code>		<code>\dWalley</code>
	<code>\dChangey{1}</code>		<code>\dNinja</code>		<code>\dSleepy</code>		<code>\dWinkey</code>
	<code>\dCooley</code>		<code>\dNursey</code>		<code>\dSmiley</code>		<code>\dXey</code>
	<code>\dInnocey</code>		<code>\drWalley</code>		<code>\dTongey</code>		<code>\doldWinkey</code>










All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. Hence, all of the symbols shown above can include color. In fact, each command in Table 514 accepts one or more color arguments for further customization. Note that `\dcChangey` and `\dChangey` also take a mandatory argument. See the `tikzsymbols` documentation for more information.

TABLE 515: tikzsymbols Trees

	<code>\Autumntree</code>		<code>\Summertree</code>		<code>\WorstTree</code>
	<code>\Springtree</code>		<code>\Wintertree</code>		

All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. Hence, all of the symbols shown above can include color. `tikzsymbols` additionally defines a `\BasicTree` command that supports customization of trunk and leaf colors. See the `tikzsymbols` documentation for more information.

TABLE 516: Miscellaneous `tikzsymbols` Symbols

	<code>\Bed</code>		<code>\Chair</code>		<code>\Fire</code>		<code>\Snowman</code>		<code>\Tribar</code>
	<code>\Candle</code>		<code>\Coffeecup</code>		<code>\Moai</code>		<code>\Strichmaxerl</code>		

All `tikzsymbols` symbols are implemented with `TikZ` graphics, not with a font. `\Tribar` supports customization of the fill color for each bar. `\Strichmaxerl` supports customization of the angles at which the stick figure's arms and legs are drawn. See the `tikzsymbols` documentation for more information.

TABLE 517: `scsnowman` Snowmen

	<code>\scsnowman</code>
---	-------------------------

* `\scsnowman` is drawn using `TikZ`. The command accepts a number of options for controlling the presence, appearance, and color of the snowman's body, eyes, nose, mouth, arms, hat, and more. See the `scsnowman` documentation for more information, but the following examples showcase a subset of the possibilities (drawn large for clarity):












	<code>\scsnowman</code>		<code>\scsnowman[eyes, mouth, nose, arms, hat, muffler, buttons, snow, broom]</code>
---	-------------------------	---	--

TABLE 518: Miscellaneous `bclogo` Symbols

	<code>\bcattention</code>		<code>\bcetoile</code>		<code>\bcpanchant</code>
	<code>\bcbombe</code>		<code>\bcfemme</code>		<code>\bcpeaceandlove</code>
	<code>\bcbook</code>		<code>\bcfeujaune</code>		<code>\bcpluie</code>

(continued on next page)

(continued from previous page)

	<code>\bccalendrier</code>		<code>\bcfeurouge</code>		<code>\bcplume</code>
	<code>\bccle</code>		<code>\bcfeutricolore</code>		<code>\bcpoisson</code>
	<code>\bcclefa</code>		<code>\bcfeuvert</code>		<code>\bcquestion</code>
	<code>\bcclesol</code>		<code>\bcfleur</code>		<code>\bcrecyclage</code>
	<code>\bccoeur</code>		<code>\bchomme</code>		<code>\bcrosevents</code>
	<code>\bccrayon</code>		<code>\bchorloge</code>		<code>\bcsmbh</code>
	<code>\bccube</code>		<code>\bcicosaedre</code>		<code>\bcsmmh</code>
	<code>\bcdallemagne</code>		<code>\bcinfo</code>		<code>\bcsoleil</code>
	<code>\bcdanger</code>		<code>\bcinterdit</code>		<code>\bcspadesuit</code>
	<code>\bcdautriche</code>		<code>\bclampe</code>		<code>\bcstop</code>
	<code>\bcdbelgique</code>		<code>\bcloupe</code>		<code>\bctakecare</code>
	<code>\cdbulgarie</code>		<code>\bcneige</code>		<code>\bctetraedre</code>
	<code>\bcdfrance</code>		<code>\bcnote</code>		<code>\bctrefle</code>
	<code>\bcditalie</code>		<code>\bcnucleaire</code>		<code>\bctrombone</code>
	<code>\bcdluxembourg</code>		<code>\bcocetaedre</code>		<code>\bcvaletcoeur</code>
	<code>\bcdodecaedre</code>		<code>\bcoeil</code>		<code>\bcvelo</code>
	<code>\bcdpaysbas</code>		<code>\bcorne</code>		<code>\bcyin</code>
	<code>\bcdz</code>		<code>\bcours</code>		
	<code>\bceclaircie</code>		<code>\bcoutil</code>		

All `bclogo` symbols are implemented with `TikZ` (or alternatively, `PSTricks`) graphics, not with a font. This is how the symbols shown above can include color.

(continued from previous page)

	\faBolt		\faGoogle		\faSimplybuilt
	\faBomb		\faGooglePlus		\faSitemap
	\faBook		\faGooglePlusSquare		\faSkyatlas
	\faBookmark		\faGoogleWallet		\faSkype
	\faBookmarkO		\faGraduationCap		\faSlack
	\faBriefcase		\faGratipay		\faSliders
	\faBug		\faHackerNews		\faSlideshare
	\faBuilding		\faHddO		\faSmileO
	\faBuildingO		\faHeader		\faSort
	\faBullhorn		\faHeadphones		\faSortAlphaAsc
	\faBullseye		\faHeart		\faSortAlphaDesc
	\faBus		\faHeartbeat		\faSortAmountAsc
	\faBuysellads		\faHeartO		\faSortAmountDesc
	\faCalculator		\faHistory		\faSortAsc
	\faCalendar		\faHome		\faSortDesc
	\faCalendarCheckO		\faHospitalO		\faSortNumericAsc
	\faCalendarMinusO		\faHourglass		\faSortNumericDesc
	\faCalendarO		\faHourglassEnd		\faSoundcloud
	\faCalendarPlusO		\faHourglassHalf		\faSpaceShuttle
	\faCalendarTimesO		\faHourglassO		\faSpinner
	\faCamera		\faHourglassStart		\faSpoon
	\faCameraRetro		\faHouzz		\faSpotify
	\faCar		\faHSquare		\faStackExchange
	\faCaretDown		\faHtml5		\faStackOverflow
	\faCaretLeft		\faICursor		\faSteam
	\faCaretRight		\faInbox		\faSteamSquare
	\faCaretSquareODown		\faIndent		\faStepBackward
	\faCaretSquareOLeft		\faIndustry		\faStepForward
	\faCaretSquareORight		\faInfo		\faStethoscope
	\faCaretSquareOUp		\faInfoCircle		\faStickyNote
	\faCaretUp		\faInstagram		\faStickyNoteO
	\faCartArrowDown		\faInternetExplorer		\faStop
	\faCartPlus		\faIoxhost		\faStreetView
	\faCc		\faItalic		\faStrikethrough
	\faCcAmex		\faJoomla		\faStumbleupon
	\faCcDinersClub		\faJsFiddle		\faStumbleuponCircle
	\faCcDiscover		\faKey		\faSubscript
	\faCcJcb		\faKeyboardO		\faSubway
	\faCcMastercard		\faLanguage		\faSuitcase
	\faCcPaypal		\faLaptop		\faSuperscript
	\faCcStripe		\faLastfm		\faTable
	\faCcVisa		\faLastfmSquare		\faTablet
	\faCertificate		\faLeaf		\faTachometer
	\faChainBroken		\faLeanpub		\faTag
	\faChild		\faLemonO		\faTags
	\faChrome		\faLevelDown		\faTasks
	\faClipboard		\faLevelUp		\faTaxi
	\faClockO		\faLifeRing		\faTelevision
	\faClone		\faLightbulbO		\faTencentWeibo
	\faCloud		\faLineChart		\faTerminal
	\faCloudDownload		\faLink		\faTextHeight
	\faCloudUpload		\faLinkedin		\faTextWidth
	\faCode		\faLinkedinSquare		\faTh


















(continued on next page)

(continued from previous page)

	\faCodeFork		\faLinux		\faThLarge
	\faCodepen		\faList		\faThList
	\faCoffee		\faListAlt		\faThumbTack
	\faCog		\faList01		\faTicket
	\faCogs		\faListUl		\faTint
	\faColumns		\faLocationArrow		\faToggleOff
	\faComment		\faLock		\faToggleOn
	\faCommenting		\faMagic		\faTrain
	\faCommenting0		\faMagnet		\faTrash
	\faComment0		\faMale		\faTrash0
	\faComments		\faMap		\faTree
	\faComments0		\faMapMarker		\faTrello
	\faCompass		\faMap0		\faTripadvisor
	\faCompress		\faMapPin		\faTrophy
	\faConnectdevelop		\faMapSigns		\faTruck
	\faContao		\faMaxcdn		\faTty
	\faCreditCard		\faMeanpath		\faTumblr
	\faCrop		\faMedium		\faTumblrSquare
	\faCrosshairs		\faMedkit		\faTwitch
	\faCss3		\faMeh0		\faTwitter
	\faCube		\faMicrophone		\faTwitterSquare
	\faCubes		\faMicrophoneSlash		\faUmbrella
	\faCutlery		\faMinus		\faUnderline
	\faDashcube		\faMinusCircle		\faUniversity
	\faDatabase		\faMinusSquare		\faUnlock
	\faDelicious		\faMinusSquare0		\faUnlockAlt
	\faDesktop		\faMobile		\faUpload
	\faDeviantart		\faMoney		\faUser
	\faDiamond		\faMotorcycle		\faUserMd
	\faDigg		\faMousePointer		\faUserPlus
	\faDownload		\faMusic		\faUsers
	\faDribbble		\faNewspaper0		\faUserSecret
	\faDropbox		\faObjectGroup		\faUserTimes
	\faDrupal		\faObjectUngroup		\faVideoCamera
	\faEject		\faOdnoklassniki		\faVimeo
	\faEllipsisH		\faOdnoklassnikiSquare		\faVimeoSquare
	\faEllipsisV		\faOpencart		\faVine
	\faEmpire		\faOpenid		\faVk
	\faEnvelope		\faOpera		\faVolumeDown
	\faEnvelope0		\faOptinMonster		\faVolumeOff
	\faEnvelopeSquare		\faOutdent		\faVolumeUp
	\faEraser		\faPagelines		\faWeibo
	\faExchange		\faPaintBrush		\faWeixin
	\faExclamation		\faPaperclip		\faWhatsapp
	\faExclamationCircle		\faPaperPlane		\faWheelchair
	\faExclamationTriangle		\faPaperPlane0		\faWifi
	\faExpand		\faParagraph		\faWikipediaW
	\faExternalLink		\faPause		\faWindows
	\faExternalLinkSquare		\faPaw		\faWordpress
	\faEye		\faPaypal		\faWrench
	\faEyedropper		\faPhone		\faXing
	\faEyeSlash		\faPhoneSquare		\faXingSquare
			\faPicture0		\faYahoo

(continued on next page)

(continued from previous page)

	<code>\faFacebook</code>		<code>\faPieChart</code>		<code>\faYCombinator</code>
	<code>\faFacebookOfficial</code>		<code>\faPiedPiper</code>		<code>\faYelp</code>
	<code>\faFacebookSquare</code>		<code>\faPiedPiperAlt</code>		<code>\faYoutube</code>
	<code>\faFastBackward</code>		<code>\faPinterest</code>		<code>\faYoutubePlay</code>
	<code>\faFastForward</code>		<code>\faPinterestP</code>		<code>\faYoutubeSquare</code>
	<code>\faFax</code>		<code>\faPinterestSquare</code>		

fontawesome defines synonyms for many of the preceding symbols:
































































	<code>\faAutomobile</code>		<code>\faFileZip0</code>		<code>\faRa</code>
	<code>\faBank</code>		<code>\faFlash</code>		<code>\faReorder</code>
	<code>\faBarChart0</code>		<code>\faGe</code>		<code>\faSave</code>
	<code>\faBattery0</code>		<code>\faGear</code>		<code>\faSend</code>
	<code>\faBattery1</code>		<code>\faGears</code>		<code>\faSend0</code>
	<code>\faBattery2</code>		<code>\faGittip</code>		<code>\faSoccerBall0</code>
	<code>\faBattery3</code>		<code>\faGroup</code>		<code>\faSortDown</code>
	<code>\faBattery4</code>		<code>\faHotel</code>		<code>\faSortUp</code>
	<code>\faCab</code>		<code>\faImage</code>		<code>\faSupport</code>
	<code>\faChain</code>		<code>\faInstitution</code>		<code>\faToggleDown</code>
	<code>\faCopy</code>		<code>\faLegal</code>		<code>\faToggleLeft</code>
	<code>\faCut</code>		<code>\faLifeBouy</code>		<code>\faToggleRight</code>
	<code>\faDashboard</code>		<code>\faLifeSaver</code>		<code>\faToggleUp</code>
	<code>\faDedent</code>		<code>\faMailForward</code>		<code>\faTv</code>
	<code>\faEdit</code>		<code>\faMailReply</code>		<code>\faUnlink</code>
	<code>\faFacebookF</code>		<code>\faMailReplyAll</code>		<code>\faUnsorted</code>
	<code>\faFeed</code>		<code>\faMobilePhone</code>		<code>\faWarning</code>
	<code>\faFileMovie0</code>		<code>\faMortarBoard</code>		<code>\faWechat</code>
	<code>\faFilePhoto0</code>		<code>\faNavicon</code>		<code>\faYc</code>
	<code>\faFilePicture0</code>		<code>\faPaste</code>		<code>\faYCombinatorSquare</code>
	<code>\faFileSound0</code>		<code>\faPhoto</code>		<code>\faYcSquare</code>

TABLE 520: rubikcube Rubik’s Cube Rotations

	<code>\rrhD</code>		<code>\rrhF</code>		<code>\rrhLw</code>		<code>\rrhRw</code>		<code>\rrhU</code>
	<code>\rrhDa</code>		<code>\rrhFp</code>		<code>\rrhLwp</code>		<code>\rrhRwp</code>		<code>\rrhUa</code>
	<code>\rrhDap</code>		<code>\rrhFw</code>		<code>\rrhM</code>		<code>\rrhSd</code>		<code>\rrhUap</code>
	<code>\rrhDp</code>		<code>\rrhFwp</code>		<code>\rrhMp</code>		<code>\rrhSdp</code>		<code>\rrhUp</code>
	<code>\rrhDs</code>		<code>\rrhL</code>		<code>\rrhR</code>		<code>\rrhS1</code>		<code>\rrhUs</code>
	<code>\rrhDsp</code>		<code>\rrhLa</code>		<code>\rrhRa</code>		<code>\rrhS1p</code>		<code>\rrhUsp</code>
	<code>\rrhDw</code>		<code>\rrhLap</code>		<code>\rrhRap</code>		<code>\rrhSr</code>		<code>\rrhUw</code>
	<code>\rrhDwp</code>		<code>\rrhLp</code>		<code>\rrhRp</code>		<code>\rrhSrp</code>		<code>\rrhUwp</code>
	<code>\rrhE</code>		<code>\rrhLs</code>		<code>\rrhRs</code>		<code>\rrhSu</code>		
	<code>\rrhEp</code>		<code>\rrhLsp</code>		<code>\rrhRsp</code>		<code>\rrhSup</code>		

All rubikcube symbols are implemented with *TikZ* graphics, not with a font. In addition to the symbols shown above, the rubikcube package defines commands for combinations of textual and graphical representations of rotations (e.g., `\textRubikUa` produces “**Ua**) as well as commands that produce colored illustrations of Rubik’s Cube configurations and rotations. See the rubikcube documentation for more information.

9 Fonts with minimal L^AT_EX support

The symbol fonts shown in this section are provided without a corresponding L^AT_EX 2_ε style file that assigns a convenient name to each glyph. Consequently, each glyph must be accessed by number. To help with this, the `pifont` package defines a `\Pisymbol` command that typesets a specified character by number from a specified L^AT_EX font family. Alas, most of the fonts in this section do not even define a L^AT_EX font family. Hence, except where otherwise specified, a document will need to include code like the following in its preamble:

```
\usepackage{pifont}
\DeclareFontFamily{U}{⟨name⟩}{ }
\DeclareFontShape{U}{⟨name⟩}{m}{n}{<-> ⟨font⟩}{ }
```

where `⟨font⟩` is the name of the `.tfm` font file (or `.mf` font file, from which a `.tfm` font file can be generated automatically), and `⟨name⟩` is a name to use to refer to that font. It's generally good practice to use the name of the font file for `⟨name⟩`, as in the following:

```
\usepackage{pifont}
\DeclareFontFamily{U}{hands}{ }
\DeclareFontShape{U}{hands}{m}{n}{<-> hands}{ }
```

TABLE 521: hands Fists





	<code>\Pisymbol{hands}{65}</code>		<code>\Pisymbol{hands}{67}</code>
	<code>\Pisymbol{hands}{66}</code>		<code>\Pisymbol{hands}{68}</code>

TABLE 522: greenpoint Recycling Symbols





















































	<code>\Pisymbol{greenpoint}{71}</code>
---	--

TABLE 523: nkarta Map Symbols

	<code>\Pisymbol{nkarta}{33}</code>		<code>\Pisymbol{nkarta}{96}</code>		<code>\Pisymbol{nkarta}{193}</code>
	<code>\Pisymbol{nkarta}{34}</code>		<code>\Pisymbol{nkarta}{97}</code>		<code>\Pisymbol{nkarta}{194}</code>
	<code>\Pisymbol{nkarta}{35}</code>		<code>\Pisymbol{nkarta}{98}</code>		<code>\Pisymbol{nkarta}{195}</code>
	<code>\Pisymbol{nkarta}{36}</code>		<code>\Pisymbol{nkarta}{99}</code>		<code>\Pisymbol{nkarta}{196}</code>
	<code>\Pisymbol{nkarta}{37}</code>		<code>\Pisymbol{nkarta}{100}</code>		<code>\Pisymbol{nkarta}{197}</code>
	<code>\Pisymbol{nkarta}{38}</code>		<code>\Pisymbol{nkarta}{101}</code>		<code>\Pisymbol{nkarta}{198}</code>
	<code>\Pisymbol{nkarta}{39}</code>		<code>\Pisymbol{nkarta}{102}</code>		<code>\Pisymbol{nkarta}{199}</code>
	<code>\Pisymbol{nkarta}{40}</code>		<code>\Pisymbol{nkarta}{103}</code>		<code>\Pisymbol{nkarta}{200}</code>
	<code>\Pisymbol{nkarta}{41}</code>		<code>\Pisymbol{nkarta}{104}</code>		<code>\Pisymbol{nkarta}{201}</code>
	<code>\Pisymbol{nkarta}{42}</code>		<code>\Pisymbol{nkarta}{105}</code>		<code>\Pisymbol{nkarta}{202}</code>
	<code>\Pisymbol{nkarta}{43}</code>		<code>\Pisymbol{nkarta}{106}</code>		<code>\Pisymbol{nkarta}{203}</code>
	<code>\Pisymbol{nkarta}{44}</code>		<code>\Pisymbol{nkarta}{107}</code>		<code>\Pisymbol{nkarta}{204}</code>
	<code>\Pisymbol{nkarta}{45}</code>		<code>\Pisymbol{nkarta}{108}</code>		<code>\Pisymbol{nkarta}{205}</code>
	<code>\Pisymbol{nkarta}{46}</code>		<code>\Pisymbol{nkarta}{109}</code>		<code>\Pisymbol{nkarta}{206}</code>
	<code>\Pisymbol{nkarta}{47}</code>		<code>\Pisymbol{nkarta}{110}</code>		<code>\Pisymbol{nkarta}{207}</code>
	<code>\Pisymbol{nkarta}{48}</code>		<code>\Pisymbol{nkarta}{111}</code>		<code>\Pisymbol{nkarta}{208}</code>
	<code>\Pisymbol{nkarta}{49}</code>		<code>\Pisymbol{nkarta}{112}</code>		<code>\Pisymbol{nkarta}{209}</code>

(continued on next page)

(continued from previous page)

2	\Pisymbol{nkarta}{50}		\Pisymbol{nkarta}{113}		\Pisymbol{nkarta}{210}
3	\Pisymbol{nkarta}{51}		\Pisymbol{nkarta}{114}		\Pisymbol{nkarta}{211}
4	\Pisymbol{nkarta}{52}		\Pisymbol{nkarta}{115}		\Pisymbol{nkarta}{212}
5	\Pisymbol{nkarta}{53}		\Pisymbol{nkarta}{116}		\Pisymbol{nkarta}{213}
6	\Pisymbol{nkarta}{54}		\Pisymbol{nkarta}{117}		\Pisymbol{nkarta}{214}
7	\Pisymbol{nkarta}{55}		\Pisymbol{nkarta}{118}		\Pisymbol{nkarta}{215}
8	\Pisymbol{nkarta}{56}		\Pisymbol{nkarta}{119}		\Pisymbol{nkarta}{216}
9	\Pisymbol{nkarta}{57}		\Pisymbol{nkarta}{120}		\Pisymbol{nkarta}{217}
□	\Pisymbol{nkarta}{58}		\Pisymbol{nkarta}{121}		\Pisymbol{nkarta}{218}
○	\Pisymbol{nkarta}{59}	i	\Pisymbol{nkarta}{122}		\Pisymbol{nkarta}{219}
○	\Pisymbol{nkarta}{60}		\Pisymbol{nkarta}{123}		\Pisymbol{nkarta}{220}
▮	\Pisymbol{nkarta}{61}		\Pisymbol{nkarta}{124}		\Pisymbol{nkarta}{221}
×	\Pisymbol{nkarta}{62}		\Pisymbol{nkarta}{125}		\Pisymbol{nkarta}{222}
▮	\Pisymbol{nkarta}{63}		\Pisymbol{nkarta}{126}		\Pisymbol{nkarta}{223}
□	\Pisymbol{nkarta}{64}		\Pisymbol{nkarta}{161}		\Pisymbol{nkarta}{224}
✻	\Pisymbol{nkarta}{65}		\Pisymbol{nkarta}{162}		\Pisymbol{nkarta}{225}
↓	\Pisymbol{nkarta}{66}		\Pisymbol{nkarta}{163}		\Pisymbol{nkarta}{226}
	\Pisymbol{nkarta}{67}		\Pisymbol{nkarta}{164}	•	\Pisymbol{nkarta}{227}
▲	\Pisymbol{nkarta}{68}		\Pisymbol{nkarta}{165}	☆	\Pisymbol{nkarta}{228}
☆	\Pisymbol{nkarta}{69}		\Pisymbol{nkarta}{166}	☆	\Pisymbol{nkarta}{229}
	\Pisymbol{nkarta}{70}		\Pisymbol{nkarta}{167}	○	\Pisymbol{nkarta}{230}
▮	\Pisymbol{nkarta}{71}		\Pisymbol{nkarta}{168}	◻	\Pisymbol{nkarta}{231}
	\Pisymbol{nkarta}{72}		\Pisymbol{nkarta}{169}	◻	\Pisymbol{nkarta}{232}
	\Pisymbol{nkarta}{73}		\Pisymbol{nkarta}{170}	◻	\Pisymbol{nkarta}{233}
+	\Pisymbol{nkarta}{74}	☆	\Pisymbol{nkarta}{171}	◻	\Pisymbol{nkarta}{234}
)	\Pisymbol{nkarta}{75}	◻	\Pisymbol{nkarta}{172}	◻	\Pisymbol{nkarta}{235}
□	\Pisymbol{nkarta}{76}	◻	\Pisymbol{nkarta}{173}	◻	\Pisymbol{nkarta}{236}
	\Pisymbol{nkarta}{77}	+	\Pisymbol{nkarta}{174}	∩	\Pisymbol{nkarta}{237}
•	\Pisymbol{nkarta}{78}	◻	\Pisymbol{nkarta}{175}	∩	\Pisymbol{nkarta}{238}
○	\Pisymbol{nkarta}{79}	•	\Pisymbol{nkarta}{176}	∩	\Pisymbol{nkarta}{239}
▽	\Pisymbol{nkarta}{80}	□	\Pisymbol{nkarta}{177}	∩	\Pisymbol{nkarta}{240}
	\Pisymbol{nkarta}{81}		\Pisymbol{nkarta}{178}	∩	\Pisymbol{nkarta}{241}
★	\Pisymbol{nkarta}{82}	×	\Pisymbol{nkarta}{179}	∩	\Pisymbol{nkarta}{242}
	\Pisymbol{nkarta}{83}	◻	\Pisymbol{nkarta}{180}	∩	\Pisymbol{nkarta}{243}
◎	\Pisymbol{nkarta}{84}	◻	\Pisymbol{nkarta}{181}	∩	\Pisymbol{nkarta}{244}
◻	\Pisymbol{nkarta}{85}	⌘	\Pisymbol{nkarta}{182}	∩	\Pisymbol{nkarta}{245}
↓	\Pisymbol{nkarta}{86}	★	\Pisymbol{nkarta}{183}	∩	\Pisymbol{nkarta}{246}
	\Pisymbol{nkarta}{87}	⊕	\Pisymbol{nkarta}{184}	∩	\Pisymbol{nkarta}{247}
♿	\Pisymbol{nkarta}{88}	▷	\Pisymbol{nkarta}{185}	∩	\Pisymbol{nkarta}{248}
♿	\Pisymbol{nkarta}{89}	♿	\Pisymbol{nkarta}{186}	∩	\Pisymbol{nkarta}{249}
♿	\Pisymbol{nkarta}{90}		\Pisymbol{nkarta}{187}	∩	\Pisymbol{nkarta}{250}
♿	\Pisymbol{nkarta}{91}	f	\Pisymbol{nkarta}{188}	∩	\Pisymbol{nkarta}{251}
	\Pisymbol{nkarta}{92}	⊠	\Pisymbol{nkarta}{189}	∩	\Pisymbol{nkarta}{252}
	\Pisymbol{nkarta}{93}	×	\Pisymbol{nkarta}{190}	∩	\Pisymbol{nkarta}{253}
	\Pisymbol{nkarta}{94}	○	\Pisymbol{nkarta}{191}	∩	\Pisymbol{nkarta}{254}
♿	\Pisymbol{nkarta}{95}	✻	\Pisymbol{nkarta}{192}	∩	\Pisymbol{nkarta}{254}

TABLE 524: moonphase Astronomical Symbols



















































































	<code>\Pisymbol{moonphase}{0}</code>		<code>\Pisymbol{moonphase}{2}</code>
	<code>\Pisymbol{moonphase}{1}</code>		<code>\Pisymbol{moonphase}{3}</code>

TABLE 525: astrosym Astronomical Symbols

	<code>\Pisymbol{astrosym}{0}</code>		<code>\Pisymbol{astrosym}{132}</code>
	<code>\Pisymbol{astrosym}{1}</code>		<code>\Pisymbol{astrosym}{133}</code>
	<code>\Pisymbol{astrosym}{2}</code>		<code>\Pisymbol{astrosym}{134}</code>
	<code>\Pisymbol{astrosym}{3}</code>		<code>\Pisymbol{astrosym}{135}</code>
	<code>\Pisymbol{astrosym}{4}</code>		<code>\Pisymbol{astrosym}{136}</code>
	<code>\Pisymbol{astrosym}{5}</code>		<code>\Pisymbol{astrosym}{137}</code>
	<code>\Pisymbol{astrosym}{6}</code>		<code>\Pisymbol{astrosym}{138}</code>
	<code>\Pisymbol{astrosym}{7}</code>		<code>\Pisymbol{astrosym}{139}</code>
	<code>\Pisymbol{astrosym}{8}</code>		<code>\Pisymbol{astrosym}{140}</code>
	<code>\Pisymbol{astrosym}{9}</code>		<code>\Pisymbol{astrosym}{141}</code>
	<code>\Pisymbol{astrosym}{10}</code>		<code>\Pisymbol{astrosym}{142}</code>
	<code>\Pisymbol{astrosym}{11}</code>		<code>\Pisymbol{astrosym}{143}</code>
	<code>\Pisymbol{astrosym}{12}</code>		<code>\Pisymbol{astrosym}{144}</code>
	<code>\Pisymbol{astrosym}{13}</code>		<code>\Pisymbol{astrosym}{145}</code>
	<code>\Pisymbol{astrosym}{14}</code>		<code>\Pisymbol{astrosym}{146}</code>
	<code>\Pisymbol{astrosym}{15}</code>		<code>\Pisymbol{astrosym}{147}</code>
	<code>\Pisymbol{astrosym}{16}</code>		<code>\Pisymbol{astrosym}{148}</code>
	<code>\Pisymbol{astrosym}{17}</code>		<code>\Pisymbol{astrosym}{149}</code>
	<code>\Pisymbol{astrosym}{18}</code>		<code>\Pisymbol{astrosym}{150}</code>
	<code>\Pisymbol{astrosym}{19}</code>		<code>\Pisymbol{astrosym}{151}</code>
	<code>\Pisymbol{astrosym}{20}</code>		<code>\Pisymbol{astrosym}{152}</code>
	<code>\Pisymbol{astrosym}{21}</code>		<code>\Pisymbol{astrosym}{153}</code>
	<code>\Pisymbol{astrosym}{22}</code>		<code>\Pisymbol{astrosym}{154}</code>
	<code>\Pisymbol{astrosym}{23}</code>		<code>\Pisymbol{astrosym}{155}</code>
	<code>\Pisymbol{astrosym}{24}</code>		<code>\Pisymbol{astrosym}{156}</code>
	<code>\Pisymbol{astrosym}{25}</code>		<code>\Pisymbol{astrosym}{157}</code>
	<code>\Pisymbol{astrosym}{26}</code>		<code>\Pisymbol{astrosym}{158}</code>
	<code>\Pisymbol{astrosym}{27}</code>		<code>\Pisymbol{astrosym}{159}</code>
	<code>\Pisymbol{astrosym}{28}</code>		<code>\Pisymbol{astrosym}{160}</code>
	<code>\Pisymbol{astrosym}{29}</code>		<code>\Pisymbol{astrosym}{161}</code>
	<code>\Pisymbol{astrosym}{30}</code>		<code>\Pisymbol{astrosym}{162}</code>
	<code>\Pisymbol{astrosym}{31}</code>		<code>\Pisymbol{astrosym}{163}</code>
	<code>\Pisymbol{astrosym}{32}</code>		<code>\Pisymbol{astrosym}{164}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{astroSYM}{33}</code>		<code>\Pisymbol{astroSYM}{165}</code>
	<code>\Pisymbol{astroSYM}{34}</code>		<code>\Pisymbol{astroSYM}{166}</code>
	<code>\Pisymbol{astroSYM}{35}</code>		<code>\Pisymbol{astroSYM}{167}</code>
	<code>\Pisymbol{astroSYM}{36}</code>		<code>\Pisymbol{astroSYM}{168}</code>
	<code>\Pisymbol{astroSYM}{37}</code>		<code>\Pisymbol{astroSYM}{169}</code>
	<code>\Pisymbol{astroSYM}{38}</code>		<code>\Pisymbol{astroSYM}{178}</code>
	<code>\Pisymbol{astroSYM}{39}</code>		<code>\Pisymbol{astroSYM}{179}</code>
	<code>\Pisymbol{astroSYM}{40}</code>		<code>\Pisymbol{astroSYM}{180}</code>
	<code>\Pisymbol{astroSYM}{41}</code>		<code>\Pisymbol{astroSYM}{181}</code>
	<code>\Pisymbol{astroSYM}{42}</code>		<code>\Pisymbol{astroSYM}{182}</code>
	<code>\Pisymbol{astroSYM}{43}</code>		<code>\Pisymbol{astroSYM}{183}</code>
	<code>\Pisymbol{astroSYM}{44}</code>		<code>\Pisymbol{astroSYM}{184}</code>
	<code>\Pisymbol{astroSYM}{45}</code>		<code>\Pisymbol{astroSYM}{185}</code>
	<code>\Pisymbol{astroSYM}{46}</code>		<code>\Pisymbol{astroSYM}{186}</code>
	<code>\Pisymbol{astroSYM}{47}</code>		<code>\Pisymbol{astroSYM}{187}</code>
	<code>\Pisymbol{astroSYM}{48}</code>		<code>\Pisymbol{astroSYM}{188}</code>
	<code>\Pisymbol{astroSYM}{49}</code>		<code>\Pisymbol{astroSYM}{189}</code>
	<code>\Pisymbol{astroSYM}{50}</code>		<code>\Pisymbol{astroSYM}{190}</code>
	<code>\Pisymbol{astroSYM}{51}</code>		<code>\Pisymbol{astroSYM}{191}</code>
	<code>\Pisymbol{astroSYM}{52}</code>		<code>\Pisymbol{astroSYM}{200}</code>
	<code>\Pisymbol{astroSYM}{53}</code>		<code>\Pisymbol{astroSYM}{201}</code>
	<code>\Pisymbol{astroSYM}{54}</code>		<code>\Pisymbol{astroSYM}{202}</code>
	<code>\Pisymbol{astroSYM}{55}</code>		<code>\Pisymbol{astroSYM}{203}</code>
	<code>\Pisymbol{astroSYM}{56}</code>		<code>\Pisymbol{astroSYM}{204}</code>
	<code>\Pisymbol{astroSYM}{57}</code>		<code>\Pisymbol{astroSYM}{205}</code>
	<code>\Pisymbol{astroSYM}{58}</code>		<code>\Pisymbol{astroSYM}{206}</code>
	<code>\Pisymbol{astroSYM}{59}</code>		<code>\Pisymbol{astroSYM}{207}</code>
	<code>\Pisymbol{astroSYM}{60}</code>		<code>\Pisymbol{astroSYM}{208}</code>
	<code>\Pisymbol{astroSYM}{61}</code>		<code>\Pisymbol{astroSYM}{209}</code>
	<code>\Pisymbol{astroSYM}{62}</code>		<code>\Pisymbol{astroSYM}{210}</code>
	<code>\Pisymbol{astroSYM}{63}</code>		<code>\Pisymbol{astroSYM}{211}</code>
	<code>\Pisymbol{astroSYM}{64}</code>		<code>\Pisymbol{astroSYM}{212}</code>
	<code>\Pisymbol{astroSYM}{65}</code>		<code>\Pisymbol{astroSYM}{213}</code>
	<code>\Pisymbol{astroSYM}{66}</code>		<code>\Pisymbol{astroSYM}{214}</code>
	<code>\Pisymbol{astroSYM}{67}</code>		<code>\Pisymbol{astroSYM}{215}</code>
	<code>\Pisymbol{astroSYM}{68}</code>		<code>\Pisymbol{astroSYM}{216}</code>
	<code>\Pisymbol{astroSYM}{69}</code>		<code>\Pisymbol{astroSYM}{217}</code>
	<code>\Pisymbol{astroSYM}{90}</code>		<code>\Pisymbol{astroSYM}{218}</code>
	<code>\Pisymbol{astroSYM}{91}</code>		<code>\Pisymbol{astroSYM}{219}</code>
	<code>\Pisymbol{astroSYM}{92}</code>		<code>\Pisymbol{astroSYM}{220}</code>
	<code>\Pisymbol{astroSYM}{93}</code>		<code>\Pisymbol{astroSYM}{221}</code>

(continued on next page)

(continued from previous page)






































































	<code>\Pisymbol{astroSYM}{94}</code>		<code>\Pisymbol{astroSYM}{222}</code>
	<code>\Pisymbol{astroSYM}{95}</code>		<code>\Pisymbol{astroSYM}{223}</code>
	<code>\Pisymbol{astroSYM}{100}</code>		<code>\Pisymbol{astroSYM}{224}</code>
	<code>\Pisymbol{astroSYM}{101}</code>		<code>\Pisymbol{astroSYM}{225}</code>
	<code>\Pisymbol{astroSYM}{102}</code>		<code>\Pisymbol{astroSYM}{226}</code>
	<code>\Pisymbol{astroSYM}{103}</code>		<code>\Pisymbol{astroSYM}{227}</code>
	<code>\Pisymbol{astroSYM}{104}</code>		<code>\Pisymbol{astroSYM}{228}</code>
	<code>\Pisymbol{astroSYM}{105}</code>		<code>\Pisymbol{astroSYM}{229}</code>
	<code>\Pisymbol{astroSYM}{106}</code>		<code>\Pisymbol{astroSYM}{230}</code>
	<code>\Pisymbol{astroSYM}{107}</code>		<code>\Pisymbol{astroSYM}{231}</code>
	<code>\Pisymbol{astroSYM}{108}</code>		<code>\Pisymbol{astroSYM}{232}</code>
	<code>\Pisymbol{astroSYM}{109}</code>		<code>\Pisymbol{astroSYM}{233}</code>
	<code>\Pisymbol{astroSYM}{110}</code>		<code>\Pisymbol{astroSYM}{234}</code>
	<code>\Pisymbol{astroSYM}{111}</code>		<code>\Pisymbol{astroSYM}{235}</code>
	<code>\Pisymbol{astroSYM}{112}</code>		<code>\Pisymbol{astroSYM}{236}</code>
	<code>\Pisymbol{astroSYM}{113}</code>		<code>\Pisymbol{astroSYM}{237}</code>
	<code>\Pisymbol{astroSYM}{114}</code>		<code>\Pisymbol{astroSYM}{238}</code>
	<code>\Pisymbol{astroSYM}{115}</code>		<code>\Pisymbol{astroSYM}{239}</code>
	<code>\Pisymbol{astroSYM}{116}</code>		<code>\Pisymbol{astroSYM}{240}</code>
	<code>\Pisymbol{astroSYM}{117}</code>		<code>\Pisymbol{astroSYM}{241}</code>
	<code>\Pisymbol{astroSYM}{118}</code>		<code>\Pisymbol{astroSYM}{242}</code>
	<code>\Pisymbol{astroSYM}{119}</code>		<code>\Pisymbol{astroSYM}{243}</code>
	<code>\Pisymbol{astroSYM}{120}</code>		<code>\Pisymbol{astroSYM}{244}</code>
	<code>\Pisymbol{astroSYM}{121}</code>		<code>\Pisymbol{astroSYM}{245}</code>
	<code>\Pisymbol{astroSYM}{122}</code>		<code>\Pisymbol{astroSYM}{246}</code>
	<code>\Pisymbol{astroSYM}{123}</code>		<code>\Pisymbol{astroSYM}{247}</code>
	<code>\Pisymbol{astroSYM}{124}</code>		<code>\Pisymbol{astroSYM}{248}</code>
	<code>\Pisymbol{astroSYM}{125}</code>		<code>\Pisymbol{astroSYM}{249}</code>
	<code>\Pisymbol{astroSYM}{126}</code>		<code>\Pisymbol{astroSYM}{250}</code>
	<code>\Pisymbol{astroSYM}{127}</code>		<code>\Pisymbol{astroSYM}{251}</code>
	<code>\Pisymbol{astroSYM}{128}</code>		<code>\Pisymbol{astroSYM}{252}</code>
	<code>\Pisymbol{astroSYM}{129}</code>		<code>\Pisymbol{astroSYM}{253}</code>
	<code>\Pisymbol{astroSYM}{130}</code>		<code>\Pisymbol{astroSYM}{254}</code>
	<code>\Pisymbol{astroSYM}{131}</code>		<code>\Pisymbol{astroSYM}{255}</code>

TABLE 526: webomints Decorative Borders

	<code>\Pisymbol{WebOMintsGD}{47}</code>		<code>\Pisymbol{WebOMintsGD}{87}</code>
	<code>\Pisymbol{WebOMintsGD}{48}</code>		<code>\Pisymbol{WebOMintsGD}{88}</code>
	<code>\Pisymbol{WebOMintsGD}{49}</code>		<code>\Pisymbol{WebOMintsGD}{89}</code>
	<code>\Pisymbol{WebOMintsGD}{50}</code>		<code>\Pisymbol{WebOMintsGD}{90}</code>
	<code>\Pisymbol{WebOMintsGD}{51}</code>		<code>\Pisymbol{WebOMintsGD}{91}</code>
	<code>\Pisymbol{WebOMintsGD}{52}</code>		<code>\Pisymbol{WebOMintsGD}{93}</code>
	<code>\Pisymbol{WebOMintsGD}{53}</code>		<code>\Pisymbol{WebOMintsGD}{97}</code>
	<code>\Pisymbol{WebOMintsGD}{54}</code>		<code>\Pisymbol{WebOMintsGD}{98}</code>
	<code>\Pisymbol{WebOMintsGD}{55}</code>		<code>\Pisymbol{WebOMintsGD}{99}</code>
	<code>\Pisymbol{WebOMintsGD}{56}</code>		<code>\Pisymbol{WebOMintsGD}{100}</code>
	<code>\Pisymbol{WebOMintsGD}{57}</code>		<code>\Pisymbol{WebOMintsGD}{101}</code>
	<code>\Pisymbol{WebOMintsGD}{65}</code>		<code>\Pisymbol{WebOMintsGD}{102}</code>
	<code>\Pisymbol{WebOMintsGD}{66}</code>		<code>\Pisymbol{WebOMintsGD}{103}</code>
	<code>\Pisymbol{WebOMintsGD}{67}</code>		<code>\Pisymbol{WebOMintsGD}{104}</code>
	<code>\Pisymbol{WebOMintsGD}{68}</code>		<code>\Pisymbol{WebOMintsGD}{105}</code>
	<code>\Pisymbol{WebOMintsGD}{69}</code>		<code>\Pisymbol{WebOMintsGD}{106}</code>
	<code>\Pisymbol{WebOMintsGD}{70}</code>		<code>\Pisymbol{WebOMintsGD}{107}</code>
	<code>\Pisymbol{WebOMintsGD}{71}</code>		<code>\Pisymbol{WebOMintsGD}{108}</code>
	<code>\Pisymbol{WebOMintsGD}{72}</code>		<code>\Pisymbol{WebOMintsGD}{109}</code>
	<code>\Pisymbol{WebOMintsGD}{73}</code>		<code>\Pisymbol{WebOMintsGD}{110}</code>
	<code>\Pisymbol{WebOMintsGD}{74}</code>		<code>\Pisymbol{WebOMintsGD}{111}</code>
	<code>\Pisymbol{WebOMintsGD}{75}</code>		<code>\Pisymbol{WebOMintsGD}{112}</code>
	<code>\Pisymbol{WebOMintsGD}{76}</code>		<code>\Pisymbol{WebOMintsGD}{113}</code>
	<code>\Pisymbol{WebOMintsGD}{77}</code>		<code>\Pisymbol{WebOMintsGD}{114}</code>
	<code>\Pisymbol{WebOMintsGD}{78}</code>		<code>\Pisymbol{WebOMintsGD}{115}</code>
	<code>\Pisymbol{WebOMintsGD}{79}</code>		<code>\Pisymbol{WebOMintsGD}{116}</code>
	<code>\Pisymbol{WebOMintsGD}{80}</code>		<code>\Pisymbol{WebOMintsGD}{117}</code>
	<code>\Pisymbol{WebOMintsGD}{81}</code>		<code>\Pisymbol{WebOMintsGD}{118}</code>
	<code>\Pisymbol{WebOMintsGD}{82}</code>		<code>\Pisymbol{WebOMintsGD}{119}</code>
	<code>\Pisymbol{WebOMintsGD}{83}</code>		<code>\Pisymbol{WebOMintsGD}{120}</code>
	<code>\Pisymbol{WebOMintsGD}{84}</code>		<code>\Pisymbol{WebOMintsGD}{121}</code>
	<code>\Pisymbol{WebOMintsGD}{85}</code>		<code>\Pisymbol{WebOMintsGD}{122}</code>
	<code>\Pisymbol{WebOMintsGD}{86}</code>		

webomints provides a `uwebo.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `webomints` font directly. For example, `{\usefont{U}{webo}{x1}{n}\char73\char74}`—alternatively, `{\usefont{U}{webo}{x1}{n}IJ}`—will typeset “”. This can be useful for typesetting a number of `webomints` glyphs in a row.

The `niceframe` package can be used to typeset decorative frames using fonts such as `webomints`.

TABLE 527: umranda Decorative Borders

	<code>\Pisymbol{umranda}{0}</code>		<code>\Pisymbol{umranda}{34}</code>		<code>\Pisymbol{umranda}{68}</code>
	<code>\Pisymbol{umranda}{1}</code>		<code>\Pisymbol{umranda}{35}</code>		<code>\Pisymbol{umranda}{69}</code>
	<code>\Pisymbol{umranda}{2}</code>		<code>\Pisymbol{umranda}{36}</code>		<code>\Pisymbol{umranda}{70}</code>
	<code>\Pisymbol{umranda}{3}</code>		<code>\Pisymbol{umranda}{37}</code>		<code>\Pisymbol{umranda}{71}</code>
	<code>\Pisymbol{umranda}{4}</code>		<code>\Pisymbol{umranda}{38}</code>		<code>\Pisymbol{umranda}{72}</code>
	<code>\Pisymbol{umranda}{5}</code>		<code>\Pisymbol{umranda}{39}</code>		<code>\Pisymbol{umranda}{73}</code>
	<code>\Pisymbol{umranda}{6}</code>		<code>\Pisymbol{umranda}{40}</code>		<code>\Pisymbol{umranda}{74}</code>
	<code>\Pisymbol{umranda}{7}</code>		<code>\Pisymbol{umranda}{41}</code>		<code>\Pisymbol{umranda}{75}</code>
	<code>\Pisymbol{umranda}{8}</code>		<code>\Pisymbol{umranda}{42}</code>		<code>\Pisymbol{umranda}{76}</code>
	<code>\Pisymbol{umranda}{9}</code>		<code>\Pisymbol{umranda}{43}</code>		<code>\Pisymbol{umranda}{77}</code>
	<code>\Pisymbol{umranda}{10}</code>		<code>\Pisymbol{umranda}{44}</code>		<code>\Pisymbol{umranda}{78}</code>
	<code>\Pisymbol{umranda}{11}</code>		<code>\Pisymbol{umranda}{45}</code>		<code>\Pisymbol{umranda}{79}</code>
	<code>\Pisymbol{umranda}{12}</code>		<code>\Pisymbol{umranda}{46}</code>		<code>\Pisymbol{umranda}{80}</code>
	<code>\Pisymbol{umranda}{13}</code>		<code>\Pisymbol{umranda}{47}</code>		<code>\Pisymbol{umranda}{81}</code>
	<code>\Pisymbol{umranda}{14}</code>		<code>\Pisymbol{umranda}{48}</code>		<code>\Pisymbol{umranda}{82}</code>
	<code>\Pisymbol{umranda}{15}</code>		<code>\Pisymbol{umranda}{49}</code>		<code>\Pisymbol{umranda}{83}</code>
	<code>\Pisymbol{umranda}{16}</code>		<code>\Pisymbol{umranda}{50}</code>		<code>\Pisymbol{umranda}{84}</code>
	<code>\Pisymbol{umranda}{17}</code>		<code>\Pisymbol{umranda}{51}</code>		<code>\Pisymbol{umranda}{85}</code>
	<code>\Pisymbol{umranda}{18}</code>		<code>\Pisymbol{umranda}{52}</code>		<code>\Pisymbol{umranda}{86}</code>
	<code>\Pisymbol{umranda}{19}</code>		<code>\Pisymbol{umranda}{53}</code>		<code>\Pisymbol{umranda}{87}</code>
	<code>\Pisymbol{umranda}{20}</code>		<code>\Pisymbol{umranda}{54}</code>		<code>\Pisymbol{umranda}{88}</code>
	<code>\Pisymbol{umranda}{21}</code>		<code>\Pisymbol{umranda}{55}</code>		<code>\Pisymbol{umranda}{89}</code>
	<code>\Pisymbol{umranda}{22}</code>		<code>\Pisymbol{umranda}{56}</code>		<code>\Pisymbol{umranda}{90}</code>
	<code>\Pisymbol{umranda}{23}</code>		<code>\Pisymbol{umranda}{57}</code>		<code>\Pisymbol{umranda}{91}</code>
	<code>\Pisymbol{umranda}{24}</code>		<code>\Pisymbol{umranda}{58}</code>		<code>\Pisymbol{umranda}{92}</code>
	<code>\Pisymbol{umranda}{25}</code>		<code>\Pisymbol{umranda}{59}</code>		<code>\Pisymbol{umranda}{93}</code>
	<code>\Pisymbol{umranda}{26}</code>		<code>\Pisymbol{umranda}{60}</code>		<code>\Pisymbol{umranda}{94}</code>
	<code>\Pisymbol{umranda}{27}</code>		<code>\Pisymbol{umranda}{61}</code>		<code>\Pisymbol{umranda}{95}</code>
	<code>\Pisymbol{umranda}{28}</code>		<code>\Pisymbol{umranda}{62}</code>		<code>\Pisymbol{umranda}{96}</code>
	<code>\Pisymbol{umranda}{29}</code>		<code>\Pisymbol{umranda}{63}</code>		<code>\Pisymbol{umranda}{97}</code>
	<code>\Pisymbol{umranda}{30}</code>		<code>\Pisymbol{umranda}{64}</code>		<code>\Pisymbol{umranda}{98}</code>
	<code>\Pisymbol{umranda}{31}</code>		<code>\Pisymbol{umranda}{65}</code>		<code>\Pisymbol{umranda}{99}</code>
	<code>\Pisymbol{umranda}{32}</code>		<code>\Pisymbol{umranda}{66}</code>		<code>\Pisymbol{umranda}{100}</code>
	<code>\Pisymbol{umranda}{33}</code>		<code>\Pisymbol{umranda}{67}</code>		<code>\Pisymbol{umranda}{101}</code>

The niceframe package can be used to typeset decorative frames using fonts such as umranda.

TABLE 528: umrandb Decorative Borders

	<code>\Pisymbol{umrandb}{0}</code>		<code>\Pisymbol{umrandb}{42}</code>		<code>\Pisymbol{umrandb}{84}</code>
	<code>\Pisymbol{umrandb}{1}</code>		<code>\Pisymbol{umrandb}{43}</code>		<code>\Pisymbol{umrandb}{85}</code>
	<code>\Pisymbol{umrandb}{2}</code>		<code>\Pisymbol{umrandb}{44}</code>		<code>\Pisymbol{umrandb}{86}</code>
	<code>\Pisymbol{umrandb}{3}</code>		<code>\Pisymbol{umrandb}{45}</code>		<code>\Pisymbol{umrandb}{87}</code>
	<code>\Pisymbol{umrandb}{4}</code>		<code>\Pisymbol{umrandb}{46}</code>		<code>\Pisymbol{umrandb}{88}</code>
	<code>\Pisymbol{umrandb}{5}</code>		<code>\Pisymbol{umrandb}{47}</code>		<code>\Pisymbol{umrandb}{89}</code>
	<code>\Pisymbol{umrandb}{6}</code>		<code>\Pisymbol{umrandb}{48}</code>		<code>\Pisymbol{umrandb}{90}</code>
	<code>\Pisymbol{umrandb}{7}</code>		<code>\Pisymbol{umrandb}{49}</code>		<code>\Pisymbol{umrandb}{91}</code>
	<code>\Pisymbol{umrandb}{8}</code>		<code>\Pisymbol{umrandb}{50}</code>		<code>\Pisymbol{umrandb}{92}</code>
	<code>\Pisymbol{umrandb}{9}</code>		<code>\Pisymbol{umrandb}{51}</code>		<code>\Pisymbol{umrandb}{93}</code>
	<code>\Pisymbol{umrandb}{10}</code>		<code>\Pisymbol{umrandb}{52}</code>		<code>\Pisymbol{umrandb}{94}</code>
	<code>\Pisymbol{umrandb}{11}</code>		<code>\Pisymbol{umrandb}{53}</code>		<code>\Pisymbol{umrandb}{95}</code>
	<code>\Pisymbol{umrandb}{12}</code>		<code>\Pisymbol{umrandb}{54}</code>		<code>\Pisymbol{umrandb}{96}</code>
	<code>\Pisymbol{umrandb}{13}</code>		<code>\Pisymbol{umrandb}{55}</code>		<code>\Pisymbol{umrandb}{97}</code>
	<code>\Pisymbol{umrandb}{14}</code>		<code>\Pisymbol{umrandb}{56}</code>		<code>\Pisymbol{umrandb}{98}</code>
	<code>\Pisymbol{umrandb}{15}</code>		<code>\Pisymbol{umrandb}{57}</code>		<code>\Pisymbol{umrandb}{99}</code>
	<code>\Pisymbol{umrandb}{16}</code>		<code>\Pisymbol{umrandb}{58}</code>		<code>\Pisymbol{umrandb}{100}</code>
	<code>\Pisymbol{umrandb}{17}</code>		<code>\Pisymbol{umrandb}{59}</code>		<code>\Pisymbol{umrandb}{101}</code>
	<code>\Pisymbol{umrandb}{18}</code>		<code>\Pisymbol{umrandb}{60}</code>		<code>\Pisymbol{umrandb}{102}</code>
	<code>\Pisymbol{umrandb}{19}</code>		<code>\Pisymbol{umrandb}{61}</code>		<code>\Pisymbol{umrandb}{103}</code>
	<code>\Pisymbol{umrandb}{20}</code>		<code>\Pisymbol{umrandb}{62}</code>		<code>\Pisymbol{umrandb}{104}</code>
	<code>\Pisymbol{umrandb}{21}</code>		<code>\Pisymbol{umrandb}{63}</code>		<code>\Pisymbol{umrandb}{105}</code>
	<code>\Pisymbol{umrandb}{22}</code>		<code>\Pisymbol{umrandb}{64}</code>		<code>\Pisymbol{umrandb}{106}</code>
	<code>\Pisymbol{umrandb}{23}</code>		<code>\Pisymbol{umrandb}{65}</code>		<code>\Pisymbol{umrandb}{107}</code>
	<code>\Pisymbol{umrandb}{24}</code>		<code>\Pisymbol{umrandb}{66}</code>		<code>\Pisymbol{umrandb}{108}</code>
	<code>\Pisymbol{umrandb}{25}</code>		<code>\Pisymbol{umrandb}{67}</code>		<code>\Pisymbol{umrandb}{109}</code>
	<code>\Pisymbol{umrandb}{26}</code>		<code>\Pisymbol{umrandb}{68}</code>		<code>\Pisymbol{umrandb}{110}</code>
	<code>\Pisymbol{umrandb}{27}</code>		<code>\Pisymbol{umrandb}{69}</code>		<code>\Pisymbol{umrandb}{111}</code>
	<code>\Pisymbol{umrandb}{28}</code>		<code>\Pisymbol{umrandb}{70}</code>		<code>\Pisymbol{umrandb}{112}</code>
	<code>\Pisymbol{umrandb}{29}</code>		<code>\Pisymbol{umrandb}{71}</code>		<code>\Pisymbol{umrandb}{113}</code>
	<code>\Pisymbol{umrandb}{30}</code>		<code>\Pisymbol{umrandb}{72}</code>		<code>\Pisymbol{umrandb}{114}</code>
	<code>\Pisymbol{umrandb}{31}</code>		<code>\Pisymbol{umrandb}{73}</code>		<code>\Pisymbol{umrandb}{115}</code>
	<code>\Pisymbol{umrandb}{32}</code>		<code>\Pisymbol{umrandb}{74}</code>		<code>\Pisymbol{umrandb}{116}</code>
	<code>\Pisymbol{umrandb}{33}</code>		<code>\Pisymbol{umrandb}{75}</code>		<code>\Pisymbol{umrandb}{117}</code>
	<code>\Pisymbol{umrandb}{34}</code>		<code>\Pisymbol{umrandb}{76}</code>		<code>\Pisymbol{umrandb}{118}</code>
	<code>\Pisymbol{umrandb}{35}</code>		<code>\Pisymbol{umrandb}{77}</code>		<code>\Pisymbol{umrandb}{119}</code>
	<code>\Pisymbol{umrandb}{36}</code>		<code>\Pisymbol{umrandb}{78}</code>		<code>\Pisymbol{umrandb}{120}</code>
	<code>\Pisymbol{umrandb}{37}</code>		<code>\Pisymbol{umrandb}{79}</code>		<code>\Pisymbol{umrandb}{121}</code>
	<code>\Pisymbol{umrandb}{38}</code>		<code>\Pisymbol{umrandb}{80}</code>		<code>\Pisymbol{umrandb}{122}</code>
	<code>\Pisymbol{umrandb}{39}</code>		<code>\Pisymbol{umrandb}{81}</code>		<code>\Pisymbol{umrandb}{123}</code>
	<code>\Pisymbol{umrandb}{40}</code>		<code>\Pisymbol{umrandb}{82}</code>		
	<code>\Pisymbol{umrandb}{41}</code>		<code>\Pisymbol{umrandb}{83}</code>		

The niceframe package can be used to typeset decorative frames using fonts such as umrandb.

TABLE 529: dingbat Decorative Borders

	<code>\Pisymbol{dingbat}{69}</code>		<code>\Pisymbol{dingbat}{97}</code>
	<code>\Pisymbol{dingbat}{70}</code>		<code>\Pisymbol{dingbat}{98}</code>
	<code>\Pisymbol{dingbat}{71}</code>		<code>\Pisymbol{dingbat}{99}</code>
	<code>\Pisymbol{dingbat}{72}</code>		<code>\Pisymbol{dingbat}{100}</code>
	<code>\Pisymbol{dingbat}{74}</code>		<code>\Pisymbol{dingbat}{101}</code>
	<code>\Pisymbol{dingbat}{75}</code>		<code>\Pisymbol{dingbat}{102}</code>
	<code>\Pisymbol{dingbat}{76}</code>		<code>\Pisymbol{dingbat}{103}</code>
	<code>\Pisymbol{dingbat}{77}</code>		<code>\Pisymbol{dingbat}{104}</code>

The preceding table is incomplete in that it includes only unnamed dingbat symbols. Named symbols are included in Table 361 and Table 407 (both intermixed with symbols from the ark10 font).

The `dingbat` package includes a `udingbat.fd` file so a document does not need to specify the `\DeclareFontFamily` and `\DeclareFontShape` commands list at the beginning of Section 9.



















The `niceframe` package can be used to typeset decorative frames using fonts such as `dingbat`.

















































TABLE 530: knot Celtic Knots














































	<code>\Pisymbol{knot1}{48}</code>		<code>\Pisymbol{knot1}{68}</code>		<code>\Pisymbol{knot1}{84}</code>
	<code>\Pisymbol{knot1}{49}</code>		<code>\Pisymbol{knot1}{69}</code>		<code>\Pisymbol{knot1}{85}</code>
	<code>\Pisymbol{knot1}{50}</code>		<code>\Pisymbol{knot1}{70}</code>		<code>\Pisymbol{knot1}{86}</code>
	<code>\Pisymbol{knot1}{51}</code>		<code>\Pisymbol{knot1}{71}</code>		<code>\Pisymbol{knot1}{87}</code>
	<code>\Pisymbol{knot1}{52}</code>		<code>\Pisymbol{knot1}{72}</code>		<code>\Pisymbol{knot1}{88}</code>
	<code>\Pisymbol{knot1}{53}</code>		<code>\Pisymbol{knot1}{73}</code>		<code>\Pisymbol{knot1}{96}</code>
	<code>\Pisymbol{knot1}{58}</code>		<code>\Pisymbol{knot1}{74}</code>		<code>\Pisymbol{knot1}{97}</code>
	<code>\Pisymbol{knot1}{59}</code>		<code>\Pisymbol{knot1}{75}</code>		<code>\Pisymbol{knot1}{98}</code>
	<code>\Pisymbol{knot1}{60}</code>		<code>\Pisymbol{knot1}{76}</code>		<code>\Pisymbol{knot1}{99}</code>
	<code>\Pisymbol{knot1}{61}</code>		<code>\Pisymbol{knot1}{77}</code>		<code>\Pisymbol{knot1}{100}</code>

(continued on next page)

(continued from previous page)













































































































	<code>\Pisymbol{knot1}{62}</code>		<code>\Pisymbol{knot1}{78}</code>		<code>\Pisymbol{knot1}{101}</code>
	<code>\Pisymbol{knot1}{63}</code>		<code>\Pisymbol{knot1}{79}</code>		<code>\Pisymbol{knot1}{102}</code>
	<code>\Pisymbol{knot1}{64}</code>		<code>\Pisymbol{knot1}{80}</code>		<code>\Pisymbol{knot1}{103}</code>
	<code>\Pisymbol{knot1}{65}</code>		<code>\Pisymbol{knot1}{81}</code>		<code>\Pisymbol{knot1}{104}</code>
	<code>\Pisymbol{knot1}{66}</code>		<code>\Pisymbol{knot1}{82}</code>		<code>\Pisymbol{knot1}{105}</code>
	<code>\Pisymbol{knot1}{67}</code>		<code>\Pisymbol{knot1}{83}</code>		

	<code>\Pisymbol{knot2}{48}</code>		<code>\Pisymbol{knot2}{68}</code>		<code>\Pisymbol{knot2}{84}</code>
	<code>\Pisymbol{knot2}{49}</code>		<code>\Pisymbol{knot2}{69}</code>		<code>\Pisymbol{knot2}{85}</code>
	<code>\Pisymbol{knot2}{50}</code>		<code>\Pisymbol{knot2}{70}</code>		<code>\Pisymbol{knot2}{86}</code>
	<code>\Pisymbol{knot2}{51}</code>		<code>\Pisymbol{knot2}{71}</code>		<code>\Pisymbol{knot2}{87}</code>
	<code>\Pisymbol{knot2}{52}</code>		<code>\Pisymbol{knot2}{72}</code>		<code>\Pisymbol{knot2}{88}</code>
	<code>\Pisymbol{knot2}{53}</code>		<code>\Pisymbol{knot2}{73}</code>		<code>\Pisymbol{knot2}{96}</code>
	<code>\Pisymbol{knot2}{58}</code>		<code>\Pisymbol{knot2}{74}</code>		<code>\Pisymbol{knot2}{97}</code>
	<code>\Pisymbol{knot2}{59}</code>		<code>\Pisymbol{knot2}{75}</code>		<code>\Pisymbol{knot2}{98}</code>
	<code>\Pisymbol{knot2}{60}</code>		<code>\Pisymbol{knot2}{76}</code>		<code>\Pisymbol{knot2}{99}</code>
	<code>\Pisymbol{knot2}{61}</code>		<code>\Pisymbol{knot2}{77}</code>		<code>\Pisymbol{knot2}{100}</code>
	<code>\Pisymbol{knot2}{62}</code>		<code>\Pisymbol{knot2}{78}</code>		<code>\Pisymbol{knot2}{101}</code>
	<code>\Pisymbol{knot2}{63}</code>		<code>\Pisymbol{knot2}{79}</code>		<code>\Pisymbol{knot2}{102}</code>
	<code>\Pisymbol{knot2}{64}</code>		<code>\Pisymbol{knot2}{80}</code>		<code>\Pisymbol{knot2}{103}</code>
	<code>\Pisymbol{knot2}{65}</code>		<code>\Pisymbol{knot2}{81}</code>		<code>\Pisymbol{knot2}{104}</code>
	<code>\Pisymbol{knot2}{66}</code>		<code>\Pisymbol{knot2}{82}</code>		<code>\Pisymbol{knot2}{105}</code>
	<code>\Pisymbol{knot2}{67}</code>		<code>\Pisymbol{knot2}{83}</code>		

	<code>\Pisymbol{knot3}{48}</code>		<code>\Pisymbol{knot3}{68}</code>		<code>\Pisymbol{knot3}{84}</code>
	<code>\Pisymbol{knot3}{49}</code>		<code>\Pisymbol{knot3}{69}</code>		<code>\Pisymbol{knot3}{85}</code>
	<code>\Pisymbol{knot3}{50}</code>		<code>\Pisymbol{knot3}{70}</code>		<code>\Pisymbol{knot3}{86}</code>
	<code>\Pisymbol{knot3}{51}</code>		<code>\Pisymbol{knot3}{71}</code>		<code>\Pisymbol{knot3}{87}</code>
	<code>\Pisymbol{knot3}{52}</code>		<code>\Pisymbol{knot3}{72}</code>		<code>\Pisymbol{knot3}{88}</code>
	<code>\Pisymbol{knot3}{53}</code>		<code>\Pisymbol{knot3}{73}</code>		<code>\Pisymbol{knot3}{96}</code>
	<code>\Pisymbol{knot3}{58}</code>		<code>\Pisymbol{knot3}{74}</code>		<code>\Pisymbol{knot3}{97}</code>
	<code>\Pisymbol{knot3}{59}</code>		<code>\Pisymbol{knot3}{75}</code>		<code>\Pisymbol{knot3}{98}</code>
	<code>\Pisymbol{knot3}{60}</code>		<code>\Pisymbol{knot3}{76}</code>		<code>\Pisymbol{knot3}{99}</code>
	<code>\Pisymbol{knot3}{61}</code>		<code>\Pisymbol{knot3}{77}</code>		<code>\Pisymbol{knot3}{100}</code>
	<code>\Pisymbol{knot3}{62}</code>		<code>\Pisymbol{knot3}{78}</code>		<code>\Pisymbol{knot3}{101}</code>
	<code>\Pisymbol{knot3}{63}</code>		<code>\Pisymbol{knot3}{79}</code>		<code>\Pisymbol{knot3}{102}</code>
	<code>\Pisymbol{knot3}{64}</code>		<code>\Pisymbol{knot3}{80}</code>		<code>\Pisymbol{knot3}{103}</code>
	<code>\Pisymbol{knot3}{65}</code>		<code>\Pisymbol{knot3}{81}</code>		<code>\Pisymbol{knot3}{104}</code>
	<code>\Pisymbol{knot3}{66}</code>		<code>\Pisymbol{knot3}{82}</code>		<code>\Pisymbol{knot3}{105}</code>























































(continued on next page)

(continued from previous page)






















	<code>\Pisymbol{knot3}{67}</code>		<code>\Pisymbol{knot3}{83}</code>		
	<code>\Pisymbol{knot4}{48}</code>		<code>\Pisymbol{knot4}{68}</code>		<code>\Pisymbol{knot4}{84}</code>
	<code>\Pisymbol{knot4}{49}</code>		<code>\Pisymbol{knot4}{69}</code>		<code>\Pisymbol{knot4}{85}</code>
	<code>\Pisymbol{knot4}{50}</code>		<code>\Pisymbol{knot4}{70}</code>		<code>\Pisymbol{knot4}{86}</code>
	<code>\Pisymbol{knot4}{51}</code>		<code>\Pisymbol{knot4}{71}</code>		<code>\Pisymbol{knot4}{87}</code>
	<code>\Pisymbol{knot4}{52}</code>		<code>\Pisymbol{knot4}{72}</code>		<code>\Pisymbol{knot4}{88}</code>
	<code>\Pisymbol{knot4}{53}</code>		<code>\Pisymbol{knot4}{73}</code>		<code>\Pisymbol{knot4}{96}</code>
	<code>\Pisymbol{knot4}{58}</code>		<code>\Pisymbol{knot4}{74}</code>		<code>\Pisymbol{knot4}{97}</code>
	<code>\Pisymbol{knot4}{59}</code>		<code>\Pisymbol{knot4}{75}</code>		<code>\Pisymbol{knot4}{98}</code>
	<code>\Pisymbol{knot4}{60}</code>		<code>\Pisymbol{knot4}{76}</code>		<code>\Pisymbol{knot4}{99}</code>
	<code>\Pisymbol{knot4}{61}</code>		<code>\Pisymbol{knot4}{77}</code>		<code>\Pisymbol{knot4}{100}</code>
	<code>\Pisymbol{knot4}{62}</code>		<code>\Pisymbol{knot4}{78}</code>		<code>\Pisymbol{knot4}{101}</code>
	<code>\Pisymbol{knot4}{63}</code>		<code>\Pisymbol{knot4}{79}</code>		<code>\Pisymbol{knot4}{102}</code>
	<code>\Pisymbol{knot4}{64}</code>		<code>\Pisymbol{knot4}{80}</code>		<code>\Pisymbol{knot4}{103}</code>
	<code>\Pisymbol{knot4}{65}</code>		<code>\Pisymbol{knot4}{81}</code>		<code>\Pisymbol{knot4}{104}</code>
	<code>\Pisymbol{knot4}{66}</code>		<code>\Pisymbol{knot4}{82}</code>		<code>\Pisymbol{knot4}{105}</code>
	<code>\Pisymbol{knot4}{67}</code>		<code>\Pisymbol{knot4}{83}</code>		
	<code>\Pisymbol{knot5}{48}</code>		<code>\Pisymbol{knot5}{68}</code>		<code>\Pisymbol{knot5}{84}</code>
	<code>\Pisymbol{knot5}{49}</code>		<code>\Pisymbol{knot5}{69}</code>		<code>\Pisymbol{knot5}{85}</code>
	<code>\Pisymbol{knot5}{50}</code>		<code>\Pisymbol{knot5}{70}</code>		<code>\Pisymbol{knot5}{86}</code>
	<code>\Pisymbol{knot5}{51}</code>		<code>\Pisymbol{knot5}{71}</code>		<code>\Pisymbol{knot5}{87}</code>
	<code>\Pisymbol{knot5}{52}</code>		<code>\Pisymbol{knot5}{72}</code>		<code>\Pisymbol{knot5}{88}</code>
	<code>\Pisymbol{knot5}{53}</code>		<code>\Pisymbol{knot5}{73}</code>		<code>\Pisymbol{knot5}{96}</code>
	<code>\Pisymbol{knot5}{58}</code>		<code>\Pisymbol{knot5}{74}</code>		<code>\Pisymbol{knot5}{97}</code>
	<code>\Pisymbol{knot5}{59}</code>		<code>\Pisymbol{knot5}{75}</code>		<code>\Pisymbol{knot5}{98}</code>
	<code>\Pisymbol{knot5}{60}</code>		<code>\Pisymbol{knot5}{76}</code>		<code>\Pisymbol{knot5}{99}</code>
	<code>\Pisymbol{knot5}{61}</code>		<code>\Pisymbol{knot5}{77}</code>		<code>\Pisymbol{knot5}{100}</code>
	<code>\Pisymbol{knot5}{62}</code>		<code>\Pisymbol{knot5}{78}</code>		<code>\Pisymbol{knot5}{101}</code>
	<code>\Pisymbol{knot5}{63}</code>		<code>\Pisymbol{knot5}{79}</code>		<code>\Pisymbol{knot5}{102}</code>
	<code>\Pisymbol{knot5}{64}</code>		<code>\Pisymbol{knot5}{80}</code>		<code>\Pisymbol{knot5}{103}</code>
	<code>\Pisymbol{knot5}{65}</code>		<code>\Pisymbol{knot5}{81}</code>		<code>\Pisymbol{knot5}{104}</code>
	<code>\Pisymbol{knot5}{66}</code>		<code>\Pisymbol{knot5}{82}</code>		<code>\Pisymbol{knot5}{105}</code>
	<code>\Pisymbol{knot5}{67}</code>		<code>\Pisymbol{knot5}{83}</code>		
	<code>\Pisymbol{knot6}{48}</code>		<code>\Pisymbol{knot6}{68}</code>		<code>\Pisymbol{knot6}{84}</code>
	<code>\Pisymbol{knot6}{49}</code>		<code>\Pisymbol{knot6}{69}</code>		<code>\Pisymbol{knot6}{85}</code>
	<code>\Pisymbol{knot6}{50}</code>		<code>\Pisymbol{knot6}{70}</code>		<code>\Pisymbol{knot6}{86}</code>
	<code>\Pisymbol{knot6}{51}</code>		<code>\Pisymbol{knot6}{71}</code>		<code>\Pisymbol{knot6}{87}</code>

(continued on next page)

(continued from previous page)

●	<code>\Pisymbol{knot6}{52}</code>		<code>\Pisymbol{knot6}{72}</code>		<code>\Pisymbol{knot6}{88}</code>
◻	<code>\Pisymbol{knot6}{53}</code>		<code>\Pisymbol{knot6}{73}</code>		<code>\Pisymbol{knot6}{96}</code>
◻	<code>\Pisymbol{knot6}{58}</code>		<code>\Pisymbol{knot6}{74}</code>		<code>\Pisymbol{knot6}{97}</code>
◻	<code>\Pisymbol{knot6}{59}</code>		<code>\Pisymbol{knot6}{75}</code>		<code>\Pisymbol{knot6}{98}</code>
◻	<code>\Pisymbol{knot6}{60}</code>		<code>\Pisymbol{knot6}{76}</code>		<code>\Pisymbol{knot6}{99}</code>
◻	<code>\Pisymbol{knot6}{61}</code>		<code>\Pisymbol{knot6}{77}</code>		<code>\Pisymbol{knot6}{100}</code>
◻	<code>\Pisymbol{knot6}{62}</code>		<code>\Pisymbol{knot6}{78}</code>		<code>\Pisymbol{knot6}{101}</code>
◻	<code>\Pisymbol{knot6}{63}</code>		<code>\Pisymbol{knot6}{79}</code>		<code>\Pisymbol{knot6}{102}</code>
◻	<code>\Pisymbol{knot6}{64}</code>		<code>\Pisymbol{knot6}{80}</code>		<code>\Pisymbol{knot6}{103}</code>
◻	<code>\Pisymbol{knot6}{65}</code>		<code>\Pisymbol{knot6}{81}</code>		<code>\Pisymbol{knot6}{104}</code>
◻	<code>\Pisymbol{knot6}{66}</code>		<code>\Pisymbol{knot6}{82}</code>		<code>\Pisymbol{knot6}{105}</code>
◻	<code>\Pisymbol{knot6}{67}</code>		<code>\Pisymbol{knot6}{83}</code>		
◻	<code>\Pisymbol{knot7}{48}</code>		<code>\Pisymbol{knot7}{68}</code>		<code>\Pisymbol{knot7}{84}</code>
◻	<code>\Pisymbol{knot7}{49}</code>		<code>\Pisymbol{knot7}{69}</code>		<code>\Pisymbol{knot7}{85}</code>
◻	<code>\Pisymbol{knot7}{50}</code>		<code>\Pisymbol{knot7}{70}</code>		<code>\Pisymbol{knot7}{86}</code>
◻	<code>\Pisymbol{knot7}{51}</code>		<code>\Pisymbol{knot7}{71}</code>		<code>\Pisymbol{knot7}{87}</code>
◻	<code>\Pisymbol{knot7}{52}</code>		<code>\Pisymbol{knot7}{72}</code>		<code>\Pisymbol{knot7}{88}</code>
◻	<code>\Pisymbol{knot7}{53}</code>		<code>\Pisymbol{knot7}{73}</code>		<code>\Pisymbol{knot7}{96}</code>
◻	<code>\Pisymbol{knot7}{58}</code>		<code>\Pisymbol{knot7}{74}</code>		<code>\Pisymbol{knot7}{97}</code>
◻	<code>\Pisymbol{knot7}{59}</code>		<code>\Pisymbol{knot7}{75}</code>		<code>\Pisymbol{knot7}{98}</code>
◻	<code>\Pisymbol{knot7}{60}</code>		<code>\Pisymbol{knot7}{76}</code>		<code>\Pisymbol{knot7}{99}</code>
◻	<code>\Pisymbol{knot7}{61}</code>		<code>\Pisymbol{knot7}{77}</code>		<code>\Pisymbol{knot7}{100}</code>
◻	<code>\Pisymbol{knot7}{62}</code>		<code>\Pisymbol{knot7}{78}</code>		<code>\Pisymbol{knot7}{101}</code>
◻	<code>\Pisymbol{knot7}{63}</code>		<code>\Pisymbol{knot7}{79}</code>		<code>\Pisymbol{knot7}{102}</code>
◻	<code>\Pisymbol{knot7}{64}</code>		<code>\Pisymbol{knot7}{80}</code>		<code>\Pisymbol{knot7}{103}</code>
◻	<code>\Pisymbol{knot7}{65}</code>		<code>\Pisymbol{knot7}{81}</code>		<code>\Pisymbol{knot7}{104}</code>
◻	<code>\Pisymbol{knot7}{66}</code>		<code>\Pisymbol{knot7}{82}</code>		<code>\Pisymbol{knot7}{105}</code>
◻	<code>\Pisymbol{knot7}{67}</code>		<code>\Pisymbol{knot7}{83}</code>		

The following is an example of a basic knot, using `\usefont{U}{knot(number)}{m}{n}` to change fonts for multiple characters instead of `\Pisymbol` to typeset one character at a time. Note that all of the characters in the knot fonts lie conveniently within the range of printable ASCII characters.

Input	knot1	knot2	knot3	knot4	knot5	knot6	knot7
CDB							
FHG							
©EA							

The niceframe package can be used to typeset decorative frames using fonts such as knot, especially using characters 48–63 of each font variant.

TABLE 531: dancers Dancing Men

 \Pisymbol{dancers}{0}	 \Pisymbol{dancers}{86}	 \Pisymbol{dancers}{172}
 \Pisymbol{dancers}{1}	 \Pisymbol{dancers}{87}	 \Pisymbol{dancers}{173}
 \Pisymbol{dancers}{2}	 \Pisymbol{dancers}{88}	 \Pisymbol{dancers}{174}
 \Pisymbol{dancers}{3}	 \Pisymbol{dancers}{89}	 \Pisymbol{dancers}{175}
 \Pisymbol{dancers}{4}	 \Pisymbol{dancers}{90}	 \Pisymbol{dancers}{176}
 \Pisymbol{dancers}{5}	 \Pisymbol{dancers}{91}	 \Pisymbol{dancers}{177}
 \Pisymbol{dancers}{6}	 \Pisymbol{dancers}{92}	 \Pisymbol{dancers}{178}
 \Pisymbol{dancers}{7}	 \Pisymbol{dancers}{93}	 \Pisymbol{dancers}{179}
 \Pisymbol{dancers}{8}	 \Pisymbol{dancers}{94}	 \Pisymbol{dancers}{180}
 \Pisymbol{dancers}{9}	 \Pisymbol{dancers}{95}	 \Pisymbol{dancers}{181}
 \Pisymbol{dancers}{10}	 \Pisymbol{dancers}{96}	 \Pisymbol{dancers}{182}
 \Pisymbol{dancers}{11}	 \Pisymbol{dancers}{97}	 \Pisymbol{dancers}{183}
 \Pisymbol{dancers}{12}	 \Pisymbol{dancers}{98}	 \Pisymbol{dancers}{184}
 \Pisymbol{dancers}{13}	 \Pisymbol{dancers}{99}	 \Pisymbol{dancers}{185}
 \Pisymbol{dancers}{14}	 \Pisymbol{dancers}{100}	 \Pisymbol{dancers}{186}
 \Pisymbol{dancers}{15}	 \Pisymbol{dancers}{101}	 \Pisymbol{dancers}{187}
 \Pisymbol{dancers}{16}	 \Pisymbol{dancers}{102}	 \Pisymbol{dancers}{188}
 \Pisymbol{dancers}{17}	 \Pisymbol{dancers}{103}	 \Pisymbol{dancers}{189}
 \Pisymbol{dancers}{18}	 \Pisymbol{dancers}{104}	 \Pisymbol{dancers}{190}
 \Pisymbol{dancers}{19}	 \Pisymbol{dancers}{105}	 \Pisymbol{dancers}{191}
 \Pisymbol{dancers}{20}	 \Pisymbol{dancers}{106}	 \Pisymbol{dancers}{192}
 \Pisymbol{dancers}{21}	 \Pisymbol{dancers}{107}	 \Pisymbol{dancers}{193}
 \Pisymbol{dancers}{22}	 \Pisymbol{dancers}{108}	 \Pisymbol{dancers}{194}
 \Pisymbol{dancers}{23}	 \Pisymbol{dancers}{109}	 \Pisymbol{dancers}{195}
 \Pisymbol{dancers}{24}	 \Pisymbol{dancers}{110}	 \Pisymbol{dancers}{196}
 \Pisymbol{dancers}{25}	 \Pisymbol{dancers}{111}	 \Pisymbol{dancers}{197}
 \Pisymbol{dancers}{26}	 \Pisymbol{dancers}{112}	 \Pisymbol{dancers}{198}
 \Pisymbol{dancers}{27}	 \Pisymbol{dancers}{113}	 \Pisymbol{dancers}{199}
 \Pisymbol{dancers}{28}	 \Pisymbol{dancers}{114}	 \Pisymbol{dancers}{200}
 \Pisymbol{dancers}{29}	 \Pisymbol{dancers}{115}	 \Pisymbol{dancers}{201}
 \Pisymbol{dancers}{30}	 \Pisymbol{dancers}{116}	 \Pisymbol{dancers}{202}
 \Pisymbol{dancers}{31}	 \Pisymbol{dancers}{117}	 \Pisymbol{dancers}{203}
 \Pisymbol{dancers}{32}	 \Pisymbol{dancers}{118}	 \Pisymbol{dancers}{204}
 \Pisymbol{dancers}{33}	 \Pisymbol{dancers}{119}	 \Pisymbol{dancers}{205}

(continued on next page)

(continued from previous page)

 \Pisymbol{dancers}{34}	 \Pisymbol{dancers}{120}	 \Pisymbol{dancers}{206}
 \Pisymbol{dancers}{35}	 \Pisymbol{dancers}{121}	 \Pisymbol{dancers}{207}
 \Pisymbol{dancers}{36}	 \Pisymbol{dancers}{122}	 \Pisymbol{dancers}{208}
 \Pisymbol{dancers}{37}	 \Pisymbol{dancers}{123}	 \Pisymbol{dancers}{209}
 \Pisymbol{dancers}{38}	 \Pisymbol{dancers}{124}	 \Pisymbol{dancers}{210}
 \Pisymbol{dancers}{39}	 \Pisymbol{dancers}{125}	 \Pisymbol{dancers}{211}
 \Pisymbol{dancers}{40}	 \Pisymbol{dancers}{126}	 \Pisymbol{dancers}{212}
 \Pisymbol{dancers}{41}	 \Pisymbol{dancers}{127}	 \Pisymbol{dancers}{213}
 \Pisymbol{dancers}{42}	 \Pisymbol{dancers}{128}	 \Pisymbol{dancers}{214}
 \Pisymbol{dancers}{43}	 \Pisymbol{dancers}{129}	 \Pisymbol{dancers}{215}
 \Pisymbol{dancers}{44}	 \Pisymbol{dancers}{130}	 \Pisymbol{dancers}{216}
 \Pisymbol{dancers}{45}	 \Pisymbol{dancers}{131}	 \Pisymbol{dancers}{217}
 \Pisymbol{dancers}{46}	 \Pisymbol{dancers}{132}	 \Pisymbol{dancers}{218}
 \Pisymbol{dancers}{47}	 \Pisymbol{dancers}{133}	 \Pisymbol{dancers}{219}
 \Pisymbol{dancers}{48}	 \Pisymbol{dancers}{134}	 \Pisymbol{dancers}{220}
 \Pisymbol{dancers}{49}	 \Pisymbol{dancers}{135}	 \Pisymbol{dancers}{221}
 \Pisymbol{dancers}{50}	 \Pisymbol{dancers}{136}	 \Pisymbol{dancers}{222}
 \Pisymbol{dancers}{51}	 \Pisymbol{dancers}{137}	 \Pisymbol{dancers}{223}
 \Pisymbol{dancers}{52}	 \Pisymbol{dancers}{138}	 \Pisymbol{dancers}{224}
 \Pisymbol{dancers}{53}	 \Pisymbol{dancers}{139}	 \Pisymbol{dancers}{225}
 \Pisymbol{dancers}{54}	 \Pisymbol{dancers}{140}	 \Pisymbol{dancers}{226}
 \Pisymbol{dancers}{55}	 \Pisymbol{dancers}{141}	 \Pisymbol{dancers}{227}
 \Pisymbol{dancers}{56}	 \Pisymbol{dancers}{142}	 \Pisymbol{dancers}{228}
 \Pisymbol{dancers}{57}	 \Pisymbol{dancers}{143}	 \Pisymbol{dancers}{229}
 \Pisymbol{dancers}{58}	 \Pisymbol{dancers}{144}	 \Pisymbol{dancers}{230}
 \Pisymbol{dancers}{59}	 \Pisymbol{dancers}{145}	 \Pisymbol{dancers}{231}
 \Pisymbol{dancers}{60}	 \Pisymbol{dancers}{146}	 \Pisymbol{dancers}{232}
 \Pisymbol{dancers}{61}	 \Pisymbol{dancers}{147}	 \Pisymbol{dancers}{233}
 \Pisymbol{dancers}{62}	 \Pisymbol{dancers}{148}	 \Pisymbol{dancers}{234}
 \Pisymbol{dancers}{63}	 \Pisymbol{dancers}{149}	 \Pisymbol{dancers}{235}
 \Pisymbol{dancers}{64}	 \Pisymbol{dancers}{150}	 \Pisymbol{dancers}{236}
 \Pisymbol{dancers}{65}	 \Pisymbol{dancers}{151}	 \Pisymbol{dancers}{237}
 \Pisymbol{dancers}{66}	 \Pisymbol{dancers}{152}	 \Pisymbol{dancers}{238}
 \Pisymbol{dancers}{67}	 \Pisymbol{dancers}{153}	 \Pisymbol{dancers}{239}
 \Pisymbol{dancers}{68}	 \Pisymbol{dancers}{154}	 \Pisymbol{dancers}{240}

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{dancers}{69}</code>		<code>\Pisymbol{dancers}{155}</code>		<code>\Pisymbol{dancers}{241}</code>
	<code>\Pisymbol{dancers}{70}</code>		<code>\Pisymbol{dancers}{156}</code>		<code>\Pisymbol{dancers}{242}</code>
	<code>\Pisymbol{dancers}{71}</code>		<code>\Pisymbol{dancers}{157}</code>		<code>\Pisymbol{dancers}{243}</code>
	<code>\Pisymbol{dancers}{72}</code>		<code>\Pisymbol{dancers}{158}</code>		<code>\Pisymbol{dancers}{244}</code>
	<code>\Pisymbol{dancers}{73}</code>		<code>\Pisymbol{dancers}{159}</code>		<code>\Pisymbol{dancers}{245}</code>
	<code>\Pisymbol{dancers}{74}</code>		<code>\Pisymbol{dancers}{160}</code>		<code>\Pisymbol{dancers}{246}</code>
	<code>\Pisymbol{dancers}{75}</code>		<code>\Pisymbol{dancers}{161}</code>		<code>\Pisymbol{dancers}{247}</code>
	<code>\Pisymbol{dancers}{76}</code>		<code>\Pisymbol{dancers}{162}</code>		<code>\Pisymbol{dancers}{248}</code>
	<code>\Pisymbol{dancers}{77}</code>		<code>\Pisymbol{dancers}{163}</code>		<code>\Pisymbol{dancers}{249}</code>
	<code>\Pisymbol{dancers}{78}</code>		<code>\Pisymbol{dancers}{164}</code>		<code>\Pisymbol{dancers}{250}</code>
	<code>\Pisymbol{dancers}{79}</code>		<code>\Pisymbol{dancers}{165}</code>		<code>\Pisymbol{dancers}{251}</code>
	<code>\Pisymbol{dancers}{80}</code>		<code>\Pisymbol{dancers}{166}</code>		<code>\Pisymbol{dancers}{252}</code>
	<code>\Pisymbol{dancers}{81}</code>		<code>\Pisymbol{dancers}{167}</code>		<code>\Pisymbol{dancers}{253}</code>
	<code>\Pisymbol{dancers}{82}</code>		<code>\Pisymbol{dancers}{168}</code>		<code>\Pisymbol{dancers}{254}</code>
	<code>\Pisymbol{dancers}{83}</code>		<code>\Pisymbol{dancers}{169}</code>		<code>\Pisymbol{dancers}{255}</code>
	<code>\Pisymbol{dancers}{84}</code>		<code>\Pisymbol{dancers}{170}</code>		
	<code>\Pisymbol{dancers}{85}</code>		<code>\Pisymbol{dancers}{171}</code>		

Fans of Sherlock Holmes mysteries will recognize these glyphs as forming the substitution cipher featured in Sir Arthur Conan Doyle's *The Adventure of the Dancing Men* (1903).

TABLE 532: semaphor Semaphore Alphabet

	<code>\Pisymbol{smfpr10}{34}</code>		<code>\Pisymbol{smfpr10}{116}</code>		<code>\Pisymbol{smfpr10}{184}</code>
	<code>\Pisymbol{smfpr10}{35}</code>		<code>\Pisymbol{smfpr10}{117}</code>		<code>\Pisymbol{smfpr10}{185}</code>
	<code>\Pisymbol{smfpr10}{36}</code>		<code>\Pisymbol{smfpr10}{118}</code>		<code>\Pisymbol{smfpr10}{186}</code>
	<code>\Pisymbol{smfpr10}{42}</code>		<code>\Pisymbol{smfpr10}{119}</code>		<code>\Pisymbol{smfpr10}{187}</code>
	<code>\Pisymbol{smfpr10}{46}</code>		<code>\Pisymbol{smfpr10}{120}</code>		<code>\Pisymbol{smfpr10}{192}</code>
	<code>\Pisymbol{smfpr10}{48}</code>		<code>\Pisymbol{smfpr10}{121}</code>		<code>\Pisymbol{smfpr10}{193}</code>
	<code>\Pisymbol{smfpr10}{49}</code>		<code>\Pisymbol{smfpr10}{122}</code>		<code>\Pisymbol{smfpr10}{194}</code>
	<code>\Pisymbol{smfpr10}{50}</code>		<code>\Pisymbol{smfpr10}{126}</code>		<code>\Pisymbol{smfpr10}{195}</code>
	<code>\Pisymbol{smfpr10}{51}</code>		<code>\Pisymbol{smfpr10}{128}</code>		<code>\Pisymbol{smfpr10}{196}</code>
	<code>\Pisymbol{smfpr10}{52}</code>		<code>\Pisymbol{smfpr10}{129}</code>		<code>\Pisymbol{smfpr10}{197}</code>
	<code>\Pisymbol{smfpr10}{53}</code>		<code>\Pisymbol{smfpr10}{130}</code>		<code>\Pisymbol{smfpr10}{199}</code>
	<code>\Pisymbol{smfpr10}{54}</code>		<code>\Pisymbol{smfpr10}{131}</code>		<code>\Pisymbol{smfpr10}{200}</code>
	<code>\Pisymbol{smfpr10}{55}</code>		<code>\Pisymbol{smfpr10}{132}</code>		<code>\Pisymbol{smfpr10}{201}</code>
	<code>\Pisymbol{smfpr10}{56}</code>		<code>\Pisymbol{smfpr10}{133}</code>		<code>\Pisymbol{smfpr10}{202}</code>
	<code>\Pisymbol{smfpr10}{57}</code>		<code>\Pisymbol{smfpr10}{134}</code>		<code>\Pisymbol{smfpr10}{203}</code>

(continued on next page)

(continued from previous page)

ᄀ	\Pisymbol{smfpr10}{65}	ᄁ	\Pisymbol{smfpr10}{135}	ᄂ	\Pisymbol{smfpr10}{204}
ᄃ	\Pisymbol{smfpr10}{66}	ᄄ	\Pisymbol{smfpr10}{136}	ᄅ	\Pisymbol{smfpr10}{205}
ᄆ	\Pisymbol{smfpr10}{67}	ᄇ	\Pisymbol{smfpr10}{137}	ᄈ	\Pisymbol{smfpr10}{206}
ᄉ	\Pisymbol{smfpr10}{68}	ᄊ	\Pisymbol{smfpr10}{138}	ᄋ	\Pisymbol{smfpr10}{207}
ᄌ	\Pisymbol{smfpr10}{69}	ᄍ	\Pisymbol{smfpr10}{139}	ᄎ	\Pisymbol{smfpr10}{209}
ᄏ	\Pisymbol{smfpr10}{70}	ᄐ	\Pisymbol{smfpr10}{140}	ᄑ	\Pisymbol{smfpr10}{210}
ᄒ	\Pisymbol{smfpr10}{71}	ᄓ	\Pisymbol{smfpr10}{142}	ᄔ	\Pisymbol{smfpr10}{211}
ᄕ	\Pisymbol{smfpr10}{72}	ᄖ	\Pisymbol{smfpr10}{143}	ᄗ	\Pisymbol{smfpr10}{212}
ᄘ	\Pisymbol{smfpr10}{73}	ᄙ	\Pisymbol{smfpr10}{144}	ᄚ	\Pisymbol{smfpr10}{213}
ᄛ	\Pisymbol{smfpr10}{74}	ᄜ	\Pisymbol{smfpr10}{145}	ᄝ	\Pisymbol{smfpr10}{214}
ᄞ	\Pisymbol{smfpr10}{75}	ᄟ	\Pisymbol{smfpr10}{146}	ᄠ	\Pisymbol{smfpr10}{216}
ᄡ	\Pisymbol{smfpr10}{76}	ᄢ	\Pisymbol{smfpr10}{147}	ᄣ	\Pisymbol{smfpr10}{217}
ᄤ	\Pisymbol{smfpr10}{77}	ᄥ	\Pisymbol{smfpr10}{148}	ᄦ	\Pisymbol{smfpr10}{218}
ᄧ	\Pisymbol{smfpr10}{78}	ᄨ	\Pisymbol{smfpr10}{149}	ᄩ	\Pisymbol{smfpr10}{219}
ᄪ	\Pisymbol{smfpr10}{79}	ᄫ	\Pisymbol{smfpr10}{150}	ᄬ	\Pisymbol{smfpr10}{220}
ᄭ	\Pisymbol{smfpr10}{80}	ᄮ	\Pisymbol{smfpr10}{151}	ᄯ	\Pisymbol{smfpr10}{221}
ᄮ	\Pisymbol{smfpr10}{81}	ᄰ	\Pisymbol{smfpr10}{152}	ᄱ	\Pisymbol{smfpr10}{224}
ᄱ	\Pisymbol{smfpr10}{82}	ᄲ	\Pisymbol{smfpr10}{153}	ᄳ	\Pisymbol{smfpr10}{225}
ᄲ	\Pisymbol{smfpr10}{83}	ᄴ	\Pisymbol{smfpr10}{154}	ᄵ	\Pisymbol{smfpr10}{226}
ᄳ	\Pisymbol{smfpr10}{84}	ᄶ	\Pisymbol{smfpr10}{155}	ᄷ	\Pisymbol{smfpr10}{227}
ᄴ	\Pisymbol{smfpr10}{85}	ᄸ	\Pisymbol{smfpr10}{157}	ᄹ	\Pisymbol{smfpr10}{228}
ᄵ	\Pisymbol{smfpr10}{86}	ᄹ	\Pisymbol{smfpr10}{158}	ᄺ	\Pisymbol{smfpr10}{229}
ᄶ	\Pisymbol{smfpr10}{87}	ᄻ	\Pisymbol{smfpr10}{160}	ᄼ	\Pisymbol{smfpr10}{231}
ᄷ	\Pisymbol{smfpr10}{88}	ᄼ	\Pisymbol{smfpr10}{161}	ᄽ	\Pisymbol{smfpr10}{232}
ᄸ	\Pisymbol{smfpr10}{89}	ᄾ	\Pisymbol{smfpr10}{162}	ᄾ	\Pisymbol{smfpr10}{233}
ᄹ	\Pisymbol{smfpr10}{90}	ᄿ	\Pisymbol{smfpr10}{163}	ᄿ	\Pisymbol{smfpr10}{234}
ᄺ	\Pisymbol{smfpr10}{97}	ᄽ	\Pisymbol{smfpr10}{164}	ᄿ	\Pisymbol{smfpr10}{235}
ᄻ	\Pisymbol{smfpr10}{98}	ᄾ	\Pisymbol{smfpr10}{165}	ᄿ	\Pisymbol{smfpr10}{236}
ᄼ	\Pisymbol{smfpr10}{99}	ᄿ	\Pisymbol{smfpr10}{166}	ᄿ	\Pisymbol{smfpr10}{237}
ᄽ	\Pisymbol{smfpr10}{100}	ᄿ	\Pisymbol{smfpr10}{167}	ᄿ	\Pisymbol{smfpr10}{238}
ᄾ	\Pisymbol{smfpr10}{101}	ᄿ	\Pisymbol{smfpr10}{168}	ᄿ	\Pisymbol{smfpr10}{239}
ᄿ	\Pisymbol{smfpr10}{102}	ᄿ	\Pisymbol{smfpr10}{169}	ᄿ	\Pisymbol{smfpr10}{241}
ᄿ	\Pisymbol{smfpr10}{103}	ᄿ	\Pisymbol{smfpr10}{170}	ᄿ	\Pisymbol{smfpr10}{242}
ᄿ	\Pisymbol{smfpr10}{104}	ᄿ	\Pisymbol{smfpr10}{171}	ᄿ	\Pisymbol{smfpr10}{243}
ᄿ	\Pisymbol{smfpr10}{105}	ᄿ	\Pisymbol{smfpr10}{172}	ᄿ	\Pisymbol{smfpr10}{244}
ᄿ	\Pisymbol{smfpr10}{106}	ᄿ	\Pisymbol{smfpr10}{174}	ᄿ	\Pisymbol{smfpr10}{245}
ᄿ	\Pisymbol{smfpr10}{107}	ᄿ	\Pisymbol{smfpr10}{175}	ᄿ	\Pisymbol{smfpr10}{246}
ᄿ	\Pisymbol{smfpr10}{108}	ᄿ	\Pisymbol{smfpr10}{176}	ᄿ	\Pisymbol{smfpr10}{248}
ᄿ	\Pisymbol{smfpr10}{109}	ᄿ	\Pisymbol{smfpr10}{177}	ᄿ	\Pisymbol{smfpr10}{249}
ᄿ	\Pisymbol{smfpr10}{110}	ᄿ	\Pisymbol{smfpr10}{178}	ᄿ	\Pisymbol{smfpr10}{250}
ᄿ	\Pisymbol{smfpr10}{111}	ᄿ	\Pisymbol{smfpr10}{179}	ᄿ	\Pisymbol{smfpr10}{251}
ᄿ	\Pisymbol{smfpr10}{112}	ᄿ	\Pisymbol{smfpr10}{180}	ᄿ	\Pisymbol{smfpr10}{252}
ᄿ	\Pisymbol{smfpr10}{113}	ᄿ	\Pisymbol{smfpr10}{181}	ᄿ	\Pisymbol{smfpr10}{253}
ᄿ	\Pisymbol{smfpr10}{114}	ᄿ	\Pisymbol{smfpr10}{182}		
ᄿ	\Pisymbol{smfpr10}{115}	ᄿ	\Pisymbol{smfpr10}{183}		

semaphor provides a `semaf.fd` font-definition file. Instead of using `pifont` and `\Pisymbol` to typeset a glyph, a document can select the `semaphor` fonts directly, although this does require putting `\input{semaf.fd}` in the document's preamble. For example, `{\usefont{OT1}{smfp}{m}{n}Hello}` will typeset “𐄀𐄁𐄂𐄃”. This can be useful for typesetting complete messages. Roman, bold, monospace, slanted, and bold+slanted styles are all supported.

In addition, `semaphor` provides three variations of each font: a “person” version (`smfpr10`), which is what is illustrated in the preceding table, a “pillar” version (`smfr10`), which shows the flags on a pillar rather than being held by a person, and an “empty” version (`smfer10`), which shows only the flags and no pillar or person. Contrast these variations of the letter “H”:



TABLE 533: `cryst` Crystallography Symbols

◦	<code>\Pisymbol{cryst}{0}</code>	⬤	<code>\Pisymbol{cryst}{63}</code>	↙	<code>\Pisymbol{cryst}{138}</code>
◐	<code>\Pisymbol{cryst}{2}</code>	⬤	<code>\Pisymbol{cryst}{64}</code>	↘	<code>\Pisymbol{cryst}{139}</code>
▲	<code>\Pisymbol{cryst}{3}</code>	⬤	<code>\Pisymbol{cryst}{65}</code>	▣	<code>\Pisymbol{cryst}{140}</code>
◆	<code>\Pisymbol{cryst}{4}</code>	⬤	<code>\Pisymbol{cryst}{66}</code>	⬆	<code>\Pisymbol{cryst}{141}</code>
→	<code>\Pisymbol{cryst}{5}</code>	↘	<code>\Pisymbol{cryst}{75}</code>	▤	<code>\Pisymbol{cryst}{142}</code>
●	<code>\Pisymbol{cryst}{6}</code>	↘	<code>\Pisymbol{cryst}{77}</code>	⬇	<code>\Pisymbol{cryst}{143}</code>
→	<code>\Pisymbol{cryst}{7}</code>	↘	<code>\Pisymbol{cryst}{78}</code>	↙	<code>\Pisymbol{cryst}{145}</code>
→	<code>\Pisymbol{cryst}{8}</code>	↘	<code>\Pisymbol{cryst}{79}</code>	↙	<code>\Pisymbol{cryst}{147}</code>
→	<code>\Pisymbol{cryst}{9}</code>	▣	<code>\Pisymbol{cryst}{80}</code>	↙	<code>\Pisymbol{cryst}{148}</code>
◦	<code>\Pisymbol{cryst}{10}</code>	▣	<code>\Pisymbol{cryst}{81}</code>	↙	<code>\Pisymbol{cryst}{149}</code>
◊	<code>\Pisymbol{cryst}{12}</code>	▣	<code>\Pisymbol{cryst}{82}</code>	↓	<code>\Pisymbol{cryst}{155}</code>
⬤	<code>\Pisymbol{cryst}{15}</code>	▣	<code>\Pisymbol{cryst}{83}</code>	↓	<code>\Pisymbol{cryst}{157}</code>
◊	<code>\Pisymbol{cryst}{20}</code>	▣	<code>\Pisymbol{cryst}{84}</code>	↓	<code>\Pisymbol{cryst}{158}</code>
◊	<code>\Pisymbol{cryst}{21}</code>	↘	<code>\Pisymbol{cryst}{85}</code>	↓	<code>\Pisymbol{cryst}{159}</code>
◊	<code>\Pisymbol{cryst}{22}</code>	↘	<code>\Pisymbol{cryst}{87}</code>	↘	<code>\Pisymbol{cryst}{175}</code>
◊	<code>\Pisymbol{cryst}{24}</code>	↘	<code>\Pisymbol{cryst}{88}</code>	↘	<code>\Pisymbol{cryst}{177}</code>
↙	<code>\Pisymbol{cryst}{25}</code>	↘	<code>\Pisymbol{cryst}{89}</code>	↘	<code>\Pisymbol{cryst}{178}</code>
↙	<code>\Pisymbol{cryst}{27}</code>	↘	<code>\Pisymbol{cryst}{95}</code>	↘	<code>\Pisymbol{cryst}{179}</code>
↙	<code>\Pisymbol{cryst}{28}</code>	↘	<code>\Pisymbol{cryst}{97}</code>	↘	<code>\Pisymbol{cryst}{185}</code>
↙	<code>\Pisymbol{cryst}{29}</code>	↘	<code>\Pisymbol{cryst}{98}</code>	↘	<code>\Pisymbol{cryst}{187}</code>
▲	<code>\Pisymbol{cryst}{30}</code>	↘	<code>\Pisymbol{cryst}{99}</code>	↘	<code>\Pisymbol{cryst}{188}</code>
▲	<code>\Pisymbol{cryst}{31}</code>	⬆	<code>\Pisymbol{cryst}{102}</code>	↘	<code>\Pisymbol{cryst}{189}</code>
▲	<code>\Pisymbol{cryst}{32}</code>	⬆	<code>\Pisymbol{cryst}{103}</code>	↘	<code>\Pisymbol{cryst}{195}</code>
↙	<code>\Pisymbol{cryst}{35}</code>	⬆	<code>\Pisymbol{cryst}{104}</code>	↘	<code>\Pisymbol{cryst}{197}</code>
◊	<code>\Pisymbol{cryst}{36}</code>	←	<code>\Pisymbol{cryst}{105}</code>	↘	<code>\Pisymbol{cryst}{198}</code>
↙	<code>\Pisymbol{cryst}{37}</code>	←	<code>\Pisymbol{cryst}{107}</code>	↘	<code>\Pisymbol{cryst}{199}</code>
↙	<code>\Pisymbol{cryst}{38}</code>	←	<code>\Pisymbol{cryst}{108}</code>	⬆	<code>\Pisymbol{cryst}{202}</code>
↙	<code>\Pisymbol{cryst}{39}</code>	←	<code>\Pisymbol{cryst}{109}</code>	⬆	<code>\Pisymbol{cryst}{203}</code>
◊	<code>\Pisymbol{cryst}{40}</code>	⬆	<code>\Pisymbol{cryst}{112}</code>	▤	<code>\Pisymbol{cryst}{204}</code>
◊	<code>\Pisymbol{cryst}{41}</code>	⬆	<code>\Pisymbol{cryst}{113}</code>	⬆	<code>\Pisymbol{cryst}{210}</code>
◊	<code>\Pisymbol{cryst}{42}</code>	⬆	<code>\Pisymbol{cryst}{120}</code>	⬆	<code>\Pisymbol{cryst}{212}</code>
◊	<code>\Pisymbol{cryst}{43}</code>	⬆	<code>\Pisymbol{cryst}{121}</code>	⬆	<code>\Pisymbol{cryst}{213}</code>

(continued on next page)

(continued from previous page)

■	<code>\Pisymbol{cryst}{44}</code>	✂	<code>\Pisymbol{cryst}{123}</code>	⬇	<code>\Pisymbol{cryst}{220}</code>
↗	<code>\Pisymbol{cryst}{45}</code>	⬇	<code>\Pisymbol{cryst}{124}</code>	⬇	<code>\Pisymbol{cryst}{221}</code>
↘	<code>\Pisymbol{cryst}{47}</code>	↗	<code>\Pisymbol{cryst}{125}</code>	✂	<code>\Pisymbol{cryst}{223}</code>
↗	<code>\Pisymbol{cryst}{48}</code>	↘	<code>\Pisymbol{cryst}{127}</code>	⬇	<code>\Pisymbol{cryst}{224}</code>
↘	<code>\Pisymbol{cryst}{49}</code>	↗	<code>\Pisymbol{cryst}{128}</code>	✂	<code>\Pisymbol{cryst}{230}</code>
◆	<code>\Pisymbol{cryst}{50}</code>	↘	<code>\Pisymbol{cryst}{129}</code>	✂	<code>\Pisymbol{cryst}{231}</code>
↑	<code>\Pisymbol{cryst}{55}</code>	✂	<code>\Pisymbol{cryst}{130}</code>	✂	<code>\Pisymbol{cryst}{232}</code>
↑	<code>\Pisymbol{cryst}{57}</code>	✂	<code>\Pisymbol{cryst}{131}</code>	✂	<code>\Pisymbol{cryst}{233}</code>
↑	<code>\Pisymbol{cryst}{58}</code>	✂	<code>\Pisymbol{cryst}{132}</code>	✂	<code>\Pisymbol{cryst}{236}</code>
↑	<code>\Pisymbol{cryst}{59}</code>	✂	<code>\Pisymbol{cryst}{133}</code>	⬇	<code>\Pisymbol{cryst}{240}</code>
◆	<code>\Pisymbol{cryst}{60}</code>	↗	<code>\Pisymbol{cryst}{135}</code>	⬇	<code>\Pisymbol{cryst}{241}</code>
✂	<code>\Pisymbol{cryst}{61}</code>	✂	<code>\Pisymbol{cryst}{136}</code>	⬇	<code>\Pisymbol{cryst}{242}</code>
✂	<code>\Pisymbol{cryst}{62}</code>	↗	<code>\Pisymbol{cryst}{137}</code>	⬇	<code>\Pisymbol{cryst}{243}</code>

TABLE 534: dice Dice

□	<code>\Pisymbol{dice3d}{49}</code>	□	<code>\Pisymbol{dice3d}{101}</code>	□	<code>\Pisymbol{dice3d}{111}</code>
□	<code>\Pisymbol{dice3d}{50}</code>	□	<code>\Pisymbol{dice3d}{102}</code>	□	<code>\Pisymbol{dice3d}{112}</code>
□	<code>\Pisymbol{dice3d}{51}</code>	□	<code>\Pisymbol{dice3d}{103}</code>	□	<code>\Pisymbol{dice3d}{113}</code>
□	<code>\Pisymbol{dice3d}{52}</code>	□	<code>\Pisymbol{dice3d}{104}</code>	□	<code>\Pisymbol{dice3d}{114}</code>
□	<code>\Pisymbol{dice3d}{53}</code>	□	<code>\Pisymbol{dice3d}{105}</code>	□	<code>\Pisymbol{dice3d}{115}</code>
□	<code>\Pisymbol{dice3d}{54}</code>	□	<code>\Pisymbol{dice3d}{106}</code>	□	<code>\Pisymbol{dice3d}{116}</code>
□	<code>\Pisymbol{dice3d}{97}</code>	□	<code>\Pisymbol{dice3d}{107}</code>	□	<code>\Pisymbol{dice3d}{117}</code>
□	<code>\Pisymbol{dice3d}{98}</code>	□	<code>\Pisymbol{dice3d}{108}</code>	□	<code>\Pisymbol{dice3d}{118}</code>
□	<code>\Pisymbol{dice3d}{99}</code>	□	<code>\Pisymbol{dice3d}{109}</code>	□	<code>\Pisymbol{dice3d}{119}</code>
□	<code>\Pisymbol{dice3d}{100}</code>	□	<code>\Pisymbol{dice3d}{110}</code>	□	<code>\Pisymbol{dice3d}{120}</code>

dice defines its symbols at a very small design size. The glyphs shown above were scaled up by a factor of four using `\DeclareFontShape{U}{dice3d}{m}{n}{<-> s*[4] dice3d}{}`.

An alternative to using `\Pisymbol` to select a die rotation is to rely on some cleverness in the kerning tables provided by the dice font. The individual digits “1” through “6” each produce the corresponding (2D) die face: `{\usefont{U}{dice3d}{m}{n}2 2 1}` produces “□ □ □”, for example. When followed by a letter “a” through “d”, those pairs are kerned to produce a 3D die rotation with the digit specifying by the top face and the letter specifying one of the four possible front faces, sorted by increasing value. For example, `{\usefont{U}{dice3d}{m}{n}2a 2b 1d}` produces “□ □ □”.

TABLE 535: magic Trading Card Symbols

①	<code>\Pisymbol{magic}{48}</code>	⑥	<code>\Pisymbol{magic}{54}</code>	Ⓜ	<code>\Pisymbol{magic}{82}</code>
②	<code>\Pisymbol{magic}{49}</code>	⑦	<code>\Pisymbol{magic}{55}</code>	Ⓝ	<code>\Pisymbol{magic}{84}</code>
③	<code>\Pisymbol{magic}{50}</code>	⑧	<code>\Pisymbol{magic}{56}</code>	♣	<code>\Pisymbol{magic}{85}</code>
④	<code>\Pisymbol{magic}{51}</code>	⑨	<code>\Pisymbol{magic}{57}</code>	⊙	<code>\Pisymbol{magic}{87}</code>
⑤	<code>\Pisymbol{magic}{52}</code>	♠	<code>\Pisymbol{magic}{66}</code>	⊗	<code>\Pisymbol{magic}{88}</code>
	<code>\Pisymbol{magic}{53}</code>	♣	<code>\Pisymbol{magic}{71}</code>	⑩	<code>\Pisymbol{magic}{90}</code>

The preceding symbols resemble those from Wizards of the Coast’s *Magic: The Gathering* trading-card game. An alternative to entering symbols numerically using `\Pisymbol` is to switch to the magic font with `\usefont{U}{magic}{m}{n}` and employ the following mnemonic characters:

①–⑩	0–9	Circled numerals 0–9
♠	B	Black magic symbol
♣	G	Green magic symbol
Ⓜ	R	Red magic symbol
Ⓝ	T	Tap symbol (tilted “T” in a circle)
♣	U	Blue magic symbol
⊙	W	White magic symbol
⊗	X	Circled “X” (for mana cost, e.g., Fireball)
⑩	Z	Circled “10” (for mana cost, e.g., Aladdin’s Lamp)

TABLE 536: bartel-chess-fonts Chess Pieces and Chessboard Squares

	<code>\Pisymbol{fselch}{0}</code>		<code>\Pisymbol{fselch}{55}</code>		<code>\Pisymbol{fselch}{110}</code>
	<code>\Pisymbol{fselch}{1}</code>		<code>\Pisymbol{fselch}{56}</code>		<code>\Pisymbol{fselch}{111}</code>
	<code>\Pisymbol{fselch}{2}</code>		<code>\Pisymbol{fselch}{57}</code>		<code>\Pisymbol{fselch}{112}</code>
	<code>\Pisymbol{fselch}{3}</code>		<code>\Pisymbol{fselch}{58}</code>		<code>\Pisymbol{fselch}{113}</code>
	<code>\Pisymbol{fselch}{4}</code>		<code>\Pisymbol{fselch}{59}</code>		<code>\Pisymbol{fselch}{114}</code>
	<code>\Pisymbol{fselch}{5}</code>		<code>\Pisymbol{fselch}{60}</code>		<code>\Pisymbol{fselch}{115}</code>
	<code>\Pisymbol{fselch}{6}</code>		<code>\Pisymbol{fselch}{61}</code>		<code>\Pisymbol{fselch}{116}</code>
	<code>\Pisymbol{fselch}{7}</code>		<code>\Pisymbol{fselch}{62}</code>		<code>\Pisymbol{fselch}{117}</code>
	<code>\Pisymbol{fselch}{8}</code>		<code>\Pisymbol{fselch}{63}</code>		<code>\Pisymbol{fselch}{118}</code>
	<code>\Pisymbol{fselch}{9}</code>		<code>\Pisymbol{fselch}{64}</code>		<code>\Pisymbol{fselch}{119}</code>
	<code>\Pisymbol{fselch}{10}</code>		<code>\Pisymbol{fselch}{65}</code>		<code>\Pisymbol{fselch}{120}</code>
	<code>\Pisymbol{fselch}{11}</code>		<code>\Pisymbol{fselch}{66}</code>		<code>\Pisymbol{fselch}{121}</code>
	<code>\Pisymbol{fselch}{12}</code>		<code>\Pisymbol{fselch}{67}</code>		<code>\Pisymbol{fselch}{122}</code>
	<code>\Pisymbol{fselch}{13}</code>		<code>\Pisymbol{fselch}{68}</code>		<code>\Pisymbol{fselch}{123}</code>
	<code>\Pisymbol{fselch}{14}</code>		<code>\Pisymbol{fselch}{69}</code>		<code>\Pisymbol{fselch}{124}</code>
	<code>\Pisymbol{fselch}{15}</code>		<code>\Pisymbol{fselch}{70}</code>		<code>\Pisymbol{fselch}{125}</code>
	<code>\Pisymbol{fselch}{16}</code>		<code>\Pisymbol{fselch}{71}</code>		<code>\Pisymbol{fselch}{126}</code>
	<code>\Pisymbol{fselch}{17}</code>		<code>\Pisymbol{fselch}{72}</code>		<code>\Pisymbol{fselch}{127}</code>
	<code>\Pisymbol{fselch}{18}</code>		<code>\Pisymbol{fselch}{73}</code>		<code>\Pisymbol{fselch}{128}</code>
	<code>\Pisymbol{fselch}{19}</code>		<code>\Pisymbol{fselch}{74}</code>		<code>\Pisymbol{fselch}{129}</code>

(continued on next page)

(continued from previous page)

	<code>\Pisymbol{fselch}{20}</code>		<code>\Pisymbol{fselch}{75}</code>		<code>\Pisymbol{fselch}{130}</code>
	<code>\Pisymbol{fselch}{21}</code>		<code>\Pisymbol{fselch}{76}</code>		<code>\Pisymbol{fselch}{131}</code>
	<code>\Pisymbol{fselch}{22}</code>		<code>\Pisymbol{fselch}{77}</code>		<code>\Pisymbol{fselch}{132}</code>
	<code>\Pisymbol{fselch}{23}</code>		<code>\Pisymbol{fselch}{78}</code>		<code>\Pisymbol{fselch}{133}</code>
	<code>\Pisymbol{fselch}{24}</code>		<code>\Pisymbol{fselch}{79}</code>		<code>\Pisymbol{fselch}{134}</code>
	<code>\Pisymbol{fselch}{25}</code>		<code>\Pisymbol{fselch}{80}</code>		<code>\Pisymbol{fselch}{135}</code>
	<code>\Pisymbol{fselch}{26}</code>		<code>\Pisymbol{fselch}{81}</code>		<code>\Pisymbol{fselch}{136}</code>
	<code>\Pisymbol{fselch}{27}</code>		<code>\Pisymbol{fselch}{82}</code>		<code>\Pisymbol{fselch}{137}</code>
	<code>\Pisymbol{fselch}{28}</code>		<code>\Pisymbol{fselch}{83}</code>		<code>\Pisymbol{fselch}{138}</code>
	<code>\Pisymbol{fselch}{29}</code>		<code>\Pisymbol{fselch}{84}</code>		<code>\Pisymbol{fselch}{139}</code>
	<code>\Pisymbol{fselch}{30}</code>		<code>\Pisymbol{fselch}{85}</code>		<code>\Pisymbol{fselch}{140}</code>
	<code>\Pisymbol{fselch}{31}</code>		<code>\Pisymbol{fselch}{86}</code>		<code>\Pisymbol{fselch}{141}</code>
	<code>\Pisymbol{fselch}{32}</code>		<code>\Pisymbol{fselch}{87}</code>		<code>\Pisymbol{fselch}{142}</code>
	<code>\Pisymbol{fselch}{33}</code>		<code>\Pisymbol{fselch}{88}</code>		<code>\Pisymbol{fselch}{143}</code>
	<code>\Pisymbol{fselch}{34}</code>		<code>\Pisymbol{fselch}{89}</code>		<code>\Pisymbol{fselch}{144}</code>
	<code>\Pisymbol{fselch}{35}</code>		<code>\Pisymbol{fselch}{90}</code>		<code>\Pisymbol{fselch}{145}</code>
	<code>\Pisymbol{fselch}{36}</code>		<code>\Pisymbol{fselch}{91}</code>		<code>\Pisymbol{fselch}{151}</code>
	<code>\Pisymbol{fselch}{37}</code>		<code>\Pisymbol{fselch}{92}</code>		<code>\Pisymbol{fselch}{157}</code>
	<code>\Pisymbol{fselch}{38}</code>		<code>\Pisymbol{fselch}{93}</code>		<code>\Pisymbol{fselch}{163}</code>
	<code>\Pisymbol{fselch}{39}</code>		<code>\Pisymbol{fselch}{94}</code>		<code>\Pisymbol{fselch}{169}</code>
	<code>\Pisymbol{fselch}{40}</code>		<code>\Pisymbol{fselch}{95}</code>		<code>\Pisymbol{fselch}{175}</code>
	<code>\Pisymbol{fselch}{41}</code>		<code>\Pisymbol{fselch}{96}</code>		<code>\Pisymbol{fselch}{180}</code>
	<code>\Pisymbol{fselch}{42}</code>		<code>\Pisymbol{fselch}{97}</code>		<code>\Pisymbol{fselch}{186}</code>
	<code>\Pisymbol{fselch}{43}</code>		<code>\Pisymbol{fselch}{98}</code>		<code>\Pisymbol{fselch}{192}</code>
	<code>\Pisymbol{fselch}{44}</code>		<code>\Pisymbol{fselch}{99}</code>		<code>\Pisymbol{fselch}{198}</code>
	<code>\Pisymbol{fselch}{45}</code>		<code>\Pisymbol{fselch}{100}</code>		<code>\Pisymbol{fselch}{204}</code>
	<code>\Pisymbol{fselch}{46}</code>		<code>\Pisymbol{fselch}{101}</code>		<code>\Pisymbol{fselch}{210}</code>
	<code>\Pisymbol{fselch}{47}</code>		<code>\Pisymbol{fselch}{102}</code>		<code>\Pisymbol{fselch}{216}</code>
	<code>\Pisymbol{fselch}{48}</code>		<code>\Pisymbol{fselch}{103}</code>		<code>\Pisymbol{fselch}{222}</code>
	<code>\Pisymbol{fselch}{49}</code>		<code>\Pisymbol{fselch}{104}</code>		<code>\Pisymbol{fselch}{228}</code>
	<code>\Pisymbol{fselch}{50}</code>		<code>\Pisymbol{fselch}{105}</code>		<code>\Pisymbol{fselch}{234}</code>
	<code>\Pisymbol{fselch}{51}</code>		<code>\Pisymbol{fselch}{106}</code>		<code>\Pisymbol{fselch}{240}</code>
	<code>\Pisymbol{fselch}{52}</code>		<code>\Pisymbol{fselch}{107}</code>		<code>\Pisymbol{fselch}{246}</code>
	<code>\Pisymbol{fselch}{53}</code>		<code>\Pisymbol{fselch}{108}</code>		
	<code>\Pisymbol{fselch}{54}</code>		<code>\Pisymbol{fselch}{109}</code>		

In addition to the `fselch` font showcased above, `bartel-chess-fonts` also provides a `pkelch` font which includes the same symbol set (minus some of the higher-numbered characters) but drawn in a slightly different style.

`bartel-chess-fonts` provides the `fselch` and `pkelch` fonts in various sizes (optically scaled). See “`LATEX 2ε Font Selection`” [LAT19] for advice on how to expose these sorts of fonts to `LATEX` using `\DeclareFontFamily` and `\DeclareFontShape`.

10 Additional Information

Unlike the previous sections of this document, Section 10 does not contain new symbol tables. Rather, it provides additional help in using the Comprehensive L^AT_EX Symbol List. First, it draws attention to symbol names used by multiple packages. Next, it provides some guidelines for finding symbols and gives some examples regarding how to construct missing symbols out of existing ones. Then, it comments on the spacing surrounding symbols in math mode. After that, it presents an ASCII and Latin 1 quick-reference guide, showing how to enter all of the standard ASCII/Latin 1 symbols in L^AT_EX. And finally, it lists some statistics about this document itself.

10.1 Symbol Name Clashes

Unfortunately, a number of symbol names are not unique; they appear in more than one package. Depending on how the symbols are defined in each package, L^AT_EX will either output an error message or replace an earlier-defined symbol with a later-defined symbol. Table 537 on the following page presents a selection of name clashes that appear in this document.

Using multiple symbols with the same name in the same document—or even merely loading conflicting symbol packages—can be tricky but, as evidenced by the existence of Table 537, not impossible. The general procedure is to load the first package, rename the conflicting symbols, and then load the second package. Examine the L^AT_EX source for this document (`symbols.tex`) for examples of this and other techniques for handling symbol conflicts. Note that `symbols.tex`'s `\savesymbol` and `\restoresymbol` macros have been extracted into the `savesym` package, which can be downloaded from CTAN.

`txfonts` and `pxfonts` redefine a huge number of symbols—essentially, all of the symbols defined by `latexsym`, `textcomp`, the various \mathcal{AMS} symbol sets, and L^AT_EX 2_ε itself. Similarly, `mathabx` redefines a vast number of math symbols in an attempt to improve their look. The `txfonts`, `pxfonts`, and `mathabx` conflicts are not listed in Table 537 because they are designed to be compatible with the symbols they replace. Table 538 on page 221 illustrates what “compatible” means in this context.

To use the new `txfonts/pxfonts` symbols without altering the document's main font, merely reset the default font families back to their original values after loading one of those packages:

```
\renewcommand\rmdefault{cmr}
\renewcommand\sfdefault{cms}
\renewcommand\ttdefault{cmtt}
```

10.2 Resizing symbols

Mathematical symbols listed in this document as “variable-sized” are designed to stretch vertically. Each variable-sized symbol comes in one or more basic sizes plus a variation comprising both stretchable and nonstretchable segments. Table 539 on page 221 presents the symbols `\}` and `\uparrow` in their default size, in their `\big`, `\Big`, `\bigg`, and `\Bigg` sizes, in an even larger size achieved using `\left/`/`\right`, and—for contrast—in a large size achieved by changing the font size using L^AT_EX 2_ε's `\fontsize` command. Because the symbols shown belong to the Computer Modern family, the `typelcm` package needs to be loaded to support font sizes larger than 24.88 pt.

Note how `\fontsize` makes the symbol wider and thicker. (The `graphicx` package's `\scalebox` or `\resizebox` commands would produce a similar effect.) Also, the `\fontsize`-enlarged symbol is vertically centered relative to correspondingly large text, unlike the symbols enlarged using `\big` et al. or `\left/`/`\right`, which all use the same math axis regardless of symbol size. However, `\fontsize` is not limited to mathematical delimiters. Also, `\scalebox` and `\resizebox` are more robust to poorly composed symbols (e.g., two symbols made to overlap by backspacing a fixed distance) but do not work with every T_EX backend and will produce jagged symbols when scaling a bitmapped font.

All variable-sized delimiters are defined (by the corresponding `.tfm` file) in terms of up to five segments, as illustrated by Figure 1 on page 221. The top, middle, and bottom segments are of a fixed size. The top-middle and middle-bottom segments (which are constrained to be the same character) are repeated as many times as necessary to achieve the desired height.

10.3 Where can I find the symbol for ... ?

If you can't find some symbol you're looking for in this document, there are a few possible explanations:

TABLE 537: Symbol Name Clashes

Symbol	L ^A T _E X 2 ϵ	$\mathcal{A}\mathcal{M}\mathcal{S}$	stmaryrd	wasysym	mathabx	marvosym	bbding	ifsym	dingbat	wsuipa
<code>\baro</code>			ϕ							θ
<code>\bigtriangledown</code>	∇		∇							
<code>\bigtriangleup</code>	\triangle		\triangle							
<code>\checkmark</code>		\checkmark							\checkmark	
<code>\Circle</code>				\circ				\circ		
<code>\Cross</code>						\dagger	\dagger	\times		
<code>\ggg</code>					\gg					
<code>\Letter</code>		\ggg				\boxtimes		\boxtimes		
<code>\lightning</code>			\lightning			\lightning		\lightning		
<code>\Lightning</code>										
<code>\lll</code>		\lll								
<code>\Square</code>				\square			\square	\square		
<code>\Sun</code>					\odot	\odot		\odot		
<code>\TriangleDown</code>							\blacktriangle	\blacktriangle		
<code>\TriangleUp</code>							\blacktriangle	\blacktriangle		

TABLE 538: Example of a Benign Name Clash

Symbol	Default (Computer Modern)	txfonts (Times Roman)
<code>R</code>	\mathbb{R}	\mathbb{R}
<code>\textrecipe</code>	\mathbb{R}	\mathbb{R}

TABLE 539: Sample resized delimiters

Symbol	Default size	<code>\big</code>	<code>\Big</code>	<code>\bigg</code>	<code>\Bigg</code>	<code>\left/\right</code>	<code>\fontsize</code>
<code>\}</code>	}	}	}	}	}	}	$\}$
<code>\uparrow</code>	↑	↑	↑	↑	↑	↑	\uparrow




Figure 1: Implementation of variable-sized delimiters

- The symbol isn't intuitively named. As a few examples, the `ifsym` command to draw dice is “`\Cube`”; a plus sign with a circle around it (“exclusive or” to computer engineers) is “`\oplus`”; and lightning bolts in fonts designed by German speakers may have “blitz” in their names as in the `ulsy` package. The moral of the story is to be creative with synonyms when searching the index.
- The symbol is defined by some package that I overlooked (or deemed unimportant). If there's some symbol package that you think should be included in the Comprehensive L^AT_EX Symbol List, please send me e-mail at the address listed on the title page.
- The symbol isn't defined in any package whatsoever.

Even in the last case, all is not lost. Sometimes, a symbol exists in a font, but there is no L^AT_EX binding for it. For example, the PostScript Symbol font contains a “`\l`” symbol, which may be useful for representing a carriage return, but there is no package (as far as I know) for accessing that symbol. To produce an unnamed symbol, you need to switch to the font explicitly with L^AT_EX 2_ε's low-level font commands [L^AT_EX 19] and use T_EX's primitive `\char` command [Knu86a] to request a specific character number in the font. For example, one can define a command to typeset a long s (“f”) using character 115 from the Latin Modern fonts in the TS1 font encoding:⁵

```
\newcommand{\textlongs}{\%
  \fontencoding{TS1}\fontfamily{lmr}\selectfont\char115%
}}
```

Then, “`\textlongs ucce\textlongs sful`” will produce “fuccefsful”—in the current font style (roman, italic, bold, etc.)

In fact, `\char` is not strictly necessary in all cases; the character can often be entered symbolically. For example, the symbol for an impulse train or Tate-Shafarevich group (“III”) is actually an uppercase *sha* in the Cyrillic alphabet. (Cyrillic is supported by the OT2 font encoding, for instance). While a *sha* can be defined numerically as “`{\fontencoding{OT2}\selectfont\char88}`” it may be more intuitive to use the OT2 font encoding's “SH” ligature: “`{\fontencoding{OT2}\selectfont SH}`”. Another possibility is to use the T2A font encoding's `\CYRSH` command: “`{\fontencoding{T2A}\selectfont \CYRSH}`”.

For the specific case of the U font encoding, which is used for symbol or “pi” fonts, the `pifont` package defines a convenient `\Pisymbol` command. `\Pisymbol` typesets a specified character (by number) in a specified font family. For example, “`\Pisymbol{psy}{191}`” produces the aforementioned “`\l`” symbol by typesetting character number 191 in the `psy` (PostScript Symbol) font family.

Reflecting and rotating existing symbols

A common request on `comp.text.tex` is for a reversed or rotated version of an existing symbol. As a last resort, these effects can be achieved with the `graphicx` (or `graphics`) package's `\reflectbox` and `\rotatebox` macros. For example, `\textsuperscript{\reflectbox{?}}` produces an irony mark (“[?]”), and `\rotatebox[origin=c]{180}{\iota}` produces the definite-description operator (“*ᶓ*”). As noted by Marc Olschok in a July 2011 post on `comp.text.tex`, Project Gutenberg uses `\reflectbox` to typeset the part (“3”) and whole (“ε”) relations used in Dedekind's set notation:

```
\newcommand\partof{\mathrel{\raisebox{0.45ex}{\mathfrak{3}}}}
\newcommand\wholeof{\mathrel{\reflectbox{\mathfrak{3}}}}
```

The disadvantage of the `graphicx/graphics` approach is that not every T_EX backend handles graphical transformations.⁶ Far better is to find a suitable font that contains the desired symbol in the correct orientation. For instance, if the `phonetic` package is available, then `\textit{\riota}` will yield a backend-independent “*ᶓ*”. Similarly, `tipa`'s `\textrepsilon` (“*ᶓ*”) or `wsuipa`'s `\revepsilon` (“*ᶓ*”) may be used to express the mathematical notion of “such that” in a cleaner manner than with `\reflectbox` or `\rotatebox`.⁷

⁵Since January 2020, the `wasysm` package provides a `\longs` symbol. See Table 47.

⁶As an example, X_dv_i ignores both `\reflectbox` and `\rotatebox`.

⁷More common symbols for representing “such that” include “|”, “:”, and “s.t.”.

Joining and overlapping existing symbols

Symbols that do not exist in any font can sometimes be fabricated out of existing symbols. The L^AT_EX 2_ε source file `fontdef.dtx` contains a number of such definitions. For example, `\models` (see Table 89 on page 50) is defined in that file with:

```
\def\models{\mathrel|\joinrel=}
```

where `\mathrel` and `\joinrel` are used to control the horizontal spacing. `\def` is the T_EX primitive upon which L^AT_EX's `\newcommand` is based. See The T_EXbook [Knu86a] for more information on all three of those commands.

With some simple pattern-matching, one can easily define a backward `\models` sign (“ \models ”):

```
\def\ismodeledby{=\joinrel\mathrel|}
```

In general, arrows/harpoons, horizontal lines (“ $=$ ”, “ $-$ ”, “ \relbar ”, and “ \Relbar ”), and the various math-extension characters can be combined creatively with miscellaneous other characters to produce a variety of new symbols. Of course, new symbols can be composed from *any* set of existing characters. For instance, L^AT_EX defines `\hbar` (“ \hbar ”) as a “ $-$ ” character (`\mathchar'26`) followed by a backspace of 9 math units (`\mkern-9mu`), followed by the letter “ h ”:

```
\def\hbar{\mathchar'26\mkern-9mu h}
```

We can just as easily define other barred letters:

```
\def\bbar{\mathchar'26\mkern-9mu b}
\def\dbar{\mathchar'26\mkern-12mu d}
```

(The space after the “ mu ” is optional but is added for clarity.) `\bbar` and `\dbar` define “ \bar{b} ” and “ \bar{d} ”, respectively. Note that `\dbar` requires a greater backward math kern than `\bbar`; a $-9mu$ kern would have produced the less-attractive “ \bar{d} ” glyph.

The `amsmath` package provides `\overset` and `\underset` commands for placing one symbol respectively above or below another. For example, `\overset{G}{\sim}`⁸ produces “ $\overset{G}{\sim}$ ” (sometimes used for “equidecomposable with respect to G ”).

Sometimes an ordinary `tabular` environment can be co-opted into juxtaposing existing symbols into a new symbol. Consider the following definition of `\asterism` (“ \ast ”) from a June 2007 post to `comp.text.tex` by Peter Flynn:

```
\newcommand{\asterism}{\smash{%
  \raisebox{-.5ex}{%
    \setlength{\tabcolsep}{-.5pt}%
    \begin{tabular}{@{}cc@{}}%
      \multicolumn{2c*}{\[-2ex\]*&*}%
    \end{tabular}}}}
```

Note how the space between columns (`\tabcolsep`) and rows (`\[-2ex\]`) is made negative to squeeze the asterisks closer together.

There is a T_EX primitive called `\mathaccent` that centers one mathematical symbol atop another. For example, one can define `\dotcup` (“ $\dot{\cup}$ ”)—the composition of a `\cup` and a `\dot`—as follows:

```
\newcommand{\dotcup}{\ensuremath{\mathaccent\dot{\cup}}}
```

The catch is that `\mathaccent` requires the accent to be a “math character”. That is, it must be a character in a math font as opposed to a symbol defined in terms of other symbols. See The T_EXbook [Knu86a] for more information.

Another T_EX primitive that is useful for composing symbols is `\vcenter`. `\vcenter` is conceptually similar to “`\begin{tabular}{l}`” in L^AT_EX but takes a list of vertical material instead of `\-`separated rows. Also, it vertically centers the result on the math axis. (Many operators, such as “ $+$ ” and “ $-$ ” are also vertically centered on the math axis.) Enrico Gregorio posted the following symbol definition to `comp.text.tex` in March 2004 in response to a query about an alternate way to denote equivalence:

⁸L^AT_EX's `\stackrel` command is similar but is limited to placing a symbol above a binary relation.

```

\newcommand*\threesim{%
  \mathrel{\vcenter{\offinterlineskip
    \hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}\vskip-.35ex\hbox{$\sim$}}}}

```

The `\threesim` symbol, which vertically centers three `\sim` (“~”) symbols with 0.35 *x*-heights of space between them, is rendered as “≈”. `\offinterlineskip` is a macro that disables implicit interline spacing. Without it, `\threesim` would have a full line of vertical spacing between each `\sim`. Because of `\vcenter`, `\threesim` aligns properly with other math operators: $a \div b \approx c \times d$.

A related L^AT_EX command, borrowed from Plain T_EX, is `\ooalign`. `\ooalign` vertically overlaps symbols and works both within and outside of math mode. Essentially, it creates a single-column tabular environment with zero vertical distance between rows. However, because it is based directly on T_EX’s `\ialign` primitive, `\ooalign` uses T_EX’s tabular syntax instead of L^AT_EX’s (i.e., with `\cr` as the row terminator instead of `\`). The following example of `\ooalign`, a macro that defines a standard-state symbol (`\stst`, “ϕ”) as a superscripted Plimsoll line (`\barcirc`, “ϕ”),⁹ is due to an October 2007 `comp.text.tex` post by Donald Arseneau:

```

\makeatletter
\providecommand\barcirc{\mathpalette\@barred\circ}
\def\@barred#1#2{\ooalign{\hfil$#1-$\hfil\cr\hfil$#1#2$\hfil\cr}}
\newcommand\stst{\protect\barcirc}
\makeatother

```

In the preceding code, note the `\ooalign` call’s use of `\hfil` to horizontally center a minus sign (“−”) and a `\circ` (“o”).

As another example of `\ooalign`, consider the following code (due to Enrico Gregorio in a June 2007 post to `comp.text.tex`) that overlaps a `\ni` (“∋”) and two minus signs (“−”) to produce “∋”, an obscure variation on the infrequently used “∋” symbol for “such that” discussed on page 222:

```

\newcommand\suchthat{%
  \mathrel{\ooalign{\ni\cr\kern-1pt$-$\kern-6.5pt$-$}}}}

```

The `slashed` package, although originally designed for producing Feynman slashed-character notation, in fact facilitates the production of *arbitrary* overlapped symbols. The default behavior is to overwrite a given character with “/”. For example, `\slashed{D}` produces “*D*”. However, the `\declareslashed` command provides the flexibility to specify the mathematical context of the composite character (operator, relation, punctuation, etc., as will be discussed in Section 10.4), the overlapping symbol, horizontal and vertical adjustments in symbol-relative units, and the character to be overlapped. Consider, for example, the symbol for reduced quadrupole moment (“*I*”). This can be declared as follows:

```

\newcommand\rqm{\text{-}}
\declareslashed{\text{-}}{0.04}{0}{I}\slashed{I}}

```

`\declareslashed{.}{.}{.}{.}{I}` affects the meaning of all subsequent `\slashed{I}` commands in the same scope. The preceding definition of `\rqm` therefore uses an extra set of curly braces to limit that scope to a single `\slashed{I}`. In addition, `\rqm` uses `amstext`’s `\text` macro (described on page 226) to make `\declareslashed` use a text-mode hyphen (“-”) instead of a math-mode minus sign (“−”) and to ensure that the hyphen scales properly in size in subscripts and superscripts. See `slashed`’s documentation (located in `slashed.sty` itself) for a detailed usage description of the `\slashed` and `\declareslashed` commands.

Somewhat simpler than `slashed` is the `centernot` package. `centernot` provides a single command, `\centernot`, which, like `\not`, puts a slash over the subsequent mathematical symbol. However, instead of putting the slash at a fixed location, `\centernot` centers the slash over its argument. `\centernot` might be used, for example, to create a “does not imply” symbol:

$$\not\Rightarrow \quad \backslash\not\Longrightarrow$$

vs.

$$\centernot\Rightarrow \quad \backslashcenternot\Longrightarrow$$

See the `centernot` documentation for more information.

⁹While `\barcirc` illustrates how to combine symbols using `\ooalign`, the `stmaryrd` package’s `\minuso` command (Table 52 on page 30) provides a similar glyph (“ϕ”) as a single, indivisible symbol.

Making new symbols work in superscripts and subscripts

To make composite symbols work properly within subscripts and superscripts, you may need to use T_EX’s `\mathchoice` primitive. `\mathchoice` evaluates one of four expressions, based on whether the current math style is display, text, script, or scriptscript. (See The T_EXbook [Knu86a] for a more complete description.) For example, the following L^AT_EX code—posted to `comp.text.tex` by Torsten Bronger—composes a sub/superscriptable “ \top ” symbol out of `\top` and `\bot` (“ \top ” and “ \perp ”):

```
\def\topbotatom#1{\hbox{\hbox to Opt{##1\bot$\hss}$#1\top$}}
\newcommand*\topbot{\mathrel{\mathchoice{\topbotatom\displaystyle}
{\topbotatom\textstyle}
{\topbotatom\scriptstyle}
{\topbotatom\scriptscriptstyle}}}
```

The following is another example that uses `\mathchoice` to construct symbols in different math modes. The code defines a principal value integral symbol, which is an integral sign with a line through it.

```
\def\Xint#1{\mathchoice
{\XXint\displaystyle\textstyle{#1}}%
{\XXint\textstyle\scriptstyle{#1}}%
{\XXint\scriptstyle\scriptscriptstyle{#1}}%
{\XXint\scriptscriptstyle\scriptscriptstyle{#1}}%
\!\int}
\def\XXint#1#2#3{\setbox0=\hbox{##1{##2#3}\int}$}
\vcenter{\hbox{##2#3}}\kern-.5\wd0}}
\def\ddashint{\Xint=}
\def\dashint{\Xint-}
```

(The preceding code was taken verbatim from the UK T_EX Users Group FAQ at <http://www.tex.ac.uk/>.) `\dashint` produces a single-dashed integral sign (“ \int ”), while `\ddashint` produces a double-dashed one (“ \int ”). The `\Xint` macro defined above can also be used to generate a wealth of new integrals: “ \int ” (`\Xint\circlearrowright`), “ \int ” (`\Xint\circlearrowleft`), “ \int ” (`\Xint\subset`), “ \int ” (`\Xint\infty`), and so forth.

L^AT_EX 2_ε provides a simple wrapper for `\mathchoice` that sometimes helps produce terser symbol definitions. The macro is called `\mathpalette` and it takes two arguments. `\mathpalette` invokes the first argument, passing it one of “`\displaystyle`”, “`\textstyle`”, “`\scriptstyle`”, or “`\scriptscriptstyle`”, followed by the second argument. `\mathpalette` is useful when a symbol macro must know which math style is currently in use (e.g., to set it explicitly within an `\mbox`). Donald Arseneau posted the following `\mathpalette`-based definition of a probabilistic-independence symbol (“ \perp ”) to `comp.text.tex` in June 2000:

```
\newcommand\independent{\protect\mathpalette{\protect\independentT}\perp}
\def\independentT#1#2{\mathrel{\rlap{##1#2}\mkern2mu{##2}}}
```

The `\independent` macro uses `\mathpalette` to pass the `\independentT` helper macro both the current math style and the `\perp` symbol. `\independentT` typesets `\perp` in the current math style, moves two math units to the right, and finally typesets a second—overlapping—copy of `\perp`, again in the current math style. `\rlap`, which enables text overlap, is described on the following page.

Some people like their square-root signs with a trailing “hook” (i.e., “ $\sqrt{}$ ”) as this helps visually distinguish expressions like “ $\sqrt{3x}$ ” from those like “ $\sqrt{3}x$ ”. In March 2002, Dan Luecking posted a `\mathpalette`-based definition of a hooked square-root symbol to `comp.text.tex`. This code was subsequently refined by Max Dohse and Scott Pakin into the version shown below, which accepts a root as an optional argument, for consistency with `\sqrt`.

```
\newcommand{\hksqrt}[2][\mathpalette\DHLhksqrt{##1}{##2\,}]}
\def\DHLhksqrt#1#2{\setbox0=\hbox{##1\sqrt{##2}}\dimen0=\ht0
\advance\dimen0-0.2\ht0
\setbox2=\hbox{\vrule height\ht0 depth -\dimen0}%
{\box0\lower0.4pt\box2}}
```

Notice how `\hksqrt` uses `\mathpalette` to pass the current math style (`\displaystyle`, `\textstyle`, etc.) to `\DHLhksqrt` as argument #1. `\DHLhksqrt` subsequently uses that style within an `\hbox`. The rest of the code is simply using TeX primitives to position a hook of height 0.2 times the `\sqrt` height at the right of the `\sqrt`. See The TeXbook [Knu86a] for more understanding of TeX “boxes” and “dimens”.

Sometimes, however, `amstext`’s `\text` macro is all that is necessary to make composite symbols appear correctly in subscripts and superscripts, as in the following definitions of `\neswarrow` (“↗”) and `\nwsearrow` (“↙”):¹⁰

```
\newcommand{\neswarrow}{\mathrel{\text{\nearrow$\llap{\swarrow}$}}}
\newcommand{\nwsearrow}{\mathrel{\text{\nwarrow$\llap{\searrow}$}}}
```

`\text` resembles L^AT_EX’s `\mbox` command but shrinks its argument appropriately when used within a subscript or superscript. `\llap` (“left overlap”) and its counterpart, `\rlap` (“right overlap”), appear frequently when creating composite characters. `\llap` outputs its argument to the left of the current position, overlapping whatever text is already there. Similarly, `\rlap` overlaps whatever text would normally appear to the right of its argument. For example, “`A\llap{B}`” and “`\rlap{A}B`” each produce “**A**”. However, the result of the former is the width of “A”, and the result of the latter is the width of “B”—`\llap{...}` and `\rlap{...}` take up zero space.

In a June 2002 post to `comp.text.tex`, Donald Arseneau presented a general macro for aligning an arbitrary number of symbols on their horizontal centers and vertical baselines:

```
\makeatletter
\def\moverlay{\mathpalette\mov@rlay}
\def\mov@rlay#1#2{\leavevmode\vtop{%
\baselineskip\z@skip\lineskiplimit-\maxdimen
\ialign{\hfil$#1##$\hfil\cr#2\crrc}}
\makeatother
```

The `\makeatletter` and `\makeatother` commands are needed to coerce L^AT_EX into accepting “@” as part of a macro name. `\moverlay` takes a list of symbols separated by `\cr` (TeX’s equivalent of L^AT_EX’s `\)`). For example, the `\topbot` command defined on the previous page could have been expressed as “`\moverlay{\top\cr\bot}`” and the `\neswarrow` command defined above could have been expressed as “`\moverlay{\nearrow\cr\swarrow}`”.

The basic concept behind `\moverlay`’s implementation is that `\moverlay` typesets the given symbols in a table that utilizes a zero `\baselineskip`. This causes every row to be typeset at the same vertical position. See The TeXbook [Knu86a] for explanations of the TeX primitives used by `\moverlay`.

Steven B. Segletes answered a question on TeX Stack Exchange, “AMS inequalities: a variant of `\gtrsim` and `\lesssim`” on typesetting `\gtrsim` (“ \gtrsim ”) and `\lesssim` (“ \lesssim ”) with the `\sim` symbol slanted to match the angle of the greater-than/less-than sign. His solution incorporates the `graphicx` package’s `\rotatebox` for rotating the “ \sim ”, the `stackengine` package’s `\stackengine` command for stacking two symbols on top of each other, and the `scalrel` package’s `\ThisStyle`, `\SavedStyle`, and `\LMex` commands for scaling the symbol based on the surrounding context. The following code due to Segletes defines the `\gtrsimslant` (“ \gtrsim ”) and `\lesssimslant` (“ \lesssim ”) symbols:¹¹

```
\newcommand\lesssimslant{\mathrel{\ensurestackMath{\ThisStyle{%
\stackengine{- .4\LMex}{\SavedStyle<}{%
\rotatebox{-25}{\SavedStyle\sim}}{U}{r}{F}{T}{S}}}}}
\newcommand\gtrsimslant{\mathrel{\ensurestackMath{\ThisStyle{%
\stackengine{- .4\LMex}{\SavedStyle>}{%
\rotatebox{25}{\SavedStyle\sim}}{U}{l}{F}{T}{S}}}}}
```

Modifying L^AT_EX-generated symbols

Oftentimes, symbols composed in the L^AT_EX 2_ε source code can be modified with minimal effort to produce useful variations. For example, `fontdef.dtx` composes the `\ddots` symbol (see Table 277 on page 114) out of three periods, raised 7 pt., 4 pt., and 1 pt., respectively:

¹⁰Note that if your goal is to typeset commutative diagrams or pushout/pullback diagrams, then you should probably be using X_Y-pic.

¹¹The code as posted on TeX Stack Exchange named these `\vargtrsim` and `\varlesssim`. They are renamed here for naming consistency with symbols such as `\geqslant` (“ \geq ”).

```

\def\ddots{\mathinner{\mkern1mu\raise7\p@
\ vbox{\kern7\p@\hbox{.}}\mkern2mu
\raise4\p@\hbox{.}}\mkern2mu\raise\p@\hbox{.}}\mkern1mu}}

```

`\p@` is a L^AT_EX 2_ε shortcut for “pt” or “1.0pt”. The remaining commands are defined in The T_EXbook [Knu86a]. To draw a version of `\ddots` with the dots going along the opposite diagonal, we merely have to reorder the `\raise7\p@`, `\raise4\p@`, and `\raise\p@`:

```

\makeatletter
\def\revddots{\mathinner{\mkern1mu\raise\p@
\ vbox{\kern7\p@\hbox{.}}\mkern2mu
\raise4\p@\hbox{.}}\mkern2mu\raise7\p@\hbox{.}}\mkern1mu}}
\makeatother

```

`\revddots` is essentially identical to the `mathdots` package’s `\iddots` command or the `yhmath` package’s `\adots` command.

Producing complex accents

Accents are a special case of combining existing symbols to make new symbols. While various tables in this document show how to add an accent to an existing symbol, some applications, such as transliterations from non-Latin alphabets, require *multiple* accents per character. For instance, the creator of pdfT_EX writes his name as “Hàn Thê Thành”. The `dblaccnt` package enables L^AT_EX to stack accents, as in “H\‘an Th\’{\~e} Th\‘anh” (albeit not in the OT1 font encoding). In addition, the `wsuipa` package defines `\diatop` and `\diaunder` macros for putting one or more diacritics or accents above or below a given character. For example, `\diaunder[\diatop[\’|=]]\textsubdot{r}` produces “ř”. See the `wsuipa` documentation for more information.

The `accents` package facilitates the fabrication of accents in math mode. Its `\accentset` command enables *any* character to be used as an accent. For instance, `\accentset{\star}{f}` produces “ $\overset{\star}{f}$ ” and `\accentset{e}{X}` produces “ $\overset{e}{X}$ ”. `\underaccent` does the same thing, but places the accent beneath the character. This enables constructs like `\underaccent{\tilde}{V}`, which produces “ $\underset{\tilde}{V}$ ”. `accents` provides other accent-related features as well; see the documentation for more information.

Creating extensible symbols

A relatively simple example of creating extensible symbols stems from a `comp.text.tex` post by Donald Arseneau (June 2003). The following code defines an equals sign that extends as far to the right as possible, just like L^AT_EX’s `\hrulefill` command:

```

\makeatletter
\def\equalsfill{\$ \m@th\mathord=\mkern-7mu
\cleaders\hbox{\$!\mathord=!\$}\hfill
\mkern-7mu\mathord=$}
\makeatother

```

T_EX’s `\cleaders` and `\hfill` primitives are the key to understanding `\equalsfill`’s extensibility. Essentially, `\equalsfill` repeats a box containing “=” plus some negative space until it fills the maximum available horizontal space. `\equalsfill` is intended to be used with L^AT_EX’s `\stackrel` command, which stacks one mathematical expression (slightly reduced in size) atop another. Hence, “`\stackrel{a}{\rightarrow}`” produces “ $\overset{a}{\rightarrow}$ ” and “`\stackrel{\text{definition}}{\hbox{\equalsfill}} Y`” produces “ $X \overset{\text{definition}}{=} Y$ ”.

If all that needs to extend are horizontal and vertical lines—as opposed to repeated symbols such as the “=” in the previous example—L^AT_EX’s `array` or `tabular` environments may suffice. Consider the following code (due to a February 1999 `comp.text.tex` post by Donald Arseneau and subsequent modifications by Billy Yu and Scott Pakin) for typesetting annuity and life-insurance symbols:

```

\DeclareRobustCommand{\actuarial}[2][\%]
\def\arraystretch{0}%
\setlength\arraycolsep{0.5pt}%

```

```

\setlength\arrayrulewidth{0.5pt}%
\setbox0=\hbox{\scriptstyle#1#2$}%
\begin{array}[b]{*2@{}>{\scriptstyle}c|}
\cline{2-2}%
\rule[1.25pt]{0pt}{\ht0}%
#1 & #2%
\end{array}%
}

```

Using the preceding definition, one can type, e.g., “ $\mathop{a}_{\overline{n}}$ ” to produce “ $a_{\overline{n}}$ ” and “ $\mathop{a}_{\overline{x:n}}$ ” to produce “ $a_{x:\overline{n}}$ ”. This is similar in concept to how the `actuarialangle` package defines its `\actuarialangle` command (Table 261). For a more complete solution for typesetting actuarial symbols see the `actuarialsymbol` package.

A more complex example of composing accents is the following definition of extensible `\overbracket`, `\underbracket`, `\overparenthesis`, and `\underparenthesis` symbols, taken from a May 2002 `comp.text.tex` post by Donald Arseneau:

```

\makeatletter
\def\overbracket#1{\mathop{\vbox{\ialign{##\crrc\noalign{\kern3\p@}
\downbracketfill\crrc\noalign{\kern3\p@\nointerlineskip}
$\hfil\displaystyle{#1}\hfil$\crrc}}}\limits}
\def\underbracket#1{\mathop{\vtop{\ialign{##\crrc
$\hfil\displaystyle{#1}\hfil$\crrc\noalign{\kern3\p@\nointerlineskip}
\upbracketfill\crrc\noalign{\kern3\p@}}}\limits}
\def\overparenthesis#1{\mathop{\vbox{\ialign{##\crrc\noalign{\kern3\p@}
\downparenthfill\crrc\noalign{\kern3\p@\nointerlineskip}
$\hfil\displaystyle{#1}\hfil$\crrc}}}\limits}
\def\underparenthesis#1{\mathop{\vtop{\ialign{##\crrc
$\hfil\displaystyle{#1}\hfil$\crrc\noalign{\kern3\p@\nointerlineskip}
\upparenthfill\crrc\noalign{\kern3\p@}}}\limits}
\def\downparenthfill{\$m@th\braceld\leaders\vrule\hfill\bracerd$}
\def\upparenthfill{\$m@th\bracelu\leaders\vrule\hfill\braceru$}
\def\upbracketfill{\$m@th\makesm@sh{\llap{\vrule\@height3\p@\@width.7\p@}}%
\leaders\vrule\@height.7\p@\hfill
\makesm@sh{\rlap{\vrule\@height3\p@\@width.7\p@}}$}
\def\downbracketfill{\$m@th
\makesm@sh{\llap{\vrule\@height.7\p@\@depth2.3\p@\@width.7\p@}}%
\leaders\vrule\@height.7\p@\hfill
\makesm@sh{\rlap{\vrule\@height.7\p@\@depth2.3\p@\@width.7\p@}}$}
\makeatother

```

Table 540 showcases these accents. The `TEXbook` [Knu86a] or another book on `TEX` primitives is indispensable for understanding how the preceding code works. The basic idea is that `\downparenthfill`, `\upparenthfill`, `\downbracketfill`, and `\upbracketfill` do all of the work; they output a left symbol (e.g., `\braceld` [“ \lrcorner ”] for `\downparenthfill`), a horizontal rule that stretches as wide as possible, and a right symbol (e.g., `\bracerd` [“ \rccorner ”] for `\downparenthfill`). `\overbracket`, `\underbracket`, `\overparenthesis`, and `\underparenthesis` merely create a table whose width is determined by the given text, thereby constraining the width of the horizontal rules.

TABLE 540: Manually Composed Extensible Accents

\overline{abc}	<code>\overbracket{abc}</code>	\overparen{abc}	<code>\overparenthesis{abc}</code>
\underline{abc}	<code>\underbracket{abc}</code>	\underparen{abc}	<code>\underparenthesis{abc}</code>

Note that the `simplewick` package provides mechanisms for typesetting Wick contractions, which utilize `\overbracket`- and `\underbracket`-like brackets of variable width and height (or depth). For example, “ $\backslash\text{acontraction}\{A\}\{B\}\{C\}\text{acontraction}[2\text{ex}]\{A\}\{B\}\{C\}\{D\}\backslash\text{bcontraction}\{A\}\{BC\}\{D\}$ ”

ABCD” produces




See the `simplewick` documentation for more information.

Developing new symbols from scratch

Sometimes it is simply not possible to define a new symbol in terms of existing symbols. Fortunately, most, if not all, \TeX distributions are shipped with a tool called METAFONT which is designed specifically for creating fonts to be used with \TeX . The METAFONTbook [Knu86b] is the authoritative text on METAFONT. If you plan to design your own symbols with METAFONT, The METAFONTbook is essential reading. You may also want to read the freely available METAFONT primer located at <http://metafont.tutorial.free.fr/>. The following is an extremely brief tutorial on how to create a new \LaTeX symbol using METAFONT. Its primary purpose is to cover the \LaTeX -specific operations not mentioned in The METAFONTbook and to demonstrate that symbol-font creation is not necessarily a difficult task.

Suppose we need a symbol to represent a light bulb (“ \mathcal{Q} ”).¹² The first step is to draw this in METAFONT. It is common to separate the font into two files: a size-dependent file, which specifies the design size and various font-specific parameters that are a function of the design size; and a size-independent file, which draws characters in the given size. Figure 2 shows the METAFONT code for `lightbulb10.mf`. `lightbulb10.mf` specifies various parameters that produce a 10 pt. light bulb then loads `lightbulb.mf`. Ideally, one should produce `lightbulb<size>.mf` files for a variety of $\langle size \rangle$ s. This is called “optical scaling”. It enables, for example, the lines that make up the light bulb to retain the same thickness at different font sizes, which looks much nicer than the alternative—and default—“mechanical scaling”. When a `lightbulb<size>.mf` file does not exist for a given size $\langle size \rangle$, the computer mechanically produces a wider, taller, thicker symbol:



```
font _identifier := "LightBulb10";           % Name the font.
font _size 10pt#;                             % Specify the design size.

em# := 10pt#;                                  % "M" width is 10 points.
cap# := 7pt#;                                  % Capital letter height is 7 points above the baseline.
sb# := 1/4pt#;                                  % Leave this much space on the side of each character.
o# := 1/16pt#;                                  % Amount that curves overshoot borders.

input lightbulb                                % Load the file that draws the actual glyph.
```

Figure 2: Sample METAFONT size-specific file (`lightbulb10.mf`)

`lightbulb.mf`, shown in Figure 3, draws a light bulb using the parameters defined in `lightbulb10.mf`. Note that the the filenames “`lightbulb10.mf`” and “`lightbulb.mf`” do not follow the Berry font-naming scheme [Ber01]; the Berry font-naming scheme is largely irrelevant for symbol fonts, which generally lack bold, italic, small-caps, slanted, and other such variants.

The code in Figures Figure 2 and Figure 3 is heavily commented and should demonstrate some of the basic concepts behind METAFONT usage: declaring variables, defining points, drawing lines and curves, and preparing to debug or fine-tune the output. Again, The METAFONTbook [Knu86b] is the definitive reference on METAFONT programming.

METAFONT can produce “proofs” of fonts—large, labeled versions that showcase the logical structure of each character. In fact, proof mode is METAFONT’s default mode. To produce a proof of `lightbulb10.mf`, issue the following commands at the operating-system prompt:

¹²I’m not a very good artist; you’ll have to pretend that “ \mathcal{Q} ” looks like a light bulb.

```

mode_setup; % Target a given printer.
define_pixels(em, cap, sb); % Convert to device-specific units.
define_corrected_pixels(o); % Same, but add a device-specific fudge factor.
%% Define a light bulb at the character position for "A"
%% with width 1/2em#, height cap#, and depth 1pt#.
beginchar("A", 1/2em#, cap#, 1pt#); "A light bulb";
pickup pencircle scaled 1/2pt; % Use a pen with a small, circular tip.

%% Define the points we need.
top z1 = (w/2, h + o); % z1 is at the top of a circle.
rt z2 = (w + sb + o - x4, y4); % z2 is at the same height as z4 but the opposite side.
bot z3 = (z1 - (0, w - sb - o)); % z3 is at the bottom of the circle.
lft z4 = (sb - o, 1/2[y1, y3]); % z4 is on the left of the circle.
path bulb; % Define a path for the bulb itself.
bulb = z1 .. z2 .. z3 .. z4 .. cycle; % The bulb is a closed path.

z5 = point 2 - 1/3 of bulb; % z5 lies on the bulb, a little to the right of z3.
z6 = (x5, 0); % z6 is at the bottom, directly under z5.
z7 = (x8, 0); % z7 is at the bottom, directly under z8.
z8 = point 2 + 1/3 of bulb; % z8 lies on the bulb, a little to the left of z3.
bot z67 = (1/2[x6, x7], pen_bot - o - 1/8pt); % z67 lies halfway between z6 and z7 but
a jot lower.

%% Draw the bulb and the base.
draw bulb; % Draw the bulb proper.
draw z5 -- z6 .. z67 .. z7 -- z8; % Draw the base of the bulb.

%% Display key positions and points to help us debug.
makegrid(0, sb, w/2, w - sb)(0, -1pt, y2, h); % Label "interesting" x and y
coordinates.
penlabels(1, 2, 3, 4, 5, 6, 67, 7, 8); % Label control points for debugging.
endchar;
end

```

Figure 3: Sample METAFONT size-independent file (`lightbulb.mf`)

```

prompt> mf lightbulb10.mf          ⇐ Produces lightbulb10.2602gf
prompt> gftodvi lightbulb10.2602gf ⇐ Produces lightbulb10.dvi

```

You can then view `lightbulb10.dvi` with any DVI viewer. The result is shown in Figure 4. Observe how the grid defined with `makegrid` at the bottom of Figure 3 draws vertical lines at positions 0 , sb , $w/2$, and $w - sb$ and horizontal lines at positions 0 , $-1pt$, y_2 , and h . Similarly, observe how the `penlabels` command labels all of the important coordinates: z_1, z_2, \dots, z_8 and z_{67} , which `lightbulb.mf` defines to lie between z_6 and z_7 .

Most, if not all, T_EX distributions include a Plain T_EX file called `testfont.tex` that is useful for testing new fonts in a variety of ways. One useful routine produces a table of all of the characters in the font:

```

prompt> tex testfont
This is TeX, Version 3.14159 (Web2C 7.3.1)
(/usr/share/texmf/tex/plain/base/testfont.tex
Name of the font to test = lightbulb10
Now type a test command (\help for help):)
*\table

*\bye
[1]
Output written on testfont.dvi (1 page, 1516 bytes).
Transcript written on testfont.log.

```




Figure 4: Proof diagram of `lightbulb10.mf`

The resulting table, stored in `testfont.dvi` and illustrated in Figure 5, shows every character in the font. To understand how to read the table, note that the character code for “A”—the only character defined by `lightbulb10.mf`—is 41 in hexadecimal (base 16) and 101 in octal (base 8).

Test of <code>lightbulb10</code> on March 11, 2003 at 1127									
	<code>'0</code>	<code>'1</code>	<code>'2</code>	<code>'3</code>	<code>'4</code>	<code>'5</code>	<code>'6</code>	<code>'7</code>	
<code>'10x</code>		9							<code>~4x</code>
<code>'11x</code>									
	<code>~8</code>	<code>~9</code>	<code>~A</code>	<code>~B</code>	<code>~C</code>	<code>~D</code>	<code>~E</code>	<code>~F</code>	

Figure 5: Font table produced by `testfont.tex`

The LightBulb10 font is now usable by $\text{T}_{\text{E}}\text{X}$. $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$, however, needs more information before documents can use the font. First, we create a font-description file that tells $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$ how to map fonts in a given font family and encoding to a particular font in a particular font size. For symbol fonts, this mapping is fairly simple. Symbol fonts almost always use the “U” (“Unknown”) font encoding and frequently occur in only one variant: normal weight and non-italicized. The filename for a font-description file important; it must be of the form “`<encoding><family>.fd`”, where `<encoding>` is the lowercase version of the encoding name (typically “u” for symbol fonts) and `<family>` is the name of the font family. For LightBulb10, let’s call this “bulb”. Figure 6 lists the contents of `ubulb.fd`. The document “ $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$ Font Selection” [LAT19] describes `\DeclareFontFamily` and `\DeclareFontShape` in detail, but the gist of `ubulb.fd` is first to declare a U-encoded version of the `bulb` font family and then to specify that a $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$ request for a U-encoded version of `bulb` with a (m)edium font series (as opposed to, e.g., bold) and a (n)ormal font shape (as opposed to, e.g., italic) should translate into a $\text{T}_{\text{E}}\text{X}$ request for `lightbulb10.tfm` mechanically scaled to the current font size.

```

\DeclareFontFamily{U}{bulb}{}
\DeclareFontShape{U}{bulb}{m}{n}{<-> lightbulb10}{}

```

Figure 6: $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$ font-description file (`ubulb.fd`)

The final step is to write a $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X} 2_{\epsilon}$ style file that defines a name for each symbol in the font. Because we have only one symbol our style file, `lightbulb.sty` (Figure 7), is rather trivial. Note that instead of typesetting “A” we could have had `\lightbulb typeset “\char65”`, `\char41`, or `\char'101` (respectively, decimal, hexadecimal, and octal character offsets into the font). For a simple, one-character symbol font such as LightBulb10 it would be reasonable to merge `ubulb.fd` into `lightbulb.sty` instead of maintaining two separate files. In either case, a document need only include `\usepackage{lightbulb}` to

make the `\lightbulb` symbol available.

```
\newcommand{\lightbulb}{\usefont{U}{bulb}{m}{n}A}}
```

Figure 7: L^AT_EX 2_ε style file (`lightbulb.sty`)

METAFONT normally produces bitmapped fonts. However, it is also possible, with the help of some external tools, to produce PostScript Type 1 fonts. These have the advantages of rendering better in Adobe[®] Acrobat[®] (at least in versions prior to 6.0) and of being more memory-efficient when handled by a PostScript interpreter. See <http://www.tex.ac.uk/FAQ-textrace.html> for pointers to tools that can produce Type 1 fonts from METAFONT.

10.4 Math-mode spacing

Terms such as “binary operators”, “relations”, and “punctuation” in Section 3 primarily regard the surrounding spacing. (See the Short Math Guide for L^AT_EX [Dow00] for a nice exposition on the subject.) To use a symbol for a different purpose, you can use the T_EX commands `\mathord`, `\mathop`, `\mathbin`, `\mathrel`, `\mathopen`, `\mathclose`, and `\mathpunct`. For example, if you want to use `\downarrow` as a variable (an “ordinary” symbol) instead of a delimiter, you can write “ $3x + \mathord{\downarrow}$ ” to get the properly spaced “ $3x + \downarrow$ ” rather than the awkward-looking “ $3x + \downarrow$ ”. Similarly, to create a dotted-union symbol (“ $\dot{\cup}$ ”) that spaces like the ordinary set-union symbol (`\cup`) it must be defined with `\mathbin`, just as `\cup` is. Contrast “ $A \dot{\cup} B$ ” (“ $A \dot{\cup} B$ ”) with “ $A \mathbin{\dot{\cup}} B$ ” (“ $A \dot{\cup} B$ ”). See The T_EXbook [Knu86a] for the definitive description of math-mode spacing.

The purpose of the “log-like symbols” in Table 183 and Table 184 is to provide the correct amount of spacing around and within multiletter function names. Table 541 contrasts the output of the log-like symbols with various, naïve alternatives. In addition to spacing, the log-like symbols also handle subscripts properly. For example, “`\max_{p \in P}`” produces “ $\max_{p \in P}$ ” in text, but “ \max ” as part of a displayed formula.

TABLE 541: Spacing Around/Within Log-like Symbols

L ^A T _E X expression	Output
<code>\$r \sin \theta\$</code>	$r \sin \theta$ (best)
<code>\$r sin \theta\$</code>	$rsin\theta$
<code>\$r \mbox{sin} \theta\$</code>	$rsin\theta$
<code>\$r \mathrm{sin} \theta\$</code>	$rsin\theta$

The `amsmath` package makes it straightforward to define new log-like symbols:

```
\DeclareMathOperator{\atan}{atan}
\DeclareMathOperator*{\lcm}{lcm}
```

The difference between `\DeclareMathOperator` and `\DeclareMathOperator*` involves the handling of subscripts. With `\DeclareMathOperator*`, subscripts are written beneath log-like symbols in display style and to the right in text style. This is useful for limit operators (e.g., `\lim`) and functions that tend to map over a set (e.g., `\min`). In contrast, `\DeclareMathOperator` tells T_EX that subscripts should always be displayed to the right of the operator, as is common for functions that take a single parameter (e.g., `\log` and `\cos`). Table 542 contrasts symbols declared with `\DeclareMathOperator` and `\DeclareMathOperator*` in both text style (`$. . . $`) and display style (`\[. . . \]`).¹³

It is common to use a thin space (`\,`) between the words of a multiword operators, as in “`\DeclareMathOperator*{\argmax}{arg\,max}`”. `\liminf`, `\limsup`, and all of the log-like symbols shown in Table 184 utilize this spacing convention.

¹³Note that `\displaystyle` can be used to force display style within `$. . . $` and `\textstyle` can be used to force text style within `\[. . . \]`.

TABLE 542: Defining new log-like symbols

Declaration function	<code>\newlogsym_{p \in P}</code>	<code>\[\newlogsym_{p \in P} \]</code>
<code>\DeclareMathOperator</code>	<code>newlogsym_{p \in P}</code>	<code>newlogsym_{p \in P}</code>
<code>\DeclareMathOperator*</code>	<code>newlogsym_{p \in P}</code>	<code>newlogsym_{p \in P}</code>

10.5 Bold mathematical symbols

L^AT_EX does not normally use bold symbols when typesetting mathematics. However, bold symbols are occasionally needed, for example when naming vectors. Any of the approaches described at <http://www.tex.ac.uk/FAQ-boldgreek.html> can be used to produce bold mathematical symbols. Table 543 contrasts the output produced by these various techniques. As the table illustrates, these techniques exhibit variation in their formatting of Latin letters (upright vs. italic), formatting of Greek letters (bold vs. normal), formatting of operators and relations (bold vs. normal), and spacing. `xfakebold`'s `\setBold` command is unique in that it takes a thickness argument and supports arbitrary symbol thickness, although it works only with vector fonts, not bitmapped fonts.

TABLE 543: Producing bold mathematical symbols

Package	Code	Output	
<i>none</i>	<code>\alpha + b = \Gamma \div D</code>	$\alpha + b = \Gamma \div D$	(no bold)
<i>none</i>	<code>\mathbf{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	
<i>none</i>	<code>\boldmath\alpha + b = \Gamma \div D</code>	$\alpha + b = \Gamma \div D$	
<i>amsbsy</i>	<code>\pmb{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	(faked bold)
<i>amsbsy</i>	<code>\boldsymbol{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	
<i>bm</i>	<code>\bm{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	
<i>fixmath</i>	<code>\mathbold{\alpha + b = \Gamma \div D}</code>	$\alpha + b = \Gamma \div D$	
<i>xfakebold</i>	<code>\setBold[0.3]</code> <code>\alpha + b = \Gamma \div D</code> <code>\unsetBold</code>	$\alpha + b = \Gamma \div D$	(faked bold)

10.6 ASCII and Latin 1 quick reference

Table 544 on the next page amalgamates data from various other tables in this document into a convenient reference for L^AT_EX 2_ε typesetting of ASCII characters, i.e., the characters available on a typical U.S. computer keyboard. The first two columns list the character's ASCII code in decimal and hexadecimal. The third column shows what the character looks like. The fourth column lists the L^AT_EX 2_ε command to typeset the character as a text character. And the fourth column lists the L^AT_EX 2_ε command to typeset the character within a `\texttt{...}` command (or, more generally, when `\ttfamily` is in effect).

The following are some additional notes about the contents of Table 544:

- “” is not available in the OT1 font encoding.
- Table 544 shows a close quote for character 39 for consistency with the open quote shown for character 96. A straight quote can be typeset using `\textquotesingle` (cf. Table 46).
- The characters “<”, “>”, and “|” do work as expected in math mode, although they produce, respectively, “ı”, “ı̇”, and “—” in text mode when using the OT1 font encoding.¹⁴ The following are some alternatives for typesetting “<”, “>”, and “|”:
 - Specify a document font encoding other than OT1 (as described on page 12).

¹⁴Donald Knuth didn't think such symbols were important outside of mathematics so he omitted them from his text fonts.

TABLE 544: L^AT_EX 2_ε ASCII Table

Dec	Hex	Char	Body text	\texttt	Dec	Hex	Char	Body text	\texttt
33	21	!	!	!	62	3E	>	\textgreater	>
34	22	"	\textquotedbl	"	63	3F	?	?	?
35	23	#	\#	\#	64	40	@	@	@
36	24	\$	\\$	\\$	65	41	A	A	A
37	25	%	\%	\%	66	42	B	B	B
38	26	&	\&	\&	67	43	C	C	C
39	27	'	'	'	:	:	:	:	:
40	28	(((90	5A	Z	Z	Z
41	29)))	91	5B	[[[
42	2A	*	*	*	92	5C	\	\textbackslash	\char‘\
43	2B	+	+	+	93	5D]]]
44	2C	,	,	,	94	5E	^	\~{}	\~{}
45	2D	-	-	-	95	5F	_	_	\char‘_
46	2E	.	.	.	96	60	‘	‘	‘
47	2F	/	/	/	97	61	a	a	a
48	30	0	0	0	98	62	b	b	b
49	31	1	1	1	99	63	c	c	c
50	32	2	2	2	:	:	:	:	:
:	:	:	:	:	122	7A	z	z	z
57	39	9	9	9	123	7B	{	\{	\char‘\{
58	3A	:	:	:	124	7C		\textbar	
59	3B	;	;	;	125	7D	}	\}	\char‘\}
60	3C	<	\textless	<	126	7E	~	\~{}	\~{}
61	3D	=	=	=					

- Use the appropriate symbol commands from Table 2 on page 14, viz. `\textless`, `\textgreater`, and `\textbar`.
- Enter the symbols in math mode instead of text mode, i.e., `$$`, `$$>`, and `$$|`.

Note that for typesetting metavariables many people prefer `\texttriangle` and `\textrightangle` to `\textless` and `\textgreater`; i.e., “*filename*” instead of “*<filename>*”.

- Although “/” does not require any special treatment, L^AT_EX additionally defines a `\slash` command which outputs the same glyph but permits a line break afterwards. That is, “*increase/decrease*” is always typeset as a single entity while “*increase\slash{}decrease*” may be typeset with “*increase/*” on one line and “*decrease*” on the next.
- `\textasciicircum` can be used instead of `\~{}`, and `\textasciitilde` can be used instead of `\~{}`. Note that `\textasciitilde` and `\~{}` produce raised, diacritic tildes. “Text” (i.e., vertically centered) tildes can be generated with either the math-mode `\sim` command (shown in Table 89 on page 50), which produces a somewhat wide “~”, or the `textcomp` package’s `\texttildelow` (shown in Table 46 on page 27), which produces a vertically centered “~” in most fonts but a baseline-oriented “~” in Computer Modern, `txfonts`, `pxfonts`, and various other fonts originating from the T_EX world. If your goal is to typeset tildes in URLs or Unix filenames, your best bet is to use the `url` package, which has a number of nice features such as proper line-breaking of such names.
- The various `\char` commands within `\texttt` are necessary only in the OT1 font encoding. In other encodings (e.g., T1), commands such as `\{`, `\}`, `_`, and `\textbackslash` all work properly.
- The code page 437 (IBM PC) version of ASCII characters 1 to 31 can be typeset using the `ascii` package. See Table 335 on page 130.

- To replace ““” and “”” with the more computer-like (and more visibly distinct) “ˆ” and “ˆ” within a `verbatim` environment, use the `upquote` package. Outside of `verbatim`, you can use `\char18` and `\char13` to get the modified quote characters. (The former is actually a grave accent.)

Similar to Table 544, Table 545 on the next page is an amalgamation of data from other tables in this document. While Table 544 shows how to typeset the 7-bit ASCII character set, Table 545 shows the Latin 1 (Western European) character set, also known as ISO-8859-1.

The following are some additional notes about the contents of Table 545:

- A “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Many of the `\text...` accents can also be produced using the accent commands shown in Table 18 on page 20 plus an empty argument. For instance, `\={}` is essentially the same as `\textasciimacron`.
- The commands in the “ $\LaTeX 2_{\epsilon}$ ” columns work both in body text and within a `\texttt{...}` command (or, more generally, when `\ttfamily` is in effect).
- The “ \pounds ” and “ $\$$ ” glyphs occupy the same slot (36) of the OT1 font encoding, with “ \pounds ” appearing in italic fonts and “ $\$$ ” appearing in roman fonts. A problem with \LaTeX ’s default handling of this double-mapping is that “`\sffamily\slshape\pounds`” produces “ $\$$ ”, not “ \pounds ”. Other font encodings use separate slots for the two characters and are therefore robust to the problem of “ \pounds ”/“ $\$$ ” conflicts. Authors who use `\pounds` should select a font encoding other than OT1 (as explained on page 12) or use the `textcomp` package, which redefines `\pounds` to use the TS1 font encoding.
- Character 173, `\-`, is shown as “-” but is actually a discretionary hyphen; it appears only at the end of a line.

Microsoft[®] Windows[®] normally uses a superset of Latin 1 called “Code Page 1252” or “CP1252” for short. CP1252 introduces symbols in the Latin 1 “invalid” range (characters 128–159). Table 546 presents the characters with which CP1252 augments the standard Latin 1 table.

The following are some additional notes about the contents of Table 546:

- As in Table 545, a “(tc)” after a symbol name means that the `textcomp` package must be loaded to access that symbol. A “(T1)” means that the symbol requires the T1 font encoding. The `fontenc` package can change the font encoding document-wide.
- Not all characters in the 128–159 range are defined.
- Look up “euro signs” in the index for alternatives to `\texteuro`.

While too large to incorporate into this document, a listing of ISO 8879:1986 SGML/XML character entities and their \LaTeX equivalents is available from <http://www.bitjungle.com/isoent/>. Some of the characters presented there make use of `isoent`, a $\LaTeX 2_{\epsilon}$ package (available from the same URL) that fakes some of the missing ISO glyphs using the \LaTeX `picture` environment.¹⁵

10.7 Unicode characters

Unicode is a “universal character set”—a standard for encoding (i.e., assigning unique numbers to) the symbols appearing in many of the world’s languages. While ASCII can represent 128 symbols and Latin 1 can represent 256 symbols, Unicode can represent an astonishing 1,114,112 symbols.

Because \TeX and \LaTeX predate the Unicode standard and Unicode fonts by almost a decade, support for Unicode has had to be added to the base \TeX and \LaTeX systems. Note first that \LaTeX distinguishes between *input* encoding—the characters used in the `.tex` file—and *output* encoding—the characters that appear in the generated `.dvi`, `.pdf`, etc. file.

¹⁵`isoent` is not featured in this document, because it is not available from CTAN and because the faked symbols are not “true” characters; they exist in only one size, regardless of the body text’s font size.

TABLE 545: L^AT_EX 2_ε Latin 1 Table

Dec	Hex	Char	L ^A T _E X 2 _ε	Dec	Hex	Char	L ^A T _E X 2 _ε
161	A1	¡	!‘	209	D1	Ñ	\~{N}
162	A2	¢	\textcent (tc)	210	D2	Ò	\‘{O}
163	A3	£	\pounds	211	D3	Ó	\’{O}
164	A4	¤	\textcurrency (tc)	212	D4	Ô	\~{O}
165	A5	¥	\textyen (tc)	213	D5	Õ	\~{O}
166	A6	¦	\textbrokenbar (tc)	214	D6	Ö	\" {O}
167	A7	§	\S	215	D7	×	\texttimes (tc)
168	A8	¨	\textasciidieresis (tc)	216	D8	Ø	\O
169	A9	©	\textcopyright	217	D9	Û	\‘{U}
170	AA	ª	\textordfeminine	218	DA	Ú	\’{U}
171	AB	«	\guillemetleft (T1)	219	DB	Û	\~{U}
172	AC	¬	\textlnot (tc)	220	DC	Ü	\" {U}
173	AD	-	\-	221	DD	Ý	\’{Y}
174	AE	®	\textregistered	222	DE	Þ	\TH (T1)
175	AF	ˆ	\textasciimacron (tc)	223	DF	ƒ	\ss
176	B0	°	\textdegree (tc)	224	E0	à	\‘{a}
177	B1	±	\textpm (tc)	225	E1	á	\’{a}
178	B2	²	\texttwosuperior (tc)	226	E2	â	\~{a}
179	B3	³	\textthreesuperior (tc)	227	E3	ã	\~{a}
180	B4	´	\textasciiacute (tc)	228	E4	ä	\" {a}
181	B5	µ	\textmu (tc)	229	E5	å	\aa
182	B6	¶	\P	230	E6	æ	\ae
183	B7	·	\textperiodcentered	231	E7	ç	\c{c}
184	B8	¸	\c{}	232	E8	è	\‘{e}
185	B9	¹	\textonesuperior (tc)	233	E9	é	\’{e}
186	BA	º	\textordmasculine	234	EA	ê	\~{e}
187	BB	»	\guillemetright (T1)	235	EB	ë	\" {e}
188	BC	¼	\textonequarter (tc)	236	EC	ì	\‘{i}
189	BD	½	\textonehalf (tc)	237	ED	í	\’{i}
190	BE	¾	\textthreequarters (tc)	238	EE	î	\~{i}
191	BF	¿	?‘	239	EF	ï	\" {i}
192	C0	À	\‘{A}	240	F0	ð	\dh (T1)
193	C1	Á	\’{A}	241	F1	ñ	\~{n}
194	C2	Â	\~{A}	242	F2	ò	\‘{o}
195	C3	Ã	\~{A}	243	F3	ó	\’{o}
196	C4	Ä	\" {A}	244	F4	ô	\~{o}
197	C5	Å	\AA	245	F5	õ	\~{o}
198	C6	Æ	\AE	246	F6	ö	\" {o}
199	C7	Ç	\c{C}	247	F7	÷	\textdiv (tc)
200	C8	È	\‘{E}	248	F8	ø	\o
201	C9	É	\’{E}	249	F9	ù	\‘{u}
202	CA	Ê	\~{E}	250	FA	ú	\’{u}
203	CB	Ë	\" {E}	251	FB	û	\~{u}
204	CC	Ì	\‘{I}	252	FC	ü	\" {u}
205	CD	Í	\’{I}	253	FD	ý	\’{y}
206	CE	Î	\~{I}	254	FE	þ	\th (T1)
207	CF	Ï	\" {I}	255	FF	ÿ	\" {y}
208	D0	Ð	\DH (T1)				

TABLE 546: L^AT_EX 2_ε Code Page 1252 Table

Dec	Hex	Char	L ^A T _E X 2 _ε	Dec	Hex	Char	L ^A T _E X 2 _ε
128	80	€	<code>\texteuro</code> (tc)	145	91	‘ ‘	
130	82	,	<code>\quotesinglbase</code> (T1)	146	92	, ,	
131	83	f	<code>\textit{f}</code>	147	93	“ “	
132	84	„	<code>\quotedblbase</code> (T1)	148	94	” ”	
133	85	...	<code>\dots</code>	149	95	•	<code>\textbullet</code>
134	86	†	<code>\dag</code>	150	96	- -	
135	87	‡	<code>\ddag</code>	151	97	— --	
136	88	^	<code>\textasciicircum</code>	152	98	~	<code>\textasciitilde</code>
137	89	‰	<code>\textperthousand</code> (tc)	153	99	™	<code>\texttrademark</code>
138	8A	Š	<code>\v{S}</code>	154	9A	š	<code>\v{s}</code>
139	8B	‹	<code>\guilsinglleft</code> (T1)	155	9B	›	<code>\guilsinglright</code> (T1)
140	8C	Œ	<code>\OE</code>	156	9C	œ	<code>\oe</code>
142	8E	Ž	<code>\v{Z}</code>	158	9E	ž	<code>\v{z}</code>
				159	9F	ÿ	<code>\{"Y}</code>

Inputting Unicode characters

To include Unicode characters in a `.tex` file, load the `ucs` package and load the `inputenc` package with the `utf8x` (“UTF-8 extended”) option.¹⁶ These packages enable L^AT_EX to translate UTF-8 sequences to L^AT_EX commands, which are subsequently processed as normal. For example, the UTF-8 text “Copyright © 2020”—“©” is not an ASCII character and therefore cannot be input directly without packages such as `ucs/inputenc`—is converted internally by `inputenc` to “Copyright `\textcopyright` 2020” and therefore typeset as “Copyright © 2020”.

The `ucs/inputenc` combination supports only a tiny subset of Unicode’s million-plus symbols. Additional symbols can be added manually using the `\DeclareUnicodeCharacter` command. `\DeclareUnicodeCharacter` takes two arguments: a Unicode number and a L^AT_EX command to execute when the corresponding Unicode character is encountered in the input. For example, the Unicode character “degree celsius” (“°C”) appears at character position U+2103.¹⁷ However, “°C” is not one of the characters that `ucs` and `inputenc` recognize. The following document shows how to use `\DeclareUnicodeCharacter` to tell L^AT_EX that the “°C” character should be treated as a synonym for `\textcelsius`:

```

\documentclass{article}
\usepackage{ucs}
\usepackage[utf8x]{inputenc}
\usepackage{textcomp}

\DeclareUnicodeCharacter{"2103}{\textcelsius} % Enable direct input of U+2103.

\begin{document}
It was a balmy 21°C.
\end{document}

```

which produces

It was a balmy 21°C.

See the `ucs` documentation for more information and for descriptions of the various options that control `ucs`’s behavior.

¹⁶UTF-8 is the 8-bit Unicode Transformation Format, a popular mechanism for representing Unicode symbol numbers as sequences of one to four bytes.

¹⁷The Unicode convention is to express character positions as “U+*hexadecimal number*”.

Outputting Unicode characters

Orthogonal to the ability to include Unicode characters in a \LaTeX input file is the ability to include a given Unicode character in the corresponding output file. By far the easiest approach is to use $X_{\text{q}}\LaTeX$ instead of $\text{pdf}\LaTeX$ or ordinary \LaTeX . $X_{\text{q}}\LaTeX$ handles Unicode input and output natively and can utilize system fonts directly without having to expose them via `.tfm`, `.fd`, and other such files. To output a Unicode character, a $X_{\text{q}}\LaTeX$ document can either include that character directly as UTF-8 text or use \TeX 's `\char` primitive, which $X_{\text{q}}\LaTeX$ extends to accept numbers larger than 255.

Suppose we want to output the symbols for versicle (“ Ψ ”) and response (“ \mathfrak{R} ”) in a document. The Unicode charts list “versicle” at position U+2123 and “response” at position U+211F. We therefore need to install a font that contains those characters at their proper positions. One such font that is freely available from CTAN is Junicode (`Junicode.ttf`) from the `junicode` package. The `fontspec` package makes it easy for a $X_{\text{q}}\LaTeX$ document to utilize a system font. The following example defines a `\textjuni` command that uses `fontspec` to typeset its argument in Junicode:

```
\documentclass{article}
\usepackage{fontspec}

\newcommand{\textjuni}[1]{\fontspec{Junicode}#1}

\begin{document}
We use ‘\textjuni{\char"2123}’ for a versicle
and ‘\textjuni{\char"211F}’ for a response.
\end{document}
```

which produces

We use “ Ψ ” for a versicle and “ \mathfrak{R} ” for a response.

(Typesetting the entire document in Junicode would be even easier. See the `fontspec` documentation for more information regarding font selection.) Note how the preceding example uses `\char` to specify a Unicode character by number. The double quotes before the number indicate that the number is represented in hexadecimal instead of decimal.

10.8 About this document

History David Carlisle wrote the first version of this document in October, 1994. It originally contained all of the native \LaTeX symbols (Table 50, Table 72, Table 89, Table 139, Table 183, Table 188, Table 222, Table 223, Table 236, Table 246, Table 302, and a few tables that have since been reorganized) and was designed to be nearly identical to the tables in Chapter 3 of Leslie Lamport’s book [Lam86]. Even the table captions and the order of the symbols within each table matched! The $\mathcal{A}\mathcal{M}\mathcal{S}$ symbols (Table 51, Table 90, Table 91, Table 142, Table 143, Table 189, Table 198, Table 216, and Table 303) and an initial Math Alphabets table (Table 316) were added thereafter. Later, Alexander Holt provided the `stmaryrd` tables (Table 52, Table 74, Table 92, Table 145, Table 179, and Table 217).

In January, 2001, Scott Pakin took responsibility for maintaining the symbol list and has since implemented a complete overhaul of the document. The result, now called, “The Comprehensive \LaTeX Symbol List”, includes the following new features:

- the addition of a handful of new math alphabets, dozens of new font tables, and thousands of new symbols
- the categorization of the symbol tables into body-text symbols, mathematical symbols, science and technology symbols, dingbats, ancient languages, and other symbols, to provide a more user-friendly document structure
- an index, table of contents, hyperlinks, and a frequently-requested symbol list, to help users quickly locate symbols
- symbol tables rewritten to list the symbols in alphabetical order
- appendices providing additional information relevant to using symbols in \LaTeX

- tables showing how to typeset all of the characters in the ASCII and Latin 1 font encodings

Furthermore, the internal structure of the document has been completely altered from David Carlisle's original version. Most of the changes are geared towards making the document easier to extend, modify, and reformat.

Build characteristics Table 547 lists some of this document's build characteristics. Most important is the list of packages that L^AT_EX couldn't find, but that `symbols.tex` otherwise would have been able to take advantage of. Complete, prebuilt versions of this document are available from CTAN via <https://www.ctan.org/pkg/comprehensive/>. Table 548 shows the package date (specified in the `.sty` file with `\ProvidesPackage`) for each package that was used to build this document and that specifies a package date. Packages are not listed in any particular order in either Table 547 or Table 548.

TABLE 547: Document Characteristics

Characteristic	Value
Source file:	<code>symbols.tex</code>
Build date:	June 25, 2020
Symbols documented:	14599
Packages included:	<code>textcomp latexsym amssymb stmaryrd euscript wasysym pifont manfnt bbding undertilde ifsym tipa tipx extraipa wsuipa phonetic ulsy ar metre txfonts mathabx fclfont skak ascii dingbat skull eurosym esvect yfonts ymath esint mathdots trsym universa upgreek overrightarrow chemarr chemarrow nath trfsigns mathtools phaistos arcs vietnam t4phonet holtpolt semtrans dictsym extarrows protosem harmony hieroglf ccllicenses mathdesign arev MnSymbol fdsymbol boisik cml extpfeil keystroke fge turnstile simpsons epsdice feyn staves igo colonequals shuffle fourier dozenal pmbxdraw pigpen clock teubner linearA linearb cyriot sarabian china2e harpoon steinmetz milstd recycle DotArrow ushort hhcount ogonek combelow musixtex ccicons adfsymbols adorn bigints soyombo tfruee knitting textgreek begriff frege abraces countriesofeurope cookingsymbols prodint epiolmec mdwmath rsfo fontawesome stix hands greenpoint nkarta astrosym webomints moonphase dancers semaphor umranda umrandb cryst starfont tikzsymbols dice apl go magic bartel-chess-fonts actuarialangle lilyglyphs knot bclgo bullcntr rubikcube svrsymbols halloweenmath old-arrows allrunes emf esrelation oplotsymb cmupint realhats euflag scsnowman endofproofwd mismath musicography accents nicefrac bm xfakebold junicode mathrsfs chancery urwchancal calligra bbold mbboard dsfont bbm dsserif</code>
Packages omitted:	<i>none</i>

TABLE 548: Package versions used in the preparation of this document

Name	Date	Name	Date	Name	Date
<code>textcomp</code>	2020/02/02	<code>latexsym</code>	1998/08/17	<code>amssymb</code>	2013/01/14
<code>stmaryrd</code>	1994/03/03	<code>euscript</code>	2009/06/22	<code>wasysym</code>	2020/01/19
<code>pifont</code>	2020/03/25	<code>manfnt</code>	1999/07/01	<code>bbding</code>	1999/04/15

(continued on next page)

(continued from previous page)

Name	Date	Name	Date	Name	Date
undertilde	2000/08/08	ifsym	2000/04/18	tipa	2002/08/08
tipx	2003/01/01	wsuipa	1994/07/16	ar	2012/01/23
metre	2001/12/05	txfonts	2008/01/22	mathabx	2003/07/29
skak	2018/01/08	ascii	2006/05/30	dingbat	2001/04/27
skull	2002/01/23	eurosym	1998/08/06	yfonts	2019/04/04
mathdots	2014/06/11	trsym	2000/06/25	universa	2019/08/26
upgreek	2003/02/12	chemarr	2016/05/16	mathtools	2020/03/24
phaistos	2004/04/23	arcs	2004/05/09	t4phonet	2004/06/01
semtrans	1998/02/10	dictsym	2004/07/26	extarrows	2020/03/12
protosem	2005/03/18	harmony	2007/05/04	hieroglf	2015/06/02
ccllicenses	2005/05/20	MnSymbol	2007/01/21	fdsymbol	2011/11/01
boisik	2009/08/21	extpfeil	2009/10/31	keystroke	2010/04/23
fge	2015/05/19	turnstile	2007/06/23	epsdice	2007/02/15
feyn	2017/11/03	colonequals	2016/05/16	shuffle	2008/10/27
dozenal	2018/05/11	pmbboxdraw	2019/12/05	pigpen	2008/12/07
clock	2001/04/10	teubner	2016/03/31	linearA	2006/03/13
linearb	2005/06/22	cyriot	2009/05/22	sarabian	2005/11/12
china2e	1997/06/01	harpoon	1994/11/02	steinmetz	2009/06/14
milstd	2009/06/25	DotArrow	2007/02/12	ushort	2001/06/13
hhcount	1995/03/31	ogonek	95/07/17	combelow	2010/05/02
musixtex	2001/07/08	ccicons	2017/10/30	adorn	2019/10/13
bigints	2010/02/15	soyombo	1996/09/01	tfrupee	2010/12/15
knitting	2019/04/03	textgreek	2011/10/09	frege	2012/08/04
abraces	2012/08/24	countriesofeuropa	2018/12/29	cookingsymbols	2014/12/28
epiolmec	2003/11/05	mdwmath	1996/04/11	fontawesome	2016/05/15
stix	2018/04/17	starfont	2010/09/29	tikzsymbols	2019/02/08
actuarialangle	2019/06/13	bclogo	2016/01/10	bullcncr	2007/04/02
rubikcube	2018/02/25	svrsymbols	2019/02/12	halloweenmath	2019/11/01
emf	2016/09/09	oplotsymb	2017/08/04	cmupint	2020/04/13
realhats	2019/04/14	euflag	2020/05/22	scsnowman	2018/06/07
musicography	2020/01/29	accents	2006/05/12	nicefrac	1998/08/04
bm	2019/07/24	xfakebold	2020/06/22	calligra	2012/04/10

10.9 Copyright and license

The Comprehensive L^AT_EX Symbol List
 Copyright © 2007–2020, Scott Pakin

This work may be distributed and/or modified under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version. The latest version of this license is in

<http://www.latex-project.org/lppl.txt>

and version 1.3c or later is part of all distributions of L^AT_EX version 2006/05/20 or later.

This work has the LPPL maintenance status “maintained”.

The current maintainer of this work is Scott Pakin.

References

- [AMS99] American Mathematical Society. *User's Guide for the `amsmath` Package (Version 2.0)*, December 13, 1999. Available from <ftp://ftp.ams.org/pub/tex/doc/amsmath/amslldoc.pdf>.
- [Ber01] Karl Berry. `Fontname`: Filenames for \TeX fonts, June 2001. Available from <https://www.ctan.org/pkg/fontname>.
- [Che98] Raymond Chen. A METAFONT of ‘Simpsons’ characters. *Baskerville*, 4(4):19, February 1998. ISSN 1354-5930. Available from <http://uk.tug.org/wp-installed-content/uploads/2008/12/44.pdf>.
- [Dow00] Michael Downes. Short math guide for \LaTeX , July 19, 2000. Version 1.07. Available from <http://www.ams.org/tex/short-math-guide.html>.
- [Gib97] Jeremy Gibbons. Hey—it works! *TUGboat*, 18(2):75–78, June 1997. Available from <http://www.tug.org/TUGboat/Articles/tb18-2/tb55works.pdf>.
- [Gre09] Enrico Gregorio. *Appunti di programmazione in \LaTeX e \TeX* , second edition, June 2009. Available from <http://profs.sci.univr.it/~gregorio/introtex.pdf>.
- [Knu86a] Donald E. Knuth. *The \TeX book*, volume A of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Knu86b] Donald E. Knuth. *The METAFONTbook*, volume C of *Computers and Typesetting*. Addison-Wesley, Reading, MA, USA, 1986.
- [Lam86] Leslie Lamport. *\LaTeX : A document preparation system*. Addison-Wesley, Reading, MA, USA, 1986.
- [\LaTeX 98] \LaTeX 3 Project Team. A new math accent. *\LaTeX News*. Issue 9, June 1998. Available from <https://www.latex-project.org/news/latex2e-news/1tnews09.pdf> and also included in many \TeX distributions.
- [\LaTeX 19] \LaTeX 3 Project Team. \LaTeX 2 ϵ font selection, October 2019. Available from <http://mirrors.ctan.org/macros/latex/base/fntguide.pdf> and also included in many \TeX distributions.

Index
































































If you're having trouble locating a symbol, try looking under "T" for "`\text{...}`". Many text-mode commands begin with that prefix. Also, accents are shown over/under a gray box (e.g., "á" for "`\`a`").

Some symbol entries appear to be listed repeatedly. This happens when multiple packages define identical (or nearly identical) glyphs with the same symbol name.¹⁸

Symbols			
<code>\" (¨)</code>	20	<code>\= (=)</code>	20
<code>\# (#)</code>	14, 234	<code>\={ } (^)</code>	235
<code>\\$ (\$)</code>	14, 15, 234	<code> ()</code>	102
<code>\\$ (\$)</code>	15	<code> ()</code>	100
<code>\% (%)</code>	14, 234	<code> ()</code>	103
<code>\& (&)</code>	14, 35, 234	<code> ()</code>	50, 99, 101, 104
<code>\' (´)</code>	20	<code>((()</code>	102
<code>((()</code>	99	<code>) ())</code>	102
<code>((()</code>	100	<code>/ (/)</code>	102
<code>((()</code>	103	<code>[([)</code>	102
<code>) ())</code>	99	<code>_</code>	15
<code>) ())</code>	100	<code>_ (_)</code>	14, 234
<code>) ())</code>	103	<code>\{ ({)</code>	14, 15, 99
<code>* (*)</code>	31	<code>\{ ({)</code>	234
<code>\, (,)</code>	232	<code>\} (})</code>	14, 15, 99
<code>\- (-)</code>	235, 236	<code>\} (})</code>	234
<code>\. (.)</code>	20	<code>] (])</code>	102
<code>/ (/)</code>	99	<code>\' (´)</code>	20
<code>/ (/)</code>	100	<code>\~ (~)</code>	20
<code>/ (/)</code>	103	<code>\~{ } (^)</code>	14, 234
<code>\: (:)</code>	116		
<code>\; (;)</code>	116	A	
<code>< (<)</code>	100	<code>A (A)</code>	157
<code>< (<)</code>	103	<code>\A (*)</code>	157
<code>\? (?)</code>	116	<code>a (esvect package option)</code>	110
<code>[([)</code>	99	<code>\a (a)</code>	157
<code>[([)</code>	100	<code>\a (x)</code>	183
<code>[([)</code>	103	<code>a (f)</code>	157
<code>\ \</code>	224	<code>\AA (Å)</code>	15
<code>] (])</code>	99	<code>\aa (å)</code>	15
<code>] (])</code>	100	<code>\AAaleph (ℵ)</code>	148
<code>] (])</code>	103	<code>\AAayin (א)</code>	148
<code>\ \</code>	224	<code>\AAbeth (ב)</code>	148
<code>] (])</code>	99	<code>\AAacht (acht)</code>	160
<code>] (])</code>	100	<code>\AADaleth (ד)</code>	148
<code>] (])</code>	103	<code>\AAhe (ה)</code>	148
<code>\~ (~)</code>	20	<code>\AAhelmet (ח)</code>	148
<code>\~{ } (^)</code>	14, 234	<code>\AAheth (ה)</code>	148
<code>\ ()</code>	99	<code>\AAkaph (כ)</code>	148
<code>\ ()</code>	99, 101	<code>\AAlamed (ל)</code>	148
<code>\ ()</code>	20	<code>\Aaleph (א)</code>	148
		<code>\AApe (פ)</code>	148
		<code>\AAqoph (ק)</code>	148
		<code>\AAresh (ר)</code>	148
		<code>\AAsade (ש)</code>	148
		<code>\AAayin (א)</code>	148
		<code>\AAyod (י)</code>	148
		<code>\AB (l)</code>	129
		<code>\Abeth (א)</code>	148
		<code>abracas (package)</code>	110, 239, 240
		<code>absolute value</code>	<i>see</i> <code>\lvert</code> and <code>\rvert</code>
		<code>abzüglich</code>	<i>see</i> <code>\textdiscount</code>
		<code>\AC (~)</code>	125
		<code>\ac (~)</code>	57
		<code>\acarc</code>	23
		<code>\acbar</code>	23
		<code>accents</code>	20–25, 105–111, 114, 161, 227–229
		<code>acute (´)</code>	20–24, 105
		<code>any character as</code>	227
		<code>arc (¢)</code>	20–23, 108, 109
		<code>breve (˘)</code>	20–24, 105
		<code>caron (ˇ)</code>	20, 24, 105, 109
		<code>cedilla (¸)</code>	20
		<code>circumflex (^)</code>	20–22, 105, 107–109
		<code>comma-below (̣)</code>	24
		<code>Cyrillic breve (҃)</code>	20
		<code>Cyrillic flex (҆)</code>	20
		<code>Cyrillic umlaut (҈)</code>	20
		<code>diæresis (͆)</code>	20, 23, 24, 105, 124
		<code>dot (˙ or ̇)</code>	20–22, 105
		<code>double acute (˝)</code>	20, 24
		<code>double grave (`)</code>	20
		<code>extensible</code>	107–111, 114, 228–229
		<code>grave (`)</code>	20–24, 105
		<code>háček</code>	<i>see</i> accents, caron
		<code>hook (̣)</code>	20
		<code>Hungarian umlaut</code>	<i>see</i> accents, double acute
		<code>inverted breve (˘)</code>	20
		<code>kroužek</code>	<i>see</i> accents, ring
		<code>macron (̄)</code>	20, 23–25, 105, 107, 109
		<code>multiple per character</code>	21–22, 227
		<code>ogonek (̛)</code>	20–24
		<code>ring (̆)</code>	20–22, 24, 105, 106
		<code>Romanian comma-belo accent</code>	<i>see</i> accents, comma-below
		<code>trema</code>	<i>see</i> accents, diæresis
		<code>umlaut</code>	<i>see</i> accents, diæresis
		<code>accents (package)</code>	105, 227, 239, 240
		<code>\accentset</code>	227
		<code>accidentals</code>	<i>see</i> musical symbols
		<code>accordion notation</code>	164
		<code>\accordionBayanBass (⅂)</code>	164
		<code>\accordionDiscant (⊖)</code>	164
		<code>\accordionFreeBass (⊕)</code>	164

¹⁸This occurs frequently between `amssymb` and `mathabx`, for example.

<code>\accordionOldEE</code> (⊗) ...	164	<code>\adfarrowne3</code> (↗) ...	134	<code>\adfbullet{19}</code> (⊙) ...	139
<code>\accordionPull</code> (⌈) ...	164	<code>\adfarrowne4</code> (↘) ...	134	<code>\adfbullet{20}</code> (⊙) ...	139
<code>\accordionPush</code> (⌋) ...	164	<code>\adfarrowne5</code> (↗) ...	134	<code>\adfbullet{21}</code> (⊙) ...	139
<code>\accordionStdBass</code> (⊖) ...	164	<code>\adfarrowne6</code> (↘) ...	134	<code>\adfbullet{22}</code> (⊙) ...	139
<code>\acurrent</code> (≈) ...	121	<code>\adfarrownw1</code> (↖) ...	134	<code>\adfbullet{23}</code> (⊙) ...	139
<code>\Acht</code> (♩) ...	160	<code>\adfarrownw2</code> (↗) ...	134	<code>\adfbullet{24}</code> (⊙) ...	139
<code>\AchtBL</code> (♩) ...	160	<code>\adfarrownw3</code> (↘) ...	134	<code>\adfbullet{25}</code> (⊙) ...	139
<code>\AchtBR</code> (♩) ...	160	<code>\adfarrownw4</code> (↖) ...	134	<code>\adfbullet{26}</code> (⊙) ...	139
<code>\acidfree</code> (⊗) ...	117	<code>\adfarrownw5</code> (↗) ...	134	<code>\adfbullet{27}</code> (⊙) ...	144
<code>\ACK</code> (♠) ...	130	<code>\adfarrownw6</code> (↘) ...	134	<code>\adfbullet{28}</code> (⊙) ...	144
<code>\acontraction</code> ...	228	<code>\adfarrows1</code> (↓) ...	134	<code>\adfbullet{29}</code> (⊙) ...	144
<code>\AcPa</code> (♯) ...	160	<code>\adfarrows2</code> (↓) ...	134	<code>\adfbullet{30}</code> (⊙) ...	144
<code>\actuarial</code> (⊖) ...	228	<code>\adfarrows3</code> (↓) ...	134	<code>\adfbullet{31}</code> (⊙) ...	144
actuarial symbols ...	111, 227–228	<code>\adfarrows4</code> (↓) ...	134	<code>\adfbullet{32}</code> (⊙) ...	144
actuarialangle (package) ...	111, 228, 239, 240	<code>\adfarrows5</code> (↓) ...	134	<code>\adfbullet{33}</code> (⊙) ...	144
<code>\actuarialangle</code> ...	228	<code>\adfarrows6</code> (↓) ...	134	<code>\adfbullet{34}</code> (⊙) ...	144
<code>\actuarialangle</code> (⊖) ...	111	<code>\adfarrowse1</code> (↖) ...	134	<code>\adfbullet{41}</code> (⊙) ...	144
actuarialsymbol (package) ...	228	<code>\adfarrowse2</code> (↗) ...	134	<code>\adfbullet{42}</code> (⊙) ...	144
<code>\acute</code> (♧) ...	106	<code>\adfarrowse3</code> (↖) ...	134	<code>\adfbullet{43}</code> (⊙) ...	144
<code>\acute</code> (♧) ...	105	<code>\adfarrowse4</code> (↖) ...	134	<code>\adfbullet{44}</code> (⊙) ...	144
acute (♧) ...	<i>see</i> accents	<code>\adfarrowse5</code> (↖) ...	134	<code>\adfbullet{45}</code> (⊙) ...	144
<code>\acutus</code> (♧) ...	23	<code>\adfarrowse6</code> (↖) ...	134	<code>\adfbullet{46}</code> (⊙) ...	144
<code>\acwcirclearrow</code> (⊙) ...	84	<code>\adfarrowsw1</code> (↗) ...	134	<code>\adfbullet{47}</code> (⊙) ...	144
<code>\acwcirclearrowdown</code> (⊙) ...	78	<code>\adfarrowsw2</code> (↘) ...	134	<code>\adfbullet{48}</code> (⊙) ...	144
<code>\acwcirclearrowleft</code> (⊙) ...	78	<code>\adfarrowsw3</code> (↗) ...	134	<code>\adfbullet{49}</code> (⊙) ...	144
<code>\acwcirclearrowright</code> (⊙) ...	78	<code>\adfarrowsw4</code> (↘) ...	134	<code>\adfbullet{50}</code> (⊙) ...	144
<code>\acwgapcirclearrow</code> (⊙) ...	78	<code>\adfarrowsw5</code> (↗) ...	134	<code>\adfbullet{51}</code> (⊙) ...	144
<code>\acwgapcirclearrow</code> (⊙) ...	79	<code>\adfarrowsw6</code> (↘) ...	134	<code>\adfbullet{52}</code> (⊙) ...	144
<code>\acwleftarcarrow</code> (↵) ...	78	<code>\adfarroww1</code> (↔) ...	134	<code>\adfclosedflourishleft</code> (≈)	146
<code>\acwleftarcarrow</code> (↵) ...	84	<code>\adfarroww2</code> (←) ...	134	<code>\adfclosedflourishright</code>	
<code>\acwnearcarrow</code> (↵) ...	78	<code>\adfarroww3</code> (↔) ...	134	(≈) ...	146
<code>\acwnwarcarrow</code> (↵) ...	78	<code>\adfarroww4</code> (↔) ...	134	<code>\adfdiamond</code> (◇) ...	147
<code>\acwopencirclearrow</code> (⊙) ...	79	<code>\adfarroww5</code> (←) ...	134	<code>\adfdoubleflourishleft</code> (≈)	146
<code>\acwopencirclearrow</code> (⊙) ...	85, 141	<code>\adfarroww6</code> (←) ...	134	146
<code>\acwoverarcarrow</code> (↵) ...	78	<code>\adfast{1}</code> (⊛) ...	139	<code>\adfdoubleflourishright</code>	
<code>\acwoverarcarrow</code> (↵) ...	84	<code>\adfast{2}</code> (⊛) ...	139	(≈) ...	146
<code>\acwrightarcarrow</code> (↵) ...	78	<code>\adfast{3}</code> (⊛) ...	139	<code>\adfdoublesharppflourishleft</code>	
<code>\acwsearcarrow</code> (↵) ...	78	<code>\adfast{4}</code> (⊛) ...	139	(≈) ...	146
<code>\acwswarcarrow</code> (↵) ...	78	<code>\adfast{5}</code> (⊛) ...	139	<code>\adfdoublesharppflourishright</code>	
<code>\acwunderarcarrow</code> (↵) ...	78	<code>\adfast{6}</code> (⊛) ...	139	(≈) ...	146
<code>\acwunderarcarrow</code> (↵) ...	84	<code>\adfast{7}</code> (⊛) ...	139	<code>\adfdownhalfleafleft</code> (♯) ...	140
<code>\Adaeth</code> (⊛) ...	148	<code>\adfast{8}</code> (⊛) ...	139	<code>\adfdownhalfleafright</code> (♯) ..	140
adeles (A) <i>see</i> alphabets, math		<code>\adfast{9}</code> (⊛) ...	139	140
<code>\adfarrow</code> ...	134	<code>\adfast{10}</code> (⊛) ...	139	<code>\adfdownleafleft</code> (♯) ..	140
<code>\adfarrowe1</code> (⇒) ...	134	<code>\adfbullet</code> (●) ...	147	<code>\adfdownleafright</code> (♯) .	140
<code>\adfarrowe2</code> (→) ...	134	<code>\adfbullet{1}</code> (⊙) ...	139	<code>\adfflatdownhalfleafleft</code>	
<code>\adfarrowe3</code> (⇒) ...	134	<code>\adfbullet{2}</code> (⊙) ...	139	(♯) ...	140
<code>\adfarrowe4</code> (⇒) ...	134	<code>\adfbullet{3}</code> (⊙) ...	139	<code>\adfflatdownhalfleafright</code>	
<code>\adfarrowe5</code> (→) ...	134	<code>\adfbullet{4}</code> (⊙) ...	137	(♯) ...	140
<code>\adfarrowe6</code> (⇒) ...	134	<code>\adfbullet{5}</code> (⊙) ...	137	<code>\adfflatdownoutlineleafleft</code>	
<code>\adfarrown1</code> (♯) ...	134	<code>\adfbullet{6}</code> (⊙) ...	137	(♯) ...	140
<code>\adfarrown2</code> (♯) ...	134	<code>\adfbullet{7}</code> (⊙) ...	137	<code>\adfflatdownoutlineleafright</code>	
<code>\adfarrown3</code> (♯) ...	134	<code>\adfbullet{8}</code> (⊙) ...	137	(♯) ...	140
<code>\adfarrown4</code> (♯) ...	134	<code>\adfbullet{9}</code> (⊙) ...	137	<code>\adfflatleafleft</code> (≈) ..	140
<code>\adfarrown5</code> (♯) ...	134	<code>\adfbullet{10}</code> (⊙) ...	137	<code>\adfflatleafoutlineleft</code>	
<code>\adfarrown6</code> (♯) ...	134	<code>\adfbullet{11}</code> (⊙) ...	139	(≈) ...	140
<code>\adfarrowne1</code> (↗) ...	134	<code>\adfbullet{12}</code> (⊙) ...	139	<code>\adfflatleafoutright</code>	
<code>\adfarrowne2</code> (↘) ...	134	<code>\adfbullet{13}</code> (⊙) ...	139	(≈) ...	140
		<code>\adfbullet{14}</code> (⊙) ...	139	<code>\adfflatleafright</code> (≈) .	140
		<code>\adfbullet{15}</code> (⊙) ...	139	<code>\adfflatleafsolidleft</code> (≈)	
		<code>\adfbullet{16}</code> (⊙) ...	139	140
		<code>\adfbullet{17}</code> (⊙) ...	139		
		<code>\adfbullet{18}</code> (⊙) ...	139		

<code>\adfflatleafsolidright</code> () 140	<code>\adfsolidleafleft</code> ()	.. 140	Linear A 149
<code>\adfflourishleft</code> ()	.. 146	<code>\adfsolidleafright</code> ()	.. 140	Linear B 152
<code>\adfflourishleftdouble</code>		<code>\adfsquare</code> () 147	math 123
() 146	<code>adfsymbols</code> (package)	134, 137, 139, 144, 239	phonetic 17–20
<code>\adfflourishright</code> ()	.. 146	<code>\adftripleflourishleft</code>		proto-Semitic 148
<code>\adfflourishrightdouble</code>		() 146	South Arabian 154
() 146	<code>\adftripleflourishright</code>		Vietnamese 16
<code>\adfflowerleft</code> ()	.. 140	() 146	<code>\alphaup</code> (α) 94
<code>\adfflowerright</code> ()	.. 140	<code>\adfwavesleft</code> () 146	alpine symbols 178
<code>\adffgee</code> () 147	<code>\adfwavesright</code> ()	.. 146	<code>\Alt</code> () 129
<code>\adfhalfarrowleft</code> ()	.. 134	<code>\adj</code> (<code>adj</code>) 92	alternative denial <i>see</i> <code>\uparrow</code>	
<code>\adfhalfarrowleftsolid</code> () 134	adjoint (\dagger) <i>see</i> <code>\dag</code>	<i>and</i>	
<code>\adfhalfarrowright</code> ()	.. 134	<code>\Admetos</code> () 128	<code>\AltGr</code> () 129
<code>\adfhalfarrowrightsolid</code> () 134	Adobe Acrobat 232	<code>\altoclef</code> () 159
<code>\adfhalfleafleft</code> ()	.. 140	<code>\adots</code> (\ddots) 116, 227	<code>\AM</code> (α) 129
<code>\adfhalfleafright</code> ()	.. 140	<code>\adots</code> ($\dot{\cdot}$) 115	<code>\amalg</code> (\amalg) 30
<code>\adfhalfleftarrow</code> ()	.. 135	<code>\adots</code> (\ddots) 115	<code>\amalg</code> (\amalg) 32
<code>\adfhalfleftarrowhead</code> ()	..	<code>\adsorbate</code> (Δ) 132	<code>\amalg</code> (\amalg) 31
..... 135		<code>\adsorbent</code> () 132	<code>\amalg</code> (\amalg) 34
<code>\adfhangingflatleafleft</code> () 140	advancing <i>see</i> <code>\textadvancing</code>		<code>\Amem</code> (\sim) 148
<code>\adfhangingflatleafright</code>		<code>\AE</code> (\mathring{A}) 15	<code>\Amor</code> (\emptyset) 128
() 140	<code>\ae</code> (\mathring{a}) 15	ampersand <i>see</i> <code>\&</code>
<code>\adfhangingleafleft</code> ()	140	<code>\aeolicbii</code> ($\circ\circ$) 184	<code>\AMS</code> (package)	.. 12, 15, 30,
<code>\adfhangingleafright</code> ()	140	<code>\aeolicbiii</code> ($\circ\circ\circ$) 184	40, 50, 51, 62, 64, 69, 72,	
<code>\adflowerleft</code> () 140	<code>\aeolicbiv</code> ($\circ\circ\circ\circ$) 184	87, 91, 93, 95, 96, 98, 99,	
<code>\adflowerright</code> () 140	<code>\agem0</code> (U) 119	105, 108, 111, 114, 117–	
<code>\adleftarrowhead</code> ()	.. 135	<code>\Agimel</code> (\sim) 148	119, 124, 219, 220, 238	
<code>\adlopenflourishleft</code> ()	..	<code>\Ahe</code> (\mathring{A}) 148	<code>amsbsy</code> (package) 233
..... 146		<code>\Ahelmet</code> (Δ) 148	<code>amsfonts</code> (package)	.. 118, 123
<code>\adlopenflourishright</code> () 146	<code>\Aheth</code> (\mathring{A}) 148	<code>amsmath</code> (package)	12, 49, 91,
<code>adorn</code> (package)	135, 139, 140, 146, 147, 239, 240	<code>\ain</code> (°) 24	105, 223, 232	
<code>\adfoutlineleafleft</code> ()	140	<code>\Air</code> (Δ) 128	<code>amssymb</code> (package)	.. 12, 105,
<code>\adfoutlineleafright</code> ()	..	<code>\Akaph</code> (\mathring{A}) 148	118, 123, 154, 239	
..... 140		<code>\Alad</code> (J) 105	<code>amstext</code> (package)	.. 224, 226
<code>\adrightarrowhead</code> ()	.. 135	<code>\alad</code> (J) 105	<code>\Anaclasis</code> (\div) 183
<code>\adfS</code> (S) 147	<code>\Alamed</code> (e) 148	<code>\anaclasis</code> (\div) 183
<code>\adfsharpflourishleft</code> ()	..	<code>\Alas</code> (f) 105	<code>\anceps</code> (\times) 184
..... 146		<code>\alas</code> (f) 105	<code>\ancepsdbrevis</code> (\times) 184
<code>\adfsharpflourishright</code> () 146	<code>\Albania</code> (v) 188	<code>\anchor</code> (\mathring{A}) 190
<code>\adfsickleflourishleft</code> () 146	<code>\aldine</code> (S) 140	<code>\anchor</code> (\mathring{A}) 146
<code>\adfsickleflourishright</code>		<code>\aldineleft</code> (S) 140	ancient-language symbols	148–
() 146	<code>\aldineright</code> (S) 140	157	
<code>\adfsingleflourishleft</code> () 146	<code>\aldinesmall</code> (v) 140	<i>and</i> <i>see</i> <code>\wedge</code>
<code>\adfsingleflourishright</code>		<code>\aleph</code> (\aleph) 95, 118	AND gates 130
() 146	<code>\aleph</code> (\aleph) 95	<code>\ANDd</code> () 130
<code>\adfsmallhangingleafleft</code>		<code>\aleph</code> (\aleph) 95	<code>\ANDl</code> () 130
() 140	<code>\aleph</code> (\aleph) 96	<code>\Andorra</code> (()) 188
<code>\adfsmallhangingleafright</code>		<code>\Alif</code> (°) 20	<code>\ANDr</code> () 130
() 140	<i>alla breve</i>	.. 159, 161, 163, 164	<code>\ANDu</code> () 130
<code>\adfsmallleafleft</code> ()	.. 140	<code>\allabreve</code> (P) 159	<code>\angdnr</code> (<) 118
<code>\adfsmallleafright</code> ()	.. 140	<code>allrunes</code> (package)	.. 157, 239	<code>\angl</code> (M) 111
<code>\adfsmallleftarrow</code> ()	.. 140	<code>\Alpha</code> (A) 93	<code>\angle</code> (\angle) 117
<code>\adfsmallleftarrowhead</code> ()	.. 140	<code>\alpha</code> (α) 93	<code>\angle</code> (\angle) 118
<code>\adfsmallleftarrowhead</code> ()	.. 140	alphabets 123	<code>\angle</code> (\angle) 118
<code>\adfsmallleftarrowhead</code> ()	.. 140	African 16		
<code>\adfsmallleftarrowhead</code> ()	.. 140	Cypriot 153		
<code>\adfsmallleftarrowhead</code> ()	.. 140	Cyrillic 222		
<code>\adfsmallleftarrowhead</code> ()	.. 140	Greek	15, 93, 94, 124, 154		
<code>\adfsmallleftarrowhead</code> ()	.. 140	Hebrew	.. 95, 96, 124		
<code>\adfsmallleftarrowhead</code> ()	.. 140	hieroglyphic 149		














<code>\angle</code> (\angle)	118	<code>\APLminus</code> (\ominus)	128	<code>\ArrowBoldRightCircled</code> (\Rightarrow)	134
<code>\angle</code> (\sphericalangle)	117	<code>\APLnot</code> (\equiv)	128	134
<code>\angle</code> (\sphericalangle)	118	<code>\APLnotbackslash</code> (∇)	128	<code>\ArrowBoldRightShort</code> (\Rightarrow)	134
angle notation	126	<code>\APLnotslash</code> (∇)	128	<code>\ArrowBoldRightStrobe</code> (\Rightarrow)	134
angles	116–119, 122, 128	<code>\APLrightarrowbox</code> (\Rightarrow)	128	134
<code>\angles</code> (\sphericalangle)	118	<code>\APLstar</code> (\star)	128	<code>\ArrowBoldUpRight</code> (\Rightarrow)	134
<code>\AngleSign</code> (\sphericalangle)	116	<code>\APLup</code> (Δ)	128	<code>\arrowbullet</code> (\blacktriangleright)	135
<code>\angleubar</code> (\sphericalangle)	118	<code>\APLuparrowbox</code> (\Uparrow)	128	<code>\Arrownote</code> (∇)	90
<code>\angln</code> ($\overline{\sphericalangle}$)	111	<code>\APLvert</code> ($\#$)	128	<code>\arrownote</code> (∇)	90
Anglo-Frisian runes	157	<code>\Apollon</code> (\mathbb{A})	128	<code>\ArrowOver</code> ($\overline{}$)	25
<code>\anglr</code> ($\overline{\sphericalangle}$)	111	apostropha	<i>see musixgre</i>	<code>\arrowOver</code> ($\overline{}$)	25
<code>\Angstrom</code> (\AA)	97	<code>\applecmd</code> (\mathbb{C})	176	arrows	72–74,
Ångström unit		<code>\apprge</code> (\gtrsim)	65	78, 82–87, 107–112, 128,	
math mode <i>see</i> <code>\mathring</code>		<code>\apprle</code> (\lesssim)	65	129, 134, 135, 148, 153,	
text mode	<i>see</i> <code>\AA</code>	<code>\approx</code> (\approx)	50	177, 188, 194–197, 199–	
<code>\Angud</code> (\AA)	105	<code>\approx</code> (\approx)	55	200, 215–216, 222	
<code>\angud</code> (\AA)	105	<code>\approx</code> (\approx)	52	diagonal, for reducing	
angular minutes	<i>see</i> <code>\prime</code>	<code>\approx</code> (\approx)	58	subexpressions	107
angular seconds	<i>see</i> <code>\second</code>	<code>\approxcolon</code> ($\approx\!:$)	61	dotted	112
<code>\Angus</code> (\AA)	105	<code>\approxcoloncolon</code> ($\approx\!::$)	61	double-headed, diagonal	
<code>\angus</code> (\AA)	105	<code>\approxeq</code> (\approx)	50	226
animals	148, 149, 153	<code>\approxeq</code> (\approx)	57	extensible	107–112
<code>\Ankh</code> (\AA)	177	<code>\approxeq</code> (\approx)	55	fletched	87, 134
<code>\Annoey</code> (\AA)	191	<code>\approxeq</code> (\approx)	52	negated	72, 73, 75, 79
<code>\annuity</code> (\AA)	106	<code>\approxeq</code> (\approx)	58	arrows (boisik package option)	
annuity symbols	111, 227–228	<code>\approxeqq</code> (\approx)	58	83
<code>\Antidiple</code> (\sphericalangle)	183	<code>\approxident</code> (\approx)	55	<code>\Arrowvert</code> (\Uparrow)	99
<code>\antidiple</code> (\sphericalangle)	183	<code>\approxident</code> (\approx)	58	<code>\Arrowvert</code> (\Uparrow)	100
<code>\Antidiple*</code> (\sphericalangle)	183	<code>\Aqoph</code> (∞)	148	<code>\Arrowvert</code> (\Uparrow)	102
<code>\antidiple*</code> (\sphericalangle)	183	<code>\Aquarius</code> (\mathbb{A})	126	<code>\arrowvert</code> (\Uparrow)	99
<code>\antilabe</code> (\AA)	116	<code>\Aquarius</code> (\mathbb{A})	128	<code>\arrowvert</code> (\Uparrow)	100
<code>\antimuon</code> (μ^+)	132	<code>\aquarius</code> (\approx)	126	<code>\arrowvert</code> (\Uparrow)	102
<code>\antineutrino</code> ($\bar{\nu}$)	132	<code>\AR</code> (\mathcal{R})	125	<code>\arsech</code> (<code>arsech</code>)	92
<code>\antineutron</code> (\bar{n})	132	ar (package)	125, 239, 240	Arseneau, Donald	224–228
<code>\antiproton</code> (p^-)	132	arafamily	157	<code>\arsinh</code> (<code>arsinh</code>)	92
<code>\antiquark</code> (\bar{q})	132	arc (\mathbb{A})	<i>see</i> accents	<code>\artanh</code> (<code>artanh</code>)	92
<code>\antiquarkb</code> (\bar{b})	132	<code>\arccos</code> (<code>arccos</code>)	91	<code>\artfamily</code>	157
<code>\antiquarkc</code> (\bar{c})	132	<code>\arccot</code> (<code>arccot</code>)	92	articulations	<i>see</i> musical
<code>\antiquarkd</code> (\bar{d})	132	<code>\arceq</code> (\doteq)	57	symbols	
<code>\antiquarks</code> (\bar{s})	132	<code>\arceq</code> (\doteq)	55, 90	<code>\Asade</code> (\sphericalangle)	148
<code>\antiquarkt</code> (\bar{t})	132	<code>\arceq</code> (\doteq)	58	<code>\Asamekh</code> (\diamond)	148
<code>\antiquarku</code> (\bar{u})	132	<code>\arcfamily</code>	157	<code>\ASC</code> (\mathbb{A})	128
<code>\Antisigma</code> (\sphericalangle)	183	arcminutes	<i>see</i> <code>\prime</code>	ASCII	12, 15, 130, 210, 219,
<code>\antisigma</code> (\sphericalangle)	183	<code>\arcosh</code> (<code>arcosh</code>)	92	233–235, 237, 239	
<code>\Anun</code> (\AA)	148	<code>\arcoth</code> (<code>arcoth</code>)	92	table	234
<code>\anyon</code> (\AA)	132	arcs (package)	23, 239, 240	ascii (package)	130, 234, 239,
<code>\aoverbrace</code> ($\overbrace{}$)	110	<code>\arcsch</code> (<code>arcsch</code>)	92	240	
<code>\Ape</code> (\AA)	148	arcseconds	<i>see</i> <code>\second</code>	<code>\ascnode</code> (Ω)	126
APL		<code>\arcsin</code> (<code>arcsin</code>)	91	<code>\Ashin</code> (ω)	148
symbols	58–59	<code>\arctan</code> (<code>arctan</code>)	91	aspect ratio	125
apl (package)	129, 239	<code>\Aresh</code> (\mathcal{R})	148	<code>\Assert</code> (\AA)	55
APL symbols	128, 129	arev (package)	135–138, 146,	<code>\assert</code> (\AA)	55
<code>\APLbox</code> (\square)	128	158, 190, 239		<code>\assert</code> (\AA)	58
<code>\APLboxquestion</code> (\square)	128	<code>\arg</code> (<code>arg</code>)	91	<code>\assumption</code> (\star)	132
<code>\APLboxupcaret</code> (\square)	128	<code>\Aries</code> (\mathcal{Y})	127	<code>\ast</code> ($*$)	31
<code>\APLcirc</code> (\mathbb{A})	128	<code>\Aries</code> (\mathcal{Y})	126	<code>\ast</code> ($*$)	30
<code>\APLcomment</code> (\AA)	128	<code>\Aries</code> (\mathcal{Y})	128	<code>\ast</code> ($*$)	33
<code>\APLdown</code> (∇)	128	<code>\Aries</code> (\mathcal{Y})	126	<code>\ast</code> ($*$)	32
<code>\APLdownarrowbox</code> (\Downarrow)	128	<code>\aries</code> (\mathcal{Y})	126	<code>\ast</code> ($*$)	31
<code>\APLinput</code> (\square)	128	<code>\arlfamily</code>	157	<code>\ast</code> ($*$)	34
<code>\APLin</code> (\mathbb{A})	128	<code>\armfamily</code>	157		
<code>\APLin</code> (\mathbb{A})	128	<code>\arnfamily</code>	157		
<code>\APLleftarrowbox</code> (\Leftarrow)	128	<code>\ArrowBoldDownRight</code> (\searrow)	134		
<code>\APLlog</code> (\AA)	128				













<code>\asteq</code> ($\stackrel{*}{\approx}$)	58
<code>\asteraccent</code> (♁)	106
<code>\Asteriscus</code> (✱)	183
<code>\asteriscus</code> (✱)	183
<code>\Asterisk</code> ($*$)	31
<code>\Asterisk</code> (✱)	139
<code>\asterisk</code> ($*$)	31
<code>\AsteriskBold</code> (✱)	139
<code>\AsteriskCenterOpen</code> (✱)	139
<code>\AsteriskRoundedEnds</code> (✱)	139
asterisks	31, 139
<code>\AsteriskThin</code> (✱)	139
<code>\AsteriskThinCenterOpen</code> (✱)	139
<code>\asterism</code> (✱)	223
asteroids	128
astrological symbols	126–128, 201–203
astronomical symbols	126–128, 186, 201–203
<code>\astrosun</code> (☉)	127
<code>\astrosun</code> (☉)	126
astrosym (package)	201, 239
asymmetric braces	110
<code>\asymp</code> (\asymp)	50
<code>\asymp</code> (\asymp)	55, 90
<code>\asymp</code> (\asymp)	89
<code>\asymp</code> (\asymp)	58
asymptotic notation	92
<code>\atan</code> (atan)	232
<code>\ataribox</code> (✱)	176
<code>\Atav</code> ($+$)	148
<code>\Ateth</code> (⌘)	148
<code>\AtForty</code> (⌘)	177
<code>\AtNinetyFive</code> (⌘)	177
<code>\atom</code> (✱)	132
atomic math objects	91, 92, 232
<code>\AtSixty</code> (⌘)	177
<code>\aunderbrace</code> ($\underbrace{\quad}$)	110
<code>\Austria</code> (☝)	188
<code>\Aut</code> (Aut)	92
<code>\autoleftarrow</code> (\leftarrow)	111
<code>\autoleftrightarpoons</code> (\rightleftharpoons)	111
<code>\autorightarrow</code> (\rightarrow)	111
<code>\autorightleftharpoons</code> (\rightleftharpoons)	111
<code>\Autumntree</code> (🌲)	192
<code>\Avav</code> (♀)	148
average	29
<code>\awint</code> (\int)	48
<code>\awint</code> (\int)	45
<code>\awint</code> (\int)	46
<code>\awintsl</code> (\int)	47
<code>\awintup</code> (\int)	47

<code>\Ayn</code> (ع)	20
<code>\Ayod</code> (Ⲁ)	148
<code>\Azayin</code> ($=$)	148
B	
B (β)	157
<code>\B</code>	16
<code>\B</code> (Ⓝ)	183
<code>b</code> (esvect package option)	110
<code>\b</code> (Ⓝ)	20
<code>\b</code> (Ⓝ)	183
<code>b</code> (β)	157
<code>\Ba</code> (⌈)	152
babel (package)	15, 93, 94, 154
<code>\babygamma</code> (Ⲁ)	19
Bachmann–Landau notation	92
<code>\backapprox</code> (\backapprox)	52
<code>\backapproxeq</code> (\backapproxeq)	52
<code>\Backblech</code> (■)	191
<code>\backcong</code> (\cong)	55
<code>\backcong</code> (\cong)	52
<code>\backcong</code> (\cong)	58
<code>\backdprime</code> (Ⓝ)	117
<code>\backepsilon</code> (ϵ)	50
<code>\backepsilon</code> (ϵ)	120
<code>\backepsilon</code> (ϵ)	95
<code>\backeqsim</code> (\simeq)	52
<code>\backneg</code> ($-$)	120
<code>\backneg</code> ($-$)	119
<code>\backprime</code> (Ⓝ)	119
<code>\backprime</code> (Ⓝ)	120
<code>\backprime</code> (Ⓝ)	120
<code>\backprime</code> (Ⓝ)	119
<code>\backprime</code> (Ⓝ)	117
<code>\backpropto</code> (\propto)	55
<code>\backsim</code> (\sim)	50
<code>\backsim</code> (\sim)	57
<code>\backsim</code> (\sim)	55
<code>\backsim</code> (\sim)	52
<code>\backsim</code> (\sim)	58
<code>\backsim</code> (\sim)	50
<code>\backsim</code> (\sim)	57
<code>\backsim</code> (\sim)	55
<code>\backsim</code> (\sim)	52
<code>\backsim</code> (\sim)	58
<code>\backsim</code> (\sim)	56
<code>\backslash</code> (\backslash)	99, 118
<code>\backslash</code> (\backslash)	101
<code>\backslash</code> (\backslash)	100
<code>\backslash</code> (\backslash)	121
<code>\backslash</code> (\backslash)	102
<code>\backslash</code> (\backslash)	31
<code>\backtriplesim</code> (\backtriplesim)	52
<code>\backtrprime</code> (Ⓝ)	117
<code>\backturn</code> (Ⓝ)	159
<code>\bagmember</code> (Ⓝ)	57
<code>\bagmember</code> (Ⓝ)	58
<code>\Baii</code> (⌈)	152

<code>\Baiii</code> (⌈)	152
<code>\bakingplate</code> (■)	191
<code>\ballotcheck</code> (\checkmark)	138
<code>\ballotx</code> (✱)	138
banana brackets	see <code>\llparenthesis</code> and <code>\rrparenthesis</code>
<code>\banceps</code> (Ⓝ)	184
<code>\bar</code> (Ⓝ)	106
<code>\bar</code> (Ⓝ)	105
<code>\bar</code> (Ⓝ)	157
<code>\barb</code> (Ⓝ)	19
<code>\barbbrevis</code> (Ⓝ)	184
<code>\barbbrevis</code> (Ⓝ)	184
<code>\barcap</code> (Ⓝ)	34
<code>\barcirc</code> (Ⓝ)	224
<code>\barcup</code> (Ⓝ)	34
<code>\bard</code> (Ⓝ)	19
<code>\bardownharpoonleft</code> (Ⓝ)	86
<code>\bardownharpoonright</code> (Ⓝ)	86
<code>\bari</code> (Ⓝ)	19
<code>\barin</code> (Ⓝ)	96
<code>\barint</code> (\int)	48
<code>\barj</code> (Ⓝ)	19
<code>\barl</code> (Ⓝ)	19
<code>\barlambda</code> (λ)	19
<code>\barleftarrow</code> (\leftarrow)	82
<code>\barleftarrow</code> (\leftarrow)	84
<code>\barleftarrowrightarrowbar</code> ($\leftarrow\rightarrow$)	82
<code>\barleftarrowrightarrowbar</code> ($\leftarrow\rightarrow$)	84
<code>\barleftharpoon</code> (\rightleftharpoons)	74
<code>\barleftharpoondown</code> (Ⓝ)	86
<code>\barleftharpoonup</code> (Ⓝ)	86
<code>\baro</code> (Ⓝ)	30
<code>\baro</code> (Ⓝ vs. Ⓝ)	220
<code>\baro</code> (Ⓝ)	33
<code>\baro</code> (Ⓝ)	19
<code>\BarOver</code> (Ⓝ)	25
<code>\barOver</code> (Ⓝ)	25
<code>\barovernorthwestarrow</code> (Ⓝ)	82
<code>\barovernorthwestarrow</code> (Ⓝ)	141
<code>\barp</code> (Ⓝ)	19
barred letters	223
<code>\barrightrightarrowdiamond</code> (Ⓝ)	84
<code>\barrightharpoon</code> (\rightleftharpoons)	74
<code>\barrightharpoondown</code> (Ⓝ)	86
<code>\barrightharpoonup</code> (Ⓝ)	86
<code>\barsci</code> (Ⓝ)	19
<code>\barscu</code> (Ⓝ)	19
<code>\Bart</code> (Ⓝ)	184
bartel-chess-fonts (package)	217, 218, 239
<code>\baru</code> (Ⓝ)	19
<code>\baruparrow</code> (Ⓝ)	84
<code>\barupharpoonleft</code> (Ⓝ)	86
<code>\barupharpoonright</code> (Ⓝ)	86


<code>\Barv</code> ($\bar{\nu}$)	55	<code>\bbyod</code> (°)	124	<code>\bchomme</code> (♂)	193
<code>\Barv</code> ($\bar{\nu}$)	58	<code>\bcattention</code> (⚠)	192	<code>\bchorloge</code> (🕒)	193
<code>\barV</code> ($\bar{\nu}$)	55	<code>\bcbombe</code> (💣)	192	<code>\bcicosaedre</code> (🎲)	193
<code>\barV</code> ($\bar{\nu}$)	58	<code>\bcbook</code> (📖)	192	<code>\bcinfo</code> (👤)	193
<code>\barvee</code> ($\bar{\nu}$)	34	<code>\bccalendrier</code> (📅)	193	<code>\bcinterdit</code> (🚫)	193
<code>\barwedge</code> ($\bar{\nu}$)	31	<code>\bccle</code> (👉)	193	<code>\bcclampe</code> (💡)	193
<code>\barwedge</code> ($\bar{\nu}$)	30	<code>\bcclefa</code> (🎵)	193	<code>bclogo</code> (package)	192, 193, 239, 240
<code>\barwedge</code> ($\bar{\nu}$)	33	<code>\bcclesol</code> (🎵)	193	<code>\bcloupe</code> (🔍)	193
<code>\barwedge</code> ($\bar{\nu}$)	32	<code>\bccoeur</code> (❤)	193	<code>\bcneige</code> (❄)	193
<code>\barwedge</code> ($\bar{\nu}$)	34	<code>\bccrayon</code> (🖍)	193	<code>\bcnote</code> (🎵)	193
base twelve		<code>\bccube</code> (📦)	193	<code>\bcnucleaire</code> (☢)	193
numerals	117	<code>\bcdallemagne</code> (🇩🇪)	193	<code>\bcocetaedre</code> (🎲)	193
tally markers	180	<code>\bcdanger</code> (⚠)	193	<code>\bcoeil</code> (👁)	193
<code>\BasicTree</code>	192	<code>\bcdautriche</code> (🇦🇹)	193	<code>\bcontraction</code>	228
<code>\bassclef</code> (🎵)	159	<code>\bcdbelgique</code> (🇧🇪)	193	<code>\bcorne</code> (🐉)	193
<code>\Bat</code> (♣)	177	<code>\bcdbulgarie</code> (🇧🇬)	193	<code>\bcours</code> (🐻)	193
bats	38, 114	<code>\bcdfrance</code> (🇫🇷)	193	<code>\bcoutil</code> (🔧)	193
<code>\Bau</code> (🏗)	152	<code>\bcditalie</code> (🇮🇹)	193	<code>\bcpanchant</code> (🚧)	192
<code>\baucircle</code> (●)	144	<code>\bcdluxembourg</code> (🇱🇺)	193	<code>\bcpeaceandlove</code> (☮)	192
<code>\baufoms</code> (📐)	177	<code>\bcdodecaedre</code> (🎲)	193	<code>\bcpluie</code> (🌧)	192
<code>\bauhead</code> (👤)	177	<code>\bcdpaysbas</code> (🇳🇱)	193	<code>\bcplume</code> (🖋)	193
<code>\bausquare</code> (■)	144	<code>\bcdz</code> (⚠)	193	<code>\bcpoisson</code> (🐟)	193
<code>\bautriangle</code> (▲)	144	<code>\bceclaircie</code> (☀)	193	<code>\bcquestion</code> (?)	193
<code>\BB</code> (♩)	183	<code>\bcetoile</code> (★)	192	<code>\bcrecyclage</code> (♻)	193
<code>\Bb</code> (♩)	183	<code>\bcfemme</code> (♀)	192	<code>\bcrosevents</code> (🌀)	193
<code>\bB</code> (♩)	183	<code>\bcfeujaune</code> (🚦)	192	<code>\bcsmbh</code> (😊)	193
<code>\bb</code> (♩)	183	<code>\bcfeurouge</code> (🚦)	193	<code>\bcsmmh</code> (😞)	193
<code>\bba</code> (✕)	183	<code>\bcfeutricolore</code> (🚦)	193	<code>\bcsoleil</code> (☀)	193
<code>\bbalpha</code> (α)	124	<code>\bcfeuvert</code> (🚦)	193	<code>\bcspadesuit</code> (♠)	193
<code>\bbar</code> (\bar{b})	223	<code>\bcfleur</code> (🌻)	193	<code>\bcstop</code> (🛑)	193
<code>\bbb</code> (♩)	183			<code>\bctakecare</code> (⚠)	193
<code>\bbbbeta</code> (β)	124			<code>\bctetraedre</code> (🎲)	193
<code>\Bbbk</code> (k)	96				
<code>\Bbbk</code> (k)	97				
<code>\Bbbk</code> (k)	97				
<code>\Bbbsum</code> (Σ)	46				
<code>bbding</code> (package)	134–137, 139, 143, 146, 220, 239				
<code>\bbdollar</code> ($\text{\$}$)	124				
<code>\bbetter</code> ($\bar{\nu}$)	181				
<code>\bbeuro</code> (€)	124				
<code>\bbfinalnun</code> (¶)	124				
<code>\bbgamma</code> (♾)	124				
<code>bbgreekl</code> (mathbbol package option)	124				
<code>\BBm</code> (♩)	183				
<code>\Bbm</code> (♩)	183				
<code>\bBm</code> (♩)	183				
<code>bbm</code> (package)	123, 239				
<code>\bbm</code> (♩)	183				
<code>\bbmb</code> (♩)	183				
<code>\bbmx</code> (♩)	183				
<code>\bbnabla</code> (∇)	124				
<code>bbold</code> (package)	123, 239				
<code>\bbpe</code> (⊞)	124				
<code>\bbqof</code> (⊞)	124				
<code>\bbrevis</code> (♩)	184				
<code>\bbrktbrk</code> (≡)	121				
<code>\bbslash</code> (\)	30				
<code>\bbslash</code> (\)	33				

\backslash bctrefle 	193	\backslash BGconditional 	116	\backslash bigcup 	40
\backslash bctrombone 	193	\backslash BGcontent $(.)$	116	\backslash bigcup 	45
\backslash bcvaletcoeur 	193	\backslash BGnot (\neg)	116	\backslash bigcup 	44
\backslash bcvelo 	193	\backslash BGquant (\sim)	116	\backslash bigcup 	46
\backslash bcyin 	193	\backslash Bi (Ψ)	152	\backslash bigcupdot 	45
\backslash Bda (\dagger)	152	\backslash bibridge (\equiv)	22	\backslash bigcupdot 	44
\backslash Bde 	152	biconditional		\backslash bigcupplus (\uplus)	45
\backslash bddecisive (\dashv)	181	.. see \backslash leftrightharrow		\backslash bigcupplus (\uplus)	44
\backslash Bdi (\Uparrow)	152	and \backslash equiv		\backslash bigcurlyvee (\curlyvee)	41
\backslash bdleftarccarrow (\curvearrowleft)	78	\backslash Bicycle (\textcircled{B})	177	\backslash bigcurlyvee (\curlyvee)	40
\backslash bdnearccarrow (\curvearrowright)	78	\backslash Big (\textcircled{B})	219, 221	\backslash bigcurlyvee (\curlyvee)	45
\backslash bdnwarccarrow (\curvearrowright)	78	\backslash big (\textcircled{B})	219, 221	\backslash bigcurlyvee (\curlyvee)	44
\backslash Bdo (\hat{P})	152	big O (\textcircled{O}) see alphabets, math		\backslash bigcurlyveedot (\curlyvee)	44
\backslash bdoverarccarrow (\curvearrowright)	78	big O notation	92	\backslash bigcurlywedge (\curlywedge)	41
\backslash bdrightarccarrow (\curvearrowright)	78	\backslash Bigassumption (\star)	132	\backslash bigcurlywedge (\curlywedge)	40
\backslash bdsearccarrow (\curvearrowright)	78	\backslash bigassumption (\star)	132	\backslash bigcurlywedge (\curlywedge)	45
\backslash bdswarccarrow (\curvearrowright)	78	\backslash bigast $(*)$	31	\backslash bigcurlywedge (\curlywedge)	44
\backslash Bdu (H)	152	\backslash bigblacktriangledown (\blacktriangledown)		\backslash bigcurlywedgedot (\curlywedge)	44
\backslash bdunderarccarrow (\curvearrowright)	78 141		\backslash BigDiamondshape (\diamond)	143
\backslash Bdwe (Ψ)	152	\backslash bigblacktriangleup (\blacktriangleup)	141	\backslash bigdoublecurlyvee (\curlyvee)	44
\backslash Bdwo $(\Delta\Delta)$	152	\backslash bigbosonloop (\textcircled{B})	132	\backslash bigdoublecurlywedge (\curlywedge)	44
\backslash Be (A)	152	\backslash bigbosonloopA (\textcircled{B})	132	\backslash bigdoublevee (\mathbb{W})	45
\backslash Beam (=)	131	\backslash bigbosonloopV (\textcircled{B})	132	\backslash bigdoublevee (\mathbb{W})	44
\backslash Bearing (Δ)	131	\backslash bigbot (\perp)	121	\backslash bigdoublewedge (\mathbb{M})	45
\backslash because (\because)	50, 114	\backslash bigbox (\square)	40	\backslash bigdoublewedge (\mathbb{M})	44
\backslash because (\because)	57	\backslash bigboxasterisk (\boxast)	41	\backslash Bigg	219, 221
\backslash because (\because)	115	\backslash bigboxbackslash (\boxbackslash)	41	\backslash bigg	219, 221
\backslash because (\because)	115	\backslash bigboxbot (\boxbot)	41	\backslash biggassumption (\star)	132
\backslash because (\because)	115	\backslash bigboxcirc (\boxcirc)	41	\backslash BigHBar $(\overline{\quad})$	143
\backslash because (\because)	115	\backslash bigboxcoasterisk (\boxtimes)	41	\backslash bigint (\int)	43
\backslash Bed (B)	192	\backslash bigboxdiv (\boxdiv)	41	\backslash biginterleave (III)	40
begriff (package)	116, 239	\backslash bigboxdot (\boxdot)	41	\backslash biginterleave (III)	121
Begriffsschrift symbols	116	\backslash bigboxleft (\boxleftarrow)	41	bigints (package)	43, 239, 240
\backslash BEL (\bullet)	130	\backslash bigboxminus (\boxminus)	41	\backslash bigints (\int)	43
\backslash Belarus (A)	188	\backslash bigboxplus (\boxplus)	41	\backslash bigintss (\int)	43
\backslash Belgium (B)	188	\backslash bigboxright (\boxrightarrow)	41	\backslash bigintsss (\int)	43
\backslash bell (A)	176	\backslash bigboxslash (\boxslash)	41	\backslash bigintssss (\int)	43
\backslash benzenr (C)	141	\backslash bigboxtimes (\boxtimes)	41	\backslash biginvamp (X)	50
beret	107	\backslash bigboxtop (\boxtop)	41	\backslash BigLowerDiamond (\blacklozenge)	143
Berry, Karl	241	\backslash bigboxtriangleup (\boxtriangleup)	41	\backslash bignplus (A)	40
\backslash Beta (B)	93	\backslash bigboxvoid (\boxvoid)	41	\backslash bigO (\textcircled{O})	92
\backslash beta (β)	93	\backslash bigcap (\cap)	40	\backslash bigO (\textcircled{O})	92
\backslash betaup (B)	94	\backslash bigcap (\cap)	44	\backslash bigOast (\textcircled{O})	45
\backslash beth (\beth)	95	\backslash bigcap (\cap)	44	\backslash bigOast (\textcircled{O})	44
\backslash beth (\beth)	95	\backslash bigcapdot (\cap)	44	\backslash bigOasterisk (\textcircled{O})	41
\backslash beth (\beth)	95	\backslash bigcapdot (\cap)	44	\backslash bigobackslash (\textcircled{O})	41
\backslash beth (\beth)	95	\backslash bigcapplus (\cap)	45	\backslash bigobackslash (\textcircled{O})	44
\backslash beth (\beth)	95	\backslash bigcapplus (\cap)	44	\backslash bigobot (\oplus)	41
\backslash beth (\beth)	96	\backslash bigcirc (\circ)	30	\backslash bigocirc (\odot)	41
better ... see \backslash triangleleft		\backslash bigcirc (\circ)	141	\backslash bigocirc (\odot)	44
\backslash betteris (\triangleleft)	181	\backslash bigcirc (\circ)	140	\backslash bigocirc (\odot)	44
\backslash between (X)	52	\backslash bigcirc (\circ)	142	\backslash bigocoasterisk (\textcircled{O})	41
\backslash between (X)	50	\backslash BigCircle (\textcircled{O})	143	\backslash bigodiv (\oslash)	41
\backslash between (X)	57	\backslash BigCircle (\textcircled{O})	143	\backslash bigodot (\odot)	40
\backslash between (X)	55	\backslash bigcircle (\textcircled{O})	44	\backslash bigodot (\odot)	45
\backslash between (X)	52	\backslash bigcoast $(*)$	31	\backslash bigodot (\odot)	44
\backslash between (X)	58	\backslash bigcomplementtop (\complement)	41	\backslash bigodot (\odot)	46
\backslash BGassert (\vdash)	116	\backslash BigCross (X)	143		

`\blackpointerleft` (◀) . 141
`\blackpointerright` (▶) . 141
`\BlackQueenOnBlack` () .
..... 182
`\BlackQueenOnWhite` () .
..... 182
`\blackrighthalfcircle` (◐) ..
..... 141
`\BlackRookOnBlack` () 182
`\BlackRookOnWhite` () 182
`\blacksmiley` () 121
`\blacksmiley` () 176
`\blacksquare` (■) 119
`\blacksquare` (■) ... 37, 141
`\blacksquare` (■) 36
`\blacksquare` (■) 142
`\blackstone` 182
`\blacktriangle` (▲) 119
`\blacktriangle` (▲) . 37, 141
`\blacktriangle` (▲) .. 37, 71
`\blacktriangle` (▲) 70
`\blacktriangle` (▲) 142
`\blacktriangleleft` (◄) . 35
`\blacktriangleleft` (◄) . 119
`\blacktriangleleft` (◄) . 37,
141
`\blacktriangleleft` (◄) . 37,
71
`\blacktriangleleft` (◄) . 70
`\blacktriangleleft` (◄) . 142
`\blacktriangleleft` (◄) . 35
`\blacktriangleleft` (◄) . 69
`\blacktriangleleft` (◄) . 37
`\blacktriangleleft` (◄) . 37,
71
`\blacktriangleleft` (◄) . 70
`\blacktriangleleft` (◄) . 142
`\blacktriangleright` (►) . 35
`\blacktriangleright` (►) . 69
`\blacktriangleright` (►) . 37
`\blacktriangleright` (►) . 37,
71
`\blacktriangleright` (►) . 70
`\blacktriangleright` (►) . 142
`\blacktriangleright` (►) . 35
`\blacktriangleup` (▲) ... 35
`\blackwhitespoon` (↶) .. 89
`blank` *see* `\textblank`
`\Bleech` (△) 177
`\blender` (!) 191
`\blitza` () 90
`\blitza` () 29
`\blitzb` () 90
`\blitzc` () 90
`\blitzd` () 90
`\blitze` () 90
`\blkhorzoval` (◉) 142
`\blkvertoval` (◊) 142
`block-element symbols` ... 185
`\Bm` (♁) 183

`bm` (package) ... 233, 239, 240
`\bm` 233
`\bm` (♁) 183
`\Bma` (♁) 152
`\Bme` (♁) 152
`\Bmesonminus` (B^-) 133
`\Bmesonnull` (B^0) 133
`\Bmesonplus` (B^+) 133
`\Bmi` (♁) 152
`\Bmo` (♁) 152
`\bmod` 91
`\Bmu` (♁) 152
`\Bna` (♁) 152
`\BNc` (♁) 152
`\BNcc` (♁) 152
`\BNccc` (♁) 152
`\BNcd` (♁) 152
`\BNcm` (♁) 152
`\BNd` (♁) 152
`\BNdc` (♁) 152
`\BNdcc` (♁) 152
`\BNdccc` (♁) 152
`\Bne` (♁) 152
`\Bni` (♁) 152
`\Bni` (♁) 152
`\BNii` (♁) 152
`\BNiii` (♁) 152
`\BNiv` (♁) 152
`\BNix` (♁) 152
`\BNl` (♁) 152
`\BNlx` (♁) 152
`\BNlxx` (♁) 152
`\BNlxxx` (♁) 152
`\BNm` (♁) 152
`\Bno` (♁) 152
`\bNot` (≠) 58
`\Bnu` (♁) 152
`\BNv` (♁) 152
`\BNvi` (♁) 152
`\BNvii` (♁) 152
`\BNviii` (♁) 152
`\Bnwa` (♁) 152
`\BNx` (♁) 152
`\BNxc` (♁) 152
`\BNxl` (♁) 152
`\BNxx` (♁) 152
`\BNxxx` (♁) 152
`\Bo` (♁) 152
`body-text symbols` ... 14–28
`boisik` (package) ... 33, 37, 45,
57, 63, 68, 71, 82, 83, 95,
97, 98, 106, 118, 120, 141,
145, 154, 158, 239, 240
`bold symbols` 233
`\boldmath` 233

`\boldsymbol` 233
`\BOLogo` (♁) 177
`\BOLogoL` (♁) 177
`\BOLogoP` (♁) 177
`bomb` 192–193
`\bomb` (♁) 177
`\bond` (⚭) 133
`Boolean domain` (\mathbb{B}) *see*
alphabets, math
`Boolean logic gates` 130
`boondox` (`emf` package option)
..... 126
`borders` 204–210
`born` *see* `\textborn`
`\boseDistrib` (♁) 133
`\Bosnia` (♁) 188
`\boson` (♁) 133
`bosons` 132
`\Bot` (♁) 98
`\bot` (⊥) 29, 96, 225
`\bot` (⊥) 97
`\bot` (⊥) 96
`\bot` (⊥) 97
`\botborder` (♁) 183
`\botdoteq` (≐) 52
`\botsemicircle` (⊤) 142
`\bottle` (♁) 191
`\Bottomheat` (♁) 191
`\Bouquet` (♁) 177
`\bowl` (♁) 191
`\Bowtie` (♁) 176
`\bowtie` (♁) 50
`\bowtie` (♁) 33
`\bowtie` (♁) 33, 55
`\bowtie` (♁) 31, 32
`\bowtie` (♁) 58
`\Box` (♁) 118
`\Box` (♁) 119
`\Box` (♁) 37
`\Box` (♁) 36
`\Box` (♁) 142
`box-drawing symbols` 185
`\boxast` (♁) 30
`\boxast` (♁) 37
`\boxast` (♁) 38
`\boxasterisk` (♁) 35
`\boxbackslash` (♁) 35
`\boxbackslash` (♁) 36
`\boxbackslash` (♁) 36
`\boxbar` (♁) 30
`\boxbar` (♁) 37
`\boxbar` (♁) 37
`\boxbar` (♁) 38
`\boxbot` (♁) 35
`\boxbot` (♁) 37
`\boxbox` (♁) 30
`\boxbox` (♁) 37
`\boxbox` (♁) 36
`\boxbox` (♁) 36
`\boxbox` (♁) 38
`\boxbox` (♁) 38
`\boxbox` (♁) 38
`\boxbslash` (♁) 30
`\boxbslash` (♁) 37
`\boxbslash` (♁) 37

\Btwo (Ŷ) 152
\Bu (ff) 152
\BUFD (▽) 130
buffers 130
\BUF1 (◁) 130
\BUFr (▷) 130
\BUFu (△) 130
\BUi (†) 153
\BUii (♁) 153
\BUiii (‡) 153
\BUiv (℄) 153
\BUix (⊖) 153
\Bulgaria (⌘) 189
bullcntr (package) 180, 239, 240
\bullcntr{⟨1⟩} (•) ... 180
\bullcntr{⟨2⟩} (••) ... 180
\bullcntr{⟨3⟩} (•••) ... 180
\bullcntr{⟨4⟩} (••••) ... 180
\bullcntr{⟨5⟩} (•••••) ... 180
\bullcntr{⟨6⟩} (••••••) ... 180
\bullcntr{⟨7⟩} (•••••••) ... 180
\bullcntr{⟨8⟩} (••••••••) ... 180
\bullcntr{⟨9⟩} (•••••••••) ... 180
bullenum (package) 180
bullenum 180
\bullet (•) 30
\bullet (•) 37
\bullet (•) 31
\bullet (•) 38
bullseye . *see* \textbullseye
\bullseye (◎) 142
\Bumpedeq (≅) 52
\Bumpedeq (≅) 52
\Bumpeq (≈) 50
\Bumpeq (≈) 57
\Bumpeq (≈) 55
\Bumpeq (≈) 53
\Bumpeq (≈) 58
\Bumpeq (≈) 50
\Bumpeq (≈) 57
\Bumpeq (≈) 55
\Bumpeq (≈) 52
\Bumpeq (≈) 58
\Bumpeq (≈) 55
\Bumpeq (≈) 58
\Bupperhand (☞) 181

\Burns (☞) 184
\BusWidth (↙) 130
\BUv (∅) 153
\BUvi (⌘) 153
\BUvii (III) 153
\BUviii (III) 153
\BUx (⌘) 153
\BUxi (↵) 153
\BUxii (β) 153

\Bwa (III) 152
\Bwe (∅) 152
\Bwi (⌘) 152
\Bwo (↗) 152
\BX (□) 129
\Bza (∅) 152
\Bze (⌘) 152
\Bzo (↑) 152

C
\C (■) 20
\C (l) 183
c (esvect package option) . 110
\c (■) 20, 236
\c (l) 183
\Ca (✕) 153
\caesura (∕) 159

cal (emf package option) . 126
calligra (package) 123, 239, 240
calligra (emf package option) .
..... 126
Calligra (font) 123
calrsfs (package) 123
\CAN (†) 130
cancel (package) 107
\Cancer (☞) 126
\Cancer (☞) 128
\cancer (☞) 126
\Candle (†) 192
\candra (♁) 106
\Cap (Ⓜ) 30
\Cap (Ⓜ) 33
\Cap (Ⓜ) 33
\Cap (Ⓜ) 32
\Cap (Ⓜ) 34
\cap (∩) 31
\cap (∩) 30
\cap (∩) 33
\cap (∩) 32
\cap (∩) 31
\cap (∩) 34
\capbarcup (∩) 34
\capdot (∩) 32
\capdot (∩) 31
\capdot (∩) 34
\capovercup (∩) 34
\capplus (Ⓜ) 32
\capplus (Ⓜ) 31
\Capricorn (♈) 126
\Capricorn (♋) 128
\capricornus (♋) 126
\capturesymbol (×) 181
\capwedge (Ⓜ) 34
card suits . 145, 146, 192–193
cardinality *see* \aleph
care of (c/o) 121
caret *see* \^
\caretinsert (∧) 121
Carlisle, David . . 1, 238, 239
caron (̂) *see* accents

carriage return 82,
84–85, 129, 130, 146, 222,
see also \hookleftarrow
\carriagereturn (↵) 82
\carriagereturn (↵) ... 84
\carriagereturn (↵) ... 146
Cartesian product *see* \times
castle 182, 217–218
\castlingchar (O) 181
\castlinghyphen (-) 181
\Cat (⌘) 191
\catal (∧) 184
\Catalexis (∧) 183
\catalexis (∧) 183
catamorphism
see \lparenthesis and
\rrparenthesis
\CB (A) 129
\cb (■) 24
\Cc (ll) 183
\cc (©) 27
\cc (ll) 183
\ccAttribution (©) 27
\ccby (©) 27
\ccbyncnd (©) 27
\Ccc (lll) 183
\ccCopy (©) 27
\cChangey (©) 191
ccicons (package) 27, 239, 240
ccllicenses (package) . 27, 239,
240
\ccLogo (©) 27
\ccnc (©) 27
\ccnd (©) 27
\ccNoDerivatives (©) .. 27
\ccNonCommercial (©) .. 27
\ccNonCommercialEU (©) . 27
\ccNonCommercialJP (©) . 27
\ccPublicDomain (©) ... 27
\ccRemix (©) 27
\ccsa (©) 27
\ccSampling (©) 27
\ccShare (©) 27
\ccShareAlike (©) 27
\ccwundercurvearrow (↵) 84
\ccZero (©) 27
\cdot (·) 30, 223
\cdot (·) 33
\cdot (·) 32, 115
\cdot (···) 115
\cdot (·) 31, 115
\cdot (·) 115
\cdotp (·) 114
\cdotp (···) 115
\cdotp (·) 115
\cdotp (·) 115
\cdots (···) 114
\cdots (···) 115
\cdots (···) 115
\CE (Γ) 129
\Ce (✕) 153
Cedi *see* \textcolonmonetary
cedilla (̂) *see* accents

<code>\circomid</code> (◐)	89	<code>clubs</code>	145, 146	<code>\Coloneqq</code> (::=)	59
<code>\circomid</code> (◑)	58	<code>\clubsuit</code> (♣)	145	<code>\coloneqq</code> (:=)	59
<code>\cirscir</code> (◌)	142	<code>\clubsuit</code> (♣)	145	<code>\coloneqq</code> (:=)	29, 51
<code>\Cja</code> (⊖)	153	<code>\clubsuit</code> (♣)	145	<code>\coloneqq</code> (:=)	55
<code>\Cjo</code> (∨)	153	<code>\clubsuit</code> (♣)	145	<code>colonequals</code> (package)	29, 61, 239, 240
<code>\Cka</code> (↑)	153	<code>\clubsuit</code> (♣)	146	<code>\colonequals</code> (:=)	29, 61
<code>\Cke</code> (✗)	153	<code>\Cma</code> (⌘)	153	<code>\colonminus</code> (:−)	61
<code>\Cki</code> (⌈)	153	<code>\Cme</code> (⌘)	153	<code>\Colonsim</code> (::~)	51
<code>\Cko</code> (∩)	153	<code>\Cmi</code> (∨)	153	<code>\Colonsim</code> (::~)	59
<code>\Cku</code> (⌘)	153	<code>cmll</code> (package)	29, 35, 50, 61, 98, 239	<code>\colonsim</code> (:~)	61
<code>\Cla</code> (∨)	153	<code>\Cmo</code> (∅)	153	<code>\colonsim</code> (:~)	59
<code>\Cle</code> (8)	153	<code>cmr</code> (emf package option)	126	<code>\colonsim</code> (:~)	51
<code>\CleaningA</code> (Ⓐ)	177	<code>\Cmu</code> (⌘)	153	<code>combelow</code> (package)	24, 239, 240
<code>\CleaningF</code> (Ⓔ)	177	<code>cmupint</code> (package)	48, 49, 239, 240	<code>combinatorial logic gates</code>	130
<code>\CleaningFF</code> (Ⓔ)	177	<code>\Cna</code> (↑)	153	<code>comma-below accent</code> (◌)	<i>see</i> accents
<code>\CleaningP</code> (Ⓔ)	177	<code>\Cne</code> (⌈)	153	<code>\commaminus</code> (±)	34
<code>\CleaningPP</code> (Ⓔ)	177	<code>\Cni</code> (↘)	153	<code>communication symbols</code>	130
<code>\clefC</code> (B)	162	<code>\Cno</code> (↗)	153	<code>commutative diagrams</code>	226
<code>\clefCInline</code>	162	<code>\Cnu</code> (⌘)	153	<code>comp.text.tex</code> (newsgroup)	13, 29, 30, 222–228
<code>\clefF</code> (B)	162	<code>\CO</code> (∩)	129	<code>compass</code>	199–200
<code>\clefFInline</code>	162	<code>\Co</code> (∩)	153	<code>\compensation</code> (⊖)	181
<code>\clefG</code> (B)	162	<code>\coAsterisk</code> (✱)	31	<code>\complement</code> (℄)	96
<code>\clefGInline</code>	162	<code>\coAsterisk</code> (✱)	33	<code>\complement</code> (℄)	96
<code>clefs</code>	159–160, 162, 168, 192–193	<code>\coasterisk</code> (✱)	31	<code>\complement</code> (℄)	97
<code>\Cli</code> (≤)	153	<code>\Coda</code> (⏏)	159	<code>\complement</code> (℄)	97
<code>\clickb</code> (⊖)	19	<code>\coda</code> (⏏)	159	<code>\complement</code> (℄)	44
<code>\clickc</code> (℄)	19	<code>code page 1252</code>	235	<code>\complement</code> (℄)	97
<code>\clickt</code> (‡)	19	<code>table</code>	237	<code>complete shuffle product</code> (⊠)	35
<code>\Clo</code> (+)	153	<code>code page 437</code>	130, 185, 234	<code>\COMPLEX</code> (℄)	92
<code>clock</code> (package)	179, 239, 240	<code>\Coffeecup</code> (☕)	177, 192	<code>\Complex</code> (℄)	92
<code>\clock</code> (⊖)	176	<code>\coh</code> (⊖)	61	<code>complex numbers</code> (℄)	<i>see</i> alphabets, math
<code>\clock</code> (⊖)	179	<code>coins, ancient</code>	26	<code>composited accents</code>	20
<code>clock symbols</code>	176–179, 192–193	<code>\Colon</code> (::)	115	<code>Comprehensive T_EX Archive</code>	
<code>\ClockFramefalse</code>	179	<code>\Colon</code> (::)	115	<code>Network</code>	1, 12, 107, 124, 130, 219, 235, 238, 239
<code>\ClockFrametrue</code>	179	<code>\colon</code>	114	<code>computer hardware symbols</code>	129
<code>\ClockLogo</code> (Ⓢ)	177	<code>\colon</code> (:)	114	<code>computer keys</code>	129
<code>\ClockStyle</code>	179	<code>\colon</code> (:)	115	<code>Computer Modern</code> (font)	87, 219, 221, 234
<code>\clocktime</code>	179	<code>\Colonapprox</code> (::≈)	51	<code>computer symbols</code>	194–197
<code>\closedcurlyvee</code> (∨)	32	<code>\Colonapprox</code> (::≈)	59	<code>\ComputerMouse</code> (Ⓜ)	129
<code>\closedcurlywedge</code> (∧)	32	<code>\colonapprox</code> (:≈)	61	<code>\concavediamond</code> (◇)	38
<code>\closedequal</code> (≡)	53	<code>\colonapprox</code> (≈)	59	<code>\concavediamondtickleft</code> (◊)	
<code>\closedniomega</code> (ω)	19	<code>\colonapprox</code> (≈)	51	<code>.....</code>	38
<code>\closedprec</code> (⋈)	53	<code>\coloncolon</code> (::)	61	<code>\concavediamondtickright</code>	
<code>\closedrepsilon</code> (ⓐ)	19	<code>\coloncolonapprox</code> (::≈)	61	<code>(◊)</code>	38
<code>\closedsucc</code> (⋈)	53	<code>\coloncolonequals</code> (::=)	61	<code>\Conclusion</code> (⇒)	116
<code>\closedvarcap</code> (∩)	34	<code>\coloncolonminus</code> (::−)	61	<code>\conductivity</code> (⊗)	133
<code>\closedvarcup</code> (∪)	34	<code>\coloncolonsim</code> (::~)	61	<code>\cong</code> (≅)	50
<code>\closedvarcupsmashprod</code> (⊗)		<code>\Coloneq</code> (::−)	51	<code>\cong</code> (≅)	57
<code>.....</code>	34	<code>\Coloneq</code> (:=)	58	<code>\cong</code> (≅)	55
<code>\closure</code> (⊖)	105	<code>\coloneq</code> (:=)	29, 52	<code>\cong</code> (≅)	53
<code>\closure</code> (⊖)	55, 90	<code>\coloneq</code> (:−)	59	<code>\cong</code> (≅)	58
<code>\closure</code> (⊖)	58	<code>\coloneq</code> (:−)	51	<code>\congdot</code> (≅̇)	58
<code>\Cloud</code> (☁)	178	<code>\coloneq</code> (:=)	55	<code>\Congruent</code> (≡)	116
<code>clouds</code>	38	<code>\coloneq</code> (:=)	53	<code>congruent</code>	<i>see</i> <code>\equiv</code>
<code>clovers</code>	139	<code>\coloneq</code> (:=)	58	<code>\conictaper</code> (▷)	121
<code>\Clu</code> (⊖)	153	<code>\Coloneqq</code> (::=)	51	<code>\conjquant</code> (⌘)	45

<code>\conjquant</code> (\mathbb{A})	46	<code>\cr</code>	224	<code>\Csi</code> (\mathbb{C})	153
<code>\Conjunction</code> (\mathbb{C})	128	<code>\Cra</code> (\mathbb{C})	153	<code>\Cso</code> (\mathbb{C})	153
<code>\conjunction</code> (\mathbb{C})	126	<code>\Cre</code> (\mathbb{C})	153	<code>\Csu</code> (\mathbb{C})	153
conjunction, logical <i>see</i> <code>\wedge</code> and <code>\&</code>		Creative Commons licenses	26, 27	<code>\csub</code> (\mathbb{C})	64
consequence relations	60	crescent (fge package option)	106	<code>\csube</code> (\mathbb{C})	64
contradiction symbols	29, 90	<code>\crescHairpin</code> (\mathbb{C})	163	<code>\csup</code> (\mathbb{C})	64
control characters	130	<code>\Cri</code> (\mathbb{C})	153	<code>\csupe</code> (\mathbb{C})	64
<code>\Conv</code> (Conv)	92	<code>\Cro</code> (\mathbb{C})	153	<code>\Cta</code> (\mathbb{C})	153
converse implication <i>see</i> <code>\leftarrow</code> and <code>\subset</code>		<code>\Croatia</code> (\mathbb{C})	189	CTAN <i>see</i> Comprehensive T _E X Archive Network	
converse nonimplication	...	<code>\Cross</code> (\mathbb{C})	177	<code>\Cte</code> (\mathbb{C})	153
.. <i>see</i> <code>\leftarrow</code> and <code>\nsubset</code>		<code>\Cross</code> (\mathbb{C})	137	<code>\Cti</code> (\mathbb{C})	153
<code>\convolution</code> (\mathbb{C})	31	<code>\Cross</code> (\mathbb{C})	143	<code>\Cto</code> (\mathbb{C})	153
<code>\convolution</code> (\mathbb{C})	33	<code>\Cross</code> (\mathbb{C})	143	<code>\Ctrl</code> (\mathbb{C})	129
<code>\cooker</code> (\mathbb{C})	191	<code>\Cross</code> (\mathbb{C})	143	<code>\Ctu</code> (\mathbb{C})	153
cooking symbols	191, 194–197	<code>\Cross</code> (\mathbb{C} vs. \mathbb{C} vs. \mathbb{C})	220	<code>\Cu</code> (\mathbb{C})	153
cookingsymbols (package)	191, 239, 240	<code>\cross</code> (\mathbb{C})	157	<code>\Cube</code> (\mathbb{C})	178, 222
<code>\Cooley</code> (\mathbb{C})	191	cross ratio <i>see</i> <code>\textrecipe</code>		cube root <i>see</i> <code>\sqrt</code>	
<code>\Coppa</code> (\mathbb{C})	154	<code>\crossb</code> (\mathbb{C})	19	cube rotations	198
<code>\coppa</code> (\mathbb{C})	154	<code>\CrossBoldOutline</code> (\mathbb{C})	137	<code>\Cup</code> (\mathbb{C})	30
<code>\coprod</code> (\mathbb{C})	29, 40	<code>\CrossClowerTips</code> (\mathbb{C})	137	<code>\Cup</code> (\mathbb{C})	33
<code>\coprod</code> (\mathbb{C})	45	<code>\crossd</code> (\mathbb{C})	19	<code>\Cup</code> (\mathbb{C})	33
<code>\coprod</code> (\mathbb{C})	44	<code>\CrosedBox</code> (\mathbb{C})	138	<code>\Cup</code> (\mathbb{C})	32
<code>\coprod</code> (\mathbb{C})	46	<code>\CrosedBox</code> (\mathbb{C})	138	<code>\Cup</code> (\mathbb{C})	34
copyright	14, 15, 26, 27, 236	<code>\Crosedbox</code> (\mathbb{C})	138	<code>\cup</code> (\mathbb{C})	31
<code>\copyright</code> (\mathbb{C})	15	crosses	137, 146, 169–173, 177, 182, 183, 199–200	<code>\cup</code> (\mathbb{C})	30, 223, 232
<code>\copyright</code> (\mathbb{C})	15	<code>\crossh</code> (\mathbb{C})	19	<code>\cup</code> (\mathbb{C})	33
<code>\corner</code> (\mathbb{C})	24	<code>\crossing</code> (\mathbb{C})	55	<code>\cup</code> (\mathbb{C})	32
corners, box	185	<code>\CrossMaltese</code> (\mathbb{C})	137	<code>\cup</code> (\mathbb{C})	32
<code>\corona</code> (\mathbb{C})	184	<code>\crossnilambda</code> (\mathbb{C})	19	<code>\cup</code> (\mathbb{C})	34
<code>\coronainv</code> (\mathbb{C})	184	<code>\CrossOpenShadow</code> (\mathbb{C})	137	<code>\cupbarcap</code> (\mathbb{C})	34
<code>\Corresponds</code> (\mathbb{C})	116	<code>\CrossOutline</code> (\mathbb{C})	137	<code>\cupdot</code> (\mathbb{C})	32
<code>\corresponds</code> (\mathbb{C})	52	crotchet <i>see</i> musical symbols		<code>\cupdot</code> (\mathbb{C})	32
<code>\corresponds</code> (\mathbb{C})	57	<code>\crotchet</code> (\mathbb{C})	162	<code>\cupdot</code> (\mathbb{C})	34
<code>\cos</code> (cos)	91, 232	<code>\crotchetDotted</code> (\mathbb{C})	162	<code>\Cupido</code> (\mathbb{C})	128
<code>\cosh</code> (cosh)	91	<code>\crotchetDottedDouble</code> (\mathbb{C})	162	<code>\cupleftarrow</code> (\mathbb{C})	33, 82
<code>\cot</code> (cot)	91	<code>\crotchetDottedDoubleDown</code> (\mathbb{C})	162	<code>\cupleftarrow</code> (\mathbb{C})	34
<code>\coth</code> (coth)	91	<code>\crotchetDottedDown</code> (\mathbb{C})	162	<code>\cupovercap</code> (\mathbb{C})	34
<code>\counterplay</code> (\mathbb{C})	181	<code>\crotchetDown</code> (\mathbb{C})	162	<code>\cupplus</code> (\mathbb{C})	32, 33
countries	188	<code>\crotchetRest</code> (\mathbb{C})	163	<code>\cupplus</code> (\mathbb{C})	32
European	188	<code>\crotchetRestDotted</code> (\mathbb{C})	163	<code>\cupvee</code> (\mathbb{C})	34
countriesofeuropa (package)	188, 239, 240	crown	107	<code>\curl</code> (\mathbb{C})	92
CountriesOfEurope (font)	190	<code>\crtilde</code> (\mathbb{C})	22	<code>\curlyc</code> (\mathbb{C})	19
<code>\countriesofeuropfamily</code>	190	<code>\Cru</code> (\mathbb{C})	153	<code>\curlyeqprec</code> (\mathbb{C})	52
.....	190	crucifixes	137, 177, 199–200	<code>\curlyeqprec</code> (\mathbb{C})	50
Courier (font)	25	<code>\Crux</code> (\mathbb{C})	105	<code>\curlyeqprec</code> (\mathbb{C})	57
<code>\Cov</code> (Cov)	92	<code>\crux</code> (\mathbb{C})	105	<code>\curlyeqprec</code> (\mathbb{C})	55
<code>\cov</code> (cov)	92	cryst (package)	215, 239	<code>\curlyeqprec</code> (\mathbb{C})	53
<code>\covbond</code> (\mathbb{C})	133	crystallography symbols	215– 216	<code>\curlyeqprec</code> (\mathbb{C})	58
cowboy hat	107	<code>\CS</code> (\mathbb{C})	129	<code>\curlyeqsucc</code> (\mathbb{C})	52
CP1252	<i>see</i> code page 1252	<code>\Csa</code> (\mathbb{C})	153	<code>\curlyeqsucc</code> (\mathbb{C})	50
CP437	<i>see</i> code page 437	<code>\csc</code> (csc)	91	<code>\curlyeqsucc</code> (\mathbb{C})	57
<code>\Cpa</code> (\mathbb{C})	153	<code>\csch</code> (csch)	92	<code>\curlyeqsucc</code> (\mathbb{C})	55
<code>\Cpe</code> (\mathbb{C})	153	<code>\Cse</code> (\mathbb{C})	153	<code>\curlyeqsucc</code> (\mathbb{C})	53
<code>\Cpi</code> (\mathbb{C})	153	<code>\cshuffle</code> (\mathbb{C})	35	<code>\curlyeqsucc</code> (\mathbb{C})	58
<code>\Cpo</code> (\mathbb{C})	153			<code>\curlyesh</code> (\mathbb{C})	19
<code>\Cpu</code> (\mathbb{C})	153			<code>\curlyvee</code> (\mathbb{C})	31
<code>\CR</code> (\mathbb{C})	129, 130			<code>\curlyvee</code> (\mathbb{C})	30
				<code>\curlyvee</code> (\mathbb{C})	33
				<code>\curlyvee</code> (\mathbb{C})	32

\EOguise (𑄎𑄚)	155	\EOofficerII (𑄎𑄚𑄚)	155	\EOsu (𑄎𑄚)	154
\EOHallow (𑄎𑄚𑄚)	155	\EOofficerIII (𑄎𑄚𑄚𑄚)	155	\EOsun (𑄎𑄚𑄚)	154
\EOi (◦)	156	\EOofficerIV (𑄎𑄚𑄚𑄚𑄚)	155	\EOSuu (𑄎𑄚𑄚𑄚)	155
\EOii (◦ ◦)	156	\EOpa (𑄎𑄚𑄚𑄚)	155	\EOSuu (𑄎𑄚𑄚𑄚)	155
\EOiii (◦ ◦ ◦)	156	\EOpak (𑄎𑄚𑄚)	155	\EOT (𑄎𑄚)	130
\EOiv (◦ ◦ ◦ ◦)	156	\EOPatron (𑄎𑄚𑄚𑄚)	155	\EOta (𑄎𑄚𑄚)	155
\EOix (◦ ◦ ◦ ◦ ◦)	156	\EOPatronII (𑄎𑄚𑄚𑄚𑄚)	155	\EOte (𑄎𑄚𑄚𑄚)	155
\EOja (𑄎𑄚)	155	\EOpe (𑄎𑄚𑄚)	155	\EOthrone (𑄎𑄚𑄚𑄚)	155
\EOjaguar (𑄎𑄚𑄚𑄚)	155	\EOpenis (𑄎𑄚𑄚)	155	\EOti (𑄎𑄚𑄚)	155
\EOje (𑄎𑄚𑄚)	155	\EOpi (𑄎𑄚𑄚)	155	\EOTime (𑄎𑄚𑄚)	155
\EOJI (𑄎𑄚𑄚)	155	\EOPierce (𑄎𑄚𑄚)	155	\EOtime (𑄎𑄚𑄚)	155
\EOji (𑄎𑄚𑄚)	155	\EOPlant (𑄎𑄚𑄚)	155	\EOTitle (𑄎𑄚𑄚)	155
\EOjo (𑄎𑄚𑄚)	155	\EOPlay (𑄎𑄚𑄚)	155	\EOTitleII (𑄎𑄚𑄚)	155
\EOju (𑄎𑄚𑄚)	155	\EOpo (𑄎𑄚𑄚)	155	\EOTitleIV (𑄎𑄚𑄚)	155
\EOkak (𑄎𑄚𑄚)	155	\EOpriest (𑄎𑄚𑄚)	155	\EOto (𑄎𑄚𑄚)	155
\EOke (𑄎𑄚𑄚)	155	\EOPrince (𑄎𑄚𑄚)	155	\EOtu (𑄎𑄚𑄚)	155
\EOki (𑄎𑄚𑄚)	155	\EOpu (𑄎𑄚𑄚)	155	\EOtuki (𑄎𑄚𑄚)	155
\EOkij (𑄎𑄚𑄚)	155	\EOpuu (𑄎𑄚𑄚)	155	\EOtukpa (𑄎𑄚𑄚)	155
\EOKing (𑄎𑄚𑄚)	155	\EOpuuk (𑄎𑄚𑄚)	155	\EOturtle (𑄎𑄚𑄚)	155
\EOknottedCloth (𑄎𑄚𑄚)	155	\EORain (𑄎𑄚𑄚)	155	\EOtuu (𑄎𑄚𑄚)	155
\EOknottedClothStraps (𑄎𑄚𑄚)	156	\EOSa (𑄎𑄚𑄚)	155	\EOtza (𑄎𑄚𑄚)	155
\EOko (𑄎𑄚𑄚)	156	\EOSa (𑄎𑄚𑄚)	155	\EOtze (𑄎𑄚𑄚)	155
\EOku (𑄎𑄚𑄚)	156	\EOSa (𑄎𑄚𑄚)	155	\EOtzetze (𑄎𑄚𑄚)	155
\EOkuu (𑄎𑄚𑄚)	156	\EOSacrifice (𑄎𑄚𑄚)	155	\EOtzi (𑄎𑄚𑄚)	155
\EOLetBlood (𑄎𑄚𑄚)	156	\EOSaw (𑄎𑄚𑄚)	155	\EOtzu (𑄎𑄚𑄚)	155
\EOloinCloth (𑄎𑄚𑄚)	156	\EOScorpis (𑄎𑄚𑄚)	155	\EOtzuu (𑄎𑄚𑄚)	155
\EOlongLipII (𑄎𑄚𑄚)	156	\EOset (𑄎𑄚𑄚)	156	\EOundef (𑄎𑄚𑄚)	155
\EOLord (𑄎𑄚𑄚)	156	\EOSi (𑄎𑄚𑄚)	156	\EOv (𑄎𑄚𑄚)	156
\EOLose (𑄎𑄚𑄚)	156	\EOSi (𑄎𑄚𑄚)	156	\EOvarBeardMask (𑄎𑄚𑄚)	155
\EOma (𑄎𑄚𑄚)	156	\EOSing (𑄎𑄚𑄚)	156	\EOvarja (𑄎𑄚𑄚)	155
\EOmacaw (𑄎𑄚𑄚)	156	\EOSini (𑄎𑄚𑄚)	156	\EOvarji (𑄎𑄚𑄚)	155
\EOmacawI (𑄎𑄚𑄚)	156	\EOSkin (𑄎𑄚𑄚)	156	\EOvarki (𑄎𑄚𑄚)	155
\EOme (𑄎𑄚𑄚)	156	\EOSky (𑄎𑄚𑄚)	156	\EOvarkuu (𑄎𑄚𑄚)	155
\EOmexNew (𑄎𑄚𑄚)	156	\EOSkyAnimal (𑄎𑄚𑄚)	156	\EOvarni (𑄎𑄚𑄚)	155
\EOmi (𑄎𑄚𑄚)	156	\EOSkyPillar (𑄎𑄚𑄚)	156	\EOvarpa (𑄎𑄚𑄚)	155
\EOMiddle (𑄎𑄚𑄚)	154	\EOSnake (𑄎𑄚𑄚)	156	\EOvarSi (𑄎𑄚𑄚)	156
\EOMonster (𑄎𑄚𑄚)	154	\EOSo (𑄎𑄚𑄚)	156	\EOvars (𑄎𑄚𑄚)	156
\EOMountain (𑄎𑄚𑄚)	154	\EOSpan (𑄎𑄚𑄚)	156	\EOvartza (𑄎𑄚𑄚)	156
\EOMuu (𑄎𑄚𑄚)	154	\EOSprinkle (𑄎𑄚𑄚)	156	\EOvarwuu (𑄎𑄚𑄚)	156
\EOna (𑄎𑄚𑄚)	154	\EOstar (𑄎𑄚𑄚)	156	\EOvarYear (𑄎𑄚𑄚)	156
\EOne (𑄎𑄚𑄚)	155	\EOStarWarrior (𑄎𑄚𑄚)	154	\EOvi (𑄎𑄚𑄚)	156
\EOni (𑄎𑄚𑄚)	155	\EOStarWarrior (𑄎𑄚𑄚)	156	\EOvii (𑄎𑄚𑄚)	156
\EOnow (𑄎𑄚𑄚)	155	\EOstep (𑄎𑄚𑄚)	154	\EOviii (𑄎𑄚𑄚)	156
\EOnu (𑄎𑄚𑄚)	155	\EOSu (𑄎𑄚𑄚)	154	\EOwa (𑄎𑄚𑄚)	156
\EOnuu (𑄎𑄚𑄚)	155			\EOwe (𑄎𑄚𑄚)	156
\EOofficerI (𑄎𑄚𑄚)	155			\EOwi (𑄎𑄚𑄚)	156
				\EOwo (𑄎𑄚𑄚)	156
				\EOwuu (𑄎𑄚𑄚)	156

extensible arrows ... 107–112
 extensible braces ... 107–110
 extensible symbols, creating ...
 227–229
 extensible tildes ... 107, 110
 extension characters ... 90, 91
 \externalsym (⚡) 132
 extpfeil (package) 112, 239, 240
 extraipa (package) ... 22, 239
 \eye (◉) 157
 \eye (◉) 146
 \EyesDollar (\$) 25
 ezh see \roundz

F

F (ℱ) 157
 f (esvect package option) . 110
 \f (♣) 20
 f (ℱ) 157
 \fa (⊕) 194
 \faAdn (Ⓐ) 194
 \faAlignCenter (≡) ... 194
 \faAlignJustify (≡) ... 194
 \faAlignLeft (≡) 194
 \faAlignRight (≡) 194
 \faAmazon (🍷) 194
 \faAmbulance (🚑) 194
 \faAnchor (⚓) 194
 \faAndroid (🤖) 194
 \faAngellist (👤) 194
 \faAngleDoubleDown (∨) . 194
 \faAngleDoubleLeft (⌌) . 194
 \faAngleDoubleRight (⌍) . 194
 \faAngleDoubleUp (⋈) ... 194
 \faAngleDown (∨) 194
 \faAngleLeft (◁) 194
 \faAngleRight (▷) 194
 \faAngleUp (∧) 194
 \faApple (🍏) 194
 \faArchive (🗳️) 194
 \faAreaChart (📊) 194
 \faArrowCircleDown (⬇️) . 135
 \faArrowCircleLeft (⬅️) . 135
 \faArrowCircleODown (⬇️) 135
 \faArrowCircleOLeft (⬅️) 135
 \faArrowCircleORight (⬆️) 135
 \faArrowCircleUp (⬆️) .. 135
 \faArrowCircleRight (⬆️) 135
 \faArrowCircleUp (⬆️) .. 135
 \faArrowDown (⬇️) 135
 \faArrowLeft (⬅️) 135
 \faArrowRight (➡️) 135
 \faArrows (↕) 135
 \faArrowsAlt (↔️) 135
 \faArrowsH (↔️) 135
 \faArrowsV (↕) 135
 \faArrowUp (⬆️) 135
 \faAsterisk (*) 194
 \faAt (@) 194
 \faAutomobile (🚗) 197
 \faBackward (⏪) 194
 \faBalanceScale (⚖️) ... 194

\faBan (🚫) 194
 \faBank (🏦) 197
 \faBarChart (📊) 194
 \faBarChart0 (📊) 197
 \faBarcode (🏷️) 194
 \faBars (≡) 194
 \faBattery0 (🔋) 197
 \faBattery1 (🔋) 197
 \faBattery2 (🔋) 197
 \faBattery3 (🔋) 197
 \faBattery4 (🔋) 197
 \faBatteryEmpty (🔋) ... 194
 \faBatteryFull (🔋) ... 194
 \faBatteryHalf (🔋) ... 194
 \faBatteryQuarter (🔋) . 194
 \faBatteryThreeQuarters
 (🔋) 194
 \faBed (🛏️) 194
 \faBeer (🍺) 194
 \faBehance (Bé) 194
 \faBehanceSquare (Bé) .. 194
 \faBell (🔔) 194
 \faBell0 (🔔) 194
 \faBellSlash (🔔) 194
 \faBellSlash0 (🔔) 194
 \faBicycle (🚲) 194
 \faBinoculars (🔭) 194
 \faBirthdayCake (🎂) 194
 \faBitbucket (🔑) 194
 \faBitbucketSquare (🔑) . 194
 \faBitcoin (₿) 25
 \faBlackTie (👔) 194
 \faBold (B) 194
 \faBolt (⚡) 195
 \faBomb (💣) 195
 \faBook (📖) 195
 \faBookmark (🔖) 195
 \faBookmark0 (🔖) 195
 \faBriefcase (👜) 195
 \faBtc (₿) 25
 \faBtc (₿) 25
 \faBug (🐛) 195
 \faBuilding (🏢) 195
 \faBuilding0 (🏢) 195
 \faBullhorn (📣) 195
 \faBullseye (🎯) 195
 \faBus (🚌) 195
 \faBuysellads (A) 195
 \faCab (🚕) 197
 \faCalculator (🧮) 195
 \faCalendar (📅) 195
 \faCalendarCheck0 (📅) . 195
 \faCalendarMinus0 (📅) . 195
 \faCalendar0 (📅) 195
 \faCalendarPlus0 (📅) .. 195
 \faCalendarTimes0 (📅) . 195
 \faCamera (📷) 195
 \faCameraRetro (📷) ... 195
 \faCar (🚗) 195
 \faCaretDown (▼) 195
 \faCaretLeft (◀) 195
 \faCaretRight (▶) 195
 \faCaretSquareODown (⬇️) 195

\faCaretSquareOLeft (⬅️) 195
 \faCaretSquareORight (➡️) 195
 \faCaretSquareOUp (⬆️) .. 195
 \faCaretUp (▲) 195
 \faCartArrowDown (🛒) .. 195
 \faCartPlus (🛒) 195
 \faCc (CC) 195
 \faCcAmex (🍷) 195
 \faCcDinersClub (D) ... 195
 \faCcDiscover (🍷) 195
 \faCcJcb (JCB) 195
 \faCcMastercard (🍷) ... 195
 \faCcPaypal (PayPal) 195
 \faCcStripe (stripe) 195
 \faCcVisa (VISA) 195
 \faCertificate (📜) 195
 faces 121, 130, 148,
 176, 177, 184, 186, 190–
 197, 201–203
 \faChain (🔗) 197
 \faChainBroken (🔗) 195
 \faCheck (✓) 138
 \faCheckCircle (☑️) 138
 \faCheckCircle0 (☑️) ... 138
 \faCheckSquare (☑️) 138
 \faCheckSquare0 (☑️) ... 138
 \faChevronCircleDown (⬇️) 135
 \faChevronCircleLeft (⬅️) 135
 \faChevronCircleRight (⬆️) .
 135
 \faChevronCircleUp (⬆️) . 135
 \faChevronDown (▼) 135
 \faChevronLeft (⬅️) 135
 \faChevronRight (➡️) ... 135
 \faChevronUp (▲) 135
 \faChild (👶) 195
 \faChrome (🌐) 195
 \faCircle (●) 144
 \faCircle0 (○) 144
 \faCircleONotch (○) ... 144
 \faCircleThin (○) 144
 \faClipboard (📋) 195
 \faClock0 (🕒) 195
 \faClone (📄) 195
 \faClose (✖️) 138
 \faCloud (☁️) 195
 \faCloudDownload (☁️) .. 195
 \faCloudUpload (☁️) ... 195
 \faCny (¥) 25
 \faCode (</>) 195
 \faCodeFork (🔗) 196
 \faCodepen (🔗) 196
 \faCoffee (☕) 196
 \faCog (⚙️) 196
 \faCogs (⚙️) 196
 \faColumns (📄) 196
 \faComment (💬) 196
 \faCommenting (💬) 196
 \faCommenting0 (💬) ... 196
 \faComment0 (💬) 196
 \faComments (💬) 196
 \faComments0 (💬) 196
 \faCompass (🧭) 196

\faCompress (✂)	196	\faFeed (📡)	197	\faGlass (🍷)	194
\faConnectdevelop (🔗)	196	\faFemale (♀)	194	\faGlobe (🌐)	194
\faContao (🏠)	196	\faFighterJet (✈)	194	\faGoogle (G)	195
\Facontent (—)	116	\faFile (📄)	194	\faGooglePlus (G+)	195
\faCopy (📄)	197	\faFileArchive0 (📁)	194	\faGooglePlusSquare (G+)	195
\faCopyright (©)	26	\faFileAudio0 (📻)	194	\faGoogleWallet (👛)	195
\faCreativeCommons (CC)	26	\faFileCode0 (📄)	194	\faGraduationCap (🎓)	195
\faCreditCard (💳)	196	\faFileExcel0 (📄)	194	\faGratipay (👉)	195
\faCrop (✂)	196	\faFileImage0 (📄)	194	\faGroup (👥)	197
\faCrosshairs (🎯)	196	\faFileMovie0 (📄)	197	\faHackerNews (🗞)	195
\faCss3 (🎨)	196	\faFile0 (📄)	194	\faHandGrab0 (👉)	137
\faCube (📦)	196	\faFilePdf0 (📄)	194	\faHandLizard0 (🦎)	137
\faCubes (📦)	196	\faFilePhoto0 (📄)	197	\faHand0Down (👉)	137
\faCut (✂)	197	\faFilePicture0 (📄)	197	\faHand0Left (👉)	137
\faCutlery (🔪)	196	\faFilePowerpoint0 (📄)	194	\faHand0Right (👉)	137
\faDashboard (📊)	197	\faFiles0 (📄)	194	\faHand0Up (👉)	137
\faDashcube (📄)	196	\faFileSound0 (📄)	197	\faHandPaper0 (👉)	137
\faDatabase (📊)	196	\faFileText (📄)	194	\faHandPaper0 (👉)	137
\faDedent (≡)	197	\faFileText0 (📄)	194	\faHandPeace0 (👉)	137
\faDelicious (🍷)	196	\faFileVideo0 (📄)	194	\faHandPointer0 (👉)	137
\faDesktop (🖥)	196	\faFileWord0 (📄)	194	\faHandRock0 (👉)	137
\faDeviantart (🔪)	196	\faFileZip0 (📄)	197	\faHandRock0 (👉)	137
\faDiamond (💎)	196	\faFilm (🎬)	194	\faHandScissors0 (✂)	137
\faDigg (🔪)	196	\faFilter (⌵)	194	\faHandSpock0 (👉)	137
\faDollar (\$)	25	\faFire (🔥)	194	\faHandStop0 (👉)	137
\faDotCircle0 (🔴)	144	\faFireExtinguisher (🧯)	194	\faHdd0 (📀)	195
\faDownload (📄)	196	\faFirefox (🦊)	194	\faHeader (H)	195
\faDribbble (🏀)	196	\faFlag (🚩)	194	\faHeadphones (🎧)	195
\faDropbox (📄)	196	\faFlagChecked (🚩)	194	\faHeart (❤)	195
\faDrupal (📄)	196	\faFlag0 (🚩)	194	\faHeartbeat (📈)	195
\faEdit (✍)	197	\faFlash (⚡)	197	\faHeart0 (♡)	195
\faEject (📀)	196	\faFlask (🧪)	194	\faHistory (🕒)	195
\faEllipsisH (⋮)	196	\faFlickr (📷)	194	\faHome (🏠)	195
\faEllipsisV (⋮)	196	\faFloppy0 (📀)	194	\faHospital0 (🏥)	195
\faEmpire (🌌)	196	\faFolder (📁)	194	\faHotel (🏨)	197
\faEnvelope (✉)	196	\faFolder0 (📁)	194	\faHourglass (🕒)	195
\faEnvelope0 (✉)	196	\faFolderOpen (📁)	194	\faHourglassEnd (🕒)	195
\faEnvelopeSquare (✉)	196	\faFolderOpen0 (📁)	194	\faHourglassHalf (🕒)	195
\faEraser (🧽)	196	\faFont (A)	194	\faHourglass0 (🕒)	195
\faEur (€)	25	\faFonticons (fi)	194	\faHourglassStart (🕒)	195
\faEur (€)	25	\faFonticons (fi)	194	\faHouzz (🏠)	195
\faEuro (€)	25	\faForumbee (🐝)	194	\faHSquare (📄)	195
\faExchange (↔)	196	\faForward (▶)	194	\faHtml5 (📄)	195
\faExclamation (❗)	196	\faFoursquare (📍)	194	\faICursor (I)	195
\faExclamationCircle (❗)	196	\faFrown0 (☹)	194	\faIls (🇱)	25
\faExclamationTriangle (⚠)	196	\faFutbol0 (⚽)	194	\faIls (🇱)	25
	196	\faGamepad (🎮)	194	\faImage (🖼)	197
\faExpand (✂)	196	\faGavel (🔨)	194	\faInbox (📧)	195
\faExpeditedssl (🔒)	196	\faGbp (£)	25	\faIndent (≡)	195
\faExternalLink (🔗)	196	\faGe (🌐)	197	\faIndustry (🏭)	195
\faExternalLinkSquare (🔗)	196	\faGear (⚙)	197	\faInfo (i)	195
	196	\faGears (⚙)	197	\faInfoCircle (i)	195
\faEye (👁)	196	\faGenderless (♾)	131	\faInr (₹)	25
\faEyedropper (🎨)	196	\faGetPocket (👛)	194	\faInr (₹)	25
\faEyeSlash (👁)	196	\faGg (👉)	194	\faInstagram (📷)	195
\faFacebook (f)	197	\faGgCircle (👉)	194	\faInstitution (🏛)	197
\faFacebookF (f)	197	\faGift (📺)	194	\faInternetExplorer (🌐)	195
\faFacebookOfficial (f)	197	\faGit (git)	194	\faIntersex (♿)	131
\faFacebookSquare (f)	197	\faGithub (🐙)	194	\faIoxhost (👉)	195
\faFastBackward (⏮)	197	\faGithubAlt (🐙)	194	\faItalic (I)	195
\faFastForward (⏭)	197	\faGithubSquare (🐙)	194	\faJoomla (🌐)	195
\faFax (📠)	197	\faGitSquare (git)	194	\faJpy (¥)	25
	197	\faGittip (👉)	197	\faJpy (¥)	25

<code>\faJsfiddle</code> (🎵)	195	<code>\faMercury</code> (☿)	127	<code>\faPlane</code> (✈)	194
<code>\faKey</code> (🔑)	195	<code>\faMicrophone</code> (🎙)	196	<code>\faPlay</code> (▶)	194
<code>\faKeyboard0</code> (🎹)	195	<code>\faMicrophoneSlash</code> (🎙/)	196	<code>\faPlayCircle</code> (▶️)	194
<code>\faKrw</code> (₩)	25	<code>\faMinus</code> (−)	196	<code>\faPlayCircle0</code> (▶️)	194
<code>\faKrw</code> (₩)	25	<code>\faMinusCircle</code> (⊖)	196	<code>\faPlug</code> (🔌)	194
<code>\faLanguage</code> (🗺)	195	<code>\faMinusSquare</code> (◻)	196	<code>\faPlus</code> (+)	194
<code>\faLaptop</code> (💻)	195	<code>\faMinusSquare0</code> (◻)	196	<code>\faPlusCircle</code> (⊕)	194
<code>\faLastfm</code> (🎵)	195	<code>\faMobile</code> (📱)	196	<code>\faPlusSquare</code> (⊞)	194
<code>\faLastfmSquare</code> (🎵)	195	<code>\faMobilePhone</code> (📱)	197	<code>\faPlusSquare0</code> (⊞)	194
<code>\faLeaf</code> (🌿)	195	<code>\faMoney</code> (💰)	196	<code>\faPowerOff</code> (🔌)	194
<code>\faLeappub</code> (📰)	195	<code>\faMoon0</code> (🌑)	127	<code>\faPrint</code> (🖨)	194
<code>\faLegal</code> (⚖)	197	<code>\faMortarBoard</code> (🎓)	197	<code>\faPuzzlePiece</code> (🧩)	194
<code>\faLemon0</code> (🍋)	195	<code>\faMotorcycle</code> (🏍)	196	<code>\faQq</code> (👤)	194
<code>\faLevelDown</code> (⬇)	195	<code>\faMousepointer</code> (🖱)	196	<code>\faQrcode</code> (📱)	194
<code>\faLevelUp</code> (⬆)	195	<code>\faMusic</code> (🎵)	196	<code>\faquant</code> (⏏)	116
<code>\faLifeBouy</code> (🛟)	197	<code>\faNavicon</code> (☰)	197	<code>\faquantn</code> (⏏)	116
<code>\faLifeRing</code> (🛟)	195	<code>\fancontent</code> (⏏)	116	<code>\faquantnn</code> (⏏)	116
<code>\faLifeSaver</code> (🛟)	197	fancy borders	204–210	<code>\faQuestion</code> (?)	194
<code>\faLightbulb0</code> (💡)	195	<code>\faNeuter</code> (♁)	131	<code>\faQuestionCircle</code> (❓)	194
<code>\faLineChart</code> (📊)	195	<code>\faNewspaper0</code> (📰)	196	<code>\faQuoteLeft</code> (“)	194
<code>\faLink</code> (🔗)	195	<code>\fannccontent</code> (⏏)	116	<code>\faQuoteRight</code> (”)	194
<code>\faLinkedin</code> (in)	195	<code>\fanquant</code> (⏏)	116	<code>\faRa</code> (₹)	197
<code>\faLinkedinSquare</code> (in)	195	<code>\fanquantn</code> (⏏)	116	<code>\faRandom</code> (🎲)	194
<code>\faLinux</code> (🐧)	196	<code>\fanquantnn</code> (⏏)	116	<code>\faRebel</code> (🇺🇸)	194
<code>\faList</code> (☰)	196	<code>\fanquantnnn</code> (⏏)	116	<code>\faRecycle</code> (♻)	194
<code>\faListAlt</code> (☰)	196	<code>\fanoven</code> (🔥)	191	<code>\faReddit</code> (🗳)	194
<code>\faList0l</code> (☰)	196	<code>\fanquant</code> (⏏)	116	<code>\faRedditSquare</code> (🗳)	194
<code>\faListUl</code> (☰)	196	<code>\fanquantn</code> (⏏)	116	<code>\faRefresh</code> (🔄)	194
<code>\fallingdotseq</code> (≈)	52	<code>\fanquantnn</code> (⏏)	116	<code>\faRegistered</code> (®)	26
<code>\fallingdotseq</code> (≈)	50	<code>\faObjectGroup</code> (📁)	196	<code>\faRemove</code> (✖)	138
<code>\fallingdotseq</code> (≈)	57	<code>\faObjectUngroup</code> (📁)	196	<code>\faRenren</code> (人人)	194
<code>\fallingdotseq</code> (≈)	55	<code>\faOdnoklassniki</code> (OK)	196	<code>\faReorder</code> (☰)	197
<code>\fallingdotseq</code> (≈)	53	<code>\faOdnoklassnikiSquare</code> (OK)	196	<code>\faRepeat</code> (🔁)	135
<code>\fallingdotseq</code> (≈)	58			<code>\faRepeat</code> (🔁)	135
<code>\FallingEdge</code> (⌋)	125	<code>\faOpencart</code> (🛒)	196	<code>\faReply</code> (↩)	194
<code>\faLocationArrow</code> (📍)	196	<code>\faOpenid</code> (🔑)	196	<code>\faReplyAll</code> (↩)	194
<code>\faLock</code> (🔒)	196	<code>\faOpera</code> (O)	196	<code>\faRetweet</code> (🔄)	194
<code>\faLongArrowDown</code> (⬇)	135	<code>\faOptinMonster</code> (👤)	196	<code>\faRmb</code> (¥)	25
<code>\faLongArrowLeft</code> (←)	135	<code>\faOutdent</code> (☰)	196	<code>\faRoad</code> (🛣)	194
<code>\faLongArrowRight</code> (→)	135	<code>\faPagelines</code> (☰)	196	<code>\faRocket</code> (🚀)	194
<code>\faLongArrowUp</code> (⬆)	135	<code>\faPaintbrush</code> (🖌)	196	<code>\faRotateLeft</code> (↺)	135
<code>falsum</code>	see <code>\bot</code>	<code>\faPaperclip</code> (📎)	196	<code>\faRotateRight</code> (↻)	135
<code>\faMagic</code> (🪄)	196	<code>\faPaperPlane</code> (✉)	196	<code>\faRouble</code> (₽)	25
<code>\faMagnet</code> (🧲)	196	<code>\faPaperPlane0</code> (✉)	196	<code>\faRss</code> (📡)	194
<code>\faMailForward</code> (➡)	197	<code>\faParagraph</code> (¶)	196	<code>\faRssSquare</code> (📡)	194
<code>\faMailReply</code> (↩)	197	<code>\faPaste</code> (📋)	197	<code>\faRub</code> (₹)	25
<code>\faMailReplyAll</code> (↩)	197	<code>\faPause</code> (⏏)	196	<code>\faRub</code> (₹)	25
<code>\faMale</code> (♂)	196	<code>\faPaw</code> (🐾)	196	<code>\faRuble</code> (₽)	25
<code>\faMap</code> (📍)	196	<code>\faPaypal</code> (P)	196	<code>\faRupeee</code> (₹)	25
<code>\faMapMarker</code> (📍)	196	<code>\faPencil</code> (🖊)	136	<code>\faSafari</code> (🦊)	194
<code>\faMap0</code> (📍)	196	<code>\faPencilSquare</code> (🖊)	136	<code>\faSave</code> (💾)	197
<code>\faMapPin</code> (📍)	196	<code>\faPencilSquare0</code> (🖊)	136	<code>\faScissors</code> (✂)	194
<code>\faMapSigns</code> (🗺)	196	<code>\faPhone</code> (📞)	196	<code>\faSearch</code> (🔍)	194
<code>\faMars</code> (♂)	127, 131	<code>\faPhoneSquare</code> (📞)	196	<code>\faSearchMinus</code> (🔍)	194
<code>\faMarsDouble</code> (♂)	131	<code>\faPhoto</code> (📷)	197	<code>\faSearchPlus</code> (🔍)	194
<code>\faMarsStroke</code> (♂)	131	<code>\faPicture0</code> (📷)	196	<code>\faSellsy</code> (📈)	194
<code>\faMarsStrokeH</code> (♂)	131	<code>\faPieChart</code> (📊)	197	<code>\faSend</code> (➡)	197
<code>\faMarsStrokeV</code> (♂)	131	<code>\faPiedPiper</code> (👤)	197	<code>\faSend0</code> (➡)	197
<code>\faMaxcdn</code> (m)	196	<code>\faPiedPiperAlt</code> (👤)	197	<code>\faServer</code> (🖨)	194
<code>\faMeanpath</code> (📍)	196	<code>\faPinterest</code> (📌)	197	<code>\faShare</code> (➡)	194
<code>\faMedium</code> (M)	196	<code>\faPinterestP</code> (📌)	197	<code>\faShareAlt</code> (➡)	194
<code>\faMedkit</code> (🏥)	196	<code>\faPinterestSquare</code> (📌)	197	<code>\faShareAltSquare</code> (➡)	194
<code>\faMeh0</code> (😞)	196				

<code>\faShareSquare</code> (📶)	194	<code>\faSun0</code> (☀)	127	<code>\faUmbrella</code> (☂)	196
<code>\faShareSquare0</code> (📷)	194	<code>\faSuperscript</code> (x ²)	195	<code>\faUnderline</code> (U)	196
<code>\faShekel</code> (₪)	25	<code>\faSupport</code> (🛈)	197	<code>\faUndo</code> (↶)	135
<code>\faSheqel</code> (₪)	25	<code>\faTable</code> (📊)	195	<code>\faUndo</code> (↷)	135
<code>\faShield</code> (🛡)	194	<code>\faTablet</code> (📱)	195	<code>\faUniversity</code> (🎓)	196
<code>\faShip</code> (🚢)	194	<code>\faTachometer</code> (📈)	195	<code>\faUnlink</code> (🔗)	197
<code>\faShirtsinbulk</code> (👕)	194	<code>\faTag</code> (🏷)	195	<code>\faUnlock</code> (🔓)	196
<code>\faShoppingCart</code> (🛒)	194	<code>\faTags</code> (🏷)	195	<code>\faUnlockAlt</code> (🔓)	196
<code>\faSignal</code> (📶)	194	<code>\faTasks</code> (☑)	195	<code>\faUnsorted</code> (⬇)	197
<code>\faSignIn</code> (👤)	194	<code>\faTaxi</code> (🚕)	195	<code>\faUpload</code> (⬆)	196
<code>\faSignOut</code> (👤)	194	<code>\fatbslash</code> (\\)	30	<code>\faUsd</code> (\$)	25
<code>\faSimplybuilt</code> (🏠)	195	<code>\fatbslash</code> (\\)	57	<code>\faUsd</code> (\$)	25
<code>\faSitemap</code> (🗺)	195	<code>\faTelevision</code> (📺)	195	<code>\faUser</code> (👤)	196
<code>\faSkyatlas</code> (☁)	195	<code>\faTencentWeibo</code> (🐞)	195	<code>\faUserMd</code> (👤)	196
<code>\faSkype</code> (☎)	195	<code>\faTerminal</code> (>_)	195	<code>\faUserPlus</code> (👤+)	196
<code>\faSlack</code> (🌐)	195	<code>\faTextHeight</code> (Tl)	195	<code>\faUsers</code> (👥)	196
<code>\faSliders</code> (🔌)	195	<code>\faTextWidth</code> (Tl)	195	<code>\faUserSecret</code> (👤)	196
<code>\faSlideshare</code> (📺)	195	<code>\faTh</code> (📊)	195	<code>\faUserTimes</code> (👤x)	196
<code>\faSmile0</code> (😊)	195	<code>\faThLarge</code> (📊)	196	<code>\faVenus</code> (♀)	127, 131
<code>\faSoccerBall0</code> (⚽)	197	<code>\faThList</code> (☰)	196	<code>\faVenusDouble</code> (♁)	131
<code>\faSort</code> (⬇)	195	<code>\faThumbsDown</code> (👎)	137	<code>\faVenusMars</code> (♁)	131
<code>\faSortAlphaAsc</code> (↓A)	195	<code>\faThumbsODown</code> (👎)	137	<code>\faViacoin</code> (⚡)	25
<code>\faSortAlphaDesc</code> (↓A)	195	<code>\faThumbsOUp</code> (👍)	137	<code>\faVideoCamera</code> (📹)	196
<code>\faSortAmountAsc</code> (↓\$)	195	<code>\faThumbsUp</code> (👍)	137	<code>\faVimeo</code> (📹)	196
<code>\faSortAmountDesc</code> (↓\$)	195	<code>\faThumbTack</code> (📌)	196	<code>\faVimeoSquare</code> (📹)	196
<code>\faSortAsc</code> (↑)	195	<code>\faTicket</code> (🎫)	196	<code>\faVine</code> (🍷)	196
<code>\faSortDesc</code> (↓)	195	<code>\faTimes</code> (✖)	138	<code>\faVk</code> (VK)	196
<code>\faSortDown</code> (↓)	197	<code>\faTimes</code> (✖)	138	<code>\faVolumeDown</code> (🔊)	196
<code>\faSortNumericAsc</code> (↓1)	195	<code>\faTimesCircle</code> (⊗)	138	<code>\faVolumeOff</code> (🔊)	196
<code>\faSortNumericDesc</code> (↓1)	195	<code>\faTimesCircle0</code> (⊕)	138	<code>\faVolumeUp</code> (🔊)	196
<code>\faSortUp</code> (↑)	197	<code>\faTint</code> (💧)	196	<code>\faWarning</code> (⚠)	197
<code>\faSoundcloud</code> (☁)	195	<code>\faToggleDown</code> (☑)	197	<code>\faWechat</code> (☞)	197
<code>\faSpaceShuttle</code> (🚀)	195	<code>\faToggleLeft</code> (☑)	197	<code>\faWeibo</code> (📱)	196
<code>\faSpinner</code> (⋮)	195	<code>\faToggleOff</code> (☐)	196	<code>\faWeixin</code> (☞)	196
<code>\faSpoon</code> (🥄)	195	<code>\faToggleOn</code> (☑)	196	<code>\faWhatsapp</code> (📱)	196
<code>\faSpotify</code> (🎵)	195	<code>\faToggleRight</code> (☑)	197	<code>\faWheelchair</code> (♿)	196
<code>\faSquare</code> (■)	144	<code>\faToggleUp</code> (☑)	197	<code>\faWifi</code> (📶)	196
<code>\faSquare0</code> (□)	144	<code>\faTrademark</code> (TM)	26	<code>\faWikipediaW</code> (W)	196
<code>\faStackExchange</code> (📖)	195	<code>\faTrain</code> (🚆)	196	<code>\faWindows</code> (🖥)	196
<code>\faStackOverflow</code> (📖)	195	<code>\faTransgender</code> (♂)	131	<code>\faWon</code> (₩)	25
<code>\faStar</code> (★)	140	<code>\faTransgender</code> (♀)	131	<code>\faWordpress</code> (W)	196
<code>\faStarHalf</code> (★)	140	<code>\faTransgenderAlt</code> (♀)	131	<code>\faWrench</code> (🔧)	196
<code>\faStarHalfEmpty</code> (★)	140	<code>\faTrash</code> (🗑)	196	<code>\FAX</code> (FAX)	130
<code>\faStarHalfFull</code> (★)	140	<code>\faTrash0</code> (🗑)	196	<code>\fax</code> (☎)	130
<code>\faStarHalf0</code> (★)	140	<code>\faTree</code> (🌳)	196	<code>\faXing</code> (X)	196
<code>\faStarHalf0</code> (★)	140	<code>\faTrello</code> (📋)	196	<code>\faXingSquare</code> (X)	196
<code>\faStar0</code> (☆)	140	<code>\faTripadvisor</code> (🌐)	196	<code>\Faxmachine</code> (☎)	130
<code>\faStar0</code> (☆)	140	<code>\faTrophy</code> (🏆)	196	<code>\faYahoo</code> (Y)	196
<code>\faSteam</code> (🎮)	195	<code>\faTruck</code> (🚚)	196	<code>\faYc</code> (Y)	197
<code>\faSteamSquare</code> (🎮)	195	<code>\faTry</code> (📌)	25	<code>\faYCombinator</code> (Y)	197
<code>\faStepBackward</code> (⏮)	195	<code>\faTry</code> (📌)	25	<code>\faYCombinatorSquare</code> (Y)	197
<code>\faStepForward</code> (⏭)	195	<code>\fatsemi</code> (⸫)	30	<code>\faYcSquare</code> (Y)	197
<code>\faStethoscope</code> (🩺)	195	<code>\fatsemi</code> (⸫)	33	<code>\faYelp</code> (Y)	197
<code>\faStickyNote</code> (📝)	195	<code>\fatslash</code> (/)	30	<code>\faYen</code> (¥)	25
<code>\faStickyNote0</code> (📝)	195	<code>\fatslash</code> (/)	57	<code>\faYoutube</code> (📺)	197
<code>\faStop</code> (■)	195	<code>\faTty</code> (🖨)	196	<code>\faYoutubePlay</code> (📺)	197
<code>\faStreetView</code> (📍)	195	<code>\faTumblr</code> (t)	196	<code>\faYoutubeSquare</code> (📺)	197
<code>\faStrikethrough</code> (ⓧ)	195	<code>\faTumblrSquare</code> (t)	196	<code>\fbowtie</code> (⚔)	58
<code>\faStumbleupon</code> (📍)	195	<code>\faTurkishLira</code> (₺)	25	<code>fc</code> (package)	16, 20
<code>\faStumbleuponCircle</code> (📍)	195	<code>\faTv</code> (📺)	197	<code>\fcdice</code> (🎲)	179
<code>\faSubscript</code> (x ₂)	195	<code>\faTwitch</code> (📺)	196	<code>fclfont</code> (package)	239
<code>\faSubway</code> (🚇)	195	<code>\faTwitter</code> (🐦)	196	<code>\fcmp</code> (⸫)	34
<code>\faSuitcase</code> (🧳)	195	<code>\faTwitterSquare</code> (🐦)	196	<code>\Fcontent</code> (—)	116

`\fcscore` (|||||) 180
`.fd files` 12, 231, 238
`\fdiagovnearrow` (\nearrow) 84
`\fdiagovrdiag` (\times) 121
`fdsymbol` (package) . 32, 33, 36, 44, 45, 55, 56, 63, 67, 71, 78–82, 89, 90, 95, 97, 101, 102, 106, 108, 115, 118, 120, 141, 145, 158, 239, 240
`feet` *see* `\prime` and `\textquotesingle`
`\FEMALE` ($\text{\textcircled{F}}$) 131
`\Female` ($\text{\textcircled{f}}$) 131
`female` 18, 126–128, 131, 192–197, 201–203
`\female` ($\text{\textcircled{f}}$) 131
`\female` ($\text{\textcircled{f}}$) 131
`\FemaleFemale` ($\text{\textcircled{FF}}$) 131
`\FemaleMale` ($\text{\textcircled{Ff}}$) 131
`\Ferli` ($\text{\textcircled{F}}$) 161
`\fermata` 165
`\fermata` ($\text{\textcircled{f}}$) 164
`\fermatadown` ($\text{\textcircled{f}}$) 159
`\fermataup` ($\text{\textcircled{f}}$) 159
`\Fermi` ($\text{\textcircled{F}}$) 161
`\fermiDistrib` (\mathcal{F}) 132
`\fermion` (\mathcal{F}) 132
`fermions` 132–133
`feyn` (package) . . 132, 239, 240
`Feynman slashed character notation` 224
`Feynman-diagram symbols` 132
`\feyn{a}` ($\text{\textcircled{a}}$) 132
`\feyn{c}` ($\text{\textcircled{c}}$) 132
`\feyn{fd}` ($\text{\textcircled{d}}$) 132
`\feyn{flS}` ($\text{\textcircled{S}}$) 132
`\feyn{fl}` ($\text{\textcircled{f}}$) 132
`\feyn{fs}` ($\text{\textcircled{f}}$) 132
`\feyn{fu}` ($\text{\textcircled{u}}$) 132
`\feyn{fv}` ($\text{\textcircled{v}}$) 132
`\feyn{f}` ($\text{\textcircled{f}}$) 132
`\feyn{g1}` ($\text{\textcircled{1}}$) 132
`\feyn{gd}` ($\text{\textcircled{d}}$) 132
`\feyn{glB}` ($\text{\textcircled{B}}$) 132
`\feyn{glS}` ($\text{\textcircled{S}}$) 132
`\feyn{glu}` ($\text{\textcircled{u}}$) 132
`\feyn{gl}` ($\text{\textcircled{g}}$) 132
`\feyn{gu}` ($\text{\textcircled{u}}$) 132
`\feyn{gvs}` ($\text{\textcircled{v}}$) 132
`\feyn{gv}` ($\text{\textcircled{v}}$) 132
`\feyn{g}` ($\text{\textcircled{g}}$) 132
`\feyn{hd}` ($\text{\textcircled{d}}$) 132
`\feyn{hs}` ($\text{\textcircled{S}}$) 132
`\feyn{hu}` ($\text{\textcircled{u}}$) 132
`\feyn{h}` ($\text{\textcircled{h}}$) 132
`\feyn{ms}` ($\text{\textcircled{S}}$) 132
`\feyn{m}` ($\text{\textcircled{m}}$) 132
`\feyn{P}` ($\text{\textcircled{P}}$) 132
`\feyn{p}` ($\text{\textcircled{p}}$) 132
`\feyn{x}` ($\text{\textcircled{x}}$) 132

`fez` 107
`\FF` ($\text{\textcircled{F}}$) 130
`fge` (package) 87, 97, 106, 117, 122, 239, 240
`\fgeA` ($\text{\textcircled{A}}$) 97
`\fgebackslash` (\backslash) 122
`\fgebaracute` ($\text{\textcircled{A}}$) 122
`\fgebarcap` ($\text{\textcircled{A}}$) 122
`\fgec` ($\text{\textcircled{c}}$) 97
`\fgecap` ($\text{\textcircled{c}}$) 122
`\fgecapbar` ($\text{\textcircled{c}}$) 122
`\fgecup` ($\text{\textcircled{c}}$) 122
`\fgecupacute` ($\text{\textcircled{c}}$) 122
`\fgecupbar` ($\text{\textcircled{c}}$) 122
`\fged` ($\text{\textcircled{d}}$) 97
`\fgee` ($\text{\textcircled{e}}$) 97
`\fgeeszett` ($\text{\textcircled{z}}$) 97
`\fgeeta` ($\text{\textcircled{e}}$) 97
`\fgeF` ($\text{\textcircled{F}}$) 97
`\fgef` ($\text{\textcircled{f}}$) 97
`\fgeinfty` (∞) 122
`\fgeiangle` ($\text{\textcircled{e}}$) 122
`\fgeIb` 97
`\fgeIb` ($\text{\textcircled{e}}$) 97
`\fgeleftB` ($\text{\textcircled{B}}$) 97
`\fgeleftC` ($\text{\textcircled{C}}$) 97
`\fgeN` ($\text{\textcircled{N}}$) 97
`\fgeoverU` ($\text{\textcircled{U}}$) 97
`\fgerightarrow` ($\text{\textcircled{a}}$) 87
`\fgerightB` ($\text{\textcircled{B}}$) 97
`\fges` ($\text{\textcircled{f}}$) 97
`\fgestruckone` ($\text{\textcircled{1}}$) 117
`\fgestruckzero` ($\text{\textcircled{0}}$) 117
`\fgeU` ($\text{\textcircled{U}}$) 97
`\fgeuparrow` ($\text{\textcircled{a}}$) 87
`\fgeupbracket` ($\text{\textcircled{U}}$) 122
`field` (\mathbb{F}) *see* alphabets, math
`\file` ($\text{\textcircled{f}}$) 181
`file extensions`
 `.dvi` 235
 `.fd` 12, 231, 238
 `.mf` 12, 199, 229
 `.otf` 158
 `.pdf` 235
 `.sty` 12
 `.tex` 235, 237
 `.tfm` . 12, 123, 199, 219, 238
`file symbols` 194–197
`\FilledBigCircle` ($\text{\textcircled{O}}$) . . 143
`\FilledBigDiamondshape` ($\text{\textcircled{D}}$) 143
`\FilledBigSquare` ($\text{\textcircled{Q}}$) . . 143
`\FilledBigTriangleDown` ($\text{\textcircled{D}}$) 143
`\FilledBigTriangleLeft` ($\text{\textcircled{D}}$) 143
`\FilledBigTriangleRight` ($\text{\textcircled{D}}$) 143
`\FilledBigTriangleUp` ($\text{\textcircled{D}}$) 143
`\FilledCircle` ($\text{\textcircled{O}}$) 143

`\FilledCloud` ($\text{\textcircled{C}}$) 178
`\filleddiamond` ($\text{\textcircled{D}}$) 36
`\FilledDiamondShadowA` ($\text{\textcircled{D}}$) 143
`\FilledDiamondShadowC` ($\text{\textcircled{D}}$) 143
`\FilledDiamondshape` ($\text{\textcircled{D}}$) 143
`\FilledHut` ($\text{\textcircled{H}}$) 178
`\filledlargestar` ($\text{\textcircled{S}}$) . . 140
`\filledlozenge` ($\text{\textcircled{L}}$) 140
`\filledmedlozenge` ($\text{\textcircled{L}}$) . . 140
`\filledmedsquare` ($\text{\textcircled{Q}}$) . . . 36
`\filledmedtriangledown` ($\text{\textcircled{D}}$) 36, 70
`\filledmedtriangleleft` ($\text{\textcircled{D}}$) 36, 70
`\filledmedtriangleright` ($\text{\textcircled{D}}$) 36, 70
`\filledmedtriangleup` ($\text{\textcircled{D}}$) 36, 70
`\FilledRainCloud` ($\text{\textcircled{C}}$) . . 178
`\FilledSectioningDiamond` ($\text{\textcircled{D}}$) 178
`\FilledSmallCircle` ($\text{\textcircled{O}}$) 143
`\FilledSmallCircle` ($\text{\textcircled{O}}$) 143
`\FilledSmallDiamondshape` ($\text{\textcircled{D}}$) 143
`\FilledSmallSquare` ($\text{\textcircled{Q}}$) 143
`\FilledSmallTriangleDown` ($\text{\textcircled{D}}$) 143
`\FilledSmallTriangleLeft` ($\text{\textcircled{D}}$) 143
`\FilledSmallTriangleRight` ($\text{\textcircled{D}}$) 143
`\FilledSmallTriangleUp` ($\text{\textcircled{D}}$) 143
`\FilledSnowCloud` ($\text{\textcircled{C}}$) . . 178
`\FilledSquare` ($\text{\textcircled{Q}}$) 143
`\filledsquare` ($\text{\textcircled{Q}}$) 36
`\FilledSquareShadowA` ($\text{\textcircled{Q}}$) 143
`\FilledSquareShadowC` ($\text{\textcircled{Q}}$) 143
`\filledsquarewithdots` ($\text{\textcircled{Q}}$) 146
`\filledstar` ($\text{\textcircled{S}}$) 36
`\FilledSunCloud` ($\text{\textcircled{C}}$) . . . 178
`\FilledTriangleDown` ($\text{\textcircled{D}}$) 143
`\filledtriangledown` ($\text{\textcircled{D}}$) 36, 70
`\FilledTriangleLeft` ($\text{\textcircled{D}}$) 143
`\filledtriangleleft` ($\text{\textcircled{D}}$) 36, 70
`\FilledTriangleRight` ($\text{\textcircled{D}}$) 143
`\filledtriangleright` ($\text{\textcircled{D}}$) 36, 70
`\FilledTriangleUp` ($\text{\textcircled{D}}$) . 143
`\filledtriangleup` ($\text{\textcircled{D}}$) 36, 70

<code>\FilledWeakRainCloud</code> () 178	<code>\flat</code> (b) 158	CountriesOfEurope .. 190
finger, pointing see fists	<code>\flat</code> (b) 158	Courier 25
finite field (F) . see alphabets, math	<code>\flatflat</code> () 163	Emmentaler 163
<code>\Finland</code> () 189	<code>\Flatsteel</code> () 131	Garamond 25, 49
<code>\finpartvoice</code> () 22	fetched arrows 87, 134	Helvetica 25
<code>\finpartvoiceless</code> () .. 22	fleurons 140, 146, 204	“pi” 222
<code>\fint</code> (f) 42	<code>\Florin</code> () 25	Soyombo 187
<code>\fint</code> (f) 48	florin see <code>\textflorin</code>	Symbol 94, 222
<code>\fint</code> (f) 43	flourishes 146, 147, 207	Times Roman .. 25, 221
<code>\fint</code> (f) 45	<code>\floweroneleft</code> () 140	Type 1 232
<code>\fint</code> (f) 46	<code>\floweroneright</code> () ... 140	Utopia 25, 49
<code>\fintsl</code> (f) 47	flowers ... 139, 140, 192–193, 204–205	Zapf Chancery 123
<code>\fintup</code> (f) 47	<code>\fltns</code> () 141	Zapf Dingbats . 134, 138
<code>\Finv</code> (\updownarrow) 96	Flynn, Peter 223	<code>\fontsize</code> 219, 221
<code>\Finv</code> (\updownarrow) 96	<code>\FM</code> () 129	fontspec (package) .. 158, 238
<code>\Finv</code> (\updownarrow) 97	<code>\Fncontent</code> () 116	<code>\Football</code> () 177
<code>\Finv</code> (\updownarrow) 97	<code>\Fnncontent</code> () 116	<code>\forall</code> (\forall) 96
<code>\Finv</code> (\updownarrow) 97	<code>\Fnnquant</code> () 116	<code>\forall</code> (\forall) 97
<code>\Finv</code> (\updownarrow) 97	<code>\Fnnquantn</code> () 116	<code>\forall</code> (\forall) 96
<code>\Fire</code> () 178, 192	<code>\Fnnquantnn</code> () 116	<code>\forall</code> (\forall) 97
<code>\Fire</code> () 128	<code>\Fnquant</code> () 116	<code>\Force</code> (\downarrow) 131
fish 205	<code>\Fnquantn</code> () 116	<code>\Fork</code> (f) 191
fish hook see <code>\strictif</code>	<code>\Fnquantnn</code> () 116	<code>\forks</code> () 59
<code>\fisheye</code> () 141	<code>\fnsymbol</code> 180	<code>\forksnot</code> () 58
fists 136, 137, 199	<code>\Fog</code> () 178	<code>\forkv</code> (m) 57
<code>\fivedots</code> (:::) 31, 115	<code>\font</code> 12	<code>\forkv</code> (m) 58
<code>\FiveFlowerOpen</code> () ... 139	font encodings . 12, 14–16, 20, 23, 222, 227, 233–235, 239	forte (f) 163, 175
<code>\FiveFlowerPetal</code> () .. 139	7-bit 12	<code>\Fortune</code> () 128
<code>\FiveStar</code> () 139	8-bit 12	<code>\Forward</code> () 177
<code>\FiveStarCenterOpen</code> () 139	ASCII 239	<code>\ForwardToEnd</code> () 177
<code>\FiveStarConvex</code> () ... 139	Cyrillic 20	<code>\ForwardToIndex</code> () .. 177
<code>\FiveStarLines</code> () 139	document 235	<code>\FourAsterisk</code> () 139
<code>\FiveStarOpen</code> () 139	Latin 1 239	<code>\FourClowerOpen</code> () ... 139
<code>\FiveStarOpenCircled</code> () 139	limiting scope of 12	<code>\FourClowerSolid</code> () .. 139
<code>\FiveStarOpenDotted</code> () 139	LY1 12	<code>\Fourier</code> ($\text{—}\circ$) 61
<code>\FiveStarOutline</code> () .. 139	OT1 ... 12, 15, 20, 227, 233–235	fourier (package) 26, 61, 94, 98, 104, 109, 137, 140, 177, 239
<code>\FiveStarOutlineHeavy</code> () 139	OT2 222	fourier (emf package option) 126
<code>\FiveStarShadow</code> () ... 139	T1 12, 14–16, 20, 234, 235	<code>\fourier</code> ($\text{—}\circ$) 61
<code>\Fixedbearing</code> () 131	T2A 20, 222	Fourier transform (\mathcal{F}) ... see alphabets, math
<code>\fixedddots</code> (\ddots) 114	T2B 20	<code>\FourStar</code> () 139
<code>\fixedvdots</code> (vdots) 114	T2C 20	<code>\FourStarOpen</code> () 139
fixmath (package) 233	T4 16, 20, 23	<code>\fourth</code> () 119
<code>\fj</code> (fj) 19	T5 16, 20	<code>\fourvdots</code> (vdots) 115
<code>\FL</code> (L) 129	TS1 222, 235	<code>\Fquantn</code> () 116
<code>\fl</code> (b) 160	U 222	<code>\Fquantnn</code> () 116
<code>\Flag</code> () 178	X2 20	<code>\fracslash</code> ($\text{}/$) 34
<code>\flageolett</code> (P) 159	fontawesome (package) 25, 26, 127, 131, 135–138, 140, 144, 194, 197, 239, 240	fractions 121
flags 178, 190, 192–197, 213–215	<code>\fontdef.dtx</code> (file) .. 223, 226	fraktur . see alphabets, math
<code>\flap</code> (r) 19	<code>\fontenc</code> (package) .. 12, 15, 16, 20, 235	<code>\France</code> () 189
<code>\flapr</code> (r) 19	<code>\fontencoding</code> 12	frursive (emf package option) 126
<code>\Flasche</code> () 191	fonts	Freemason’s cipher 186
<code>\flat</code> (b) 158	Calligra 123	frege (package) . 116, 239, 240
<code>\flat</code> (b) 158	Charter 25, 49	Frege logic symbols .. 87, 97, 116, 117, 122
<code>\flat</code> (b) 158	Computer Modern .. 87, 219, 221, 234	Frege, Gottlob 116
<code>\flat</code> (b) 163		<code>\frown</code> (\frown) 50
		<code>\frown</code> (\frown) 57
		<code>\frown</code> (\frown) 55, 90

<code>\frown</code> (\frown)	89	<code>\geq</code> (\geq)	66	<code>\glE</code> (\cong)	69
<code>\frown</code> (\smile)	58	<code>\geq</code> (\geq)	68, 69	<code>\gleichstark</code> (\equiv)	58
frown symbols	89, 90	<code>\geqclosed</code> (\geq)	67, 71	<code>\glj</code> (\times)	68
<code>\frowneq</code> (\cong)	55, 90	<code>\geqclosed</code> (\geq)	66, 70	<code>\glj</code> (\times)	69
<code>\frowneq</code> (\simeq)	89	<code>\geqdot</code> (\geq)	67	globe	177
<code>\frowneqsmile</code> (\simeq)	89	<code>\geqdot</code> (\geq)	66	<code>\glotstop</code> (?)	19
<code>\frownie</code> (\odot)	176	<code>\geqq</code> (\geq)	65	<code>\glottal</code> (!)	19
<code>\frownsmile</code> (\odot)	55, 90	<code>\geqq</code> (\geq)	64	<code>\Gloves</code> (?)	191
<code>\frownsmile</code> (\odot)	89	<code>\geqq</code> (\geq)	68	<code>\Gluon</code> (g)	132
<code>\frownsmileeq</code> (\cong)	89	<code>\geqq</code> (\geq)	67	<code>\gluon</code> (?)	125
<code>\Frowny</code> (\odot)	177	<code>\geqq</code> (\geq)	66	gluons	132
frowny faces	130, 176, 177, 190–197	<code>\geqq</code> (\geq)	68	<code>\gnapprox</code> (\approx)	65
<code>\fryingpan</code> (?)	191	<code>\geqqslant</code> (\geq)	68	<code>\gnapprox</code> (\approx)	64
<code>\FS</code> (L)	130	<code>\geqslant</code> (\geq)	64, 226	<code>\gnapprox</code> (\approx)	68
<code>\fullmoon</code> (\odot)	127	<code>\geqslant</code> (\geq)	68	<code>\gnapprox</code> (\approx)	67
<code>\fullmoon</code> (\odot)	126	<code>\geqslant</code> (\geq)	67	<code>\gnapprox</code> (\approx)	66
<code>\fullnote</code> (?)	158	<code>\geqslant</code> (\geq)	66	<code>\gnapprox</code> (\approx)	69
<code>\fullouterjoin</code> (X)	121	<code>\geqslant</code> (\geq)	68	<code>\gneq</code> (\geq)	65
G					
<code>\G</code> (?)	20	<code>\geqslantdot</code> (\geq)	67	<code>\gneq</code> (\geq)	64
<code>g</code> (esvect package option)	110	<code>\geqslantdot</code> (\geq)	66	<code>\gneq</code> (\geq)	68
<code>g</code> (X)	157	<code>\geqslcc</code> (\geq)	67	<code>\gneq</code> (\geq)	67
gaffing hook	<i>see</i> <code>\strictif</code>	german (keystroke package option)	129	<code>\gneq</code> (\geq)	69
<code>\Game</code> (\odot)	96	Germanic runes	157	<code>\gneqq</code> (\approx)	65
<code>\Game</code> (\odot)	96	<code>\Germany</code> (?)	189	<code>\gneqq</code> (\approx)	64
<code>\Game</code> (\odot)	97	<code>\gescc</code> (\geq)	67	<code>\gneqq</code> (\approx)	68
<code>\Game</code> (\odot)	97	<code>\gescc</code> (\geq)	68	<code>\gneqq</code> (\approx)	67
<code>\Game</code> (\odot)	97	<code>\gesdot</code> (\geq)	67	<code>\gneqq</code> (\approx)	66
game-related symbols	145, 146, 178, 179, 181–183, 194– 197, 216–218	<code>\gesdot</code> (\geq)	68	<code>\gneqq</code> (\approx)	69
<code>\Gamma</code> (Γ)	93	<code>\gesdoto</code> (\geq)	68	<code>\gnsim</code> (\approx)	65
<code>\gamma</code> (γ)	93	<code>\gesdoto</code> (\geq)	68	<code>\gnsim</code> (\approx)	64
<code>\gammaaup</code> (γ)	94	<code>\gesdotol</code> (\geq)	68	<code>\gnsim</code> (\approx)	68
<code>\Ganz</code> (?)	160	<code>\gesl</code> (\geq)	67	<code>\gnsim</code> (\approx)	67
<code>\GaPa</code> (?)	160	<code>\gesles</code> (\geq)	69	<code>\gnsim</code> (\approx)	66
Garamond (font)	25, 49	<code>\gets</code>	<i>see</i> <code>\leftarrow</code>	<code>\gnsim</code> (\approx)	69
<code>\garlicpress</code> (?)	191	<code>\gets</code> (\leftarrow)	79	<code>\GO</code> (\rightarrow)	129
<code>\Gasstove</code> (?)	191	<code>\gg</code> (\gg)	65	<code>go</code> (package)	183, 239
<code>\gcd</code> (<code>gcd</code>)	91	<code>\gg</code> (\gg)	64	Go boards	182, 183
<code>\GD</code> (∇)	129	<code>\gg</code> (\gg)	67	Go stones	182, 183
<code>\GE</code> (\geq)	129	<code>\gg</code> (\gg)	66	goban	182, 183
<code>\ge</code>	<i>see</i> <code>\geq</code>	<code>\gg</code> (\gg)	69	<code>\Goofy</code>	184
<code>\ge</code> (\geq)	67	<code>\ggcurly</code> (\gg)	52	<code>\grad</code> (grad)	92
<code>\ge</code> (\geq)	69	<code>\ggcurly</code> (\gg)	57	<code>\graphene</code> (G)	132
<code>\Gemini</code> (II)	127	<code>\ggg</code> (\ggg)	65	graphics (package)	87, 222
<code>\Gemini</code> (II)	126	<code>\ggg</code> (\ggg)	64	graphicx (package)	24, 219, 222, 226
<code>\Gemini</code> (II)	128	<code>\ggg</code> (\ggg vs. \gg)	220	<code>\grater</code> (?)	191
<code>\gemini</code> (II)	126	<code>\ggg</code> (\ggg)	68	<code>\grave</code> (?)	106
genealogical symbols	176	<code>\ggg</code> (\ggg)	67	<code>\grave</code> (?)	105
<code>\geneuro</code> (€)	26	<code>\gggtr</code>	<i>see</i> <code>\ggg</code>	grave (?)	<i>see</i> accents
<code>\geneuronarrow</code> (€)	26	<code>\gggtr</code> (\ggg)	67	<code>\gravis</code> (?)	23
<code>\geneurowide</code> (€)	26	<code>\gggtr</code> (\ggg)	66	<code>\graviton</code> (g)	132
<code>gensymb</code> (package)	125	<code>\gggtr</code> (\ggg)	69	<code>\GreatBritain</code> (?)	189
<code>\Gentsroom</code> (?)	177	ghosts	38, 114, 186	greater-than signs	<i>see</i> inequalities
geometric shapes	128, 140–145, 169–173, 182, 183, 194– 197, 199–200, 215–216	Gibbons, Jeremy	241	greatest lower bound	<i>see</i> <code>\sqcap</code>
<code>\geq</code> (\geq)	65	<code>\gimel</code> (J)	95	<code>\greatpumpkin</code> (?)	38
<code>\geq</code> (\geq)	64, 65	<code>\gimel</code> (I)	95	<code>\Greece</code> (€)	189
<code>\geq</code> (\geq)	67	<code>\gimel</code> (λ)	95	Greek	15, 93, 94
		<code>\gimel</code> (λ)	95	blackboard bold	124
		<code>\gimel</code> (λ)	96	bold	93, 233
		<code>\girl</code> (?)	127	coins	26
		<code>\gla</code> (\times)	69		

letters . . . 15, 93, 94, 124,
 154, 233
 numerals 154
 polytonic 15, 93, 94
 upright 15, 94
 greek (babel package option) 15,
 93, 94, 154
 Green Dot . . *see* `\Greenpoint`
and `\PackingWaste`
`\Greenpoint` (☉) 186
 greenpoint (package) 199, 239
 Gregorian music 160

`\gregorianClef` (♩) . . 160

`\gregorianFclef` (♩) . . 160
 Gregorio, Enrico 105, 223, 224
 Griffith's separation vector (♣)
 123

`\grimace` (☹) 177
 Grüne Punkt *see* `\Greenpoint`
and `\PackingWaste`

`\GS` (↔) 130
`\gsime` (≈) 69
`\gsiml` (≈) 69
`\Gt` (⊳) 68
`\Gt` (⊳) 69
`\gtcc` (▷) 67
`\gtcc` (▷) 69
`\gtcir` (⊳) 68
`\gtcir` (⊳) 69
`\gtlpar` (▷) 118
`\gtlpar` (▷) 118
`\gtquest` (⊳) 68
`\gtr` (>) 67
`\gtr` (>) 66
`\gtrapprox` (≈) 65
`\gtrapprox` (≈) 64
`\gtrapprox` (≈) 68
`\gtrapprox` (≈) 67
`\gtrapprox` (≈) 66
`\gtrapprox` (≈) 68
`\gtrarr` (⊳) 68
`\gtrcc` (▷) 67
`\gtrclosed` (▷) 67, 71
`\gtrclosed` (▷) 66, 70
`\gtrdot` (▷) 65
`\gtrdot` (▷) 64
`\gtrdot` (▷) 33
`\gtrdot` (▷) 67
`\gtrdot` (▷) 66
`\gtrdot` (▷) 68
`\gtreqless` (≈) 65
`\gtreqless` (≈) 64
`\gtreqless` (≈) 68
`\gtreqless` (≈) 67
`\gtreqless` (≈) 66
`\gtreqless` (≈) 68
`\gtreqlessslant` (≈) 67
`\gtreqlessslant` (≈) 66
`\gtreqqless` (≈) 65
`\gtreqqless` (≈) 64

`\gtreqqless` (≈) 68
`\gtreqqless` (≈) 67
`\gtreqqless` (≈) 66
`\gtreqqless` (≈) 68
`\gtreqslantless` (≈) 67
`\gtrless` (≈) 65
`\gtrless` (≈) 64
`\gtrless` (≈) 68
`\gtrless` (≈) 67
`\gtrless` (≈) 66
`\gtrless` (≈) 68
`\gtrneqqless` (≈) 66
`\gtrsim` (≈) 65
`\gtrsim` (≈) 64, 226
`\gtrsim` (≈) 68
`\gtrsim` (≈) 67
`\gtrsim` (≈) 66
`\gtrsim` (≈) 68
`\gtrsimslant` (≈) 226



`\GU` (Δ) 129
`\guillemetleft` (◀) . . 16, 236
`\guillemetright` (▶) . 16, 236
`\guillemotleft` *see*
`\guillemetleft`
`\guillemotright` *see*
`\guillemetright`
`\guilsinglleft` (◁) . . 16, 237
`\guilsinglright` (▷) . 16, 237
`\gvcropped` (≈) 132
`\gvertneqq` (≈) 65
`\gvertneqq` (≈) 64
`\gvertneqq` (≈) 68
`\gvertneqq` (≈) 67
`\gvertneqq` (≈) 66
`\gvertneqq` (≈) 68

H

H (N) 157
`\H` (H) 20
 h (esvect package option) . 110
`\h` (H) 157
`\h` (H) 20
 h (H) 157
 Hälsinge runes . . *see* staveless
 runes
`\HA` (H) 149
`\Ha` (H) 149
 háček (H) *see* accents
`\Hades` (H) 128
`\Hail` (H) 178
`\Halb` (H) 160
 half note *see* musical symbols
`\HalfCircleLeft` (◐) 143
`\HalfCircleRight` (◑) 143
`\HalfFilledHut` (H) 178
`\halflength` (H) 24
`\halfNote` (H) 161
`\halfnote` (H) 158
`\halfNoteDotted` (H) 161
`\halfNoteDottedDouble` (H) 161

`\halfNoteDottedDoubleDown`
 (H) 161
`\halfNoteDottedDown` (H) . 161
`\halfNoteDown` (H) 161
`\halfNoteRest` (H) 163
`\halfNoteRestDotted` (H) 163

`\HalfSun` (H) 178
 Halloween symbols 38, 113, 114
 halloweenmath (package) . 38,
 90, 106, 112–114, 239, 240
 Hamiltonian (H) *see*
 alphabets, math
`\HandCuffLeft` (H) 136
`\HandCuffLeftUp` (H) 136
`\HandCuffRight` (H) 136
`\HandCuffRightUp` (H) 136
`\HandLeft` (H) 136
`\HandLeftUp` (H) 136
`\HandPencilLeft` (H) 136
`\HandRight` (H) 136
`\HandRightUp` (H) 136
 hands *see* fists
 hands (package) 199, 239
`\Handwash` (H) 177
`\HaPa` (H) 160
 harmony (package) . . 160, 161,
 239, 240
 harpoon (package) 87, 239, 240
 harpoons 72, 74, 77, 81–83,
 86–88, 215–216
`\hash` (H) 119
`\hash` (H) 57
 hash mark . . *see* `\#` *and* `\hash`
`\hat` (H) 106
`\hat` (H) 105
`\hat[ash]` (H) 107
`\hat[beret]` (H) 107
`\hat[cowboy]` (H) 107
`\hat[crown]` (H) 107
`\hat[dunce]` (H) 107
`\hat[fez]` (H) 107
`\hat[santa]` (H) 107
`\hat[sombrero]` (H) 107
`\hat[tophat]` (H) 107
`\hat[witch]` (H) 107
`\hatapprox` (H) 58
`\hateq` (H) 55
`\hateq` (H) 52
`\hausab` (H) 19
`\hausab` (H) 19
`\hausad` (H) 19
`\hausad` (H) 19
`\hausak` (H) 19
`\hausak` (H) 19
`\HB` (H) 149
`\Hb` (H) 149
`\HBar` (H) 143
`\hbar` (H) 96, 223

<code>\hbar</code> (h)	97	<code>\hfermion</code> (O)	132	<code>\hom</code> (hom)	91
<code>\hbar</code> (\hbar)	97	<code>\hfil</code>	224	<code>\Home</code> ([Home])	129
<code>\hbar</code> (\hbar)	97	<code>\HG</code> (∇)	149		
<code>\hbipropto</code> (∞)	31	<code>\Hg</code> (\boxplus)	149	<code>\Homer</code> ([Homer])	184
<code>\hbond</code> (H)	132	<code>\HH</code>	161	<code>\Hone</code> ([1])	149
<code>\HC</code> (C)	149	<code>\HH</code> (H)	149	hook accent ([hook])	<i>see accents</i>
<code>\Hc</code> (c)	149	<code>\Hh</code> (h)	149	<code>\hookb</code> ([b])	19
<code>\hcrossing</code> (\times)	52	<code>\Hhcount</code> (package)	179, 180, 239, 240	<code>\hookd</code> ([d])	19
<code>\HCthousand</code> ([1000])	149	<code>\Hhundred</code> ([100])	149	<code>\hookd</code> ([d])	19
<code>\HD</code> ([D])	149	<code>\HI</code> ([I])	149	<code>\hookdownarrow</code> ([downarrow])	78
<code>\Hd</code> ([d])	149	<code>\Hi</code> ([i])	149	<code>\hookdownminus</code> ([downminus])	120
<code>\hdotdot</code> (\cdots)	32, 115	<code>\hiatus</code> ([hiatus])	184	<code>\hookdownminus</code> ([downminus])	119
<code>\hdotdot</code> (\cdots)	31, 115	<code>\Hibl</code> ([bl])	149	<code>\hookg</code> ([g])	19
<code>\hdots</code> (\cdots)	115	<code>\Hibp</code> ([bp])	149	<code>\hookh</code> ([h])	19
<code>\hdots</code> (\cdots)	115	<code>\Hibs</code> ([bs])	149	<code>\hookheng</code> ([heng])	19
<code>\Hdual</code> ([dual])	149	<code>\Hibw</code> ([bw])	149	<code>\hookleftarrow</code> ([leftarrow])	72
<code>\HE</code> ([HE])	149	<code>\Hidalgo</code> ([idalgo])	128	<code>\hookleftarrow</code> ([leftarrow])	82
<code>\He</code> ([He])	149	<code>\hieroglf</code> (package)	149, 239, 240	<code>\hookleftarrow</code> ([leftarrow])	78
heads	<i>see faces</i>	<code>\hieroglyphics</code>	149	<code>\hookleftarrow</code> ([leftarrow])	75
<code>\Heart</code> ([Heart])	177	<code>\Higgsboson</code> ([higgs])	132	<code>\hookleftarrow</code> ([leftarrow])	87
heartctrbull (bullctr package option)	180	Hilbert space (\mathcal{H})	<i>see alphabets, math</i>	<code>\hookleftarrow</code> ([leftarrow])	84
<code>\heartctrbull</code>	180	<code>\hill</code> ([hill])	23	<code>\hooknearrow</code> ([nearrow])	78
hearts	128, 145, 146, 192–197	Hirst, Daniel	158	<code>\hooknearrow</code> ([nearrow])	78
<code>\heartsuit</code> (\heartsuit)	145	<code>\HJ</code> ([HJ])	149	<code>\hookswarrow</code> ([swarrow])	78
<code>\heartsuit</code> (\heartsuit)	145	<code>\Hj</code> ([Hj])	149	<code>\hookuparrow</code> ([uparrow])	78
<code>\heartsuit</code> (\heartsuit)	145	<code>\HK</code> ([HK])	149	<code>\hookuparrow</code> ([uparrow])	78
<code>\heartsuit</code> (\heartsuit)	146	<code>\Hk</code> ([Hk])	149	<code>\hookupminus</code> ([upminus])	33
<code>\heavyqtleft</code> ([heavyqtleft])	190	<code>\hknearrow</code> ([nearrow])	79	<code>\hookupminus</code> ([upminus])	119
<code>\heavyqtright</code> ([heavyqtright])	190	<code>\hknearrow</code> ([nearrow])	84	Horn, Berthold	124
Hebrew	95, 96, 124	<code>\hknarrow</code> ([narrow])	79	<code>\hoshi</code> ([hoshi])	183
Helvetica (font)	25	<code>\hkswarrow</code> ([swarrow])	84	<code>\hourglass</code> ([hourglass])	33
<code>\hemiobelion</code> ([hemiobelion])	26	<code>\hkswarrow</code> ([swarrow])	79	<code>\hourglass</code> ([hourglass])	38
<code>\Herd</code> ([Herd])	191	<code>\HL</code> ([HL])	149	<code>\house</code> ([house])	141
<code>\HERMAPHRODITE</code> ([hermaphrodite])	131	<code>\HL</code> ([HL])	149	<code>\HP</code> ([HP])	149
<code>\Hermaphrodite</code> ([hermaphrodite])	131	<code>\HM</code> ([HM])	149	<code>\Hp</code> ([Hp])	149
<code>\Hermaphrodite</code> ([hermaphrodite])	131	<code>\Hm</code> ([Hm])	149	<code>\hpause</code> ([hpause])	159
<code>\hermitmatrix</code> ([hermitmatrix])	120	<code>\Hman</code> ([Hman])	149	<code>\Hplural</code> ([Hplural])	149
<code>\hermitmatrix</code> ([hermitmatrix])	121	<code>\Hmillion</code> ([Hmillion])	149	<code>\Hplus</code> ([Hplus])	149
<code>\Heta</code> ([Heta])	154	<code>\hmleftpitchfork</code> ([hmleftpitchfork])	90	<code>\HQ</code> ([HQ])	149
<code>\heta</code> ([eta])	154	<code>\hmrightpitchfork</code> ($\text{[hmrightpitchfork]}$)	90	<code>\Hq</code> ([Hq])	149
<code>\hexago</code> ([hexago])	144	<code>\Hms</code> ([Hms])	149	<code>\Hquery</code> ([Hquery])	149
<code>\hexagocross</code> ([hexagocross])	144	<code>\HN</code> ([HN])	149	<code>\HR</code> ([HR])	149
<code>\hexagodot</code> ([hexagodot])	144	<code>\Hn</code> ([Hn])	149	<code>\Hr</code> ([Hr])	149
<code>\hexagofill</code> ([hexagofill])	144	<code>\HO</code> ([HO])	149	<code>\hrectangle</code> ([hrectangle])	141
<code>\hexagofillha</code> ([hexagofillha])	144	<code>\Ho</code> ([Ho])	149	<code>\hrectangleblack</code> ([hrectangleblack])	141
<code>\hexagofillhb</code> ([hexagofillhb])	144	<code>\hole</code> ([hole])	132	<code>\HS</code> ([HS])	149
<code>\hexagofillhl</code> ([hexagofillhl])	144	<code>\HollowBox</code> ([HollowBox])	138	<code>\Hs</code> ([Hs])	149
<code>\hexagofillhr</code> ([hexagofillhr])	144	Holmes, Sherlock	213		
<code>\hexagolineh</code> ([hexagolineh])	145	Holt, Alexander	1, 238	<code>\hs</code> ([hs])	159
<code>\hexagolinev</code> ([hexagolinev])	145	<code>\holter</code> ([holter])	114	<code>\Hscribe</code> ([Hscribe])	149
<code>\hexagolinevh</code> ([hexagolinevh])	145	holtpolt (package)	114, 239	<code>\Hslash</code> ([Hslash])	149
<code>\hexagon</code> ([hexagon])	141			<code>\Hslash</code> ([Hslash])	149
<code>\hexagon</code> ([hexagon])	140			<code>\hslash</code> ([hslash])	96
<code>\hexagonblack</code> ([hexagonblack])	141				
hexagons	144–145				
<code>\Hexasteel</code> ([Hexasteel])	131				
<code>\hexstar</code> ([hexstar])	139				
<code>\HF</code> ([HF])	125				
<code>\HF</code> ([HF])	149				
<code>\Hf</code> ([Hf])	149				

`\intcapsl` (\int) 48
`\intcapup` (\int) 48
`\intclockwise` (\int) 49
`\intclockwise` (\int) 45
`\intclockwise` (\int) 49
`\intclockwise` (\int) 46
`\intclockwisesl` (\int) 47
`\intclockwiseup` (\int) 47
`\intctrlockwise` (\int) 45
`\intcup` (\int) 49
`\intcup` (\int) 46
`\intcupsl` (\int) 48
`\intcupup` (\int) 48
`\INTEGER` (\mathbb{Z}) 92
`\Integer` (\mathbb{Z}) 92
integers (\mathbb{Z}) ... *see* alphabets, math
integrals 39–50, 119, 120, 225
 product 50
integrals (wasysym package option) 40
`\interaction` (\int) 132
`\intercal` (\intercal) 30
`\intercal` (\intercal) 33, 97
`\intercal` (\intercal) 32
`\intercal` (\intercal) 96
`\intercal` (\intercal) 34, 97
interior *see* `\mathring`
`\interleave` (\int) 30
`\interleave` (\int) 34
`\internalsym` (\int) 132
intersection *see* `\cap`
`\Interval` (\int) 178
`\intlarhk` (\int) 49
`\intlarhk` (\int) 46
`\intlarhksl` (\int) 48
`\intlarhkup` (\int) 48
`\intprod` (\int) 32, 33, 120
`\intprod` (\int) 34
`\intprodr` (\int) 32, 33, 120
`\intprodr` (\int) 34
`\intsl` (\int) 47
`\intup` (\int) 45
`\intup` (\int) 47
`\intx` (\int) 46
`\intxsl` (\int) 48
`\intxup` (\int) 48
`\inva` (\int) 19
`\invamp` (\int) 31
`\invamp` (\int) 35
`\invbackneg` (\int) 119
`\INVd` (\int) 130
`\invdiameter` (\int) 176
`\inve` (\int) 19
inverse limit *see* `\varprojlim`
`\inversebullet` (\int) 121
`\inversewhitecircle` (\int) 141
`\InversTransformHoriz` (\int) 61
`\InversTransformVert` (\int) 61

inverted symbols .. 17–19, 24, 222
inverters 130
`\invf` (\int) 19
`\invglotstop` (\int) 19
`\invh` (\int) 19
`\INVl` (\int) 130
`\invlazys` (\int) 34
`\invlegr` (\int) 19
`\invm` (\int) 19
`\invneg` (\int) 51
`\invneg` (\int) 120
`\invneg` (\int) 119
`\invnot` (\int) 120
`\invnot` (\int) 120
`\invnot` (\int) 121
`\INVr` (\int) 130
`\invr` (\int) 19
`\invscr` (\int) 19
`\invscripta` (\int) 19
`\invsmileface` (\int) 190
`\INVu` (\int) 130
`\invv` (\int) 19
`\invw` (\int) 19
`\invwhitelowerhalfcircle` (\int) 141
`\invwhiteupperhalfcircle` (\int) 141
`\invy` (\int) 19
`\IO` (\int) 129
`\ion` (\int) 132
`\ionicbond` (\int) 132
`\Iota` (\int) 93
`\iota` (\int) 93
iota, upside-down 222
`\iotaup` (\int) 94
`\ipagamma` (\int) 19
`\ipercatal` (\int) 184
`\Ireland` (\int) 190
`\IroningI` (\int) 177
`\IroningII` (\int) 177
`\IroningIII` (\int) 177
irony mark (\int) 222
irrational numbers (\mathbb{J}) ... *see* alphabets, math
`\Irritant` (\int) 178
`\isindot` (\int) 58
`\isinE` (\int) 58
`\isinobar` (\int) 58
`\isins` (\int) 58
`\isinvb` (\int) 58
`\ismodeledby` (\int) 223
ISO character entities 235
isoent (package) 235
Isthmian script 154–156
italic 14, 15, 26, 229, 231, 233, 235
`\Italy` (\int) 190

J

`\j` (\int) 157
`\j` (\int) 20
`j` (\int) 157
`\JackStar` (\int) 139
`\JackStarBold` (\int) 139
Jewish star 139
`\jmath` (\int) 96, 105
`\jmath` (\int) 97
`\jmath` (\int) 97
`\Joch` (\int) 178
`\Join` (\int) 50, 51
`\Join` (\int) 33, 55
`\Join` (\int) 32
`\Join` (\int) 121
`\joinrel` 223
joint denial .. *see* `\downarrow`
`\Jpsimeson` (\int) 132
junicode (package) .. 238, 239
`Junicode.ttf` (file) 238
`\Juno` (\int) 128
`\Jupiter` (\int) 127
`\Jupiter` (\int) 126
`\Jupiter` (\int) 128
`\jupiter` (\int) 126

K

`\K` (\int) 157
`\k` (\int) 157
`\k` (\int) 24
`\k` (\int) 20
`k` (\int) 157
`\Kaonminus` (K^-) 132
`\Kaonnull` (K^0) 132
`\Kaonplus` (K^+) 132
`\Kappa` (K) 93
`\kappa` (κ) 93
`\kappaup` (κ) 94
`\ker` (\ker) 91
`\kernelcontraction` (\int) . 57
`\kernelcontraction` (\int) . 58
ket 99
`\Keyboard` (\int) 129
keyboard symbols 129
keys, computer 129
keystroke (package) . 129, 239, 240
`\keystroke` (\int) 129
king 182, 217–218
`\Knife` (\int) 191
knight 182, 217–218
knitting (package) 188, 239, 240
knitting symbols 188
`\Knoblauchpresse` (\int) . 191
knot (package) .. 207, 210, 239
knots 207–210
Knuth, Donald E. 12, 87, 233, 241
 symbols by 176
`\Kochtopf` (\int) 191
`\Koppa` (\int) 154
`\koppa` (\int) 154
`\Kr` (\int) 161
`\kreuz` (\int) 176

Kronecker product *see* `\otimes`
 Kronecker sum *.. see* `\oplus`
`\Kronos` (\oplus) 128
 kroužek ($\textcircled{\cdot}$) *see* accents
`\kside` (\gg) 181

L


`\L` (\mathbb{L}) 15
`\l` (\mathfrak{l}) 15
`l` (ℓ) 157
`\labdentalnas` (\mathfrak{m}) 19
`\labvel` 23
`\Ladiesroom` ($\textcircled{\#}$) 177
 Lagrangian (\mathcal{L}) *see* alphabets,
 math
`\Lambda` (Λ) 93
`\lambda` (λ) 93
`\lambdabar` ($\bar{\lambda}$) 119
`\lambdabar` (λ) 120
`\lambdaslash` (λ) 119
`\lambdaslash` (λ) 120
`\lambdaup` (λ) 94
 Lamport, Leslie 238, 241
`\land` *see* `\wedge`
`\land` (\wedge) 33
`\land` (\wedge) 34
 land masses 188
`\landdownint` (\int) 49
`\landdownint` (\int) 43
`\landdownint` (\int) 45
`\landdownint` (\int) 44
`\landupint` (\int) 49
`\landupint` (\int) 43
`\landupint` (\int) 44, 45
`\landupint` (\int) 44
`\Langle` (\langle) 124
`\lAngle` ($\langle\langle$) 104
`\lAngle` ($\langle\langle$) 101
`\lAngle` ($\langle\langle\langle$) 102
`\langle` (\langle) 29, 99
`\langle` (\langle) 101
`\langle` (\langle) 101
`\langle` (\langle) 103
`\langlebar` ($\langle\bar{\cdot}$) 101
`\langledot` ($\langle\dot{\cdot}$) 101
`\langledot` ($\langle\dot{\cdot}$) 98
`\laplac` (\square) 121
`\Laplace` ($\bullet\textcircled{\cdot}$) 61
`\laplace` ($\circ\textcircled{\bullet}$) 61
 Laplace transform (\mathcal{L}) *.. see*
 alphabets, math
 Laplacian (Δ) *.. see* `\Delta`

Laplacian (∇^2) *.. see* `\nabla`
`\largeblackcircle` (\bullet) . 141
`\largeblacksquare` (\blacksquare) . 141
`\largeblackstar` (\star) ... 141
`\largecircle` (\bigcirc) 141
`\largecircle` (\bigcirc) 140
`largetrbull` (bullcncr package op-
 tion) 180
`\largetrbull` 180
`\largediamond` (\diamond) 140
`\largelozenge` (\lozenge) 140
`\largepencil` ($\textcircled{\text{pencil}}$) 136
`\largepentagram` (\star) ... 140
`\LargerOrEqual` (\geq) 116
`\largesquare` (\square) 141
`\largesquare` (\square) 140
`\largestar` (\star) 140
`\largestarofdavid` (\star) . 140
`\argetriangledown` (∇) 71,
 141
`\argetriangledown` (∇) 70
`\argetriangleleft` (\triangleleft) 70
`\argetriangleright` (\triangleright) 70
`\argetriangleup` (\triangle) .. 71,
 141
`\argetriangleup` (\triangle) .. 70
`\largewhitestar` (\star) ... 141
`\LArrow` (\leftarrow) 129
`\larrowfill` 111
`\Laserbeam` ($\textcircled{\text{Laserbeam}}$) 131
`\lat` (\gg) 68
`\late` (\geq) 68
 \LaTeX 1, 12, 16, 20, 50,
 91, 99, 114, 118, 134, 180,
 190, 199, 218, 219, 222–
 227, 229, 232–235, 237–
 241
 $\LaTeX 2\epsilon$... 1, 12, 14, 15, 26,
 30, 50, 61, 72, 106, 114,
 118, 124, 145, 158, 199,
 218–220, 222, 223, 225–
 227, 231–237, 241
 latexsym (package) . 30, 50, 61,
 72, 118, 219, 239
`\latfric` ($\textcircled{\text{L}}$) 19
 Latin 1 12, 235–236, 239
`\Latvia` ($\textcircled{\text{L}}$) 188
`\Laughy` ($\textcircled{\text{L}}$) 191
 laundry symbols 177
`\LB` ($\{$) 129
`\lb` (**l**) 92
`\Lbag` ($\textcircled{\text{L}}$) 98
`\lbag` ($\textcircled{\text{L}}$) 98
`\lbag` ($\textcircled{\text{L}}$) 33
`\lbag` ($\textcircled{\text{L}}$) 98
`\lblackbowtie` ($\textcircled{\text{L}}$) 33
`\lblbrbrak` ($\{$) 98
`\lBrace` ($\{$) 102

`\lbrace` ($\{$) 101
`\lbrace` ($\{$) 102
`\lbrace` ($\{$) 100
`\lbrace` ($\{$) 102
`\lbrack` (\llbracket) 124
`\lBrack` (\llbracket) 104
`\lBrack` (\llbracket) 101
`\lBrack` (\llbracket) 102
`\lBrack` (\llbracket) 102
`\lbrack` (\llbracket) 101
`\lbrack` (\llbracket) 102
`\lbracklltick` (\llbracket) 98
`\lbrackubar` (\llbracket) 98
`\lbrackultick` (\llbracket) 98
`\Lbrak` (\llbracket) 98
`\lbrbrak` ($\{$) 102
 LCD numerals 125
`\lCeil` (\lceil) 104
`\lceil` (\lceil) 99
`\lceil` (\lceil) 102
`\lceil` (\lceil) 100
`\lceil` (\lceil) 103
`\lcirclearrowdown` (\circlearrowdown) . 74
`\lcirclearrowleft` (\circlearrowleft) . 74
`\lcirclearrowright` (\circlearrowright) 74
`\lcirclearrowup` (\circlearrowup) ... 74
`\lcircleleftint` (\int) . 44, 45
`\lcircleleftint` (\int) 44
`\lclircrightint` (\int) ... 45
`\lclircrightint` (\int) ... 44
`\lcm` (**lcm**) 92
`\lcm` (**lcm**) 232
`\lcorners` (\ulcorner) 98
`\lcurvearrowdown` (\curvearrowright) ... 74
`\lcurvearrowleft` (\curvearrowleft) .. 74
`\lcurvearrowne` (\curvearrowright) 74
`\lcurvearrownw` (\curvearrowright) 74
`\lcurvearrowright` (\curvearrowright) .. 74
`\lcurvearrowse` (\curvearrowright) 74
`\lcurvearrowsw` (\curvearrowright) 74
`\lcurvearrowup` (\curvearrowright) 74
`\lcurvyangle` (\sphericalangle) 98
`\LD` (Δ) 129
`\ldbrack` (\llbracket) 100
`\ldotp` (\cdot) 114
`\ldotp` (\cdot) 115
`\ldots` (\dots) 114
`\Ldsh` (\dashv) 78

\LinearACLXXIV (中) 151
\LinearACLXXIX (𠃓) 151
\LinearACLXXV (𠃔) 151
\LinearACLXXVI (𠃕) 151
\LinearACLXXVII (𠃖) 151
\LinearACLXXVIII (𠃗) 151
\LinearACLXXX (𠃘) 151
\LinearACLXXXI (𠃙) 151
\LinearACLXXXII (𠃚) 151
\LinearACLXXXIII (𠃛) 151
\LinearACLXXXIV (𠃜) 151
\LinearACLXXXIX (𠃝) 151
\LinearACLXXXV (𠃞) 151
\LinearACLXXXVI (𠃟) 151
\LinearACLXXXVII (𠃠) 151
\LinearACLXXXVIII (𠃡) 151
\LinearACLXXXIX (𠃢) 151
\LinearACV (𠃣) 149
\LinearACVI (𠃤) 149
\LinearACVII (𠃥) 149
\LinearACVIII (𠃦) 149
\LinearACX (𠃧) 149
\LinearACXCI (𠃨) 151
\LinearACXCII (𠃩) 151
\LinearACXCIII (𠃪) 151
\LinearACXCIV (𠃫) 151
\LinearACXCIX (𠃬) 149
\LinearACXCV (𠃭) 151
\LinearACXCVI (𠃮) 151
\LinearACXCVII (𠃯) 149
\LinearACXCVIII (𠃰) 149
\LinearACXI (𠃱) 149
\LinearACXII (𠃲) 150
\LinearACXIII (𠃳) 150
\LinearACXIV (𠃴) 150
\LinearACXIX (𠃵) 150
\LinearACXL (𠃶) 150
\LinearACXLI (𠃷) 150
\LinearACXLII (𠃸) 150
\LinearACXLIII (𠃹) 150
\LinearACXLIV (𠃺) 150
\LinearACXLIX (𠃻) 150
\LinearACXLV (𠃼) 150
\LinearACXLVI (𠃽) 150
\LinearACXLVII (𠃾) 150
\LinearACXLVIII (𠃿) 150
\LinearACXV (𠄀) 150
\LinearACXVI (𠄁) 150
\LinearACXVII (𠄂) 150
\LinearACXVIII (𠄃) 150
\LinearACXX (𠄄) 150
\LinearACXXI (𠄅) 150
\LinearACXXII (𠄆) 150
\LinearACXXIII (𠄇) 150
\LinearACXXIV (𠄈) 150
\LinearACXXIX (𠄉) 150
\LinearACXXV (𠄊) 150
\LinearACXXVI (𠄋) 150
\LinearACXXVII (𠄌) 150
\LinearACXXVIII (𠄍) 150
\LinearACXXX (𠄎) 150
\LinearACXXXI (𠄏) 150


\LinearACXXXII (𠄐) 150
\LinearACXXXIII (𠄑) 150
\LinearACXXXIV (𠄒) 150
\LinearACXXXIX (𠄓) 150
\LinearACXXXV (𠄔) 150
\LinearACXXXVI (𠄕) 150
\LinearACXXXVII (𠄖) 150
\LinearACXXXVIII (𠄗) . . 150
\LinearAI (𠄘) 149
\LinearAII (𠄙) 149
\LinearAIII (𠄚) 149
\LinearAIV (𠄛) 149
\LinearAIX (𠄜) 149
\LinearAL (𠄝) 150
\LinearALI (𠄞) 150
\LinearALII (𠄟) 150
\LinearALIII (𠄠) 150
\LinearALIV (𠄡) 150
\LinearALIX (𠄢) 150
\LinearALV (𠄣) 150
\LinearALVI (𠄤) 150
\LinearALVII (𠄥) 150
\LinearALVIII (𠄦) 150
\LinearALX (𠄧) 150
\LinearALXI (𠄨) 150
\LinearALXII (𠄩) 150
\LinearALXIII (𠄪) 150
\LinearALXIV (𠄫) 150
\LinearALXIX (𠄬) 151
\LinearALXV (𠄭) 150
\LinearALXVI (𠄮) 150
\LinearALXVII (𠄯) 151
\LinearALXVIII (𠄰) 151
\LinearALXX (𠄱) 151
\LinearALXXI (𠄲) 151
\LinearALXXII (𠄳) 151
\LinearALXXIII (𠄴) 151
\LinearALXXIV (𠄵) 151
\LinearALXXIX (𠄶) 151
\LinearALXXX (𠄷) 151
\LinearALXXXI (𠄸) 151
\LinearALXXXII (𠄹) 151
\LinearALXXXIII (𠄺) 151
\LinearALXXXIV (𠄻) 151
\LinearALXXXIX (𠄼) 151
\LinearALXXXV (𠄽) 151
\LinearALXXXVI (𠄾) 151
\LinearALXXXVII (𠄿) 151
\LinearALXXXVIII (𠅀) 151
\LinearALXXXX (𠅁) 151
\LinearAV (𠅂) 149
\LinearAVI (𠅃) 149
\LinearAVII (𠅄) 149
\LinearAVIII (𠅅) 149
\LinearAX (𠅆) 149
\LinearAXCI (𠅇) 151
\LinearAXCII (𠅈) 151

\LinearAXCIII (𠅉) 151
\LinearAXCIV (𠅊) 151
\LinearAXCIX (𠅋) 149
\LinearAXCV (𠅌) 151
\LinearAXCVI (𠅍) 151
\LinearAXCVII (𠅎) 151
\LinearAXCVIII (𠅏) 151
\LinearAXI (𠅐) 149
\LinearAXII (𠅑) 149
\LinearAXIII (𠅒) 149
\LinearAXIV (𠅓) 150
\LinearAXIX (𠅔) 150
\LinearAXL (𠅕) 150
\LinearAXLI (𠅖) 150
\LinearAXLII (𠅗) 150
\LinearAXLIII (𠅘) 150
\LinearAXLIV (𠅙) 150
\LinearAXLIX (𠅚) 150
\LinearAXLV (𠅛) 150
\LinearAXLVI (𠅜) 150
\LinearAXLVII (𠅝) 150
\LinearAXLVIII (𠅞) 150
\LinearAXV (𠅟) 150
\LinearAXVI (𠅠) 150
\LinearAXVII (𠅡) 150
\LinearAXVIII (𠅢) 150
\LinearAXX (𠅣) 150
\LinearAXXI (𠅤) 150
\LinearAXXII (𠅥) 150
\LinearAXXIII (𠅦) 150
\LinearAXXIV (𠅧) 150
\LinearAXXIX (𠅨) 150
\LinearAXXV (𠅩) 150
\LinearAXXVI (𠅪) 150
\LinearAXXVII (𠅫) 150
\LinearAXXVIII (𠅬) 150
\LinearAXXX (𠅭) 150
\LinearAXXXI (𠅮) 150
\LinearAXXXII (𠅯) 150
\LinearAXXXIII (𠅰) 150
\LinearAXXXIV (𠅱) 150
\LinearAXXXIX (𠅲) 150
\LinearAXXV (𠅳) 150
\LinearAXXVI (𠅴) 150
\LinearAXXVII (𠅵) 150
\LinearAXXVIII (𠅶) 150
linearb (package) 152, 153, 239, 240
\linefeed (𠅷) 83
\linefeed (𠅸) 85
\lineh (𠅹) 146
\lineload (𠅺) 131
\linev (𠅻) 146
\linevh (𠅼) 146
linguistic symbols 17-20

\Lisa (𠅽) 184
\Lithuania (𠅾) 188
\lito (𠅿) 92
liturgical music 160

<code>\lJoin</code> (\bowtie)	51	<code>\lnapprox</code> (\lesssim)	68	<code>\longleftarrow</code> (\longleftarrow)	85
<code>\lJoin</code> (\bowtie)	33	<code>\lnapprox</code> (\gtrsim)	67	<code>\longleftarrowfootline</code> (\longleftarrow)	55
<code>\LK</code> (\dagger)	129	<code>\lnapprox</code> (\lesssim)	66	<code>\longleftarrowharpoonup</code> (\longleftarrow)	88
<code>\ll</code> (\ll)	65	<code>\lnapprox</code> (\gtrsim)	69	88
<code>\ll</code> (\lll)	64	<code>\lneq</code> (\lesssim)	65	<code>\longleftarrowharpoonup</code> (\longleftarrow)	88
<code>\ll</code> (\ll)	67	<code>\lneq</code> (\gtrsim)	64	<code>\Longleftarrow</code> (\Longleftarrow)	72
<code>\ll</code> (\ll)	66	<code>\lneq</code> (\lesssim)	68	<code>\Longleftarrow</code> (\Longleftarrow)	74
<code>\ll</code> (\ll)	69	<code>\lneq</code> (\gtrsim)	67	<code>\Longleftarrow</code> (\Longleftarrow)	78
<code>\llangle</code> (\lll)	100	<code>\lneq</code> (\lesssim)	69	<code>\Longleftarrow</code> (\Longleftarrow)	85
<code>\llangle</code> (\lll)	98	<code>\lneqq</code> (\lesssim)	65	<code>\longleftarrow</code> (\longleftrightarrow)	74
<code>\llap</code>	24, 25, 226	<code>\lneqq</code> (\gtrsim)	64	72
<code>\llarc</code> (\ll)	121	<code>\lneqq</code> (\lesssim)	68	<code>\longleftarrow</code> (\longleftrightarrow)	78
<code>\llblacktriangle</code> (\blacktriangleleft)	142	<code>\lneqq</code> (\gtrsim)	67	<code>\longleftarrow</code> (\longleftrightarrow)	87
<code>\llbracket</code> (\lll)	99	<code>\lneqq</code> (\lesssim)	66	<code>\longleftarrow</code> (\longleftrightarrow)	85
<code>\llbracket</code> (\lll)	104	<code>\lneqq</code> (\gtrsim)	69	<code>\longleftarrow</code> (\longleftrightarrow)	87
<code>\llceil</code> (\lll)	98	<code>\lnot</code>	see <code>\neg</code>	<code>\longleftarrow</code> (\longleftrightarrow)	85
<code>\llcorner</code> (\lll)	98	<code>\lnot</code> (\neg)	120	<code>\longleftarrow</code> (\longleftrightarrow)	79
<code>\llcorner</code> (\lll)	98	<code>\lnot</code> (\neg)	119	<code>\longleftarrow</code> (\longleftrightarrow)	85
<code>\llcorner</code> (\lll)	98	<code>\lnot</code> (\neg)	121	<code>\longleftarrow</code> (\longleftrightarrow)	78
<code>\llcorner</code> (\lll)	102	<code>\lnsim</code> (\lesssim)	65	<code>\longmapsto</code> (\longmapsto)	73
<code>\llcorner</code> (\lll)	100	<code>\lnsim</code> (\gtrsim)	64	<code>\longmapsto</code> (\longmapsto)	55, 78
<code>\llcorner</code> (\lll)	98	<code>\lnsim</code> (\lesssim)	68	<code>\longmapsto</code> (\longmapsto)	85
<code>\llcurly</code> (\lll)	52	<code>\lnsim</code> (\gtrsim)	67	<code>\longmapsto</code> (\longmapsto)	73
<code>\llcurly</code> (\lll)	57	<code>\lnsim</code> (\lesssim)	66	<code>\longmapsto</code> (\longmapsto)	55, 78
<code>\Lleftarrow</code> (\Lleftarrow)	85	<code>\lnsim</code> (\gtrsim)	68	<code>\longmapsto</code> (\longmapsto)	87
<code>\Lleftarrow</code> (\Lleftarrow)	72	<code>\L0</code> (\circ)	129	<code>\longmapsto</code> (\longmapsto)	85
<code>\Lleftarrow</code> (\Lleftarrow)	83	local ring (\mathcal{O})	see alphabets, math	<code>\Longmapsto</code> (\Longmapsto)	73
<code>\Lleftarrow</code> (\Lleftarrow)	78	<code>\log</code> (log)	91, 232	<code>\Longmapsto</code> (\Longmapsto)	78
<code>\Lleftarrow</code> (\Lleftarrow)	75	log-like symbols	91, 92, 232	<code>\Longmapsto</code> (\Longmapsto)	84
<code>\Lleftarrow</code> (\Lleftarrow)	85	logic (package)	130	<code>\longmapsto</code> (\longmapsto)	74
<code>\lllfloor</code> (\lll)	98	logic gates	130	<code>\longmapsto</code> (\longmapsto)	72
<code>\lll</code> (\lll)	65	logical operators		<code>\longmapsto</code> (\longmapsto)	78
<code>\lll</code> (\lll)	64	and	see <code>\wedge</code>	<code>\longmapsto</code> (\longmapsto)	87
<code>\lll</code> (\lll vs. \lll)	220	not	see <code>\neg</code> and <code>\sim</code>	<code>\longmapsto</code> (\longmapsto)	84
<code>\lll</code> (\lll)	68	or	see <code>\vee</code>	<code>\longint</code> (\int)	49
<code>\lll</code> (\lll)	67	<code>\logof</code> (\otimes)	51	<code>\longint</code> (\int)	49
<code>\lll</code> (\lll)	66	lollipop	see <code>\multimap</code>	<code>\longleadsto</code> (\longleadsto)	79
<code>\lll</code> (\lll)	69	long division	107, 109	<code>\Longleftarrow</code> (\Longleftarrow)	72
<code>\llless</code>	see <code>\lll</code>	long s (f)	222	<code>\Longleftarrow</code> (\Longleftarrow)	74
<code>\llless</code> (\lll)	67	long s (f)	27	<code>\Longleftarrow</code> (\Longleftarrow)	78
<code>\llless</code> (\lll)	66	long-branch runes	see normal runes	<code>\Longleftarrow</code> (\Longleftarrow)	84
<code>\llless</code> (\lll)	69	<code>\longa</code> (\longa)	159	<code>\Longleftarrow</code> (\Longleftarrow)	74
<code>\lllnest</code> (\lll)	69	<code>\longa</code> (\longa)	184	<code>\Longleftarrow</code> (\Longleftarrow)	78
<code>\llparenthesis</code> (\lll)	98	<code>\longcastling</code> (O-O-O)	181	<code>\Longleftarrow</code> (\Longleftarrow)	87
<code>\llparenthesis</code> (\lll)	98	<code>\longdashv</code> (\longdashv)	55	<code>\Longleftarrow</code> (\Longleftarrow)	84
<code>\lltriangle</code> (\blacktriangleleft)	142	<code>\longdashv</code> (\longdashv)	58	<code>\longrightarrow</code> (\longrightarrow)	55
<code>\LMex</code>	226	longdiv (package)	107	<code>\longrightarrow</code> (\longrightarrow)	88
<code>\lmoustache</code> (\int)	99	longdiv.tex (file)	107	<code>\longrightarrow</code> (\longrightarrow)	88
<code>\lmoustache</code> (\int)	102	<code>\longdivision</code> (\longdivision)	107, 109	<code>\longrightarrow</code> (\longrightarrow)	88
<code>\lmoustache</code> (\int)	100	<code>\longhookrightarrow</code> (\longhookrightarrow)	87	<code>\longrightsquigarrow</code> (\longrightsquigarrow)	79
<code>\lmoustache</code> (\int)	103	<code>\longiint</code> (\iint)	49	<code>\longrightsquigarrow</code> (\longrightsquigarrow)	84
<code>\ln</code> (ln)	91	<code>\longint</code> (\int)	49	<code>\longrightwvearrow</code> (\longrightwvearrow)	78
<code>\lnapprox</code> (\lesssim)	65	<code>\longleadsto</code> (\longleadsto)	79	<code>\longs</code> (f)	27, 222
<code>\lnapprox</code> (\gtrsim)	64	<code>\Longleftarrow</code> (\Longleftarrow)	72	<code>\looparrowdownleft</code> (\looparrowdownleft)	73
		<code>\Longleftarrow</code> (\Longleftarrow)	74	<code>\looparrowdownleft</code> (\looparrowdownleft)	83
		<code>\Longleftarrow</code> (\Longleftarrow)	78	<code>\looparrowdownright</code> (\looparrowdownright)	73
		<code>\Longleftarrow</code> (\Longleftarrow)	85	<code>\looparrowdownright</code> (\looparrowdownright)	83
		<code>\longleftarrow</code> (\longleftrightarrow)	74	<code>\looparrowleft</code> (\looparrowleft)	73
		<code>\longleftarrow</code> (\longleftrightarrow)	72		
		<code>\longleftarrow</code> (\longleftrightarrow)	78		
		<code>\longleftarrow</code> (\longleftrightarrow)	87		

\backslash Mapsfrom (\Leftarrow) 73
 \backslash Mapsfrom (\Leftrightarrow) 82
 \backslash Mapsfrom (\Leftrightarrow) 79
 \backslash Mapsfrom (\Leftrightarrow) 84
 \backslash mapsfrom (\leftarrow) 73
 \backslash mapsfrom (\Leftrightarrow) 82
 \backslash mapsfrom (\Leftrightarrow) 79
 \backslash mapsfrom (\Leftrightarrow) 87
 \backslash mapsfrom (\Leftrightarrow) 84
 \backslash Mapsfromchar (i) 91
 \backslash Mapsfromchar (i) 90
 \backslash mapsfromchar (i) 91
 \backslash mapsfromchar (i) 90
 \backslash mapsfromchar (i) 91
 \backslash Mapsto (\Rightarrow) 73
 \backslash Mapsto (\Rightarrow) 82
 \backslash Mapsto (\Rightarrow) 79
 \backslash Mapsto (\Rightarrow) 84
 \backslash mapsto (\rightarrow) 72
 \backslash mapsto (\rightarrow) 82
 \backslash mapsto (\rightarrow) 79
 \backslash mapsto (\rightarrow) 75
 \backslash mapsto (\rightarrow) 87
 \backslash mapsto (\rightarrow) 84
 \backslash Mapstochar (i) 91
 \backslash Mapstochar (i) 90
 \backslash mapstochar (i) 91
 \backslash mapstochar (i) 91
 \backslash Mapsup (\Uparrow) 79
 \backslash mapsup (\Uparrow) 82
 \backslash mapsup (\Uparrow) 79
 \backslash mapsup (\Uparrow) 84
 \backslash marcato (\blacklozenge) 164
 \backslash marcatoDown (\blacklozenge) 164



\backslash Marge () 184
 \backslash markera (\times) 181
 \backslash markerb (\circ) 181
 married ... *see* \backslash textmarried
 \backslash Mars (δ) 127
 \backslash Mars (σ) 126
 \backslash Mars (σ) 128
 \backslash mars (σ) 126
 marvosym (package)
 . 25, 116, 117, 126, 129–
 131, 135, 138, 177, 187,
 220
 masonic cipher 186
 \backslash mate ($\#$) 181
 material biconditional
 ... *see* \backslash leftrightarrow
 and \backslash equiv
 material conditional *see*
 \backslash rightarrow and \backslash supset
 material equivalence
 ... *see* \backslash leftrightarrow
 and \backslash equiv
 material implication *see*
 \backslash rightarrow and \backslash supset

material nonimplication
 ... *see* \backslash nrightarrow and
 \backslash nsupset
 math alphabets 123
 mathabx (package) . 29, 31, 35,
 41, 52, 62, 65, 69, 73, 74,
 91, 96, 98–100, 105, 109,
 117, 119, 127, 181, 219,
 220, 239, 240
 \backslash mathaccent 223
 \backslash mathbat (\blacktriangleleft) 38
 \backslash mathbb 123, 124
 \backslash mathbbb 123
 \backslash mathbbm 123
 \backslash mathbbmss 123
 \backslash mathbbmtt 123
 mathbbol (package) . 123, 124
 \backslash mathbf 233
 \backslash mathbin 232
 \backslash mathbold 233
 mathcal (euscript package op-
 tion) 123
 \backslash mathcal 123, 126
 \backslash mathcent (\cent) 96
 \backslash mathchoice 225
 \backslash mathclose 232
 \backslash mathcloud (\cloud) 38
 \backslash mathcolon (\colon) 115
 mathcomp (package) 116
 mathdesign (package) . 25, 34,
 49, 97, 103, 122, 239
 \backslash mathdollar ($\$$) 29
 \backslash mathdollar ($\$$) 97
 mathdots (package) . 105, 114,
 115, 227, 239, 240
 \backslash mathds 123
 \backslash mathellipsis (...) 29
 \backslash mathellipsis (...) 115
 mathematical symbols 29–124
 \backslash mathfrak 123
 \backslash mathghost (\mathring{A}) 38
 \backslash mathit 123
 \backslash mathleftbat (\blacktriangleleft) 38
 \backslash mathleftghost (\mathring{A}) 38
 \backslash mathnormal 123
 \backslash mathop 232
 \backslash mathopen 232
 \backslash mathord 232
 \backslash mathpalette 225, 226
 \backslash mathparagraph (\P) 29
 \backslash mathparagraph (\P) 97
 \backslash mathpunct 232
 \backslash mathratio (\colon) 115
 \backslash mathrel 223, 232
 \backslash mathrightbat (\blacktriangleleft) 38
 \backslash mathrightghost (\mathring{A}) 38
 \backslash mathring (\mathring{A}) 106
 \backslash mathring (\mathring{A}) 105, 106
 \backslash mathrm 123
 mathrsfs (package) .. 123, 239
 mathscr (euscript package op-
 tion) 123

mathscr (urwchancal package op-
 tion) 123
 \backslash mathscr 123
 \backslash mathsection (\S) 29
 \backslash mathsection (\S) 121
 \backslash mathslash (\backslash) 101
 \backslash mathslash (/) 102
 mathspec (package) 93
 mathspec.sty (file) 93
 \backslash mathsterling (\pounds) 96
 \backslash mathsterling (\pounds) 29
 \backslash mathsterling (\pounds) 97
 mathtools (package) 29, 59, 87,
 109, 111, 239, 240
 \backslash mathunderscore ($_$) 29
 \backslash mathvisiblespace ($_$) .. 121
 \backslash mathwitch (\mathring{A}) 38
 \backslash mathwitch* (\mathring{A}) 38
 \backslash max (**max**) 91
 \backslash maxima (\equiv) 159
 Maxwell-Stefan diffusion coeffi-
 cient *see*
 \backslash DH
 \backslash maxwellDistrib (\mathcal{M}) ... 133
 \backslash maya 117
 Mayan numerals 117
 \backslash Mb (\mathring{A}) 183
 \backslash mb (\mathring{A}) 183
 \backslash Mbb (\mathring{A}) 183
 \backslash mBb (\mathring{A}) 183
 \backslash mbB (\mathring{A}) 183
 \backslash mbb (\mathring{A}) 183
 mbboard (package) .. 123, 124,
 239
 \backslash mbbx (\mathring{A}) 183
 \backslash mbox 225, 226
 \backslash MC (\mathcal{M}) 128
 \backslash mdblkcircle (\bullet) 142
 \backslash mdblkdiamond (\blacklozenge) 37
 \backslash mdblkdiamond (\blacklozenge) 142
 \backslash mdblklozenge (\blacklozenge) 141
 \backslash mdblklozenge (\blacklozenge) 142
 \backslash mdblksquare (\blacksquare) 37
 \backslash mdblksquare (\blacksquare) 142
 \backslash mdlgbkcircle (\bullet) 37
 \backslash mdlgbkcircle (\bullet) 142
 \backslash mdlgbkdiamond (\blacklozenge) ... 37
 \backslash mdlgbkdiamond (\blacklozenge) ... 142
 \backslash mdlgbklozenge (\blacklozenge) ... 141
 \backslash mdlgbklozenge (\blacklozenge) 38, 142
 \backslash mdlgbklsquare (\blacksquare) ... 37
 \backslash mdlgbklsquare (\blacksquare) ... 142
 \backslash mdlgwhtcircle (\circ) 37
 \backslash mdlgwhtcircle (\circ) 38
 \backslash mdlgwhtdiamond (\diamond) ... 37
 \backslash mdlgwhtdiamond (\diamond) ... 142
 \backslash mdlgwhtlozenge (\diamond) ... 141
 \backslash mdlgwhtlozenge (\diamond) ... 142
 \backslash mdlgwhtsquare (\square) 37
 \backslash mdlgwhtsquare (\square) 142
 \backslash mdsmbkcircle (\bullet) 142
 \backslash mdsmbklsquare (\blacksquare) 142

<code>\mdsmwhtcircle</code> (o)	142	<code>\medsquare</code> (◻)	36	<code>\midtilde</code> (˜)	24
<code>\mdsmwhtsquare</code> (◻)	142	<code>\medsquare</code> (◻)	36	MIL-STD-806	130
<code>\mdwhtcircle</code> (○)	142	<code>\medstar</code> (★)	37	millesimal sign	<i>see</i> <code>\textperthousand</code>
<code>\mdwhtdiamond</code> (◇)	37	<code>\medstar</code> (☆)	36	milstd (package)	130, 239, 240
<code>\mdwhtdiamond</code> (◇)	142	<code>\medstarofdauid</code> (✳)	140	<code>\min</code> (min)	91, 232
<code>\mdwhtlozenge</code> (◇)	141	<code>\medtriangledown</code> (∇)	36, 71	<code>\MineSign</code> (✳)	177
<code>\mdwhtlozenge</code> (◇)	142	<code>\medtriangledown</code> (∇)	36, 70	minim	<i>see</i> musical symbols
<code>\mdwhtsquare</code> (◻)	37	<code>\medtriangleleft</code> (◁)	36, 71	<code>\minim</code> (♩)	162
<code>\mdwhtsquare</code> (◻)	142	<code>\medtriangleleft</code> (◁)	36, 70	<code>\minimDotted</code> (♩̣)	162
<code>mdwmath</code> (package)	110, 239, 240	<code>\medtriangleright</code> (▷)	36, 71	<code>\minimDottedDouble</code> (♩̣̣)	162
<code>\measangledltosw</code> (↙)	118	<code>\medtriangleright</code> (▷)	36, 70	<code>\minimDottedDoubleDown</code> (♩̣̣̣)	162
<code>\measangledrtose</code> (↘)	118	<code>\medtriangleup</code> (△)	36, 71	<code>\minimDottedDown</code> (♩̣̣)	162
<code>\measangleldtosw</code> (↙)	118	<code>\medtriangleup</code> (△)	36, 70	<code>\minimDown</code> (♩̣)	162
<code>\measanglelutonw</code> (↖)	118	<code>\medvert</code> (‡)	32	Minkowski space (ℳ)	<i>see</i> alphabets, math
<code>\measanglerdtose</code> (↘)	118	<code>\medvertdot</code> (‡̣)	32	minus	<i>see</i> <code>\textminus</code>
<code>\measanglerutone</code> (↗)	118	<code>\medwhitestar</code> (☆)	36	<code>\minus</code> (−)	32
<code>\measangleultonw</code> (↖)	118	<code>\medwhitestar</code> (☆)	142	<code>\minus</code> (−)	32
<code>\measangleurtone</code> (↗)	118	Mellin transform (\mathcal{M})	<i>see</i> alphabets, math	minus, double-dotted (÷)	<i>see</i> <code>\div</code>
<code>\measeq</code> (≐)	58	membership	<i>see</i> <code>\in</code>	<code>\minuscolon</code> (−:)	61
<code>\measuredangle</code> (∠)	119	<code>\Mercury</code> (♃)	127	<code>\minuscoloncolon</code> (−::)	61
<code>\measuredangle</code> (∠)	117	<code>\Mercury</code> (♃)	126	<code>\minusdot</code> (̣)	32
<code>\measuredangle</code> (∠)	118	<code>\Mercury</code> (♃)	128	<code>\minusdot</code> (̣)	32
<code>\measuredangle</code> (∠)	118	<code>\mercury</code> (♃)	126	<code>\minusdot</code> (̣)	34
<code>\measuredangle</code> (∠)	117	<code>\merge</code> (⋈)	30	<code>\minusfdots</code> (⋯)	32
<code>\measuredangle</code> (∠)	118	<code>\merge</code> (⋈)	33	<code>\minusfdots</code> (⋯)	34
<code>\measuredangleleft</code> (⤵)	118	METAFONT	12, 124, 229, 230, 232	<code>\minushookdown</code> (↯)	120
<code>\measuredangleleft</code> (⤵)	118	METAFONTbook symbols	176	<code>\minushookdown</code> (↯)	119
<code>\measuredrightangle</code> (⊞)	118	<code>\metalbond</code> (⚓)	133	<code>\minushookup</code> (↰)	33
<code>\measuredrightangle</code> (⊞)	118	<code>\meterC</code> (C)	161	<code>\minushookup</code> (↰)	119
<code>\measuredrightangle</code> (⊞)	118	<code>\meterCThree</code> (C3)	161	<code>\minuso</code> (⊖)	30, 224
<code>\measuredrightangledot</code> (⊞̣)	118	<code>\meterCThreeTwo</code> (C ₂ ³)	161	<code>\minuso</code> (⊖)	33
mechanical scaling	229, 231	<code>\meterCutC</code> (C†)	161	<code>\minusrdots</code> (⋯̣)	32
<code>\medbackslash</code> (↖)	32, 33	<code>\meterCZ</code> (CZ)	161	<code>\minusrdots</code> (⋯̣)	34
<code>\medbackslash</code> (↖)	32	<code>\meterO</code> (O)	161	minutes, angular	<i>see</i> <code>\prime</code>
<code>\medblackcircle</code> (●)	36	<code>\meterplus</code> (⊕)	159	miscellaneous symbols	118– 120, 122, 146, 147, 176– 193, 198
<code>\medblackdiamond</code> (◆)	36	<code>\method</code> (M)	133	mismatch (package)	92, 239
<code>\medblacklozenge</code> (♠)	141	metre (package)	23, 105, 183, 239, 240	“Missing \$ inserted”	29
<code>\medblacksquare</code> (■)	36	metre	183	<code>\mlcp</code> (ℓ)	58
<code>\medblackstar</code> (★)	36	metrical symbols	183, 184	<code>\Mmappedfromchar</code> (Ⓕ)	90
<code>\medblackstar</code> (★)	142	mezzo (m)	163, 175	<code>\mmappedfromchar</code> (Ⓕ)	90
<code>\medblacktriangledown</code> (▼)	36, 71	.mf files	12, 199, 229	<code>\Mmapstochar</code> (Ⓕ)	90
<code>\medblacktriangledown</code> (▼)	36, 71	<code>\mglgwhtcircle</code> (○)	142	<code>\mmapstochar</code> (Ⓕ)	90
<code>\medblacktriangleleft</code> (◄)	36, 71	<code>\mglgwhtlozenge</code> (◇)	142	MnSymbol (package)	29, 31, 32, 36, 44, 52–54, 63, 66, 70, 74–77, 88, 89, 95, 96, 100, 105, 107, 108, 115, 117, 119, 120, 140, 145, 158, 239, 240
<code>\medblacktriangleright</code> (►)	36, 71	<code>\mho</code> (℧)	118, 119	<code>\Moai</code> (Ⓜ)	192
<code>\medblacktriangleup</code> (▲)	36, 71	<code>\mho</code> (℧)	95	<code>\Mobilefone</code> (☎)	130
<code>\medbullet</code> (●)	31	miami (emf package option)	126	<code>\mod</code>	91
<code>\medcirc</code> (○)	31	micro	<i>see</i> <code>\textmu</code>	<code>\models</code> (=)	50, 223
<code>\medcircle</code> (○)	36	<code>\micro</code> (μ)	125	<code>\models</code> (=)	55
<code>\medcircle</code> (○)	32	Microsoft [®] Windows [®]	235	<code>\models</code> (=)	53
<code>\meddiamond</code> (◇)	36	<code>\mid</code> ()	50, 101	<code>\models</code> (=)	58
<code>\meddiamond</code> (◇)	36	<code>\mid</code> ()	55	<code>\modtwosum</code> (∑̣)	45
media control symbols	177, 194–197	<code>\mid</code> ()	58	<code>\modtwosum</code> (∑̣)	46
medieval runes	157	<code>\midbarvee</code> (∨̣)	34		
<code>\medlozenge</code> (◇)	141	<code>\midbarwedge</code> (∧̣)	34		
<code>\medlozenge</code> (◇)	140	<code>\midcir</code> (Ⓜ)	89		
<code>\medslash</code> (↘)	32, 33, 36	<code>\midcir</code> (Ⓜ)	58		
<code>\medslash</code> (↘)	32	<code>\middle</code>	99		
		<code>\middlebar</code> (≡)	106		
		<code>\middleslash</code> (≣)	106		

moduli space .. *see* alphabets, math

`\Moldova` (♩) 189

monetary symbols 25, 26, 124

`\Montenegro` (.) 189

monus *see* `\dotdiv`

`\moo` (±) 30

`\moo` (±) 33

`\Moon` (C) 127

`\Moon` (D) 126

`\Moon` (D) 128

moon . 126–128, 186, 201–203

`\MoonPha` 186

moonphase (package) 201, 239

`\Mordent` (♯) 159

`\mordent` (♯) 159

`\morepawns` (>) 181

`\moreroom` (O) 181

`\Mountain` (▲) 178

mouse .. *see* `\ComputerMouse`

`\MoveDown` (▼) 177

`\moverlay` 226

`\MoveUp` (▲) 177

`\mp` (♯) 30

`\mp` (♯) 33

`\mp` (♯) 32

`\mp` (♯) 32

`\mp` (♯) 34

`\Mu` (M) 93

`\mu` (μ) 93

multiline braces 110

`\multimap` (→) 50, 51

`\multimap` (→) 57

`\multimap` (→) 89

`\multimap` (→) 88

`\multimap` (→) 58

`\multimapboth` (↔) 51

`\multimapboth` (↔) 57

`\multimapboth` (↔) 61

`\multimapbothvert` (↕) 51

`\multimapbothvert` (↕) 57

`\multimapdot` (→) 51

`\multimapdot` (→) 57

`\multimapdotboth` (↔) 51

`\multimapdotboth` (↔) 57

`\multimapdotbothA` (↔) 51

`\multimapdotbothA` (↔) 57

`\multimapdotbothAvert` (↕) 51

`\multimapdotbothAvert` (↕) 57

`\multimapdotbothB` (↔) 51

`\multimapdotbothB` (↔) 57

`\multimapdotbothBvert` (↕) 51

`\multimapdotbothBvert` (↕) 57

`\multimapdotbothvert` (↕) 51

`\multimapdotbothvert` (↕) 57

`\multimapdotinv` (←) 51

`\multimapdotinv` (←) 57

`\multimapinv` (←) 51

`\multimapinv` (←) 57

`\multimapinv` (←) 89

`\multimapinv` (←) 58

multiple accents per character 227

`\MultiplicationDot` (·) . 116

multiplicative disjunction . *see* `\bindnasrepma`, `\invamp`, and `\parr`

`\Mundus` (♯) 177

`\muon` (μ⁻) 133

`\musCorchea` (♩) 160

`\musCorcheaDotted` (♩.) 160

`\musDoubleFlat` (♭♭) 160

`\musDoubleSharp` (×) 160

`\musEighth` (♩) 160

`\musEighthDotted` (♩.) 160

Museum of Icelandic Sorcery and Witchcraft ... 186

`\musFlat` (♭) 160

`\musFusa` (♩) 160

`\musFusaDotted` (♩.) 160

`\musHalf` (♩) 160

`\musHalfDotted` (♩.) 160

musical symbols ... 158–175, 192–197

musicography (package) . 160, 161, 239, 240

musixgre (package) 160

musixlit (package) 160

musixper (package) 160

MusiXTEX 159–161

musixtex (package) .. 239, 240

`\musMeter` 161

`\musMinim` (♩) 160

`\musMinimDotted` (♩.) 160

`\musNatural` (♩) 160

musNatural (musNatural) 160

`\musQuarter` (♩) 160

`\musQuarterDotted` (♩.) 160

`\musSegno` (♯) 160

`\musSemibreve` (♩) 160

`\musSemibreveDotted` (♩.) 160

`\musSemiminim` (♩) 160

`\musSeminiminimDotted` (♩.) 160

`\musSharp` (♯) 160

`\musSixteenth` (♩) 160

`\musSixteenthDotted` (♩.) 160

`\musSixtyFourth` (♩) 160

`\musSixtyFourthDotted` (♩.) 160

`\musThirtySecond` (♩) ... 160

`\musThirtySecondDotted` (♩.) 160

`\musWhole` (♩) 160

`\musWholeDotted` (♩.) 160

`\muup` (μ) 94

`MVAt` (@) 177

`MVComma` (,) 116

`MVDivision` (/) 116

`MVEight` (8) 117

`MVFive` (5) 117

`MVFour` (4) 117

`MVLeftBracket` (()) 116

`MVMinus` (-) 116

`MVMultiplication` (×) .. 116

`MVNine` (9) 117

`MVOne` (1) 117

`MVPeriod` (.) 116

`MVPlus` (+) 116

`MVRightArrow` (→) 116

`MVRightBracket` (()) 116

`MVSeven` (7) 117

`MVSix` (6) 117

`MVThree` (3) 117

`MVTwo` (2) 117

`MVZero` (0) 117

N

`n` (†) 157

`\na` (‡) 160

`\nabla` (∇) 118

`\nabla` (∇) 119

`\nabla` (∇) 121

`\nacwcirclearrowdown` (↻) 79

`\nacwcirclearrowleft` (↻) 79

`\nacwcirclearrowright` (↻) 79

`\nacwcirclearrowup` (↻) 79

`\nacwgapcirclearrow` (↻) 80

`\nacwleftarccarrow` (↵) .. 79

`\nacwnearcarrow` (↵) ... 79

`\nacwnwarccarrow` (↵) ... 79

`\nacwopencirclearrow` (↻) 80

`\nacwoverarccarrow` (↵) . 79

`\nacwrightarccarrow` (↵) . 80

`\nacwsearccarrow` (↵) ... 80

`\nacwswarccarrow` (↵) ... 80

`\nacwunderarccarrow` (↵) . 80

`\NAK` (§) 130

NAND gates 130

`\NANDd` (⊞) 130

`\NANDl` (⊞) 130

`\NANDr` (⊞) 130

`\NANDu` (⊞) 130

`\napprox` (≈) 52

`\napprox` (≈) 56

`\napprox` (≈) 54

`\napprox` (≈) 59

`\napproxeq` (≈) 51

`\napproxeq` (≈) 56

`\napproxeq` (≈) 54

`\napproxeqq` (≈) 59

`\napproxident` (≈) 56

`\narceq` (≠) 56, 90

`\nAssert` (‡) 56

`\nassert` (‡) 56

`\nasymp` (≠) 51

`\nasymp` (≠) 56, 90



















`\nasymp` (≠) 89




































`\nasymp` (≠) 59





<code>\Natal (N^U)</code>	128	<code>\ncurlyeqprec (≠)</code>	56	<code>\nDoteq (≠)</code>	54
<code>nath (package)</code> ..	98, 104, 239	<code>\ncurlyeqprec (≠)</code>	54	<code>\ndoteq (≠)</code>	56
<code>\NATURAL (N)</code>	92	<code>\ncurlyeqsucc (≠)</code>	52	<code>\ndoteq (≠)</code>	54
<code>\Natural (N)</code>	92	<code>\ncurlyeqsucc (≠)</code>	56	<code>\ndoublefrown (⤿)</code>	89
<code>\natural (n)</code>	158	<code>\ncurlyeqsucc (≠)</code>	54	<code>\ndoublefrown (⤿)</code>	89
<code>\natural (n)</code>	158	<code>\ncurvearrowdownup (↕)</code> ..	75	<code>\ndoublesmile (☺)</code>	89
<code>\natural (n)</code>	158	<code>\ncurvearrowleft (↶)</code> ..	80	<code>\ndoublesmileeq (☺)</code>	89
<code>\natural (n)</code>	163	<code>\ncurvearrowleft (↶)</code> ..	77	<code>\nDownarrow (⤵)</code>	80
<code>\natural (n)</code>	158	<code>\ncurvearrowleft (↶)</code> ..	75	<code>\nDownarrow (⤵)</code>	76
<code>\natural (n)</code>	158	<code>\ncurvearrowright (↷)</code> ..	75	<code>\ndownarrow (↓)</code>	80
<code>natural numbers (N)</code>	<i>see</i>	<code>\ncurvearrowright (↷)</code> ..	75	<code>\ndownarrow (↓)</code>	76
alphabets, math		<code>\ncurvearrowright (↷)</code> ..	80	<code>\ndownarrowtail (↘)</code> ..	80
<code>\nbackapprox (≈)</code>	54	<code>\ncurvearrowright (↷)</code> ..	77	<code>\ndownarrowtail (↘)</code>	76
<code>\nbackapprox (≈)</code>	54	<code>\ncurvearrowrightleft (↷↶)</code> ..	75	<code>\ndownAssert (⌵)</code>	56
<code>\nbackcong (≇)</code>	56	<code>\ncurvearrowrightleft (↷↶)</code> ..	75	<code>\ndownassert (⌵)</code>	56
<code>\nbackcong (≇)</code>	54	<code>\ncurvearrowrightleft (↷↶)</code> ..	75	<code>\ndownbkarrow (↷↶)</code>	80
<code>\nbackeqsim (≈)</code>	54	<code>\ncurvearrowrightleft (↷↶)</code> ..	75	<code>\ndownblackspoon (⤵)</code> ..	89
<code>\nbacksim (≈)</code>	51	<code>\ncwcirclearrowdown (⤵)</code> ..	80	<code>\ndowndownarrows (⤵)</code> ..	80
<code>\nbacksim (≈)</code>	56	<code>\ncwcirclearrowleft (⤵)</code> ..	80	<code>\ndowndownarrows (⤵)</code> ..	76
<code>\nbacksim (≈)</code>	54	<code>\ncwcirclearrowright (⤵)</code> ..	80	<code>\ndownfilledspoon (⤵)</code> ..	88
<code>\nbacksimeq (≈)</code>	51	<code>\ncwcirclearrowup (⤵)</code> ..	80	<code>\ndownfootline (⤵)</code>	54
<code>\nbacksimeq (≈)</code>	56	<code>\ncwgapcirclearrow (⤵)</code> ..	80	<code>\ndownfree (⤵)</code>	54
<code>\nbacksimeq (≈)</code>	54	<code>\ncwleftarccarrow (↶)</code> ..	80	<code>\ndownharpoonccw (⤵)</code> ..	77
<code>\nbacktriplesim (≈)</code>	54	<code>\ncwnearccarrow (↶)</code>	80	<code>\ndownharpooncw (⤵)</code> ..	77
<code>\nBarv (⌵)</code>	56	<code>\ncwnwarccarrow (↶)</code>	80	<code>\ndownharpoonleft (⤵)</code> ..	82
<code>\nbarV (⌵)</code>	56	<code>\ncwopencirclearrow (⤵)</code> ..	80	<code>\ndownharpoonright (⤵)</code> ..	82
<code>\nbdleftarccarrow (↶)</code> ..	80	<code>\ncwoverarccarrow (↶)</code> ..	80	<code>\ndownlcurvearrow (↷)</code> ..	81
<code>\nbdnearccarrow (↶)</code>	80	<code>\ncwrightarccarrow (↷)</code> ..	80	<code>\ndownleftcurvedarrow (↷)</code> ..	81
<code>\nbdnwarccarrow (↶)</code>	80	<code>\ncwsearccarrow (↷)</code>	80	81
<code>\nbdoverarccarrow (↶)</code> ..	80	<code>\ncwswarccarrow (↷)</code>	80	<code>\ndownlsquigarrow (↷)</code> ..	81
<code>\nbdrightarccarrow (↷)</code> ..	80	<code>\ncwunderarccarrow (↷)</code> ..	80	<code>\ndownlsquigarrow (↷)</code> ..	76
<code>\nbdsearccarrow (↷)</code>	80	<code>\ndasharrow (↷)</code>	81	<code>\nDownmapsto (⤵)</code>	80
<code>\nbdswarccarrow (↷)</code>	80	<code>\ndasharrow (↷)</code>	77	<code>\ndownmapsto (⤵)</code>	80
<code>\nbdunderarccarrow (↷)</code> ..	80	<code>\ndasheddownarrow (↷)</code> ..	76	<code>\ndownmapsto (⤵)</code>	76
<code>\nblackwhitespoon (⤵)</code> ..	89	<code>\ndashedleftarrow (↶)</code> ..	76	<code>\ndownModels (⌵)</code>	54
<code>\NBSP (␣)</code>	130	<code>\ndashednearrow (↷)</code>	76	<code>\ndownmodels (⌵)</code>	56
<code>\NBSP (␣)</code>	130	<code>\ndashednwarrow (↷)</code>	76	<code>\ndownmodels (⌵)</code>	54
<code>\nBumpeq (≈)</code>	51	<code>\ndashedrightarrow (↷)</code> ..	76	<code>\ndownpitchfork (⤵)</code> ..	90
<code>\nBumpeq (≈)</code>	56	<code>\ndashedsearrow (↷)</code>	76	<code>\ndownpitchfork (⤵)</code> ..	88
<code>\nBumpeq (≈)</code>	54	<code>\ndashedswarrow (↷)</code>	76	<code>\ndownrcurvearrow (↷)</code> ..	81
<code>\nBumpeq (≈)</code>	59	<code>\ndasheduparrow (↶)</code>	76	<code>\ndownrightcurvedarrow (↷)</code> ..	81
<code>\nbumpeq (≈)</code>	51	<code>\ndashleftarrow (↶)</code>	81	81
<code>\nbumpeq (≈)</code>	56	<code>\ndashleftarrow (↶)</code>	77	<code>\ndownrsquigarrow (↷)</code> ..	81
<code>\nbumpeq (≈)</code>	54	<code>\ndashrightarrow (↷)</code>	81	<code>\ndownrsquigarrow (↷)</code> ..	76
<code>\nbumpeq (≈)</code>	59	<code>\ndashrightarrow (↷)</code>	77	<code>\ndownspoon (⤵)</code>	89
<code>\nbumpeq (≈)</code>	56	<code>\nDashV (≠)</code>	52	<code>\ndownspoon (⤵)</code>	88
<code>\ncirceq (≈)</code>	56	<code>\nDashV (≠)</code>	56	<code>\ndownuparrows (⤵)</code> ..	80
<code>\ncirceq (≈)</code>	54	<code>\nDashv (≠)</code>	52	<code>\ndownuparrows (⤵)</code> ..	76
<code>\ncirclearrowleft (⤵)</code> ..	80	<code>\nDashv (≠)</code>	56	<code>\ndownupcurvearrow (⤵)</code> ..	81
<code>\ncirclearrowleft (⤵)</code> ..	77	<code>\nDashV (≠)</code>	52	<code>\ndownupharpoons (⤵)</code> ..	82
<code>\ncirclearrowright (⤵)</code> ..	80	<code>\nDashV (≠)</code>	56	<code>\ndownupharpoons (⤵)</code> ..	77
<code>\ncirclearrowright (⤵)</code> ..	77	<code>\nDashv (≠)</code>	52	<code>\ndownupharpoonsleftright</code> ..	82
<code>\ncirmid (≠)</code>	89	<code>\nDashv (≠)</code>	56	(⤵)	82
<code>\nclosedequal (≈)</code>	54	<code>\nDashv (≠)</code>	54	<code>\ndownupsquigarrow (↷)</code> ..	81
<code>\nclosure (≠)</code>	56, 90	<code>\nDashVv (≠)</code>	52	<code>\ndownVDash (⌵)</code>	56
<code>\ncong (≇)</code>	52	<code>\nDashVv (≠)</code>	56	<code>\ndownVdash (⌵)</code>	56
<code>\ncong (≇)</code>	51	<code>\nDdashv (≠)</code>	56	<code>\ndownVdash (⌵)</code>	54
<code>\ncong (≇)</code>	57	<code>\nDdownarrow (⤵)</code>	80	<code>\ndownvDash (⌵)</code>	56
<code>\ncong (≇)</code>	56	<code>\nddtstile (≠)</code>	60	<code>\ndownvdash (⌵)</code>	56
<code>\ncong (≇)</code>	54	<code>\ndiagdown (×)</code>	54	<code>\ndownvdash (⌵)</code>	54
<code>\ncong (≇)</code>	59	<code>\ndiagup (×)</code>	54	<code>\ndownwavearrow (↷)</code> ..	80
<code>\ncongdot (≈)</code>	59	<code>\ndivides (÷)</code>	54	<code>\ndststile (≠)</code>	60
<code>\ncurlyeqprec (≠)</code>	52	<code>\nDoteq (≠)</code>	56	<code>\ndtstile (≠)</code>	60

<code>\nsubseteqq</code> (⊆)	63	<code>\nsharpoonse</code> (↷)	82	<code>\ntwoheadleftarrow</code> (⇐) ..	51
<code>\nsubseteqq</code> (⊆)	64	<code>\nswlcurvearrow</code> (↷) ...	81	<code>\ntwoheadleftarrow</code> (⇐) ..	80
<code>\nsucc</code> (⊃)	52	<code>\nswlsquigarrow</code> (↷) ...	76	<code>\ntwoheadleftarrow</code> (⇐) ..	76
<code>\nsucc</code> (↷)	51	<code>\nswmapsto</code> (↷)	76	<code>\ntwoheadnearrow</code> (↗) ..	80
<code>\nsucc</code> (↷)	57	<code>\nswModels</code> (↷)	54	<code>\ntwoheadnearrow</code> (↗) ..	76
<code>\nsucc</code> (↷)	56	<code>\nswmodels</code> (↷)	54	<code>\ntwoheadnarrow</code> (↗) ..	80
<code>\nsucc</code> (↷)	54	<code>\nswnearrows</code> (↷)	80	<code>\ntwoheadnarrow</code> (↗) ..	76
<code>\nsucc</code> (↷)	59	<code>\nswnearrows</code> (↷)	76	<code>\ntwoheadrightarrow</code> (⇒) ..	51
<code>\nsuccapprox</code> (⊃)	52	<code>\nswnecurvearrow</code> (↷) ..	81	<code>\ntwoheadrightarrow</code> (⇒) ..	80
<code>\nsuccapprox</code> (↷)	51	<code>\nswneharpooks</code> (↷) ...	82	<code>\ntwoheadrightarrow</code> (⇒) ..	76
<code>\nsuccapprox</code> (⊃)	56	<code>\nswneharpooks</code> (↷) ...	77	<code>\ntwoheadsearrow</code> (↘) ..	80
<code>\nsuccapprox</code> (↷)	54	<code>\nswpitchfork</code> (↷)	88	<code>\ntwoheadsearrow</code> (↘) ..	76
<code>\nsucccurlyeq</code> (⊃)	52	<code>\nswrcurvearrow</code> (↷) ...	81	<code>\ntwoheadswarrow</code> (↙) ..	80
<code>\nsucccurlyeq</code> (↷)	51	<code>\nswrsquigarrow</code> (↷) ...	76	<code>\ntwoheadswarrow</code> (↙) ..	76
<code>\nsucccurlyeq</code> (↷)	56	<code>\nswspoon</code> (↷)	88	<code>\ntwoheaduparrow</code> (↑) ...	80
<code>\nsucccurlyeq</code> (↷)	54	<code>\nswswarrows</code> (↷)	80	<code>\ntwoheaduparrow</code> (↑) ...	76
<code>\nsucccurlyeq</code> (↷)	59	<code>\nswswarrows</code> (↷)	76	<code>\Nu</code> (N)	93
<code>\nsucceq</code> (⊃)	52	<code>\nswVdash</code> (↷)	54	<code>\nu</code> (ν)	93
<code>\nsucceq</code> (↷)	51	<code>\nswvdash</code> (↷)	54	nuclear power plant <i>see</i> \SNPP	
<code>\nsucceq</code> (⊃)	57	<code>\NT</code> (N)	129	<code>\nucleus</code> (☉)	133
<code>\nsucceq</code> (⊃)	56	<code>\ntdtstile</code> (≡)	60	<code>\Nudelholz</code> (⇐⇨)	191
<code>\nsucceq</code> (⊃)	54	ntheorem (package)	118	<code>\NUL</code> (N)	130
<code>\nsucceq</code> (⊃)	59	<code>\nthickapprox</code> (≊)	51	<code>\NUL</code> (N)	130
<code>\nsucceq</code> (⊃)	59	<code>\nto</code> (→)	81	null infinity ... <i>see</i> alphabets,	
<code>\nsucceqq</code> (⊃)	51	<code>\nto</code> (→)	77	math	
<code>\nsucceqq</code> (⊃)	56	<code>\ntriangleeq</code> (≠)	71	null set	117–120
<code>\nsucssim</code> (⊃)	52	<code>\ntriangleeq</code> (≠)	70	number sets ... <i>see</i> alphabets,	
<code>\nsucssim</code> (↷)	51	<code>\ntriangleleft</code> (⊲)	69	math	
<code>\nsucssim</code> (↷)	56	<code>\ntriangleleft</code> (⊲)	69	number sign <i>see</i> \textnumero	
<code>\nsucssim</code> (↷)	54	<code>\ntriangleleft</code> (⊲)	71	numbers	<i>see</i> numerals
<code>\nSupset</code> (⊇)	62	<code>\ntriangleleft</code> (⊲)	71	numerals 27, 117, 125, 138, 175,	
<code>\nSupset</code> (⊇)	62	<code>\ntriangleleft</code> (⊲) ... 66, 70		182, 183, 199–200, 217	
<code>\nSupset</code> (⊇)	63	<code>\ntrianglelefteq</code> (⊴) ..	69	circled 138, 182, 183, 217	
<code>\nsupset</code> (⊇)	62	<code>\ntrianglelefteq</code> (⊴) ..	69	Epi-Olmec	156
<code>\nsupset</code> (⊇)	63	<code>\ntrianglelefteq</code> (⊴) ...	71	Isthmian	156
<code>\nsupset</code> (⊇)	63	<code>\ntrianglelefteq</code> (⊴) ...	71	LCD	125
<code>\nsupset</code> (⊇)	63	<code>\ntrianglelefteq</code> (⊴) . 66, 70		Linear B	152
<code>\nsupset</code> (⊇)	64	<code>\ntrianglelefteq</code> (⊴) ...	71	Mayan	117
<code>\nsupseteq</code> (⊇)	62	<code>\ntrianglelefteqslant</code> (⊵) 69		old-style	27
<code>\nsupseteq</code> (⊇)	62	<code>\ntriangleright</code> (⊳) ...	69	segmented	125
<code>\nsupseteq</code> (⊇)	63	<code>\ntriangleright</code> (⊳) ...	69	<code>\NumLock</code> (Num)	129
<code>\nsupseteq</code> (⊇)	63	<code>\ntriangleright</code> (⊳) ...	71	<code>\nUparrow</code> (⤴)	80
<code>\nsupseteq</code> (⊇)	63	<code>\ntriangleright</code> (⊳) ...	71	<code>\nUparrow</code> (⤴)	76
<code>\nsupseteq</code> (⊇)	64	<code>\ntriangleright</code> (⊳) .. 66, 70		<code>\nuparrow</code> (↑)	80
<code>\nsupseteqq</code> (⊇)	62	<code>\ntrianglerighteq</code> (⊶) ..	69	<code>\nuparrow</code> (↑)	76
<code>\nsupseteqq</code> (⊇)	62	<code>\ntrianglerighteq</code> (⊶) . 69		<code>\nuparrowtail</code> (⤵)	80
<code>\nsupseteqq</code> (⊇)	63	<code>\ntrianglerighteq</code> (⊶) ..	71	<code>\nuparrowtail</code> (⤵)	76
<code>\nsupseteqq</code> (⊇)	63	<code>\ntrianglerighteq</code> (⊶) ..	71	<code>\nupAssert</code> (≧)	56
<code>\nsupseteqq</code> (⊇)	63	<code>\ntrianglerighteq</code> (⊶) .. 66, 70		<code>\nupassert</code> (≧)	56
<code>\nsupseteqq</code> (⊇)	64	<code>\ntrianglerighteqslant</code> (⊷) ..	71	<code>\nupbkarrow</code> (⇧)	80
<code>\nSwarrow</code> (↘)	80 69		<code>\nupblackspoon</code> (⤶)	89
<code>\nSwarrow</code> (↘)	76	<code>\ntriplefrown</code> (⏚)	89	<code>\nUpdownarrow</code> (⇕)	80
<code>\nswarrow</code> (↘)	79	<code>\ntriplesim</code> (≐)	56	<code>\nUpdownarrow</code> (⇕)	76
<code>\nswarrow</code> (↘)	76	<code>\ntriplesim</code> (≐)	54	<code>\nupdownarrow</code> (⇕)	80
<code>\nswarrowtail</code> (↘)	80	<code>\ntriplesmile</code> (☺)	89	<code>\nupdownarrow</code> (⇕)	76
<code>\nswarrowtail</code> (↘)	76	<code>\ntststile</code> (≡)	60	<code>\nupdownarrows</code> (⇕)	80
<code>\nswbkarrow</code> (↘)	80	<code>\ntttstile</code> (≡)	60	<code>\nupdownarrows</code> (⇕)	76
<code>\nswfilledspoon</code> (↘) ...	88	<code>\ntttstile</code> (≡)	60	<code>\nupdowncurvearrow</code> (⤵) .	81
<code>\nswfootline</code> (↘)	54	<code>\ntttstile</code> (≡)	60	<code>\nupdownharpoonleftright</code>	
<code>\nswfree</code> (↘)	54	<code>\ntwoheaddownarrow</code> (⤵) .	80	(⤵)	82
<code>\nsharpoonccw</code> (↘)	77	<code>\ntwoheaddownarrow</code> (⤵) .	76	<code>\nupdownharpoonleftright</code>	
<code>\nsharpooncw</code> (↘)	77			(⤵)	77
<code>\nsharpoonnw</code> (↘)	82				



O	
<code>\O</code> (\mathbb{O})	15
<code>\o</code> (\mathbb{o})	15
<code>o</code> (\mathcal{O})	93
<code>o</code> (\mathcal{O})	157
<code>\oast</code> ($\textcircled{*}$)	36
<code>\oast</code> ($\textcircled{*}$)	36
<code>\oasterisk</code> ($\textcircled{*}$)	35
<code>\obackslash</code> ($\textcircled{\backslash}$)	35
<code>\obackslash</code> ($\textcircled{\backslash}$)	36
<code>\obackslash</code> ($\textcircled{\backslash}$)	36
<code>\obar</code> ($\textcircled{\bar{O}}$)	30
<code>\obar</code> ($\textcircled{\bar{O}}$)	37
<code>\obar</code> ($\textcircled{\bar{O}}$)	38
<code>\Obelus</code> (—)	183
<code>\obelus</code> (—)	183
<code>\Obelus*</code> (÷)	183
<code>\obelus*</code> (÷)	183
<code>\oblong</code> (\square)	30
<code>\oblong</code> (\square)	37
<code>\obot</code> (\oplus)	35
<code>\obot</code> (\oplus)	37
<code>\obot</code> (\oplus)	38
<code>\obrbrak</code> (—)	121
<code>\obslash</code> ($\textcircled{/}$)	30
<code>\obslash</code> ($\textcircled{/}$)	37
<code>\obslash</code> ($\textcircled{/}$)	37
<code>\obslash</code> ($\textcircled{/}$)	38
<code>\oc</code> (\circ)	29
<code>\ocirc</code> ($\textcircled{\circ}$)	35
<code>\ocirc</code> ($\textcircled{\circ}$)	36
<code>\ocirc</code> ($\textcircled{\circ}$)	36
<code>\ocircle</code> (\circ)	31
<code>\ocoasterisk</code> ($\textcircled{*}$)	35
<code>\ocommatopright</code> (—)	106
<code>\octagon</code> (\square)	140
octonions (\mathbb{O})	<i>see</i> alphabets, math
<code>\Octosteel</code> (\bullet)	131
<code>\od</code> ($\textcircled{\bullet}$)	23
<code>\odash</code> (\ominus)	36
<code>\odiv</code> (\oplus)	35
<code>\odiv</code> (\oplus)	38
<code>\odot</code> ($\textcircled{\circ}$)	35
<code>\odot</code> ($\textcircled{\circ}$)	30
<code>\odot</code> ($\textcircled{\circ}$)	36
<code>\odot</code> ($\textcircled{\circ}$)	36
<code>\odot</code> ($\textcircled{\circ}$)	38
<code>\odotslashdot</code> ($\textcircled{\circ}$)	38
<code>\odplus</code> (\oplus)	35
<code>\OE</code> (\mathbb{E})	15, 237
<code>\oe</code> (\mathbb{e})	15, 237
<code>\oequal</code> ($\textcircled{=}$)	36
<code>\Ofen</code> ($\textcircled{\text{—}}$)	191
<code>\officialeuro</code> (€)	26
<code>\offinterlineskip</code>	224
ogonek (package)	24, 239, 240
ogonek (—)	<i>see</i> accents
<code>\ogreaterthan</code> ($\textcircled{>}$)	30
<code>\ogreaterthan</code> ($\textcircled{>}$)	37
<code>\ogreaterthan</code> ($\textcircled{>}$)	38
<code>\ohill</code> ($\textcircled{\text{—}}$)	23
ohm	<i>see</i> <code>\textohm</code>
<code>\ohm</code> (Ω)	125
<code>\Ohne</code> (—)	161
<code>\OHORN</code> (\mathbb{O})	16
<code>\ohorn</code> (\mathcal{O})	16
<code>\oiiint</code> (\iiint)	42
<code>\oiiint</code> (\iiint)	48
<code>\oiiint</code> (\iiint)	45
<code>\oiiint</code> (\iiint)	49
<code>\oiiint</code> (\iiint)	46
<code>\oiiintclockwise</code> (\iiint)	42
<code>\oiiintctrlockwise</code> (\iiint)	42
<code>\oiiintsl</code> (\iiint)	47
<code>\oiiintup</code> (\iiint)	47
<code>\oiint</code> (\iint)	41
<code>\oiint</code> (\iint)	40
<code>\oiint</code> (\iint)	42
<code>\oiint</code> (\iint)	48
<code>\oiint</code> (\iint)	43
<code>\oiint</code> (\iint)	45
<code>\oiint</code> (\iint)	49
<code>\oiint</code> (\iint)	44
<code>\oiint</code> (\iint)	46
<code>\oiintclockwise</code> (\iint)	42
<code>\oiintctrlockwise</code> (\iint)	42
<code>\oiintsl</code> (\iint)	47
<code>\oiintup</code> (\iint)	47
<code>\oint</code> (\oint)	41
<code>\oint</code> (\oint)	40
<code>\oint</code> (\oint)	40
<code>\oint</code> (\oint)	40
<code>\oint</code> (\oint)	48
<code>\oint</code> (\oint)	45
<code>\oint</code> (\oint)	44
<code>\oint</code> (\oint)	46
<code>\ointclockwise</code> (\oint)	42
<code>\ointclockwise</code> (\oint)	48
<code>\ointclockwise</code> (\oint)	43
<code>\ointclockwise</code> (\oint)	45
<code>\ointclockwise</code> (\oint)	49
<code>\ointctrlockwise</code> (\oint)	42
<code>\ointctrlockwise</code> (\oint)	48
<code>\ointctrlockwise</code> (\oint)	43
<code>\ointctrlockwise</code> (\oint)	45
<code>\ointctrlockwise</code> (\oint)	49
<code>\ointctrlockwise</code> (\oint)	46
<code>\ointctrlockwisesl</code> (\oint)	47
<code>\ointctrlockwiseup</code> (\oint)	47
<code>\oints</code> (\oint)	47
<code>\ointup</code> (\oint)	47
<code>\olcross</code> ($\textcircled{\times}$)	38
old-arrows (package)	87, 88, 239
old-style numerals	27
<code>\olddWinkey</code> (—)	191
<code>\oldGclef</code> (—)	160
<code>\oldIm</code> (\mathbb{I})	92
<code>\oldRe</code> (\mathbb{R})	92
<code>\oldstylenums</code>	27
<code>\oldWinkey</code> (—)	191
<code>\oleft</code> (\oplus)	35
<code>\oleft</code> (\oplus)	37
<code>\olessthan</code> ($\textcircled{<}$)	30
<code>\olessthan</code> ($\textcircled{<}$)	37
<code>\olessthan</code> ($\textcircled{<}$)	38
Olschok, Marc	222
<code>\OM</code> (ω)	129
<code>\Omega</code> (Ω)	93
<code>\omega</code> (ω)	93
<code>\omegaup</code> (ω)	94
<code>\Omicron</code> (\mathbb{O})	93
<code>\omicron</code> (\mathcal{O})	93
<code>\ominus</code> (\ominus)	35
<code>\ominus</code> (\ominus)	30
<code>\ominus</code> (\ominus)	37
<code>\ominus</code> (\ominus)	36
<code>\ominus</code> (\ominus)	36
<code>\ominus</code> (\ominus)	38
<code>\onlymove</code> (\square)	181
<code>\oo</code> (∞)	183
<code>\oo</code> (∞)	19
<code>\oalign</code>	224
<code>\open</code> (—)	24
open unit disk (\mathbb{D})	<i>see</i> alphabets, math
<code>\openJoin</code> (\times)	51
<code>\openo</code> (\circ)	19
<code>\openo</code> (\circ)	19
<code>\openo</code> (\circ)	19
<code>\opentimes</code> (\times)	51
OpenType	158
operators	29–31, 34–36
binary	30–38
logical	<i>see</i> logical operators
set	<i>see</i> set operators
unary	29
<code>\operp</code> ($\textcircled{\perp}$)	38
oplotsymb (package)	144–146, 239, 240
<code>\oplus</code> (\oplus)	35
<code>\oplus</code> (\oplus)	29, 30, 222
<code>\oplus</code> (\oplus)	37
<code>\oplus</code> (\oplus)	36
<code>\oplus</code> (\oplus)	36
<code>\oplus</code> (\oplus)	38
<code>\opluslhrim</code> (\oplus)	34
<code>\oplusrhrim</code> (\oplus)	34
<code>\opposbishops</code> (—)	181
<code>\Opposition</code> (—)	128
<code>\opposition</code> ($\textcircled{\text{—}}$)	126
optical scaling	229
options	<i>see</i> package options
<code>\OR</code> (\vee)	129
or	<i>see</i> <code>\vee</code>
OR gates	<i>see</i> 130
<code>\orbit</code> ($\textcircled{\text{—}}$)	133
<code>\ORd</code> (—)	130
<code>\oright</code> (\oplus)	35
<code>\oright</code> (\oplus)	37
<code>\origof</code> (—)	89

\backslash origof (\curvearrowright) 58
 oriscus *see* musixgre
 \backslash ORl () 130
 \backslash OrnamentDiamondSolid (\blacklozenge) 146
 ornaments 139, 140, 146, 204–205, 207–210
 \backslash ORr () 130
 orthogonal to *see* \backslash bot
 \backslash ORu () 130
 \backslash oslash (\oslash) 35
 \backslash oslash (\oslash) 30
 \backslash oslash (\oslash) 37
 \backslash oslash (\oslash) 36
 \backslash oslash (\oslash) 36
 \backslash oslash (\oslash) 38
 \backslash ostar (\circledast) 36
 \backslash osum (\osum) 45
 .otf files 158
 \backslash Otimes (\otimes) 38
 \backslash otimes (\otimes) 35
 \backslash otimes (\otimes) 30
 \backslash otimes (\otimes) 37
 \backslash otimes (\otimes) 36
 \backslash otimes (\otimes) 36
 \backslash otimes (\otimes) 38
 \backslash otimeshat ($\hat{\otimes}$) 38
 \backslash otimeslhrim (\otimes) 34
 \backslash otimesrhrim (\otimes) 34
 \backslash otop (\oplus) 35
 \backslash otop (\oplus) 37
 \backslash otriangle (\triangle) 37
 \backslash otriangle (\triangle) 36, 70
 \backslash otriangleup (\triangleup) 35
 \backslash oturnedcomma (\smile) 106
 outer joins 121
 ovals 143, 169–173, 199–200, 205, 215–216
 \backslash ovee (\vee) 30
 \backslash ovee (\vee) 37
 \backslash Oven () 191
 \backslash oven () 191
 \backslash overarc () 23
 \backslash overbat () 106
 \backslash overbat* () 106
 \backslash overbrace () 109
 \backslash overbrace () 108
 \backslash overbrace () 108
 \backslash overbrace () 109
 \backslash overbrace () 109
 \backslash overbrace () 107
 \backslash overbracket () 109
 \backslash overbracket () 109
 \backslash overbracket () 228
 \backslash overbridge () 22

\backslash overgroup ($\overline{\quad}$) 109
 \backslash overgroup ($\overline{\quad}$) 108
 \backslash overgroup ($\overline{\quad}$) 108
 \backslash overleftarrow ($\overleftarrow{\quad}$) 109
 \backslash overleftarrow ($\overleftarrow{\quad}$) 87, 107
 \backslash overleftbroom () 113
 \backslash overleftflutteringbat () 114
 \backslash overleftharp () 87
 \backslash overleftharpoons () 87
 \backslash overleftharpoon () 108
 \backslash overleftharpoon () 108
 \backslash overleftharpoon () 109
 \backslash overleftpitchfork () 113
 \backslash overleftrightarrow () 109
 \backslash overleftrightarrow () 87, 108
 \backslash overleftswishingghost () 114
 \backslash overleftwitonbroom () 113
 \backslash overleftwitonbroom* () 113
 \backslash overleftwitonpitchfork () 113
 \backslash overleftwitonpitchfork* () 113
 \backslash overline ($\overline{\quad}$) 29, 105, 107
 \backslash overlinesegment () 108
 \backslash overlinesegment () 108
 \backslash overparen () 109
 \backslash overparenthesis () 228
 \backslash Overrightarrow () 107
 overrightarrow (package) 107, 239
 \backslash overrightarrow () 109
 \backslash overrightarrow () 87, 107
 \backslash overrightbroom () 113
 \backslash overrightflutteringbat () 114
 \backslash overrightharp () 87
 \backslash overrightharpoons () 87
 \backslash overrightharpoon () 108
 \backslash overrightharpoon () 108
 \backslash overrightharpoon () 109
 \backslash overrightpitchfork () 113
 \backslash overrightswishingghost () 114
 \backslash overrightwitonbroom () 113
 \backslash overrightwitonbroom* () 113
 \backslash overrightwitonpitchfork () 113
 \backslash overrightwitonpitchfork* () 113









\backslash overring ($\overset{\circ}{\quad}$) 24
 \backslash overscriptleftarrow () 112
 \backslash overscriptleftrightarrow () 112
 \backslash overscriptrightarrow () 112
 \backslash overset 223
 \backslash overt (\oslash) 36
 \backslash overt (\oslash) 36
 \backslash ovhook () 106
 \backslash ovoid (\oslash) 35
 \backslash owedge (\oslash) 30
 \backslash owedge (\oslash) 37
 \backslash owns *see* \backslash ni
 \backslash owns (\oslash) 96
 \backslash owns (\oslash) 55, 97
 \backslash owns (\oslash) 97
 \backslash owns (\oslash) 96
 \backslash owns (\oslash) 59
 \backslash ownsbar (\oslash) 96

P

P (\mathbb{P}) 157
 \backslash P () 15, 236
 \backslash P () 15
 \backslash p (\mathbb{P}) 157
 \backslash p (\mathbb{P}) 183
 p (\mathbb{P}) 157
 \backslash p@ 227
 package options
 a (esvect) 110
 arrows (boisik) 83
 b (esvect) 110
 bbgreekl (mathbbol) 124
 boondox (emf) 126
 c (esvect) 110
 cal (emf) 126
 calligra (emf) 126
 chorus (emf) 126
 cmr (emf) 126
 crescent (fge) 106
 d (esvect) 110
 e (esvect) 110
 f (esvect) 110
 fourier (emf) 126
 frcursive (emf) 126
 g (esvect) 110
 german (keystroke) 129
 greek (babel) 15, 93, 94, 154
 h (esvect) 110
 heartctrbull (bullcntr) 180
 integrals (wasysym) 40
 largectrbull (bullcntr) 180
 mathcal (euscript) 123
 mathscr (euscript) 123
 mathscr (urwchancal) 123
 miamia (emf) 126
 new (old-arrows) 87, 88
 noeuro (wasysym) 25
 nointegrals (wasysym) 40

polutonikogreek (babel) 15, 93, 94
 rsfs (emf) 126
 sans (dsfont) 123
 scaled (CountriesOfEurope) 190
 scr (rsfso) 123
 smallctrbull (bullcntr) 180
 smartctrbull (bullcntr) 180
 upint (stix) . . . 39, 46, 48
 utf8x (inputenc) 237
 varg (txfonts/pxfonts) 95
 packages
 abracas 110, 239, 240
 accents 105, 227, 239, 240
 actuarialangle . . 111, 228, 239, 240
 actuarialsymbol 228
 adfornt 135, 139, 140, 146, 147, 239, 240
 adfsymbols 134, 137, 139, 144, 239
 allrunes 157, 239
 \mathcal{AMS} 12, 15, 30, 40, 50, 51, 62, 64, 69, 72, 87, 91, 93, 95, 96, 98, 99, 105, 108, 111, 114, 117–119, 124, 219, 220, 238
 amsbsy 233
 amsfonts 118, 123
 amsmath 12, 49, 91, 105, 223, 232
 amssymb . . 12, 105, 118, 123, 154, 239
 amstext 224, 226
 apl 129, 239
 ar 125, 239, 240
 arcs 23, 239, 240
 arev . . 135–138, 146, 158, 190, 239
 ascii . . 130, 234, 239, 240
 astrosym 201, 239
 babel . . . 15, 93, 94, 154
 bartel-chess-fonts 217, 218, 239
 bbding 134–137, 139, 143, 146, 220, 239
 bbm 123, 239
 bbold 123, 239
 bclogo 192, 193, 239, 240
 begriff 116, 239
 bigints 43, 239, 240
 bm 233, 239, 240
 boisik 33, 37, 45, 57, 63, 68, 71, 82, 83, 95, 97, 98, 106, 118, 120, 141, 145, 154, 158, 239, 240
 braknet 99
 bullcntr . . . 180, 239, 240
 bullenum 180
 calligra 123, 239, 240
 calrsfs 123
 cancel 107
 ccicons 27, 239, 240
 ccllicenses . . 27, 239, 240
 centernot 224
 chancery 239
 chemarr . . . 111, 239, 240
 chemarrow . . 87, 111, 239
 china2e . . 26, 92, 124, 186, 187
 china2e . . . 123, 239, 240
 clock 179, 239, 240
 cml 29, 35, 50, 61, 98, 239
 cmupint . . 48, 49, 239, 240
 colonequals . . 29, 61, 239, 240
 combelow . . 24, 239, 240
 cookingsymbols . 191, 239, 240
 countriesofeuropa 188, 239, 240
 cryst 215, 239
 cypriot 153, 239, 240
 dancers 211, 239
 dblacnt 227
 dice 216, 239
 dictsym . . . 184, 239, 240
 dingbat 136, 146, 207, 220, 239, 240
 DotArrow . . 112, 239, 240
 dozenal 117, 180, 239, 240
 dsfont 123, 239
 ds serif 123, 239
 emf 126, 239, 240
 endofproofwd . . 121, 239
 epiolmec . . 154, 156, 239, 240
 epsdice 179, 239, 240
 esint 43, 239
 esrelation . . 88, 113, 239
 esvect 110, 239
 euflag 190, 239, 240
 eufrak 123
 eurosym . . . 26, 239, 240
 euscript 123, 239
 extarrows . . 112, 239, 240
 extpfeil . . . 112, 239, 240
 extraipa 22, 239
 fc 16, 20
 fclfont 239
 fdsymbol 32, 33, 36, 44, 45, 55, 56, 63, 67, 71, 78–82, 89, 90, 95, 97, 101, 102, 106, 108, 115, 118, 120, 141, 145, 158, 239, 240
 feyn 132, 239, 240
 fge . . 87, 97, 106, 117, 122, 239, 240
 fixmath 233
 fontawesome 25, 26, 127, 131, 135–138, 140, 144, 194, 197, 239, 240
 fontenc 12, 15, 16, 20, 235
 fontspec 158, 238
 fourier 26, 61, 94, 98, 104, 109, 137, 140, 177, 239
 frege 116, 239, 240
 gensymb 125
 go 183, 239
 graphics 87, 222
 graphicx 24, 219, 222, 226
 greenpoint 199, 239
 halloweenmath 38, 90, 106, 112–114, 239, 240
 hands 199, 239
 harmony . . 160, 161, 239, 240
 harpoon . . . 87, 239, 240
 hhcount 179, 180, 239, 240
 hieroglf . . . 149, 239, 240
 holtpolt 114, 239
 ifsymb . 125, 143, 178, 220, 222, 239, 240
 igo 182, 239
 inputenc 237
 isoent 235
 junicode 238, 239
 keystroke . . 129, 239, 240
 knitting . . . 188, 239, 240
 knot 207, 210, 239
 latexsym . . 30, 50, 61, 72, 118, 219, 239
~~lilyglyphs~~ 158, 161–169, 173–175
 lilyglyphs 239
 linearA 149, 239, 240
 linearb 152, 153, 239, 240
 logic 130
 longdiv 107
 magic 217, 239
 manfnt 176, 239
 marvosym 25, 116, 117, 126, 129–131, 135, 138, 177, 187, 220
 mathabx 29, 31, 35, 41, 52, 62, 65, 69, 73, 74, 91, 96, 98–100, 105, 109, 117, 119, 127, 181, 219, 220, 239, 240
 mathbbol 123, 124
 mathcomp 116
 mathdesign 25, 34, 49, 97, 103, 122, 239
 mathdots . 105, 114, 115, 227, 239, 240
 mathrsfs 123, 239
 mathspec 93
 mathtools 29, 59, 87, 109, 111, 239, 240
 mbboard . . . 123, 124, 239
 mdwmath . . 110, 239, 240
 metre . . 23, 105, 183, 239, 240
 milstd 130, 239, 240
 mismath 92, 239

MnSymbol . . . 29, 31, 32, 36, 44, 52–54, 63, 66, 70, 74–77, 88, 89, 95, 96, 100, 105, 107, 108, 115, 117, 119, 120, 140, 145, 158, 239, 240
moonphase 201, 239
musicography . . 160, 161, 239, 240
musixgre 160
musixlit 160
musixper 160
musixtex 239, 240
nath 98, 104, 239
nicefrac . . . 121, 239, 240
niceframe . . 204–207, 210
nkarta 199, 239
nththeorem 118
ogonek 24, 239, 240
old-arrows . . . 87, 88, 239
oplotsymb1 144–146, 239, 240
overrightarrow . . 107, 239
phaistos . . . 148, 239, 240
phonetic . . 19, 23, 222, 239
pict2e 126
pifont . . 16, 134–139, 144, 146, 199, 204, 215, 222, 239
pigpen 186, 239, 240
pmbboxdraw . 185, 239, 240
polynom 107
prodint 50, 239
protosem . . 148, 239, 240
psnfss 138
PSTricks 193
pxfonts . . . 29, 31, 42, 51, 62, 65, 73, 90, 94–96, 118, 119, 123, 145, 219, 234
realhats . . . 107, 239, 240
recycle 187, 239
relsize 23
rotating 27, 129
rsfso 123, 239
rubikcube . . 198, 239, 240
sarabian . . . 154, 239, 240
savesym 219
scalerel 226
scsnowman . 192, 239, 240
semaphor . . 213, 215, 239
semtrans . . 20, 24, 239, 240
shuffle 35, 239, 240
simplewick 228, 229
simpsons 184, 239
skak 181, 182, 239, 240
skull 181, 239, 240
slashed 224
soyombo . . . 187, 239, 240
stackengine 226
starfont . . . 128, 239, 240
staves 185, 239
steinmetz . . 126, 239, 240
stix 34, 38, 39, 46, 47, 58, 59, 64, 68, 69, 71, 84–86, 91, 95–98, 102, 106, 109, 115, 117, 118, 121, 127, 128, 131, 141, 142, 146, 158, 179, 239, 240
stmaryrd . . 30, 40, 51, 62, 69, 73, 87, 90, 98, 99, 220, 224, 238, 239
svrsymbols . . 132, 239, 240
t4phonet . . 20, 23, 239, 240
teubner . . . 26, 116, 154, 184, 239, 240
textcomp . . 12, 14, 15, 20, 24–27, 72, 104, 121, 125, 158, 176, 219, 234, 235, 239
textgreek . . 15, 94, 239, 240
tfruppee . . . 26, 239, 240
TikZ 12, 145, 146, 191–193, 198
tikzsymbols . 191, 192, 239, 240
timing 125
tipa 17, 18, 20–23, 222, 239, 240
tipx 18, 239, 240
trfsigns . . . 61, 97, 112, 239
trsym 61, 239, 240
turnstile . . . 60, 239, 240
txfonts 29, 31, 42, 51, 62, 65, 73, 90, 94–96, 118, 119, 123, 145, 219, 221, 234, 239, 240
type1cm 219
ucs 237
ulsy 35, 90, 222, 239
umranda 205, 239
umrandb 206, 239
underscore 14
undertilde . . 110, 239, 240
units 121
universa . . . 144, 177, 239, 240
upgreek . . . 15, 94, 239, 240
upquote 235
url 234
urwchancal 123, 239
ushort 110, 239, 240
vietnam 239
vntex 16, 20
wasysym . . . 19, 25, 27, 31, 40, 51, 62, 65, 115, 118, 119, 125, 126, 128, 131, 138–140, 158, 176, 220, 222, 239
webomints 204, 239
wsuipa 19, 22, 24, 220, 222, 227, 239, 240
xfakebold . . 233, 239, 240
xfrac 121
yfonts 123, 124, 239, 240
yhmath 106–108, 110, 116, 227, 239
\PackagingWaste (♻) 187
Pakin, Scott . . 1, 225, 227, 238
\Pallas (♀) 128
\pan (☞) 191
paperclip 192–193
\PaperLandscape (☞) . . . 178
\PaperPortrait (☞) 178
par *see* \bindnasrepma, \invamp, and \parr
\Paragraph (§) 27
paragraph mark *see* \P
parallel *see also* “texttt”string“varparallel
\parallel (||) 50, 101
\parallel (||) 55
\parallel (||) 53
\parallel (||) 58
\parallelogram (▭) 142
\parallelogramblack (■) 142
parallelograms 141–142, 215–216
\ParallelPort (☎) 129
\parallelslant (//) 61
\parr (⌘) 35
\parsim (‡) 58
\partial (∂) 96
\partial (∂) 96
\partial (∂) 98
\partialmeetcontraction (⊆) 69
\partialslash (∂) 96
\partialvardint (⋯) . . . 120
\partialvardlanddownint (∩) 120
\partialvardlandupint (∪) 120
\partialvardlcircleleftint (⊖) 120
\partialvardlcircleleftint (⊖) 74
\partialvardlcircleleftint (⊖) 120
\partialvardlcircleleftint (⊖) 74
\partialvardoint (⊖) . . . 120
\partialvardoint (⊖) . . . 120
\partialvardrcircleleftint (⊖) 120
\partialvardrcircleleftint (⊖) 74
\partialvardrcircleleftint (⊖) 120
\partialvardrcircleleftint (⊖) 74
\partialvardstrokedint (↗) 120
\partialvardsumint (∑) . . 120
\partialvartint (⋯) . . . 120
\partialvartlanddownint (∩) 120
\partialvartlandupint (∪) 120

<code>\partialvartlcircleleftint</code> 	120	<code>\pentagonblack</code> (▲)	142	<code>\PHgrater</code> (🍷)	148
<code>\partialvartlcircleleftint</code> 	74	pentagons	144–145	<code>\PHhelmet</code> (🛡)	148
<code>\partialvartlrcircleleftint</code> 	120	<code>\Pentagram</code> (★)	128	<code>\PHhide</code> (🚪)	148
<code>\partialvartlrcircleleftint</code> 	74	<code>\pentagram</code> (★)	36	<code>\PHhorn</code> (📎)	148
<code>\partialvartoint</code> (○)	120	<code>\pentam</code> (◃◅◆◇◈◉◊◌◍◎●◐◑◒◓◔◕◖◗◘◙◚◛◜◝◞◟◠◡◢◣◤◥◦◧◨◩◪◫◬◭◮◯◰◱◲◳◴◵◶◷◸◹◺◻◼◽◾◿)	184	<code>\Phi</code> (Φ)	93
<code>\partialvartoint</code> (◐)	120	<code>\pentdot</code> (i)	157	<code>\phi</code> (φ)	93
<code>\partialvartoint</code> (◑)	120	<code>\penteye</code> (+)	157	<code>\phimeson</code> (φ)	133
<code>\partialvartrcircleleftint</code> 	120	people	<i>see</i> faces	<code>\phimesonnull</code> (φ ^o)	133
<code>\partialvartrcircleleftint</code> 	74	percent sign	<i>see</i> %	<code>\phiup</code> (ϕ)	94
<code>\partialvartrcircleleftint</code> 	120	percussion	160	<code>\PHlid</code> (🔒)	148
<code>\partialvartrcircleleftint</code> 	75	<code>\permil</code> (‰)	27	<code>\PHlily</code> (🌷)	148
<code>\partialvartstrokedint</code> (–)	120	<code>\Perp</code> (⊥)	51	<code>\PHmanacles</code> (🔒)	148
<code>\partialvartsumint</code> (∑)	120	<code>\Perp</code> (⊥)	57	<code>\PHmattock</code> (🔨)	148
particle-physics symbols	132–133	<code>\Perp</code> (⊥)	61	<code>\Phone</code> (☎)	146
<code>\partof</code> (3)	222	<code>\perp</code> (⊥)	50, 225	<code>\phone</code> (☎)	176
parts per thousand	<i>see</i>	<code>\perp</code> (⊥)	55	<code>\PhoneHandset</code> (📞)	146
<code>\textperthousand</code>		<code>\perp</code> (⊥)	53	phonetic (package)	19, 23, 222, 239
<code>\partvoice</code> (♫)	22	<code>\perp</code> (⊥)	58	phonetic symbols	17–20
<code>\partvoiceless</code> (🔇)	22	<code>\perps</code> (⊥)	121	<code>\phonon</code> (ℱ)	133
<code>\passedpaw</code> (♠)	181	<code>\perthousand</code> (‰)	125	<code>\photon</code> (γ)	125
<code>\PAUSE</code> (⏸)	159	<code>\Pfanne</code> (🥞)	191	photons	125, 132–133
<code>\PAuse</code> (⏸)	159	<code>\Pfund</code> (℔)	25	<code>\PHoxBack</code> (🐍)	148
<code>\pause</code> (⏸)	159	<code>\PgDown</code> (📄)	129	<code>\PHpapyrus</code> (📜)	148
pawn	182, 217–218	<code>\PgUp</code> (📄)	129	<code>\PHpedestrian</code> (🚶)	148
<code>\PD</code> (⚡)	129	phaistos (package)	148, 239, 240	<code>\PHplaneTree</code> (🌳)	148
PDF	158	Phaistos disk	148	<code>\PHplumedHead</code> (👑)	148
.pdf files	235	pharmaceutical prescription	<i>see</i>	<code>\PHram</code> (🏺)	148
pdfL <small>A</small> T <small>E</small> X	238	<code>\textrecipe</code>		<code>\PHrosette</code> (🌸)	148
<code>\Peace</code> (☺)	146	<code>\PHarrow</code> (🏹)	148	<code>\PHsaw</code> (🪚)	148
<code>\PeaceDove</code> (☺)	177	<code>\phase</code> (◫)	126	<code>\PHshield</code> (🛡)	148
<code>\Ped</code> (🦶)	159	phasor	126	<code>\PHship</code> (🚢)	148
<code>\peeler</code> (🔪)	191	<code>\PHbee</code> (🐝)	148	<code>\PHsling</code> (🎯)	148
<code>\pencil</code> (✎)	136	<code>\PHbeehive</code> (🐝)	148	<code>\PHsmallAxe</code> (🪓)	148
<code>\PencilLeft</code> (✎)	136	<code>\PHboomerang</code> (🥋)	148	<code>\PHstrainer</code> (🧏)	148
<code>\PencilLeftDown</code> (✎)	136	<code>\PHbow</code> (🏹)	148	<code>\PHtattooedHead</code> (👤)	148
<code>\PencilLeftUp</code> (✎)	136	<code>\PHbullLeg</code> (🐮)	148	<code>\PHtiara</code> (👑)	148
<code>\PencilRight</code> (✎)	136	<code>\PHcaptive</code> (👤)	148	<code>\PHtunny</code> (🐟)	148
<code>\PencilRightDown</code> (✎)	136	<code>\PHcarpentryPlane</code> (🪚)	148	<code>\PHvine</code> (🍷)	148
<code>\PencilRightUp</code> (✎)	136	<code>\PHcat</code> (🐱)	148	<code>\PHwavyBand</code> (🎀)	148
pencils	136	<code>\PHchild</code> (👤)	148	<code>\PHwoman</code> (👩)	148
<code>\pentago</code> (⬠)	145	<code>\PHclub</code> (♣)	148	physical symbols	125
<code>\pentagocross</code> (⊠)	145	<code>\PHcolumn</code> (🏛)	148	<code>\Pi</code> (Π)	93
<code>\pentagodot</code> (⬠)	145	<code>\PHcomb</code> (🪛)	148	<code>\pi</code> (π)	93
<code>\pentagofill</code> (▲)	145	<code>\PHdolum</code> (📎)	148	<code>\pi</code> (π)	94
<code>\pentagofillha</code> (⬠)	145	<code>\PHdove</code> (🕊)	148	“pi” fonts	222
<code>\pentagofillhb</code> (⬠)	145	<code>\PHeagle</code> (🦅)	148		
<code>\pentagofillhl</code> (⬠)	145	<code>\PHflute</code> (🎷)	148		
<code>\pentagofillhr</code> (⬠)	145	<code>\PHgaunlet</code> (🧤)	148		
<code>\pentagolineh</code> (⬠)	145				
<code>\pentagolinev</code> (⬠)	145				
<code>\pentagolinevh</code> (⬠)	145				
<code>\pentagon</code> (⬠)	142				
<code>\pentagon</code> (⬠)	140				

piano (\mathfrak{p}) 163, 175
 \backslash Pickup (\circ) 130
pict2e (package) 126
pifont (package) . 16, 134–139,
144, 146, 199, 204, 215,
222, 239
pigpen (package) 186, 239, 240
pigpen cipher 186
 $\{$ \pigpenfont A $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont B $\}$ (\llcorner) . . . 186
 $\{$ \pigpenfont C $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont D $\}$ (\llcorner) . . . 186
 $\{$ \pigpenfont E $\}$ (\square) . . . 186
 $\{$ \pigpenfont F $\}$ (\square) . . . 186
 $\{$ \pigpenfont G $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont H $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont I $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont J $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont K $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont L $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont M $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont N $\}$ (\square) . . . 186
 $\{$ \pigpenfont O $\}$ (\square) . . . 186
 $\{$ \pigpenfont P $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont Q $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont R $\}$ (\lrcorner) . . . 186
 $\{$ \pigpenfont S $\}$ (\vee) . . . 186
 $\{$ \pigpenfont T $\}$ (\succ) . . . 186
 $\{$ \pigpenfont U $\}$ (\prec) . . . 186
 $\{$ \pigpenfont V $\}$ (\wedge) . . . 186
 $\{$ \pigpenfont W $\}$ (\vee) . . . 186
 $\{$ \pigpenfont X $\}$ (\succ) . . . 186
 $\{$ \pigpenfont Y $\}$ (\prec) . . . 186
 $\{$ \pigpenfont Z $\}$ (\wedge) . . . 186
pilcrow *see* \backslash P
 \backslash pionminus (π^-) 133
 \backslash pionnull (π^0) 133
 \backslash pionplus (π^+) 133
pipe *see* \backslash textpipe
 \backslash Pisces (\mathfrak{H}) 126
 \backslash Pisces (\mathfrak{H}) 128
 \backslash Pisces (\mathfrak{H}) 126
 \backslash pisces (\times) 126
 \backslash Pisymbol 199–218, 222
 \backslash Pisymbol{astroSYM}{0} (\circ)
. 201
 \backslash Pisymbol{astroSYM}{1} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{2} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{3} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{4} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{5} (\mathfrak{P}) .
. 201















\backslash Pisymbol{astroSYM}{6} (\mathfrak{P}) .
. 201
 \backslash Pisymbol{astroSYM}{7} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{8} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{9} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{10} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{11} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{12} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{13} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{14}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{15} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{16}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{17} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{18}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{19} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{20} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{21}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{22} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{23} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{24}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{25} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{26} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{27}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{28}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{29} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{30}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{31} (\mathfrak{P})
. 201
 \backslash Pisymbol{astroSYM}{32}
(\mathfrak{P}) 201
 \backslash Pisymbol{astroSYM}{33} (\mathfrak{P})
. 202















































































\backslash Pisymbol{astroSYM}{34}
(\mathfrak{P}) 202
 \backslash Pisymbol{astroSYM}{35}
(\mathfrak{P}) 202
 \backslash Pisymbol{astroSYM}{36}
(\mathfrak{P}) 202
 \backslash Pisymbol{astroSYM}{37}
(\mathfrak{P}) 202
 \backslash Pisymbol{astroSYM}{38} (\square)
. 202
 \backslash Pisymbol{astroSYM}{39} (\circ)
. 202
 \backslash Pisymbol{astroSYM}{40} (\bullet)
. 202
 \backslash Pisymbol{astroSYM}{41} (\mathfrak{D})
. 202
 \backslash Pisymbol{astroSYM}{42} (\mathfrak{C})
. 202
 \backslash Pisymbol{astroSYM}{43} (\mathfrak{C})
. 202
 \backslash Pisymbol{astroSYM}{44} (\mathfrak{C})
. 202
 \backslash Pisymbol{astroSYM}{45} (\mathfrak{D})
. 202
 \backslash Pisymbol{astroSYM}{46} (\mathfrak{C})
. 202
 \backslash Pisymbol{astroSYM}{47} (\mathfrak{D})
. 202
 \backslash Pisymbol{astroSYM}{48} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{49} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{50} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{51} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{52}
(\mathfrak{P}) 202
 \backslash Pisymbol{astroSYM}{53} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{54} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{55} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{56} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{57}
(\mathfrak{P}) 202
 \backslash Pisymbol{astroSYM}{58}
(\mathfrak{P}) 202
 \backslash Pisymbol{astroSYM}{59} (\mathfrak{L})
. 202
 \backslash Pisymbol{astroSYM}{60} (\mathfrak{P})
. 202
 \backslash Pisymbol{astroSYM}{61}
(\mathfrak{P}) 202


































<code>\Pisymbol{astroSYM}{180}</code>	∇	202	<code>\Pisymbol{astroSYM}{217}</code>	Υ	202	<code>\Pisymbol{astroSYM}{247}</code>	\ominus	203
<code>\Pisymbol{astroSYM}{181}</code>	\perp	202	<code>\Pisymbol{astroSYM}{218}</code>	\mathcal{M}	202	<code>\Pisymbol{astroSYM}{248}</code>	\oplus	203
<code>\Pisymbol{astroSYM}{182}</code>	\ast	202	<code>\Pisymbol{astroSYM}{219}</code>	\nearrow	202	<code>\Pisymbol{astroSYM}{249}</code>	\ominus	203
<code>\Pisymbol{astroSYM}{183}</code>	\triangle	202	<code>\Pisymbol{astroSYM}{220}</code>	\odot	202	<code>\Pisymbol{astroSYM}{250}</code>	\oplus	203
<code>\Pisymbol{astroSYM}{184}</code>	\square	202	<code>\Pisymbol{astroSYM}{221}</code>	\mathcal{W}	202	<code>\Pisymbol{astroSYM}{251}</code>	\oplus	203
<code>\Pisymbol{astroSYM}{185}</code>	\wedge	202	<code>\Pisymbol{astroSYM}{222}</code>	\mathcal{H}	203	<code>\Pisymbol{astroSYM}{252}</code>	\oplus	203
<code>\Pisymbol{astroSYM}{186}</code>	\circ	202	<code>\Pisymbol{astroSYM}{223}</code>	\uparrow	203	<code>\Pisymbol{astroSYM}{253}</code>	\square	203
<code>\Pisymbol{astroSYM}{187}</code>	\cup	202	<code>\Pisymbol{astroSYM}{224}</code>	\updownarrow	203	<code>\Pisymbol{astroSYM}{254}</code>	\updownarrow	203
<code>\Pisymbol{astroSYM}{188}</code>	\circ	202	<code>\Pisymbol{astroSYM}{225}</code>	\updownarrow	203	<code>\Pisymbol{astroSYM}{255}</code>	\circ	203
<code>\Pisymbol{astroSYM}{189}</code>	\mathcal{L}	202	<code>\Pisymbol{astroSYM}{226}</code>	Υ	203	<code>\Pisymbol{cryst}{0}</code>	\circ ..	215
<code>\Pisymbol{astroSYM}{190}</code>	\oplus	202	<code>\Pisymbol{astroSYM}{227}</code>	\approx	203	<code>\Pisymbol{cryst}{2}</code>	\bullet ..	215
<code>\Pisymbol{astroSYM}{191}</code>	\ast	202	<code>\Pisymbol{astroSYM}{228}</code>	\approx	203	<code>\Pisymbol{cryst}{3}</code>	\blacktriangle ..	215
<code>\Pisymbol{astroSYM}{200}</code>	\odot	202	<code>\Pisymbol{astroSYM}{229}</code>	\oplus	203	<code>\Pisymbol{cryst}{4}</code>	\blacklozenge ..	215
<code>\Pisymbol{astroSYM}{201}</code>	\ominus	202	<code>\Pisymbol{astroSYM}{230}</code>	\oplus	203	<code>\Pisymbol{cryst}{5}</code>	\rightarrow ..	215
<code>\Pisymbol{astroSYM}{202}</code>	\ominus	202	<code>\Pisymbol{astroSYM}{231}</code>	$\♂$	203	<code>\Pisymbol{cryst}{6}</code>	\bullet ..	215
<code>\Pisymbol{astroSYM}{203}</code>	\ominus	202	<code>\Pisymbol{astroSYM}{232}</code>	\mathcal{P}	203	<code>\Pisymbol{cryst}{7}</code>	\rightarrow ..	215
<code>\Pisymbol{astroSYM}{204}</code>	\ominus	202	<code>\Pisymbol{astroSYM}{233}</code>	Υ	203	<code>\Pisymbol{cryst}{8}</code>	\rightarrow ..	215
<code>\Pisymbol{astroSYM}{205}</code>	\ominus	202	<code>\Pisymbol{astroSYM}{234}</code>	\ast	203	<code>\Pisymbol{cryst}{9}</code>	\rightarrow ..	215
<code>\Pisymbol{astroSYM}{206}</code>	\updownarrow	202	<code>\Pisymbol{astroSYM}{235}</code>	\searrow	203	<code>\Pisymbol{cryst}{10}</code>	\circ ..	215
<code>\Pisymbol{astroSYM}{207}</code>	\odot	202	<code>\Pisymbol{astroSYM}{236}</code>	\swarrow	203	<code>\Pisymbol{cryst}{12}</code>	\emptyset ..	215
<code>\Pisymbol{astroSYM}{208}</code>	\updownarrow	202	<code>\Pisymbol{astroSYM}{237}</code>	\circ	203	<code>\Pisymbol{cryst}{15}</code>	\bullet ..	215
<code>\Pisymbol{astroSYM}{209}</code>	\mathcal{P}	202	<code>\Pisymbol{astroSYM}{238}</code>	\circ	203	<code>\Pisymbol{cryst}{20}</code>	\bullet ..	215
<code>\Pisymbol{astroSYM}{210}</code>	\mathcal{C}	202	<code>\Pisymbol{astroSYM}{239}</code>	\square	203	<code>\Pisymbol{cryst}{21}</code>	\bullet ..	215
<code>\Pisymbol{astroSYM}{211}</code>	\mathcal{V}	202	<code>\Pisymbol{astroSYM}{240}</code>	\circ	203	<code>\Pisymbol{cryst}{22}</code>	\rightarrow ..	215
<code>\Pisymbol{astroSYM}{212}</code>	\mathcal{G}	202	<code>\Pisymbol{astroSYM}{241}</code>	\bullet	203	<code>\Pisymbol{cryst}{24}</code>	\blacklozenge ..	215
<code>\Pisymbol{astroSYM}{213}</code>	\mathcal{H}	202	<code>\Pisymbol{astroSYM}{242}</code>	\odot	203	<code>\Pisymbol{cryst}{25}</code>	\swarrow ..	215
<code>\Pisymbol{astroSYM}{214}</code>	\mathcal{G}	202	<code>\Pisymbol{astroSYM}{243}</code>	\odot	203	<code>\Pisymbol{cryst}{27}</code>	\swarrow ..	215
<code>\Pisymbol{astroSYM}{215}</code>	\mathcal{G}	202	<code>\Pisymbol{astroSYM}{244}</code>	\odot	203	<code>\Pisymbol{cryst}{28}</code>	\swarrow ..	215
<code>\Pisymbol{astroSYM}{216}</code>	\mathcal{M}	202	<code>\Pisymbol{astroSYM}{245}</code>	\mathcal{D}	203	<code>\Pisymbol{cryst}{29}</code>	\swarrow ..	215
<code>\Pisymbol{astroSYM}{217}</code>	\mathcal{M}	202	<code>\Pisymbol{astroSYM}{246}</code>	\mathcal{D}	203	<code>\Pisymbol{cryst}{30}</code>	\blacktriangle ..	215
			<code>\Pisymbol{astroSYM}{247}</code>	\mathcal{C}	203	<code>\Pisymbol{cryst}{31}</code>	\blacktriangle ..	215
						<code>\Pisymbol{cryst}{32}</code>	\blacktriangle ..	215
						<code>\Pisymbol{cryst}{35}</code>	\swarrow ..	215
						<code>\Pisymbol{cryst}{36}</code>	\bullet ..	215
						<code>\Pisymbol{cryst}{37}</code>	\swarrow ..	215
						<code>\Pisymbol{cryst}{38}</code>	\swarrow ..	215
						<code>\Pisymbol{cryst}{39}</code>	\swarrow ..	215
						<code>\Pisymbol{cryst}{40}</code>	\blacklozenge ..	215
						<code>\Pisymbol{cryst}{41}</code>	\blacklozenge ..	215
						<code>\Pisymbol{cryst}{42}</code>	\blacklozenge ..	215
						<code>\Pisymbol{cryst}{43}</code>	\blacklozenge ..	215
						<code>\Pisymbol{cryst}{44}</code>	\blacksquare ..	216
						<code>\Pisymbol{cryst}{45}</code>	\swarrow ..	216
						<code>\Pisymbol{cryst}{47}</code>	\swarrow ..	216
						<code>\Pisymbol{cryst}{48}</code>	\swarrow ..	216
						<code>\Pisymbol{cryst}{49}</code>	\swarrow ..	216
						<code>\Pisymbol{cryst}{50}</code>	\bullet ..	216
						<code>\Pisymbol{cryst}{55}</code>	\dagger ..	216

<code>\Pisymbol{cryst}{57}</code> (†) 216	<code>\Pisymbol{cryst}{128}</code> (↖) ..	<code>\Pisymbol{cryst}{198}</code> (↘) ..
<code>\Pisymbol{cryst}{58}</code> (†) 216 216 215
<code>\Pisymbol{cryst}{59}</code> (†) 216	<code>\Pisymbol{cryst}{129}</code> (↖) .	<code>\Pisymbol{cryst}{199}</code> (↘) .
<code>\Pisymbol{cryst}{60}</code> (⊙) 216 216 215
<code>\Pisymbol{cryst}{61}</code> (⊙) ..	<code>\Pisymbol{cryst}{130}</code> (↘) .	<code>\Pisymbol{cryst}{202}</code> (⊕) .
..... 216 216 215
<code>\Pisymbol{cryst}{62}</code> (⊙) ..	<code>\Pisymbol{cryst}{131}</code> (↘) .	<code>\Pisymbol{cryst}{203}</code> (⊕) .
..... 216 216 215
<code>\Pisymbol{cryst}{63}</code> (⊙) 215	<code>\Pisymbol{cryst}{132}</code> (↘) .	<code>\Pisymbol{cryst}{204}</code> (⊕) .
<code>\Pisymbol{cryst}{64}</code> (⊙) 216 215
..... 215	<code>\Pisymbol{cryst}{133}</code> (⊕) .	<code>\Pisymbol{cryst}{210}</code> (⊙) ..
<code>\Pisymbol{cryst}{65}</code> (⊕) 216 215
..... 215	<code>\Pisymbol{cryst}{135}</code> (↖) ..	<code>\Pisymbol{cryst}{212}</code> (⊕) .
<code>\Pisymbol{cryst}{66}</code> (⊙) 215 216 215
<code>\Pisymbol{cryst}{75}</code> (↘) 215	<code>\Pisymbol{cryst}{136}</code> (↘) .	<code>\Pisymbol{cryst}{213}</code> (⊕) .
<code>\Pisymbol{cryst}{77}</code> (↘) 215 216 215
<code>\Pisymbol{cryst}{78}</code> (↘) 215	<code>\Pisymbol{cryst}{137}</code> (↖) .	<code>\Pisymbol{cryst}{220}</code> (⊕) .
<code>\Pisymbol{cryst}{79}</code> (↘) 215 216 216
<code>\Pisymbol{cryst}{80}</code> (■) ..	<code>\Pisymbol{cryst}{138}</code> (↖) ..	<code>\Pisymbol{cryst}{221}</code> (⊕) .
..... 215 215 216
<code>\Pisymbol{cryst}{81}</code> (■) ..	<code>\Pisymbol{cryst}{139}</code> (↖) .	<code>\Pisymbol{cryst}{223}</code> (⊕) .
..... 215 215 216
<code>\Pisymbol{cryst}{82}</code> (■) ..	<code>\Pisymbol{cryst}{140}</code> (■) ..	<code>\Pisymbol{cryst}{224}</code> (⊕) .
..... 215 215 216
<code>\Pisymbol{cryst}{83}</code> (■) ..	<code>\Pisymbol{cryst}{141}</code> (⊕) ..	<code>\Pisymbol{cryst}{230}</code> (⊕) .
..... 215 215 216
<code>\Pisymbol{cryst}{84}</code> (■) 215	<code>\Pisymbol{cryst}{142}</code> (⊕) .	<code>\Pisymbol{cryst}{231}</code> (⊕) .
<code>\Pisymbol{cryst}{85}</code> (↘) 215 215 216
<code>\Pisymbol{cryst}{87}</code> (↘) 215	<code>\Pisymbol{cryst}{143}</code> (⊕) ..	<code>\Pisymbol{cryst}{232}</code> (⊕) .
<code>\Pisymbol{cryst}{88}</code> (↘) 215 215 216
<code>\Pisymbol{cryst}{89}</code> (↘) 215	<code>\Pisymbol{cryst}{145}</code> (↖) 215	<code>\Pisymbol{cryst}{233}</code> (⊕) .
<code>\Pisymbol{cryst}{95}</code> (↘) 215	<code>\Pisymbol{cryst}{147}</code> (↖) 216
<code>\Pisymbol{cryst}{97}</code> (↘) 215 215	<code>\Pisymbol{cryst}{236}</code> (⊕) .
<code>\Pisymbol{cryst}{98}</code> (↘) 215	<code>\Pisymbol{cryst}{148}</code> (↖) 215 216
<code>\Pisymbol{cryst}{99}</code> (↘) 215	<code>\Pisymbol{cryst}{149}</code> (↖) ..	<code>\Pisymbol{cryst}{240}</code> (⊕) .
<code>\Pisymbol{cryst}{102}</code> (⊕) 215 216
..... 215	<code>\Pisymbol{cryst}{155}</code> (†) ..	<code>\Pisymbol{cryst}{241}</code> (⊕) .
<code>\Pisymbol{cryst}{103}</code> (⊕) 215 216
..... 215	<code>\Pisymbol{cryst}{157}</code> (†) ..	<code>\Pisymbol{cryst}{242}</code> (⊕) ..
<code>\Pisymbol{cryst}{104}</code> (⊕) 215 215 216
<code>\Pisymbol{cryst}{105}</code> (←) .	<code>\Pisymbol{cryst}{158}</code> (†) ..	<code>\Pisymbol{cryst}{243}</code> (⊕)
..... 215 215 216
<code>\Pisymbol{cryst}{107}</code> (←) .	<code>\Pisymbol{cryst}{159}</code> (†) ..	<code>\Pisymbol{dancers}{0}</code> (†) 211
..... 215 215	<code>\Pisymbol{dancers}{1}</code> (†) 211
<code>\Pisymbol{cryst}{108}</code> (←) .	<code>\Pisymbol{cryst}{175}</code> (↘) ..	<code>\Pisymbol{dancers}{2}</code> (†) 211
..... 215 215	<code>\Pisymbol{dancers}{3}</code> (†) 211
<code>\Pisymbol{cryst}{109}</code> (←) .	<code>\Pisymbol{cryst}{177}</code> (↘) ..	<code>\Pisymbol{dancers}{4}</code> (†) 211
..... 215 215	<code>\Pisymbol{dancers}{5}</code> (†) 211
<code>\Pisymbol{cryst}{112}</code> (⊕) .	<code>\Pisymbol{cryst}{178}</code> (↘) 215	<code>\Pisymbol{dancers}{6}</code> (†) 211
..... 215	<code>\Pisymbol{cryst}{179}</code> (↘) ..	<code>\Pisymbol{dancers}{7}</code> (†) 211
<code>\Pisymbol{cryst}{113}</code> (⊕) 215	<code>\Pisymbol{dancers}{8}</code> (†) 211
..... 215	<code>\Pisymbol{cryst}{185}</code> (↘) ..	<code>\Pisymbol{dancers}{9}</code> (†) 211
<code>\Pisymbol{cryst}{120}</code> (⊕) 215	<code>\Pisymbol{dancers}{10}</code> (†) .
..... 215	<code>\Pisymbol{cryst}{187}</code> (↘) 211
<code>\Pisymbol{cryst}{121}</code> (⊕) 215	<code>\Pisymbol{dancers}{11}</code> (†) .
..... 215	<code>\Pisymbol{cryst}{188}</code> (↘) 211
<code>\Pisymbol{cryst}{123}</code> (⊕) 215	<code>\Pisymbol{dancers}{12}</code> (†) .
..... 216	<code>\Pisymbol{cryst}{189}</code> (↘) 211
<code>\Pisymbol{cryst}{124}</code> (⊕) 216 215	<code>\Pisymbol{dancers}{13}</code> (†) .
<code>\Pisymbol{cryst}{125}</code> (↖) ..	<code>\Pisymbol{cryst}{195}</code> (↘) 211
..... 216 215	<code>\Pisymbol{dancers}{14}</code> (†) .
<code>\Pisymbol{cryst}{127}</code> (↖) .	<code>\Pisymbol{cryst}{197}</code> (↘) 211
..... 216 215	












































































<code>\Pisymbol{dancers}{201}</code> (♫) 211	<code>\Pisymbol{dancers}{232}</code> (♫) 212	<code>\Pisymbol{dice3d}{98}</code> (🎲) 216
<code>\Pisymbol{dancers}{202}</code> (♫) 211	<code>\Pisymbol{dancers}{233}</code> (♫) 212	<code>\Pisymbol{dice3d}{99}</code> (🎲) 216
<code>\Pisymbol{dancers}{203}</code> (♫) 211	<code>\Pisymbol{dancers}{234}</code> (♫) 212	<code>\Pisymbol{dice3d}{100}</code> (🎲)
<code>\Pisymbol{dancers}{204}</code> (♫) 211	<code>\Pisymbol{dancers}{235}</code> (♫) 212 216
<code>\Pisymbol{dancers}{205}</code> (♫) 211	<code>\Pisymbol{dancers}{236}</code> (♫) 212	<code>\Pisymbol{dice3d}{101}</code> (🎲)
<code>\Pisymbol{dancers}{206}</code> (♫) 212	<code>\Pisymbol{dancers}{237}</code> (♫) 212 216
<code>\Pisymbol{dancers}{207}</code> (♫) 212	<code>\Pisymbol{dancers}{238}</code> (♫) 212	<code>\Pisymbol{dice3d}{102}</code> (🎲)
<code>\Pisymbol{dancers}{208}</code> (♫) 212	<code>\Pisymbol{dancers}{239}</code> (♫) 212 216
<code>\Pisymbol{dancers}{209}</code> (♫) 212	<code>\Pisymbol{dancers}{240}</code> (♫) 212	<code>\Pisymbol{dice3d}{103}</code> (🎲)
<code>\Pisymbol{dancers}{210}</code> (♫) 212	<code>\Pisymbol{dancers}{241}</code> (♫) 213 216
<code>\Pisymbol{dancers}{211}</code> (♫) 212	<code>\Pisymbol{dancers}{242}</code> (♫) 213	<code>\Pisymbol{dice3d}{104}</code> (🎲)
<code>\Pisymbol{dancers}{212}</code> (♫) 212	<code>\Pisymbol{dancers}{243}</code> (♫) 213 216
<code>\Pisymbol{dancers}{213}</code> (♫) 212	<code>\Pisymbol{dancers}{244}</code> (♫) 213	<code>\Pisymbol{dice3d}{105}</code> (🎲)
<code>\Pisymbol{dancers}{214}</code> (♫) 212	<code>\Pisymbol{dancers}{245}</code> (♫) 213 216
<code>\Pisymbol{dancers}{215}</code> (♫) 212	<code>\Pisymbol{dancers}{246}</code> (♫) 213	<code>\Pisymbol{dice3d}{106}</code> (🎲)
<code>\Pisymbol{dancers}{216}</code> (♫) 212	<code>\Pisymbol{dancers}{247}</code> (♫) 213 216
<code>\Pisymbol{dancers}{217}</code> (♫) 212	<code>\Pisymbol{dancers}{248}</code> (♫) 213	<code>\Pisymbol{dice3d}{107}</code> (🎲)
<code>\Pisymbol{dancers}{218}</code> (♫) 212	<code>\Pisymbol{dancers}{249}</code> (♫) 213 216
<code>\Pisymbol{dancers}{219}</code> (♫) 212	<code>\Pisymbol{dancers}{250}</code> (♫) 213	<code>\Pisymbol{dice3d}{108}</code> (🎲)
<code>\Pisymbol{dancers}{220}</code> (♫) 212	<code>\Pisymbol{dancers}{251}</code> (♫) 213 216
<code>\Pisymbol{dancers}{221}</code> (♫) 212	<code>\Pisymbol{dancers}{252}</code> (♫) 213	<code>\Pisymbol{dice3d}{109}</code> (🎲)
<code>\Pisymbol{dancers}{222}</code> (♫) 212	<code>\Pisymbol{dancers}{253}</code> (♫) 213 216
<code>\Pisymbol{dancers}{223}</code> (♫) 212	<code>\Pisymbol{dancers}{254}</code> (♫) 213	<code>\Pisymbol{dice3d}{110}</code> (🎲)
<code>\Pisymbol{dancers}{224}</code> (♫) 212	<code>\Pisymbol{dancers}{255}</code> (♫) 213 216
<code>\Pisymbol{dancers}{225}</code> (♫) 212	<code>\Pisymbol{dice3d}{49}</code> (🎲) 216	<code>\Pisymbol{dice3d}{111}</code> (🎲)
<code>\Pisymbol{dancers}{226}</code> (♫) 212	<code>\Pisymbol{dice3d}{50}</code> (🎲) 216 216
<code>\Pisymbol{dancers}{227}</code> (♫) 212	<code>\Pisymbol{dice3d}{51}</code> (🎲) 216	<code>\Pisymbol{dice3d}{112}</code> (🎲)
<code>\Pisymbol{dancers}{228}</code> (♫) 212	<code>\Pisymbol{dice3d}{52}</code> (🎲) 216 216
<code>\Pisymbol{dancers}{229}</code> (♫) 212	<code>\Pisymbol{dice3d}{53}</code> (🎲) 216	<code>\Pisymbol{dice3d}{113}</code> (🎲)
<code>\Pisymbol{dancers}{230}</code> (♫) 212	<code>\Pisymbol{dice3d}{54}</code> (🎲) 216 216
<code>\Pisymbol{dancers}{231}</code> (♫) 212	<code>\Pisymbol{dice3d}{97}</code> (🎲) 216	<code>\Pisymbol{dice3d}{114}</code> (🎲)
	 216
		<code>\Pisymbol{dice3d}{115}</code> (🎲)
	 216
		<code>\Pisymbol{dice3d}{116}</code> (🎲)
	 216
		<code>\Pisymbol{dice3d}{117}</code> (🎲)
	 216
		<code>\Pisymbol{dice3d}{118}</code> (🎲)
	 216
		<code>\Pisymbol{dice3d}{119}</code> (🎲)
	 216
		<code>\Pisymbol{dice3d}{120}</code> (🎲)
	 216
		<code>\Pisymbol{dingbat}{69}</code>
		() ... 207
		<code>\Pisymbol{dingbat}{70}</code>
		() ... 207













































<code>\Pisymbol{dingbat}{71}</code>		207	<code>\Pisymbol{fselch}{8}</code> (♁) ..	217	<code>\Pisymbol{fselch}{36}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{72}</code>		207	<code>\Pisymbol{fselch}{9}</code> (♁) ..	217	<code>\Pisymbol{fselch}{37}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{74}</code>		207	<code>\Pisymbol{fselch}{10}</code> (♁) ..	217	<code>\Pisymbol{fselch}{38}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{75}</code>		207	<code>\Pisymbol{fselch}{11}</code> (♁) ..	217	<code>\Pisymbol{fselch}{39}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{76}</code>		207	<code>\Pisymbol{fselch}{12}</code> (♁) ..	217	<code>\Pisymbol{fselch}{40}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{77}</code>		207	<code>\Pisymbol{fselch}{13}</code> (♁) ..	217	<code>\Pisymbol{fselch}{41}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{97}</code>		207	<code>\Pisymbol{fselch}{14}</code> (♁) ..	217	<code>\Pisymbol{fselch}{42}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{98}</code>		207	<code>\Pisymbol{fselch}{15}</code> (♁) ..	217	<code>\Pisymbol{fselch}{43}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{99}</code>		207	<code>\Pisymbol{fselch}{16}</code> (♁) ..	217	<code>\Pisymbol{fselch}{44}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{100}</code>		207	<code>\Pisymbol{fselch}{17}</code> (♁) ..	217	<code>\Pisymbol{fselch}{45}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{101}</code>		207	<code>\Pisymbol{fselch}{18}</code> (♁) ..	217	<code>\Pisymbol{fselch}{46}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{102}</code>		207	<code>\Pisymbol{fselch}{19}</code> (♁) ..	217	<code>\Pisymbol{fselch}{47}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{103}</code>		207	<code>\Pisymbol{fselch}{20}</code> (♁) ..	218	<code>\Pisymbol{fselch}{48}</code> (♁) ..	218
<code>\Pisymbol{dingbat}{104}</code>		207	<code>\Pisymbol{fselch}{21}</code> (♁) ..	218	<code>\Pisymbol{fselch}{49}</code> (♁) ..	218
<code>\Pisymbol{fselch}{0}</code> (♁) ..	217	<code>\Pisymbol{fselch}{22}</code> (♁) ..	218	<code>\Pisymbol{fselch}{50}</code> (♁) ..	218	
<code>\Pisymbol{fselch}{1}</code> (♁) ..	217	<code>\Pisymbol{fselch}{23}</code> (♁) ..	218	<code>\Pisymbol{fselch}{51}</code> (♁) ..	218	
<code>\Pisymbol{fselch}{2}</code> (♁) ..	217	<code>\Pisymbol{fselch}{24}</code> (♁) ..	218	<code>\Pisymbol{fselch}{52}</code> (♁) ..	218	
<code>\Pisymbol{fselch}{3}</code> (♁) ..	217	<code>\Pisymbol{fselch}{25}</code> (♁) ..	218	<code>\Pisymbol{fselch}{53}</code> (♁) ..	218	
<code>\Pisymbol{fselch}{4}</code> (♁) ..	217	<code>\Pisymbol{fselch}{26}</code> (♁) ..	218	<code>\Pisymbol{fselch}{54}</code> (♁) ..	218	
<code>\Pisymbol{fselch}{5}</code> (♁) ..	217	<code>\Pisymbol{fselch}{27}</code> (♁) ..	218	<code>\Pisymbol{fselch}{55}</code> (♁) ..	217	
<code>\Pisymbol{fselch}{6}</code> (♁) ..	217	<code>\Pisymbol{fselch}{28}</code> (♁) ..	218	<code>\Pisymbol{fselch}{56}</code> (♁) ..	217	
<code>\Pisymbol{fselch}{7}</code> (♁) ..	217	<code>\Pisymbol{fselch}{29}</code> (♁) ..	218	<code>\Pisymbol{fselch}{57}</code> (♁) ..	217	
		<code>\Pisymbol{fselch}{30}</code> (♁) ..	218	<code>\Pisymbol{fselch}{58}</code> (♁) ..	217	
		<code>\Pisymbol{fselch}{31}</code> (♁) ..	218	<code>\Pisymbol{fselch}{59}</code> (♁) ..	217	
		<code>\Pisymbol{fselch}{32}</code> (♁) ..	218	<code>\Pisymbol{fselch}{60}</code> (♁) ..	217	
		<code>\Pisymbol{fselch}{33}</code> (♁) ..	218	<code>\Pisymbol{fselch}{61}</code> (♁) ..	217	
		<code>\Pisymbol{fselch}{34}</code> (♁) ..	218	<code>\Pisymbol{fselch}{62}</code> (♁) ..	217	
		<code>\Pisymbol{fselch}{35}</code> (♁) ..	218	<code>\Pisymbol{fselch}{63}</code> (♁) ..	217	

<code>\Pisymbol{fselch}{163}</code>  218	<code>\Pisymbol{knot1}{60}</code>  207	<code>\Pisymbol{knot1}{85}</code>  207
<code>\Pisymbol{fselch}{169}</code>  218	<code>\Pisymbol{knot1}{61}</code>  207	<code>\Pisymbol{knot1}{86}</code>  207
<code>\Pisymbol{fselch}{175}</code>  218	<code>\Pisymbol{knot1}{62}</code>  208	<code>\Pisymbol{knot1}{87}</code>  207
<code>\Pisymbol{fselch}{180}</code>  218	<code>\Pisymbol{knot1}{63}</code>  208	<code>\Pisymbol{knot1}{88}</code>  207
<code>\Pisymbol{fselch}{186}</code>  218	<code>\Pisymbol{knot1}{64}</code>  208	<code>\Pisymbol{knot1}{96}</code>  207
<code>\Pisymbol{fselch}{192}</code>  218	<code>\Pisymbol{knot1}{65}</code>  208	<code>\Pisymbol{knot1}{97}</code>  207
<code>\Pisymbol{fselch}{198}</code>  218	<code>\Pisymbol{knot1}{66}</code>  208	<code>\Pisymbol{knot1}{98}</code>  207
<code>\Pisymbol{fselch}{204}</code>  218	<code>\Pisymbol{knot1}{67}</code>  208	<code>\Pisymbol{knot1}{99}</code>  207
<code>\Pisymbol{fselch}{210}</code>  218	<code>\Pisymbol{knot1}{68}</code>  207	<code>\Pisymbol{knot1}{100}</code>  207
<code>\Pisymbol{fselch}{216}</code>  218	<code>\Pisymbol{knot1}{69}</code>  207	<code>\Pisymbol{knot1}{101}</code>  208
<code>\Pisymbol{fselch}{222}</code>  218	<code>\Pisymbol{knot1}{70}</code>  207	<code>\Pisymbol{knot1}{102}</code>  208
<code>\Pisymbol{fselch}{228}</code>  218	<code>\Pisymbol{knot1}{71}</code>  207	<code>\Pisymbol{knot1}{103}</code>  208
<code>\Pisymbol{fselch}{234}</code>  218	<code>\Pisymbol{knot1}{72}</code>  207	<code>\Pisymbol{knot1}{104}</code>  208
<code>\Pisymbol{fselch}{240}</code>  218	<code>\Pisymbol{knot1}{73}</code>  207	<code>\Pisymbol{knot1}{105}</code>  208
<code>\Pisymbol{fselch}{246}</code>  218	<code>\Pisymbol{knot1}{74}</code>  207	<code>\Pisymbol{knot2}{48}</code>  208
<code>\Pisymbol{greenpoint}{71}</code> ()	199	<code>\Pisymbol{knot1}{75}</code>  207	<code>\Pisymbol{knot2}{49}</code>  208
<code>\Pisymbol{hands}{65}</code> () ..	199	<code>\Pisymbol{knot1}{76}</code>  207	<code>\Pisymbol{knot2}{50}</code>  208
<code>\Pisymbol{hands}{66}</code> () ..	199	<code>\Pisymbol{knot1}{77}</code>  207	<code>\Pisymbol{knot2}{51}</code> () ..	208
<code>\Pisymbol{hands}{67}</code> () ..	199	<code>\Pisymbol{knot1}{78}</code>  208	<code>\Pisymbol{knot2}{52}</code> () ..	208
<code>\Pisymbol{hands}{68}</code> () ..	199	<code>\Pisymbol{knot1}{79}</code>  208	<code>\Pisymbol{knot2}{53}</code> () ..	208
<code>\Pisymbol{knot1}{48}</code>  207	<code>\Pisymbol{knot1}{80}</code>  208	<code>\Pisymbol{knot2}{58}</code> () ..	208
<code>\Pisymbol{knot1}{49}</code>  207	<code>\Pisymbol{knot1}{81}</code>  208	<code>\Pisymbol{knot2}{59}</code> () ..	208
<code>\Pisymbol{knot1}{50}</code>  207	<code>\Pisymbol{knot1}{82}</code>  208	<code>\Pisymbol{knot2}{60}</code>  208
<code>\Pisymbol{knot1}{51}</code> () ..	207	<code>\Pisymbol{knot1}{83}</code>  208	<code>\Pisymbol{knot2}{61}</code>  208
<code>\Pisymbol{knot1}{52}</code> () ..	207	<code>\Pisymbol{knot1}{84}</code>  207	<code>\Pisymbol{knot2}{62}</code>  208
<code>\Pisymbol{knot1}{53}</code> () ..	207				
<code>\Pisymbol{knot1}{58}</code> () ..	207				
<code>\Pisymbol{knot1}{59}</code> () ..	207				

<code>\Pisymbol{knot2}{63}</code>  .	<code>\Pisymbol{knot2}{88}</code>  .	<code>\Pisymbol{knot3}{66}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{64}</code>  .	<code>\Pisymbol{knot2}{96}</code>  .	<code>\Pisymbol{knot3}{67}</code>  .
..... 208 208 209
<code>\Pisymbol{knot2}{65}</code>  .	<code>\Pisymbol{knot2}{97}</code>  .	<code>\Pisymbol{knot3}{68}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{66}</code>  .	<code>\Pisymbol{knot2}{98}</code>  .	<code>\Pisymbol{knot3}{69}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{67}</code>  .	<code>\Pisymbol{knot2}{99}</code>  .	<code>\Pisymbol{knot3}{70}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{68}</code>  .	<code>\Pisymbol{knot2}{100}</code>  .	<code>\Pisymbol{knot3}{71}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{69}</code>  .	<code>\Pisymbol{knot2}{101}</code>  .	<code>\Pisymbol{knot3}{72}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{70}</code>  .	<code>\Pisymbol{knot2}{102}</code>  .	<code>\Pisymbol{knot3}{73}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{71}</code>  .	<code>\Pisymbol{knot2}{103}</code>  .	<code>\Pisymbol{knot3}{74}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{72}</code>  .	<code>\Pisymbol{knot2}{104}</code>  .	<code>\Pisymbol{knot3}{75}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{73}</code>  .	<code>\Pisymbol{knot2}{105}</code>  .	<code>\Pisymbol{knot3}{76}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{74}</code>  .	<code>\Pisymbol{knot3}{48}</code>  .	<code>\Pisymbol{knot3}{77}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{75}</code>  .	<code>\Pisymbol{knot3}{49}</code>  .	<code>\Pisymbol{knot3}{78}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{76}</code>  .	<code>\Pisymbol{knot3}{50}</code>  .	<code>\Pisymbol{knot3}{79}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{77}</code>  .	<code>\Pisymbol{knot3}{51}</code>  .	<code>\Pisymbol{knot3}{80}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{78}</code>  .	<code>\Pisymbol{knot3}{52}</code>  .	<code>\Pisymbol{knot3}{81}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{79}</code>  .	<code>\Pisymbol{knot3}{53}</code>  .	<code>\Pisymbol{knot3}{82}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{80}</code>  .	<code>\Pisymbol{knot3}{58}</code>  .	<code>\Pisymbol{knot3}{83}</code>  .
..... 208 208 209
<code>\Pisymbol{knot2}{81}</code>  .	<code>\Pisymbol{knot3}{59}</code>  .	<code>\Pisymbol{knot3}{84}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{82}</code>  .	<code>\Pisymbol{knot3}{60}</code>  .	<code>\Pisymbol{knot3}{85}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{83}</code>  .	<code>\Pisymbol{knot3}{61}</code>  .	<code>\Pisymbol{knot3}{86}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{84}</code>  .	<code>\Pisymbol{knot3}{62}</code>  .	<code>\Pisymbol{knot3}{87}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{85}</code>  .	<code>\Pisymbol{knot3}{63}</code>  .	<code>\Pisymbol{knot3}{88}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{86}</code>  .	<code>\Pisymbol{knot3}{64}</code>  .	<code>\Pisymbol{knot3}{96}</code>  .
..... 208 208 208
<code>\Pisymbol{knot2}{87}</code>  .	<code>\Pisymbol{knot3}{65}</code>  .	<code>\Pisymbol{knot3}{97}</code>  .
..... 208 208 208

















































































<code>\Pisymbol{knot3}{98}</code>  208	<code>\Pisymbol{knot4}{69}</code>  209	<code>\Pisymbol{knot4}{101}</code>  209
<code>\Pisymbol{knot3}{99}</code>  208	<code>\Pisymbol{knot4}{70}</code>  209	<code>\Pisymbol{knot4}{102}</code>  209
<code>\Pisymbol{knot3}{100}</code>  208	<code>\Pisymbol{knot4}{71}</code>  209	<code>\Pisymbol{knot4}{103}</code>  209
<code>\Pisymbol{knot3}{101}</code>  208	<code>\Pisymbol{knot4}{72}</code>  209	<code>\Pisymbol{knot4}{104}</code>  209
<code>\Pisymbol{knot3}{102}</code>  208	<code>\Pisymbol{knot4}{73}</code>  209	<code>\Pisymbol{knot4}{105}</code>  209
<code>\Pisymbol{knot3}{103}</code>  208	<code>\Pisymbol{knot4}{74}</code>  209	<code>\Pisymbol{knot5}{48}</code>  209
<code>\Pisymbol{knot3}{104}</code>  208	<code>\Pisymbol{knot4}{75}</code>  209	<code>\Pisymbol{knot5}{49}</code>  209
<code>\Pisymbol{knot3}{105}</code>  208	<code>\Pisymbol{knot4}{76}</code>  209	<code>\Pisymbol{knot5}{50}</code>  209
<code>\Pisymbol{knot4}{48}</code>  209	<code>\Pisymbol{knot4}{77}</code>  209	<code>\Pisymbol{knot5}{51}</code>  209
<code>\Pisymbol{knot4}{49}</code>  209	<code>\Pisymbol{knot4}{78}</code>  209	<code>\Pisymbol{knot5}{52}</code>  209
<code>\Pisymbol{knot4}{50}</code>  209	<code>\Pisymbol{knot4}{79}</code>  209	<code>\Pisymbol{knot5}{53}</code>  209
<code>\Pisymbol{knot4}{51}</code>  209	<code>\Pisymbol{knot4}{80}</code>  209	<code>\Pisymbol{knot5}{58}</code>  209
<code>\Pisymbol{knot4}{52}</code>  209	<code>\Pisymbol{knot4}{81}</code>  209	<code>\Pisymbol{knot5}{59}</code>  209
<code>\Pisymbol{knot4}{53}</code>  209	<code>\Pisymbol{knot4}{82}</code>  209	<code>\Pisymbol{knot5}{60}</code>  209
<code>\Pisymbol{knot4}{58}</code>  209	<code>\Pisymbol{knot4}{83}</code>  209	<code>\Pisymbol{knot5}{61}</code>  209
<code>\Pisymbol{knot4}{59}</code>  209	<code>\Pisymbol{knot4}{84}</code>  209	<code>\Pisymbol{knot5}{62}</code>  209
<code>\Pisymbol{knot4}{60}</code>  209	<code>\Pisymbol{knot4}{85}</code>  209	<code>\Pisymbol{knot5}{63}</code>  209
<code>\Pisymbol{knot4}{61}</code>  209	<code>\Pisymbol{knot4}{86}</code>  209	<code>\Pisymbol{knot5}{64}</code>  209
<code>\Pisymbol{knot4}{62}</code>  209	<code>\Pisymbol{knot4}{87}</code>  209	<code>\Pisymbol{knot5}{65}</code>  209
<code>\Pisymbol{knot4}{63}</code>  209	<code>\Pisymbol{knot4}{88}</code>  209	<code>\Pisymbol{knot5}{66}</code>  209
<code>\Pisymbol{knot4}{64}</code>  209	<code>\Pisymbol{knot4}{96}</code>  209	<code>\Pisymbol{knot5}{67}</code>  209
<code>\Pisymbol{knot4}{65}</code>  209	<code>\Pisymbol{knot4}{97}</code>  209	<code>\Pisymbol{knot5}{68}</code>  209
<code>\Pisymbol{knot4}{66}</code>  209	<code>\Pisymbol{knot4}{98}</code>  209	<code>\Pisymbol{knot5}{69}</code>  209
<code>\Pisymbol{knot4}{67}</code>  209	<code>\Pisymbol{knot4}{99}</code>  209	<code>\Pisymbol{knot5}{70}</code>  209
<code>\Pisymbol{knot4}{68}</code>  209	<code>\Pisymbol{knot4}{100}</code>  209	<code>\Pisymbol{knot5}{71}</code>  209

<code>\Pisymbol{knot5}{72}</code>  .	<code>\Pisymbol{knot5}{104}</code>  .	<code>\Pisymbol{knot6}{75}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{73}</code>  .	<code>\Pisymbol{knot5}{105}</code>  .	<code>\Pisymbol{knot6}{76}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{74}</code>  .	<code>\Pisymbol{knot6}{48}</code>  .	<code>\Pisymbol{knot6}{77}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{75}</code>  .	<code>\Pisymbol{knot6}{49}</code>  .	<code>\Pisymbol{knot6}{78}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{76}</code>  .	<code>\Pisymbol{knot6}{50}</code>  .	<code>\Pisymbol{knot6}{79}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{77}</code>  .	<code>\Pisymbol{knot6}{51}</code>  .	<code>\Pisymbol{knot6}{80}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{78}</code>  .	<code>\Pisymbol{knot6}{52}</code>  .	<code>\Pisymbol{knot6}{81}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{79}</code>  .	<code>\Pisymbol{knot6}{53}</code>  .	<code>\Pisymbol{knot6}{82}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{80}</code>  .	<code>\Pisymbol{knot6}{58}</code>  .	<code>\Pisymbol{knot6}{83}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{81}</code>  .	<code>\Pisymbol{knot6}{59}</code>  .	<code>\Pisymbol{knot6}{84}</code>  .
..... 209 210 209
<code>\Pisymbol{knot5}{82}</code>  .	<code>\Pisymbol{knot6}{60}</code>  .	<code>\Pisymbol{knot6}{85}</code>  .
..... 209 210 209
<code>\Pisymbol{knot5}{83}</code>  .	<code>\Pisymbol{knot6}{61}</code>  .	<code>\Pisymbol{knot6}{86}</code>  .
..... 209 210 209
<code>\Pisymbol{knot5}{84}</code>  .	<code>\Pisymbol{knot6}{62}</code>  .	<code>\Pisymbol{knot6}{87}</code>  .
..... 209 210 209
<code>\Pisymbol{knot5}{85}</code>  .	<code>\Pisymbol{knot6}{63}</code>  .	<code>\Pisymbol{knot6}{88}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{86}</code>  .	<code>\Pisymbol{knot6}{64}</code>  .	<code>\Pisymbol{knot6}{96}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{87}</code>  .	<code>\Pisymbol{knot6}{65}</code>  .	<code>\Pisymbol{knot6}{97}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{88}</code>  .	<code>\Pisymbol{knot6}{66}</code>  .	<code>\Pisymbol{knot6}{98}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{96}</code>  .	<code>\Pisymbol{knot6}{67}</code>  .	<code>\Pisymbol{knot6}{99}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{97}</code>  .	<code>\Pisymbol{knot6}{68}</code>  .	<code>\Pisymbol{knot6}{100}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{98}</code>  .	<code>\Pisymbol{knot6}{69}</code>  .	<code>\Pisymbol{knot6}{101}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{99}</code>  .	<code>\Pisymbol{knot6}{70}</code>  .	<code>\Pisymbol{knot6}{102}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{100}</code>  .	<code>\Pisymbol{knot6}{71}</code>  .	<code>\Pisymbol{knot6}{103}</code>  .
..... 209 209 210
<code>\Pisymbol{knot5}{101}</code>  .	<code>\Pisymbol{knot6}{72}</code>  .	<code>\Pisymbol{knot6}{104}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{102}</code>  .	<code>\Pisymbol{knot6}{73}</code>  .	<code>\Pisymbol{knot6}{105}</code>  .
..... 209 210 210
<code>\Pisymbol{knot5}{103}</code>  .	<code>\Pisymbol{knot6}{74}</code>  .	<code>\Pisymbol{knot7}{48}</code>  .
..... 209 210 210


<code>\Pisymbol{knot7}{49}</code> 	<code>\Pisymbol{knot7}{78}</code> 	<code>\Pisymbol{magic}{52}</code> (4) ..
..... 210 210 217
<code>\Pisymbol{knot7}{50}</code> 	<code>\Pisymbol{knot7}{79}</code> 	<code>\Pisymbol{magic}{53}</code> (5) ..
..... 210 210 217
<code>\Pisymbol{knot7}{51}</code> (◆)	<code>\Pisymbol{knot7}{80}</code> 	<code>\Pisymbol{magic}{54}</code> (6) ..
..... 210 210 217
<code>\Pisymbol{knot7}{52}</code> (●)	<code>\Pisymbol{knot7}{81}</code> 	<code>\Pisymbol{magic}{55}</code> (7) ..
..... 210 210 217
<code>\Pisymbol{knot7}{53}</code> 	<code>\Pisymbol{knot7}{82}</code> 	<code>\Pisymbol{magic}{56}</code> (8) ..
..... 210 210 217
<code>\Pisymbol{knot7}{58}</code> 	<code>\Pisymbol{knot7}{83}</code> 	<code>\Pisymbol{magic}{57}</code> (9) ..
..... 210 210 217
<code>\Pisymbol{knot7}{59}</code> 	<code>\Pisymbol{knot7}{84}</code> 	<code>\Pisymbol{magic}{66}</code> (⊙) ..
..... 210 210 217
<code>\Pisymbol{knot7}{60}</code> 	<code>\Pisymbol{knot7}{85}</code> 	<code>\Pisymbol{magic}{71}</code> (⊕) ..
..... 210 210 217
<code>\Pisymbol{knot7}{61}</code> 	<code>\Pisymbol{knot7}{86}</code> 	<code>\Pisymbol{magic}{82}</code> (⊖) ..
..... 210 210 217
<code>\Pisymbol{knot7}{62}</code> 	<code>\Pisymbol{knot7}{87}</code> 	<code>\Pisymbol{magic}{84}</code> (⊗) ..
..... 210 210 217
<code>\Pisymbol{knot7}{63}</code> 	<code>\Pisymbol{knot7}{88}</code> 	<code>\Pisymbol{magic}{85}</code> (⊛) ..
..... 210 210 217
<code>\Pisymbol{knot7}{64}</code> 	<code>\Pisymbol{knot7}{96}</code> 	<code>\Pisymbol{magic}{87}</code> (⊛) ..
..... 210 210 217
<code>\Pisymbol{knot7}{65}</code> 	<code>\Pisymbol{knot7}{97}</code> 	<code>\Pisymbol{magic}{88}</code> (⊗) ..
..... 210 210 217
<code>\Pisymbol{knot7}{66}</code> 	<code>\Pisymbol{knot7}{98}</code> 	<code>\Pisymbol{magic}{90}</code> (10) ..
..... 210 210 217
<code>\Pisymbol{knot7}{67}</code> 	<code>\Pisymbol{knot7}{99}</code> 	<code>\Pisymbol{moonphase}{0}</code> (☉)
..... 210 210 201
<code>\Pisymbol{knot7}{68}</code> 	<code>\Pisymbol{knot7}{100}</code> 	<code>\Pisymbol{moonphase}{1}</code> (☾)
..... 210 210 201
<code>\Pisymbol{knot7}{69}</code> 	<code>\Pisymbol{knot7}{101}</code> 	<code>\Pisymbol{moonphase}{2}</code> (☽)
..... 210 210 201
<code>\Pisymbol{knot7}{70}</code> 	<code>\Pisymbol{knot7}{102}</code> 	<code>\Pisymbol{moonphase}{3}</code> (☼)
..... 210 210 201
<code>\Pisymbol{knot7}{71}</code> 	<code>\Pisymbol{knot7}{103}</code> 	<code>\Pisymbol{nkarta}{33}</code> (○) ..
..... 210 210 199
<code>\Pisymbol{knot7}{72}</code> 	<code>\Pisymbol{knot7}{104}</code> 	<code>\Pisymbol{nkarta}{34}</code> (⊕) ..
..... 210 210 199
<code>\Pisymbol{knot7}{73}</code> 	<code>\Pisymbol{knot7}{105}</code> 	<code>\Pisymbol{nkarta}{35}</code> (△) ..
..... 210 210 199
<code>\Pisymbol{knot7}{74}</code> 	<code>\Pisymbol{magic}{48}</code> (0) ..	<code>\Pisymbol{nkarta}{36}</code> (◇) ..
..... 210 217 199
<code>\Pisymbol{knot7}{75}</code> 	<code>\Pisymbol{magic}{49}</code> (1) ..	<code>\Pisymbol{nkarta}{37}</code> (○) ..
..... 210 217 199
<code>\Pisymbol{knot7}{76}</code> 	<code>\Pisymbol{magic}{50}</code> (2) ..	<code>\Pisymbol{nkarta}{38}</code> (✱) ..
..... 210 217 199
<code>\Pisymbol{knot7}{77}</code> 	<code>\Pisymbol{magic}{51}</code> (3) ..	<code>\Pisymbol{nkarta}{39}</code> (◎) ..
..... 210 217 199
		<code>\Pisymbol{nkarta}{40}</code> (i) 199
		<code>\Pisymbol{nkarta}{41}</code> (i) 199
		<code>\Pisymbol{nkarta}{42}</code> (✱)
	 199
		<code>\Pisymbol{nkarta}{43}</code> (∴) ..
	 199
		<code>\Pisymbol{nkarta}{44}</code> (⊖) ..
	 199


<code>\Pisymbol{nkarta}{45}</code> (♣) 199	<code>\Pisymbol{nkarta}{82}</code> (⊗) 200	<code>\Pisymbol{nkarta}{113}</code> (♁) 200
<code>\Pisymbol{nkarta}{46}</code> (⊗) 199	<code>\Pisymbol{nkarta}{83}</code> (♣) 200	<code>\Pisymbol{nkarta}{114}</code> (⊗) 200
<code>\Pisymbol{nkarta}{47}</code> (♣) 199	<code>\Pisymbol{nkarta}{84}</code> (⊙) 200	<code>\Pisymbol{nkarta}{115}</code> (♣) 200
<code>\Pisymbol{nkarta}{48}</code> (0) 199	<code>\Pisymbol{nkarta}{85}</code> (☐) 200	<code>\Pisymbol{nkarta}{116}</code> (⊙) 200
<code>\Pisymbol{nkarta}{49}</code> (1) 199	<code>\Pisymbol{nkarta}{86}</code> (♣) 200	<code>\Pisymbol{nkarta}{117}</code> (☐) 200
<code>\Pisymbol{nkarta}{50}</code> (2) 200	<code>\Pisymbol{nkarta}{87}</code> (♣) 200	<code>\Pisymbol{nkarta}{118}</code> (♣) 200
<code>\Pisymbol{nkarta}{51}</code> (3) 200	<code>\Pisymbol{nkarta}{88}</code> (♣) 200	<code>\Pisymbol{nkarta}{119}</code> (♣) 200
<code>\Pisymbol{nkarta}{52}</code> (4) 200	<code>\Pisymbol{nkarta}{89}</code> (♣) 200	<code>\Pisymbol{nkarta}{120}</code> (⊙) 200
<code>\Pisymbol{nkarta}{53}</code> (5) 200	<code>\Pisymbol{nkarta}{90}</code> (♣) 200	<code>\Pisymbol{nkarta}{121}</code> (☐) 200
<code>\Pisymbol{nkarta}{54}</code> (6) 200	<code>\Pisymbol{nkarta}{91}</code> (♣) 200	<code>\Pisymbol{nkarta}{122}</code> (♣) 200
<code>\Pisymbol{nkarta}{55}</code> (7) 200	<code>\Pisymbol{nkarta}{92}</code> (♣) 200	<code>\Pisymbol{nkarta}{123}</code> (☐) 200
<code>\Pisymbol{nkarta}{56}</code> (8) 200	<code>\Pisymbol{nkarta}{93}</code> (♣) 200	<code>\Pisymbol{nkarta}{124}</code> (♣) 200
<code>\Pisymbol{nkarta}{57}</code> (9) 200	<code>\Pisymbol{nkarta}{94}</code> (♣) 200	<code>\Pisymbol{nkarta}{125}</code> (♣) 200
<code>\Pisymbol{nkarta}{58}</code> (☐) 200	<code>\Pisymbol{nkarta}{95}</code> (♣) 200	<code>\Pisymbol{nkarta}{126}</code> (♣) 200
<code>\Pisymbol{nkarta}{59}</code> (⊙) 200	<code>\Pisymbol{nkarta}{96}</code> (♣) 199	<code>\Pisymbol{nkarta}{161}</code> (♣) 200
<code>\Pisymbol{nkarta}{60}</code> (☐) 200	<code>\Pisymbol{nkarta}{97}</code> (♣) 199	<code>\Pisymbol{nkarta}{162}</code> (♣) 200
<code>\Pisymbol{nkarta}{61}</code> (♣) 200	<code>\Pisymbol{nkarta}{98}</code> (♣) 199	<code>\Pisymbol{nkarta}{163}</code> (♣) 200
<code>\Pisymbol{nkarta}{62}</code> (⊗) 200	<code>\Pisymbol{nkarta}{99}</code> (♣) 199	<code>\Pisymbol{nkarta}{164}</code> (☐) 200
<code>\Pisymbol{nkarta}{63}</code> (♣) 200	<code>\Pisymbol{nkarta}{100}</code> (♣) 199	<code>\Pisymbol{nkarta}{165}</code> (☐) 200
<code>\Pisymbol{nkarta}{64}</code> (☐) 200	<code>\Pisymbol{nkarta}{101}</code> (♣) 199	<code>\Pisymbol{nkarta}{166}</code> (☐) 200
<code>\Pisymbol{nkarta}{65}</code> (♣) 200	<code>\Pisymbol{nkarta}{102}</code> (♣) 199	<code>\Pisymbol{nkarta}{167}</code> (♣) 200
<code>\Pisymbol{nkarta}{66}</code> (♣) 200	<code>\Pisymbol{nkarta}{103}</code> (♣) 199	<code>\Pisymbol{nkarta}{168}</code> (⊙) 200
<code>\Pisymbol{nkarta}{67}</code> (♣) 200	<code>\Pisymbol{nkarta}{104}</code> (♣) 199	<code>\Pisymbol{nkarta}{169}</code> (♣) 200
<code>\Pisymbol{nkarta}{68}</code> (♣) 200	<code>\Pisymbol{nkarta}{105}</code> (☐) 199	<code>\Pisymbol{nkarta}{170}</code> (♣) 200
<code>\Pisymbol{nkarta}{69}</code> (♣) 200	<code>\Pisymbol{nkarta}{106}</code> (♣) 199	<code>\Pisymbol{nkarta}{171}</code> (♣) 200
<code>\Pisymbol{nkarta}{70}</code> (♣) 200	<code>\Pisymbol{nkarta}{107}</code> (♣) 199	<code>\Pisymbol{nkarta}{172}</code> (☐) 200
<code>\Pisymbol{nkarta}{71}</code> (♣) 200	<code>\Pisymbol{nkarta}{108}</code> (☐) 199	<code>\Pisymbol{nkarta}{173}</code> (♣) 200
<code>\Pisymbol{nkarta}{72}</code> (♣) 200	<code>\Pisymbol{nkarta}{109}</code> (☐) 199	<code>\Pisymbol{nkarta}{174}</code> (+) 200
<code>\Pisymbol{nkarta}{73}</code> (☐) 200	<code>\Pisymbol{nkarta}{110}</code> (♣) 199	<code>\Pisymbol{nkarta}{175}</code> (☐) 200
<code>\Pisymbol{nkarta}{74}</code> (♣) 200	<code>\Pisymbol{nkarta}{111}</code> (☐) 199	<code>\Pisymbol{nkarta}{176}</code> (♣) 200
<code>\Pisymbol{nkarta}{75}</code> (♣) 200	<code>\Pisymbol{nkarta}{112}</code> (♣) 199	<code>\Pisymbol{nkarta}{177}</code> (☐) 200
<code>\Pisymbol{nkarta}{76}</code> (☐) 200		
<code>\Pisymbol{nkarta}{77}</code> (♣) 200		
<code>\Pisymbol{nkarta}{78}</code> (♣) 200		
<code>\Pisymbol{nkarta}{79}</code> (☐) 200		
<code>\Pisymbol{nkarta}{80}</code> (☐) 200		
<code>\Pisymbol{nkarta}{81}</code> (♣) 200		

<code>\Pisymbol{nkarta}{178}</code> (f) 200	<code>\Pisymbol{nkarta}{209}</code> (⬇) 199	<code>\Pisymbol{nkarta}{240}</code> (●) 200
<code>\Pisymbol{nkarta}{179}</code> (x) 200	<code>\Pisymbol{nkarta}{210}</code> (↙) 200	<code>\Pisymbol{nkarta}{241}</code> (⊗) 200
<code>\Pisymbol{nkarta}{180}</code> (□) 200	<code>\Pisymbol{nkarta}{211}</code> (←) 200	<code>\Pisymbol{nkarta}{242}</code> (◇) 200
<code>\Pisymbol{nkarta}{181}</code> (⊖) 200	<code>\Pisymbol{nkarta}{212}</code> (↓) 200	<code>\Pisymbol{nkarta}{243}</code> (⊗) 200
<code>\Pisymbol{nkarta}{182}</code> (⦶) 200	<code>\Pisymbol{nkarta}{213}</code> (↑) 200	<code>\Pisymbol{nkarta}{244}</code> (+) 200
<code>\Pisymbol{nkarta}{183}</code> (★) 200	<code>\Pisymbol{nkarta}{214}</code> (↖) 200	<code>\Pisymbol{nkarta}{245}</code> (†) 200
<code>\Pisymbol{nkarta}{184}</code> (⊕) 200	<code>\Pisymbol{nkarta}{215}</code> (⬆) 200	<code>\Pisymbol{nkarta}{246}</code> (♣) 200
<code>\Pisymbol{nkarta}{185}</code> (▷) 200	<code>\Pisymbol{nkarta}{216}</code> (●) 200	<code>\Pisymbol{nkarta}{247}</code> (⊕) 200
<code>\Pisymbol{nkarta}{186}</code> (♣) 200	<code>\Pisymbol{nkarta}{217}</code> (♣) 200	<code>\Pisymbol{nkarta}{248}</code> (♣) 200
<code>\Pisymbol{nkarta}{187}</code> (♣) 200	<code>\Pisymbol{nkarta}{218}</code> (●) 200	<code>\Pisymbol{nkarta}{249}</code> (♣) 200
<code>\Pisymbol{nkarta}{188}</code> (f) 200	<code>\Pisymbol{nkarta}{219}</code> (♥) 200	<code>\Pisymbol{nkarta}{250}</code> (♣) 200
<code>\Pisymbol{nkarta}{189}</code> (⊗) 200	<code>\Pisymbol{nkarta}{220}</code> (■) 200	<code>\Pisymbol{nkarta}{251}</code> (⊗) 200
<code>\Pisymbol{nkarta}{190}</code> (x) 200	<code>\Pisymbol{nkarta}{221}</code> (●) 200	<code>\Pisymbol{nkarta}{252}</code> (♣) 200
<code>\Pisymbol{nkarta}{191}</code> (○) 200	<code>\Pisymbol{nkarta}{222}</code> (●) 200	<code>\Pisymbol{nkarta}{253}</code> (▼) 200
<code>\Pisymbol{nkarta}{192}</code> (⊗) 200	<code>\Pisymbol{nkarta}{223}</code> (⬇) 200	<code>\Pisymbol{nkarta}{254}</code> (▶) 200
<code>\Pisymbol{nkarta}{193}</code> (●) 199	<code>\Pisymbol{nkarta}{224}</code> (■) 200	<code>\Pisymbol{smfpr10}{34}</code> () 213
<code>\Pisymbol{nkarta}{194}</code> (□) 199	<code>\Pisymbol{nkarta}{225}</code> (♣) 200	<code>\Pisymbol{smfpr10}{35}</code> (†) 213
<code>\Pisymbol{nkarta}{195}</code> (♣) 199	<code>\Pisymbol{nkarta}{226}</code> (♣) 200	<code>\Pisymbol{smfpr10}{36}</code> (†) 213
<code>\Pisymbol{nkarta}{196}</code> (♣) 199	<code>\Pisymbol{nkarta}{227}</code> (●) 200	<code>\Pisymbol{smfpr10}{42}</code> (♣) 213
<code>\Pisymbol{nkarta}{197}</code> (♣) 199	<code>\Pisymbol{nkarta}{228}</code> (★) 200	<code>\Pisymbol{smfpr10}{46}</code> (♣) 213
<code>\Pisymbol{nkarta}{198}</code> (♣) 199	<code>\Pisymbol{nkarta}{229}</code> (★) 200	<code>\Pisymbol{smfpr10}{48}</code> (†) 213
<code>\Pisymbol{nkarta}{199}</code> (♣) 199	<code>\Pisymbol{nkarta}{230}</code> (○) 200	<code>\Pisymbol{smfpr10}{49}</code> (†) 213
<code>\Pisymbol{nkarta}{200}</code> (→) 199	<code>\Pisymbol{nkarta}{231}</code> (□) 200	<code>\Pisymbol{smfpr10}{50}</code> (†) 213
<code>\Pisymbol{nkarta}{201}</code> (△) 199	<code>\Pisymbol{nkarta}{232}</code> (♥) 200	<code>\Pisymbol{smfpr10}{51}</code> (†) 213
<code>\Pisymbol{nkarta}{202}</code> (◆) 199	<code>\Pisymbol{nkarta}{233}</code> (♣) 200	<code>\Pisymbol{smfpr10}{52}</code> (†) 213
<code>\Pisymbol{nkarta}{203}</code> (■) 199	<code>\Pisymbol{nkarta}{234}</code> (♣) 200	<code>\Pisymbol{smfpr10}{53}</code> (†) 213
<code>\Pisymbol{nkarta}{204}</code> (■) 199	<code>\Pisymbol{nkarta}{235}</code> (♣) 200	<code>\Pisymbol{smfpr10}{54}</code> (†) 213
<code>\Pisymbol{nkarta}{205}</code> (●) 199	<code>\Pisymbol{nkarta}{236}</code> (♣) 200	<code>\Pisymbol{smfpr10}{55}</code> (†) 213
<code>\Pisymbol{nkarta}{206}</code> (▣) 199	<code>\Pisymbol{nkarta}{237}</code> (○) 200	<code>\Pisymbol{smfpr10}{56}</code> (†) 213
<code>\Pisymbol{nkarta}{207}</code> (♣) 199	<code>\Pisymbol{nkarta}{238}</code> (⊕) 200	<code>\Pisymbol{smfpr10}{57}</code> (†) 213
<code>\Pisymbol{nkarta}{208}</code> (⊗) 199	<code>\Pisymbol{nkarta}{239}</code> (♣) 200	<code>\Pisymbol{smfpr10}{65}</code> (♣) 214

<code>\Pisymbol{umranda}{22}</code> 	<code>\Pisymbol{umranda}{49}</code> 	<code>\Pisymbol{umranda}{75}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{23}</code> 	<code>\Pisymbol{umranda}{50}</code> 	<code>\Pisymbol{umranda}{76}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{24}</code> 	<code>\Pisymbol{umranda}{51}</code> 	<code>\Pisymbol{umranda}{77}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{25}</code> 	<code>\Pisymbol{umranda}{52}</code> 	<code>\Pisymbol{umranda}{78}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{26}</code> 	<code>\Pisymbol{umranda}{53}</code> 	<code>\Pisymbol{umranda}{79}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{27}</code> 	<code>\Pisymbol{umranda}{54}</code> 	<code>\Pisymbol{umranda}{80}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{28}</code> 	<code>\Pisymbol{umranda}{55}</code> 	<code>\Pisymbol{umranda}{81}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{29}</code> 	<code>\Pisymbol{umranda}{56}</code> 	<code>\Pisymbol{umranda}{82}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{30}</code> 	<code>\Pisymbol{umranda}{57}</code> 	<code>\Pisymbol{umranda}{83}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{31}</code> 	<code>\Pisymbol{umranda}{58}</code> 	<code>\Pisymbol{umranda}{84}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{32}</code> 	<code>\Pisymbol{umranda}{59}</code> 	<code>\Pisymbol{umranda}{85}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{33}</code> 	<code>\Pisymbol{umranda}{60}</code> 	<code>\Pisymbol{umranda}{86}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{34}</code> 	<code>\Pisymbol{umranda}{61}</code> 	<code>\Pisymbol{umranda}{87}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{35}</code> 	<code>\Pisymbol{umranda}{62}</code> 	<code>\Pisymbol{umranda}{88}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{36}</code> 	<code>\Pisymbol{umranda}{63}</code> 	<code>\Pisymbol{umranda}{89}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{37}</code> 	<code>\Pisymbol{umranda}{64}</code> 	<code>\Pisymbol{umranda}{90}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{38}</code> 	<code>\Pisymbol{umranda}{65}</code> 	<code>\Pisymbol{umranda}{91}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{39}</code> 	<code>\Pisymbol{umranda}{66}</code> 	<code>\Pisymbol{umranda}{92}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{40}</code> 	<code>\Pisymbol{umranda}{67}</code> 	<code>\Pisymbol{umranda}{93}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{41}</code> 	<code>\Pisymbol{umranda}{68}</code> 	<code>\Pisymbol{umranda}{94}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{42}</code> 	<code>\Pisymbol{umranda}{69}</code> 	<code>\Pisymbol{umranda}{95}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{43}</code> 	<code>\Pisymbol{umranda}{70}</code> 	<code>\Pisymbol{umranda}{96}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{44}</code> 	<code>\Pisymbol{umranda}{71}</code> 	<code>\Pisymbol{umranda}{97}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{45}</code> 	<code>\Pisymbol{umranda}{72}</code> 	<code>\Pisymbol{umranda}{98}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{46}</code> 	<code>\Pisymbol{umranda}{73}</code> 	<code>\Pisymbol{umranda}{99}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{47}</code> 	<code>\Pisymbol{umranda}{74}</code> 	<code>\Pisymbol{umranda}{100}</code> 
..... 205 205 205
<code>\Pisymbol{umranda}{48}</code> 		<code>\Pisymbol{umranda}{101}</code> 
..... 205	 205

<code>\Pisymbol{WebOMintsGD}{107}</code>	<code>\plussim (±)</code> 34	<code>\Pppp (∴)</code> 183
<code>\Pisymbol{WebOMintsGD}{108}</code>	<code>\plussubtwo (±)</code> 34	<code>\pppp (∴)</code> 183
<code>\Pisymbol{WebOMintsGD}{109}</code>	<code>\PlusThinCenterOpen (⊕)</code> 137	<code>\Ppppp (∴)</code> 183
<code>\Pisymbol{WebOMintsGD}{110}</code>	<code>\plustrif (+)</code> 33	<code>\Pr (Pr)</code> 91
<code>\Pisymbol{WebOMintsGD}{111}</code>	<code>\plustrif (+)</code> 34	<code>\Prec (⊲)</code> 58
<code>\Pisymbol{WebOMintsGD}{111}</code>	<code>\Pluto (♃)</code> 127	<code>\prec (⊲)</code> 50
<code>\Pisymbol{WebOMintsGD}{111}</code>	<code>\Pluto (♃)</code> 126	<code>\prec (<)</code> 55
<code>\Pisymbol{WebOMintsGD}{111}</code>	<code>\Pluto (♃)</code> 128	<code>\prec (<)</code> 53
<code>\Pisymbol{WebOMintsGD}{111}</code>	<code>\pluto (♃)</code> 126	<code>\prec (<)</code> 58
<code>\Pisymbol{WebOMintsGD}{112}</code>	<code>\pm (±)</code> 30	<code>\precapprox (⊲)</code> 52
<code>\Pisymbol{WebOMintsGD}{112}</code>	<code>\pm (±)</code> 33	<code>\precapprox (⊲)</code> 50
<code>\Pisymbol{WebOMintsGD}{113}</code>	<code>\pm (±)</code> 32	<code>\precapprox (⊲)</code> 57
<code>\Pisymbol{WebOMintsGD}{114}</code>	<code>\pm (±)</code> 34	<code>\precapprox (⊲)</code> 55
<code>\Pisymbol{WebOMintsGD}{114}</code>	<code>\pm (±)</code> 183	<code>\precapprox (⊲)</code> 53
<code>\Pisymbol{WebOMintsGD}{115}</code>	<code>\pmb</code> 233	<code>\precapprox (⊲)</code> 58
<code>\Pisymbol{WebOMintsGD}{115}</code>	<code>pmbboxdraw (package)</code> 185, 239, 240	<code>\precurlyeq (⊲)</code> 52
<code>\Pisymbol{WebOMintsGD}{116}</code>	<code>\pmod</code> 91	<code>\precurlyeq (⊲)</code> 50
<code>\Pisymbol{WebOMintsGD}{116}</code>	<code>\pod</code> 91	<code>\precurlyeq (⊲)</code> 55
<code>\Pisymbol{WebOMintsGD}{117}</code>	<code>\pointer (⇨)</code> 176	<code>\precurlyeq (⊲)</code> 53
<code>\Pisymbol{WebOMintsGD}{118}</code>	<code>pointing finger</code> <i>see</i> fists	<code>\precurlyeq (⊲)</code> 58
<code>\Pisymbol{WebOMintsGD}{118}</code>	<code>\PointingHand (☞)</code> 177	<code>\precdot (⊲)</code> 52
<code>\Pisymbol{WebOMintsGD}{119}</code>	<code>\pointint (ϕ)</code> 49	<code>\preceq (⊲)</code> 50
<code>\Pisymbol{WebOMintsGD}{119}</code>	<code>\pointint (ϕ)</code> 46	<code>\preceq (⊲)</code> 55
<code>\Pisymbol{WebOMintsGD}{120}</code>	<code>\pointintsl (ϕ)</code> 48	<code>\preceq (⊲)</code> 53
<code>\Pisymbol{WebOMintsGD}{120}</code>	<code>\pointintup (ϕ)</code> 48	<code>\preceq (⊲)</code> 58
<code>\Pisymbol{WebOMintsGD}{121}</code>	<code>\pointright (☞)</code> 137	<code>\preceqq (⊲)</code> 51
<code>\Pisymbol{WebOMintsGD}{121}</code>	<code>\Poland (☛)</code> 189	<code>\preceqq (⊲)</code> 55
<code>\Pisymbol{WebOMintsGD}{122}</code>	<code>\polariton (⊲)</code> 133	<code>\preceqq (⊲)</code> 58
<code>\Pisymbol{WebOMintsGD}{122}</code>	<code>\polaron (⊲)</code> 133	<code>\precnapprox (⊲)</code> 52
<code>\pitchfork (⋈)</code> 119	<code>\polishhook (˘)</code> 24	<code>\precnapprox (⊲)</code> 51
<code>\pitchfork (⋈)</code> 50	<code>\polter (⊲)</code> 114	<code>\precnapprox (⊲)</code> 57
<code>\pitchfork (⋈)</code> 57	<code>polutonikogreek (babel package option)</code> 15, 93, 94	<code>\precnapprox (⊲)</code> 54
<code>\pitchfork (⋈)</code> 90	<code>polygons</code> 140–142, 144–145, 169–173, 199–200, 215–216	<code>\precnapprox (⊲)</code> 58
<code>\pitchfork (⋈)</code> 88	<code>polynom (package)</code> 107	<code>\precneq (⊲)</code> 52
<code>\pitchfork (⋈)</code> 58	<code>polynomial division</code> 107	<code>\precneq (⊲)</code> 55, 56
<code>pitchforks</code> 50, 88, 90, 113, 119	<code>polytonic Greek</code> 15, 93, 94	<code>\precneq (⊲)</code> 58
<code>Pitman’s base 12 symbols</code> 117, 180	<code>\portato (⊲)</code> 164	<code>\precnsim (⊲)</code> 52
<code>\piup (π)</code> 94	<code>\portatoDown (⊲)</code> 164	<code>\precnsim (⊲)</code> 51
<code>\planck (ħ)</code> 19	<code>\Portugal (⊲)</code> 189	<code>\precnsim (⊲)</code> 57
<code>\Plane (⊲)</code> 146	<code>\Poseidon (⊲)</code> 128	<code>\precnsim (⊲)</code> 55
<code>planets</code> 126–128, 201–203	<code>\positron (e⁺)</code> 133	<code>\precnsim (⊲)</code> 54
<code>\plasmon (~e~)</code> 133	<code>\postbox (☒)</code> 187	<code>\precnsim (⊲)</code> 58
<code>playing cards</code> 145, 146	<code>PostScript</code> 94, 124, 134, 222, 232	<code>\precnsim (⊲)</code> 52
<code>Plimsoll line</code> 224, <i>see also</i> “texttt“string“minuso	<code>PostScript fonts</code> 134	<code>\precsim (⊲)</code> 50
<code>\Plus (⊕)</code> 137	<code>\pot (⊲)</code> 191	<code>\precsim (⊲)</code> 57
<code>\plus (+)</code> 157	<code>\Pound (⊲)</code> 26	<code>\precsim (⊲)</code> 55
<code>\plus (+)</code> 32	<code>\pounds</code> 15	<code>\precsim (⊲)</code> 53
<code>\plus (+)</code> 32	<code>\pounds (£)</code> 235, 236	<code>\precsim (⊲)</code> 59
<code>plus-or-minus sign</code> <i>see</i> \pm	<code>power set</code> <i>see</i> alphabets, math	<code>prescription</code> <i>see</i> \textrecipe
<code>\PlusCenterOpen (⊕)</code> 137	<code>\powerset (℘)</code> 96	<code>present-value symbols</code> 111, 227–228
<code>\pluscirc (⊕)</code> 31	<code>\Pp (∴)</code> 183	<code>\prime (′)</code> 118
<code>\pluscirc (⊕)</code> 33	<code>\pp (:)</code> 183	<code>\prime (′)</code> 120
<code>\plusdot (⊕)</code> 33	<code>\ppm (μ)</code> 183	<code>\prime (′)</code> 119
<code>\plusdot (⊕)</code> 34	<code>\Ppp (∴)</code> 183	<code>\prime (′)</code> 117
<code>\pluseqq (±)</code> 34	<code>\ppp (∴)</code> 183	<code>primes</code> 117–120
<code>\plushat (⊕)</code> 34		
<code>\PlusOutline (⊕)</code> 137		
<code>plusses</code> 137, 146, 199–200		

`\Printer` () 129
 printer's fist *see* fists
 printer's flowers .. *see* fleurons
 and flowers
 probabilistic independence 225
 probability limit (`\plim`) $\xrightarrow{n \rightarrow \infty}$. *see*
 `\DeclareMathOperator`
`\prod` (\prod) 40
`\prod` (\prod) 45
`\prod` (\prod) 44
`\prod` (\prod) 46
`\PRODI` 50
 \prod
`\PRODI` (\prod) 50
`\Prodi` 50
`\prodi` (\prod) 50
`\prodi` (\prod) 50
`prodint` (package) 50, 239
 product integrals 50
`\proflin` (\curvearrowright) 121
`\profsurf` (\curvearrowleft) 121
 Project Gutenberg 222
 projective space (\mathbb{P}) *see*
 alphabets, math
`\projlim` (`\projlim`) 91
 pronunciation symbols ... *see*
 phonetic symbols
 proof, end of 118, 121
 proper subset/superset ... *see*
 `\subsetneq`/`\supsetneq`
 proper vertices 132
`\PropertyLine` (\mathbb{P}) 121
`\propfrom` (∞) 55
`\propto` (\propto) 119
`\propto` (\propto) 50
`\propto` (\propto) 55
`\propto` (\propto) 53
`\propto` (\propto) 59
`\protein` (\mathbb{P}) 132
 proto-Semitic symbols ... 148
`\proton` (p^+) 132
 protosem (package) . 148, 239,
 240
`\ProvidesPackage` 239
`\PrtSc` (`\PrtSc`) 129
`\prurel` (\curvearrowright) 57
`\prurel` (\curvearrowleft) 59
`\ps` (ψ) 183
 pseudographics 185
`\Psi` (Ψ) 93
`\psi` (ψ) 93
`\psiup` (Ψ) 94
 psnfss (package) 138
 PSTricks (package) 193
`\Psyche` (Ψ) 128
`\Pu` (\cdot) 160
`\pullback` (\dashv) 33
`\pullback` (\dashv) 59
 pullback diagrams 226
 pulse diagram symbols ... 125

`\PulseHigh` (\sqcup) 125
`\PulseLow` (\sqcap) 125
`\pumpkin` () 38
 pumpkins 38
 punctuation 16
 punctum *see* `\musixgre`
`\Purierstab` (\dagger) 191
`\pushout` (Γ) 33
`\pushout` (Γ) 59
 pushout diagrams 226
`\pwedge` (Δ) 19
 pxfonts (package) 29,
 31, 42, 51, 62, 65, 73, 90,
 94–96, 118, 119, 123, 145,
 219, 234
`\Pxp` ($:$) 183
`\pxp` ($:$) 183





















Q

 Q.E.D. 118, 121
`\QED` (\blacksquare) 121
`\Qoppa` (\mathcal{Q}) 154
`\qoppa` (\mathcal{q}) 154
`\qoppa` (\mathcal{q}) 154
 \mathcal{Q}
`\qp` (\mathcal{Q}) 159
`\qprime` (\mathcal{Q}) 117
`\QQ` (\mathbb{Q}) 129
 \mathcal{Q}
`\qqs` (\mathcal{Q}) 159
 \mathcal{Q}
`\qs` (\mathcal{Q}) 159
`\qside` (\ll) 181
`\quaddot` ($\ddot{\cdot}$) 157
`\quadeye` (\ast) 157
`\Quadrat` (\mathbb{Q}) 105
`\quadrat` (\mathbb{Q}) 105
`\Quadrax` (\mathbb{Q}) 105
`\quadrax` (\mathbb{Q}) 105
`\quadrupole` (\mathbb{Q}) 132
`\quark` (q) 132
`\quarkb` (q) 132
`\quarkc` (q) 132
`\quarkd` (q) 132
`\quarks` (q) 132
`\quarkt` (q) 132
`\quarku` (q) 132
 quarter note *see* musical
 symbols
`\quarterNote` (\mathcal{Q}) 161
`\quaternote` (\mathcal{Q}) 158
`\quaternote` (\mathcal{Q}) 158
`\quaternote` (\mathcal{Q}) 158
`\quarterNoteDotted` (\mathcal{Q}) . 162
`\quarterNoteDottedDouble`
 (\mathcal{Q}) 162
`\quarterNoteDottedDoubleDown`
 (\mathcal{Q}) 162
`\quarterNoteDottedDown` (\mathcal{Q}) .
 161
`\quarterNoteDown` (\mathcal{Q}) ... 161

quasi-quotation marks (\ulcorner) .
 *see* `\ulcorner` *and*
 `\urcorner`
 quaternions (\mathbb{H}) *see* alphabets,
 math
 quaver . *see* musical symbols
`\quaver` (\mathcal{Q}) 162
`\quaverDotted` (\mathcal{Q}) 162
`\quaverDottedDouble` (\mathcal{Q}) 162
`\quaverDottedDoubleDown` (\mathcal{Q})
 162
`\quaverDottedDown` (\mathcal{Q}) .. 162
`\quaverDown` (\mathcal{Q}) 162
`\quaverRest` (\mathcal{Q}) 163
`\quaverRestDotted` (\mathcal{Q}) .. 163
 queen 182, 217–218
`\questeq` (\mathcal{Q}) 59
`\Question` ($??$) 121
 quilisma *see* `\musixgre`
`\Quincunx` (\mathcal{Q}) 128
 Quine corners (\ulcorner) *see*
 `\ulcorner` *and* `\urcorner`
 quotation marks .. 14, 16, 27,
 190, 234, 237
`\quotedblbase` („) ... 16, 237
`\quotesinglbase` (,) . 16, 237

R

`R` (\mathbb{R}) 157
`\R` (\mathbb{R}) 157
`\R` (\sim) 183
`\r` (\mathbb{R}) 20
`\r` (\sim) 183
`r` (\mathbb{R}) 157
`r` (\ast) 123
`\Radiation` (\mathcal{R}) 178
`\radiation` (\mathcal{R}) 190
 radicals . *see* `\sqrt` *and* `\surd`
`\Radioactivity` (\mathcal{R}) 131
`\Radix` (\mathbb{R}) 128
`\Rain` (\mathcal{R}) 178
`\RainCloud` (\mathcal{R}) 178
 raindrop 217
 raising ... *see* `\textraising`
`\RaisingEdge` (\sqcap) 125
`\Rangle` (\gg) 124
`\rAngle` (\gg) 104
`\rAngle` (\gg) 101
`\rAngle` (\gg) 103
`\rangle` (\rangle) 29, 99
`\rangle` (\rangle) 101
`\rangle` (\rangle) 100
`\rangle` (\rangle) 103
`\ranglebar` (\rangle) 101

<code>\rangedot</code> ()	101	<code>\rcirclearrowdown</code> ()	75	<code>\relationleftproject</code> ()	..
<code>\rangedot</code> (\rangle)	98	<code>\rcirclearrowleft</code> ()	75	113
<code>\rangledownzigzagarrow</code> ()	118	<code>\rcirclearrowright</code> ()	75	<code>\relationlifting</code> ()	.. 113
<code>\rank</code> (rank)	92	<code>\rcirclearrowup</code> ()	75	<code>\relationrightproject</code> ()	..
<code>\RArrow</code> ()	129	<code>\rcircleleftint</code> ()	45	113
<code>\rarrowfill</code>	111	<code>\rcircleleftint</code> (\oint)	44	relations 113
<code>\ratio</code> ($:$)	61	<code>\rcircleleftint</code> (\oint)	45	<code>\Relbar</code> (\equiv) 90, 223
<code>\RATIONAL</code> (\mathbb{Q})	92	<code>\rcircleleftint</code> (\oint)	44	<code>\Relbar</code> (\equiv) 53
<code>\Rational</code> (\mathbb{Q})	92	<code>\rcorner</code> (\lrcorner)	98	<code>\Relbar</code> (\equiv) 91
rational numbers (\mathbb{Q})	<i>see</i> alphabets, math	<code>\rcurvearrowdown</code> (\curvearrowright)	75	<code>\relbar</code> ($-$) 90, 223
rationalized Planck constant	<i>see</i> <code>\hbar</code>	<code>\rcurvearrowleft</code> (\curvearrowleft)	75	<code>\relbar</code> ($-$) 53
Raw Font Tables 12, 123	<code>\rcurvearrowright</code> (\curvearrowleft)	75	<code>\relbar</code> ($-$) 91
<code>\RB</code> ($\}$) 129	<code>\rcurvearrowrowe</code> (\curvearrowright)	75	resize (package) 23
<code>\Rbag</code> (\S) 98	<code>\rcurvearrowroww</code> (\curvearrowright)	75	<code>\Request</code> () 187
<code>\rbag</code> (\S) 98	<code>\rcurvearrowse</code> (\curvearrowright)	75	<code>\resistivity</code> (κ) 132
<code>\rbag</code> (\int) 33	<code>\rcurvearrowsw</code> (\curvearrowright)	75	<code>\resizebox</code> 87, 219
<code>\rbag</code> (\int) 98	<code>\rcurvearrowup</code> (\curvearrowright)	75	<code>\Respondens</code> (\sim) 183
<code>\rblackbowtie</code> (\bowtie) 33	<code>\rcurvyangle</code> (\rangle)	98	<code>\respondens</code> (\sim) 183
<code>\rblbrbrak</code> (\lrcorner) 98	<code>\rdbrack</code> (\lrcorner)	100	response (\mathbb{R}) 238
<code>\rBrace</code> ($\}$) 103	<code>\rdiagovfdiag</code> (\times)	121	<code>\restoresymbol</code> 219
<code>\rbrace</code> ($\}$) 101	<code>\rdiagovsearrow</code> (\times)	84	<code>\restrictbarb</code> (\downarrow) 88
<code>\rbrace</code> ($\}$) 102	<code>\Rdsh</code> (\downarrow)	78	<code>\restrictbarbup</code> (\uparrow) 88
<code>\rbrace</code> ($\}$) 101	<code>\Rdsh</code> (\downarrow)	84	<code>\restriction</code> (\uparrow) 73
<code>\rbrace</code> ($\}$) 103	<code>\Re</code> (Re) 92	<code>\restriction</code> (\uparrow) 81
<code>\Rbrack</code> (\lrcorner) 124	<code>\Re</code> (\Re) 92, 96	<code>\restriction</code> (\uparrow) 77
<code>\rBrack</code> (\lrcorner) 104	<code>\Re</code> (\Re) 97	<code>\restriction</code> (\uparrow) 86
<code>\rBrack</code> (\lrcorner) 102	<code>\REAL</code> (\mathbb{R}) 92	restrictions	73, 77, 81, 82, 86, 88
<code>\rBrack</code> (\lrcorner) 102	<code>\Real</code> (\mathbb{R}) 92	<code>\restrictmallet</code> (\downarrow) 88
<code>\rBrack</code> (\lrcorner) 103	real numbers (\mathbb{R})	<i>see</i> alphabets, math	<code>\restrictmalletup</code> (\uparrow) 88
<code>\rbrack</code> (\lrcorner) 102	realhats (package)	107, 239, 240	<code>\restrictwand</code> (\downarrow) 88
<code>\rbrack</code> (\lrcorner) 102	recipe	<i>see</i> <code>\textrecipe</code>	<code>\restrictwandup</code> (\uparrow) 88
<code>\rbrack</code> (\lrcorner) 103	<code>\recorder</code> ($\textcircled{\textcirc}$) 176	rests <i>see</i> musical symbols
<code>\rbrack</code> (\lrcorner) 102	<code>\Rectangle</code> (\square) 143	retracting <i>see</i> <code>\textretracting</code>
<code>\rbrack</code> (\lrcorner) 102	<code>\RectangleBold</code> (\blacksquare) 143	<code>\Retrograde</code> (\Re) 128
<code>\rbrack</code> (\lrcorner) 102	rectangles	143, 144, 169–173, 199–200	<code>\Return</code> () 129
<code>\rbrack</code> (\lrcorner) 103	<code>\RectangleThin</code> (\square) 143	return <i>see</i> carriage return
<code>\rbrack</code> (\lrcorner) 102	<code>\Rectpipe</code> (\square) 131	<code>\revangle</code> (\triangle) 118
<code>\rbrack</code> (\lrcorner) 103	<code>\Rectsteel</code> (\blacksquare) 131	<code>\revangle</code> (\triangle) 118
<code>\rbrack</code> (\lrcorner) 102	recycle (package) 187, 239	<code>\revangleubar</code> (\triangle) 118
<code>\rbrack</code> (\lrcorner) 102	<code>\recycle</code> () 190	<code>\revaw</code> ($\}$) 103
<code>\rbrack</code> (\lrcorner) 102	<code>\recycle</code> () 187	<code>\revD</code> (\square) 19
<code>\rbrack</code> (\lrcorner) 102	<code>\Recycling</code> () 187	<code>\revddots</code> (\dots) 227
<code>\rbrack</code> (\lrcorner) 98	recycling symbols 186, 187, 190, 192–197, 199	<code>\reve</code> (ϑ) 19
<code>\rbrack</code> (\lrcorner) 98	reduced quadrupole moment	<i>see</i> <code>\rqm</code>	<code>\revereject</code> (ϑ) 19
<code>\rbrack</code> (\lrcorner) 98	<code>\reference</code> (R) 132	<code>\revertex</code> (ϑ) 120
<code>\rbrbrak</code> (\lrcorner) 103	<code>\reflectbox</code> 222	<code>\revertex</code> (ϑ) 117
<code>\rc</code> (\square) 23	registered trademark	14, 26, 236	<code>\revertex</code> (ϑ) 19
<code>\rCeil</code> (\lrcorner) 104	<code>\Reibe</code> (\square) 191	reverse solidus <i>see</i> <code>\textbackslash</code>
<code>\rceil</code> (\lrcorner) 99	relational database symbols	121	<code>\reverseallabreve</code> (\AA)	.. 159
<code>\rceil</code> (\lrcorner) 102	relational symbols 50	<code>\reverseC</code> (\AA) 159
<code>\rceil</code> (\lrcorner) 100	binary	50–53, 55, 57–69, 88–90	reversed symbols 222
<code>\rceil</code> (\lrcorner) 102	negated binary 51, 52, 54–57, 59	<code>\reversedvideobend</code> ()	176
		triangle 69–71	<code>\reversedmathcloud</code> ()	38
				<code>\reversedmathwitch</code> ()	38
				<code>\reversedmathwitch*</code> ()	38
				<code>\revglotstop</code> (\AA) 19





<code>\revmeasuredangle</code> (\sphericalangle) .. 118	<code>\rhookrightarrow</code> (\rightarrow) .. 75	<code>\rightbroom</code> (\rightsquigarrow) .. 90
<code>\revnmid</code> (\dagger) .. 59	<code>\rhooksearrow</code> (\searrow) .. 79	<code>\RIGHTCIRCLE</code> (\bullet) .. 140
<code>\revsphericalangle</code> (\triangleright) .. 118	<code>\rhooksearrow</code> (\swarrow) .. 75	<code>\RIGHTcircle</code> (\circ) .. 140
<code>\Rewind</code> (\blacktriangleleft) .. 177	<code>\rhookswarrow</code> (\swarrow) .. 79	<code>\Rightcircle</code> (\circ) .. 140
<code>\RewindToIndex</code> (\blacktriangleleft) .. 177	<code>\rhookswarrow</code> (\searrow) .. 74	<code>\rightcurvedarrow</code> (\curvearrowright) .. 79
<code>\RewindToStart</code> (\blacktriangleleft) .. 177	<code>\rhookuparrow</code> (\uparrow) .. 79	<code>\rightcurvedarrow</code> (\curvearrowright) .. 84
<code>\rfilet</code> (\bowtie) .. 59	<code>\rhookuparrow</code> (\uparrow) .. 74	<code>\rightdasharrow</code> (\dashrightarrow) .. 82
<code>\rfilet</code> ($\}$) .. 100	<code>\rhoup</code> (ρ) .. 94	<code>\rightdasharrow</code> (\dashrightarrow) .. 84
<code>\rFloor</code> (\lfloor) .. 104	<code>\right</code> 99, 103, 104, 219, 221	<code>\rightdbltail</code> (\rightarrow) .. 59
<code>\rfloor</code> (\rfloor) .. 99	<code>\rightangle</code> (\angle) .. 118	<code>\RightDiamond</code> (\blacklozenge) .. 143
<code>\rfloor</code> (\rfloor) .. 102	<code>\rightangle</code> (\angle) .. 118	<code>\rightdotarrow</code> (\rightarrow) .. 84
<code>\rfloor</code> (\rfloor) .. 100	<code>\rightangle</code> (\angle) .. 122	<code>\rightdowncurvedarrow</code> (\curvearrowleft) .. 79
<code>\rfloor</code> (\rfloor) .. 102	<code>\rightangleldot</code> (\angle) .. 118	<code>\rightdowncurvedarrow</code> (\curvearrowleft) .. 84
<code>\rftimes</code> (\times) .. 59	<code>\rightangleldot</code> (\angle) .. 118	<code>\rightevaw</code> ($\}$) .. 103
<code>\rgroup</code> ($)$) .. 99	<code>\rightangleldot</code> (\angle) .. 118	<code>\rightfilledspoon</code> (\rightarrow) .. 88
<code>\rgroup</code> ($)$) .. 102	<code>\rightanglesqr</code> (\square) .. 118	<code>\rightfishtail</code> (\rightarrow) .. 58
<code>\rgroup</code> ($)$) .. 100	<code>\rightanglesqr</code> (\square) .. 118	<code>\rightfootline</code> (\rightarrow) .. 55
<code>\rgroup</code> ($)$) .. 102	<code>\rightanglesqr</code> (\square) .. 118	<code>\rightfootline</code> (\rightarrow) .. 53
<code>\RHD</code> (\blacktriangleright) .. 31	<code>\rightanglesquare</code> (\square) .. 118	<code>\rightfree</code> (\rightarrow) .. 53
<code>\rhd</code> (\triangleright) .. 30, 31	<code>\RIGHTarrow</code> (\blacktriangleright) .. 176	<code>\righthalfcap</code> (\frown) .. 32
<code>\rhd</code> (\triangleright) .. 67	<code>\Rightarrow</code> (\Rightarrow) .. 29, 72	<code>\righthalfcup</code> (\cup) .. 32
<code>\rhd</code> (\triangleright) .. 66, 70	<code>\Rightarrow</code> (\Rightarrow) .. 78	<code>\righthand</code> (\rightleftharpoons) .. 137
<code>\rhd</code> (\triangleright) .. 34, 142	<code>\Rightarrow</code> (\Rightarrow) .. 74	<code>\rightharpoonaccent</code> ($\bar{\curvearrowright}$) .. 106
<code>\Rho</code> (P) .. 93	<code>\Rightarrow</code> (\Rightarrow) .. 84	<code>\rightharpoonccw</code> (\curvearrowright) .. 77
<code>\rho</code> (ρ) .. 93	<code>\rightarrow</code> .. 73	<code>\rightharpoonccw</code> (\curvearrowright) .. 77
<code>\rho</code> (ρ) .. 94	<code>\rightarrow</code> .. 72	<code>\rightharpooncw</code> (\curvearrowleft) .. 77
<code>\rhombus</code> (\diamond) .. 145	<code>\rightarrow</code> .. 78	<code>\rightharpoontdown</code> (\rightarrow) .. 74
<code>\rhombuscross</code> (\boxtimes) .. 145	<code>\rightarrow</code> .. 74	<code>\rightharpoontdown</code> (\rightarrow) .. 72
<code>\rhombusdot</code> (\diamond) .. 145	<code>\rightarrow</code> .. 87	<code>\rightharpoontdown</code> (\rightarrow) .. 83
<code>rhombuses</code> .. 30, 31, 36–38, 73, 118, 119, 140–147, 169–173, 176, 178, 199–200, 215–216	<code>\rightarrow</code> .. 84	<code>\rightharpoontdown</code> (\rightarrow) .. 81
<code>\rhombusfill</code> (\blacklozenge) .. 145	<code>\rightarrowapprox</code> (\approx) .. 84	<code>\rightharpoontdown</code> (\rightarrow) .. 86
<code>\rhombusfillha</code> (\blacklozenge) .. 144	<code>\rightarrowbackapprox</code> (\backapprox) .. 84	<code>\rightharpoontdownbar</code> (\rightarrow) .. 86
<code>\rhombusfillhb</code> (\blacklozenge) .. 144	<code>\rightarrowbar</code> (\rightarrow) .. 82	<code>\rightharpoonup</code> (\rightarrow) .. 74
<code>\rhombusfillhl</code> (\blacklozenge) .. 144	<code>\rightarrowbarbar</code> (\rightarrow) .. 84	<code>\rightharpoonup</code> (\rightarrow) .. 72
<code>\rhombusfillhr</code> (\blacklozenge) .. 144	<code>\rightarrowrowsimilar</code> (\Rightarrow) .. 84	<code>\rightharpoonup</code> (\rightarrow) .. 83
<code>\rhombuslineh</code> (\diamond) .. 144	<code>\rightarrowcircle</code> (\Rightarrow) .. 82	<code>\rightharpoonup</code> (\rightarrow) .. 81
<code>\rhombuslineh</code> (\diamond) .. 144	<code>\rightarrowdiamond</code> (\Rightarrow) .. 84	<code>\rightharpoonup</code> (\rightarrow) .. 86
<code>\rhombuslinev</code> (\diamond) .. 144	<code>\rightarrowgtr</code> (\ggtrdot) .. 69	<code>\rightharpoonupbar</code> (\rightarrow) .. 86
<code>\rhombuslinevh</code> (\diamond) .. 144	<code>\rightarrowonoplus</code> (\oplus) .. 84	<code>\rightharpoonupdash</code> (\Rightarrow) .. 86
<code>\rhomesonminus</code> (ρ^-) .. 132	<code>\rightarrowplus</code> (\Rightarrow) .. 84	<code>\rightimply</code> (\Rightarrow) .. 58
<code>\rhomesonnull</code> (ρ^0) .. 132	<code>\rightarrowshortleftarrow</code> (\rightleftarrows) .. 84	<code>\rightlcurvearrow</code> (\curvearrowright) .. 79
<code>\rhomesonplus</code> (ρ^+) .. 132	<code>\rightarrowsimilar</code> (\Rightarrow) .. 84	<code>\rightleftarrows</code> (\rightleftarrows) .. 73
<code>\rhook</code> (ρ) .. 91	<code>\rightarrowsupset</code> (\Rightarrow) .. 64	<code>\rightleftarrows</code> (\rightleftarrows) .. 72
<code>\rhookdownarrow</code> (\downarrow) .. 79	<code>\rightarrowtail</code> (\rightarrowtail) .. 72	<code>\rightleftarrows</code> (\rightleftarrows) .. 82
<code>\rhookdownarrow</code> (\downarrow) .. 75	<code>\rightarrowtail</code> (\rightarrowtail) .. 82	<code>\rightleftarrows</code> (\rightleftarrows) .. 78
<code>\rhookleftarrow</code> (\leftarrow) .. 79	<code>\rightarrowtail</code> (\rightarrowtail) .. 78	<code>\rightleftarrows</code> (\rightleftarrows) .. 74
<code>\rhookleftarrow</code> (\leftarrow) .. 75	<code>\rightarrowtail</code> (\rightarrowtail) .. 74	<code>\rightleftarrows</code> (\rightleftarrows) .. 84
<code>\rhooknearrow</code> (\nearrow) .. 79	<code>\rightarrowtail</code> (\rightarrowtail) .. 84	<code>\rightleftcurvearrow</code> (\curvearrowleft) .. 79
<code>\rhooknearrow</code> (\nearrow) .. 75	<code>\rightarrowTriangle</code> (\rightarrow) .. 82	<code>\rightleftharpoon</code> (\rightarrow) .. 74
<code>\rhooknarrow</code> (\nwarrow) .. 79	<code>\rightarrowtriangle</code> (\rightarrow) .. 73	<code>\rightleftharpoons</code> (\rightleftharpoons) .. 74
<code>\rhooknarrow</code> (\nwarrow) .. 75	<code>\rightarrowtriangle</code> (\rightarrow) .. 82	<code>\rightleftharpoons</code> (\rightleftharpoons) .. 72
<code>\rhookrightarrow</code> (\rightarrow) .. 79	<code>\rightarrowtriangle</code> (\rightarrow) .. 84	<code>\rightleftharpoons</code> (\rightleftharpoons) .. 72
	<code>\rightarroww</code> (\rightarrow) .. 84	<code>\rightleftharpoons</code> (\rightleftharpoons) .. 83
	<code>\rightAssert</code> (\vDash) .. 55	<code>\rightleftharpoons</code> (\rightleftharpoons) .. 81
	<code>\rightassert</code> (\vdash) .. 55	<code>\rightleftharpoons</code> (\rightleftharpoons) .. 77
	<code>\rightbarharpoon</code> (\Rightarrow) .. 74	<code>\rightleftharpoons</code> (\rightleftharpoons) .. 86
	<code>\rightbkarrow</code> (\rightarrow) .. 78	<code>\rightleftharpoonsdown</code> (\Rightarrow) .. 86
	<code>\rightbkarrow</code> (\rightarrow) .. 84	<code>\rightleftharpoonsfill</code> .. 111
	<code>\rightblackarrow</code> (\rightarrow) .. 82	<code>\rightleftharpoonsup</code> (\Rightarrow) .. 86
	<code>\rightblackspoon</code> (\rightarrow) .. 89	<code>\rightleftsquigarrow</code> (\rightleftsquigarrow) .. 79

<code>\rightlsquigarrow</code> (\rightsquigarrow) . . . 79	<code>\rightVdash</code> (\Vdash) 52	<code>\RoundedTsteel</code> (\mathcal{T}) 131
<code>\rightlsquigarrow</code> (\rightsquigarrow) . . 74	<code>\rightvdash</code> (\vdash) 55	<code>\RoundedTsteel</code> (\mathcal{T}) 131
<code>\Rightmapsto</code> (\Rightarrow) 78	<code>\rightvdash</code> (\vdash) 55	<code>\RoundedTsteel</code> (\mathcal{I}) 131
<code>\rightmapsto</code> (\mapsto) 79	<code>\rightvdash</code> (\vdash) 52	<code>\roundz</code> (\mathbb{Z}) 19
<code>\rightmapsto</code> (\mapsto) 74	<code>\rightwave</code> ($\left. \begin{matrix} \\ \text{---} \\ \end{matrix} \right\}$) 103	<code>\Rparen</code> ($\right)$) 124
<code>\rightModels</code> (\models) 53	<code>\rightwavearrow</code> (\rightsquigarrow) . . . 78	<code>\rParen</code> ($\right)$) 102
<code>\rightmodels</code> (\models) 55	<code>\rightwavearrow</code> (\rightsquigarrow) . . . 84	<code>\rparen</code> ($)$) 101
<code>\rightmodels</code> (\models) 53	<code>\rightwhitearrow</code> (\Rightarrow) . . . 82	<code>\rparen</code> ($)$) 102
<code>\rightmoon</code> (\mathbb{D}) 127	<code>\rightwhitearrow</code> (\Rightarrow) . . . 84	<code>\rparenltr</code> (\succ) 98
<code>\rightmoon</code> (\mathbb{D}) 127	<code>\rightwhiteroundarrow</code> (\Leftrightarrow) 82	<code>\Rparenless</code> (\asymp) 98
<code>\rightmoon</code> (\mathbb{D}) 126	<code>\rightY</code> (\succ) 33	<code>\rppolint</code> (\int) 49
<code>\rightouterjoin</code> (\bowtie) . . . 121	<code>\rightY</code> (\succ) 31	<code>\rppolint</code> (\int) 46
<code>\rightp</code> (\acute{p}) 24	<code>rinforzando</code> ($\text{\textcircled{>}}$) 163	<code>\rppolintsl</code> (\int) 47
<code>\rightpentagon</code> (\square) 142	<code>\ring</code> ($\text{\textcircled{#}}$) 106	<code>\rppolintup</code> (\int) 47
<code>\rightpentagonblack</code> (\blacksquare) 142	<code>ring</code> ($\text{\textcircled{#}}$) <i>see</i> accents	<code>\rqm</code> (\mathbf{f}) 224
<code>\rightpitchfork</code> (\pitchfork) 90	<code>ring equal to</code> <i>see</i> <code>\circeq</code>	<code>\RR</code> (\mathcal{R}) 157
<code>\rightpitchfork</code> (\pitchfork) 88	<code>ring in equal to</code> <i>see</i> <code>\eqcirc</code>	<code>\rrangle</code> ($\rangle\rangle$) 100
<code>\rightpointleft</code> (\leftarrow) . . 136	<code>ring sum</code> <i>see</i> <code>\oplus</code>	<code>\rrangle</code> (\rangle) 98
<code>\rightpointright</code> (\rightarrow) . . 136	<code>\ringplus</code> (\oplus) 34	<code>\rrbracket</code> (\rrbracket) 99
<code>\rightpropto</code> (\propto) 52	<code>\riota</code> ($\text{\textcircled{i}}$) 120	<code>\rrbracket</code> (\rrbracket) 104
<code>\rightrcurvearrow</code> (\curvearrowright) . 79	<code>\riota</code> ($\text{\textcircled{i}}$) 19	<code>\rrceil</code> (\lceil) 98
<code>\rightrightarrow</code> (\Rightarrow) . . . 73	<code>\riota</code> ($\text{\textcircled{i}}$) 19	<code>\RRelbar</code> (\Re) 91
<code>\rightrightarrow</code> (\Rightarrow) . . . 72	<code>\rip</code> ($\text{\textcircled{r}}$) 181	<code>\Rrelbar</code> (\Re) 91
<code>\rightrightarrow</code> (\Rightarrow) . . . 82	<code>\risingdotseq</code> (\doteq) 52	<code>\rrfloor</code> (\lfloor) 98
<code>\rightrightarrow</code> (\Rightarrow) . . . 78	<code>\risingdotseq</code> (\doteq) 50	<code>\rrhD</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightrightarrow</code> (\Rightarrow) . . . 74	<code>\risingdotseq</code> (\doteq) 57	<code>\rrhDa</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightrightarrow</code> (\Rightarrow) . . . 84	<code>\risingdotseq</code> (\doteq) 55	<code>\rrhDap</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightrightarrow</code> (\Rightarrow) . . . 74	<code>\risingdotseq</code> (\doteq) 52	<code>\rrhDp</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightrightarrow</code> (\Rightarrow) . . . 89	<code>\risingdotseq</code> (\doteq) 58	<code>\rrhDs</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightrightarrow</code> (\Rightarrow) . . . 88	<code>\rJoin</code> (\Join) 51	<code>\rrhDsp</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightsquigarrow</code> (\rightsquigarrow) . . 73	<code>\rJoin</code> (\Join) 33	<code>\rrhDw</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightsquigarrow</code> (\rightsquigarrow) . . 74	<code>\RK</code> (\dashv) 129	<code>\rrhDwp</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\RightScissors</code> (\asymp) 135	<code>\rlap</code> . . . 24, 25, 143, 225, 226	<code>\rrhE</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightslice</code> (\triangleright) 30	<code>\rmoustache</code> ($\left. \begin{matrix} \left. \right\} \right\}$) 99	<code>\rrhEp</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightslice</code> (\triangleright) 33	<code>\rmoustache</code> ($\left. \begin{matrix} \left. \right\} \right\}$) 102	<code>\rrhF</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightslice</code> (\triangleright) 52	<code>\rmoustache</code> ($\left. \begin{matrix} \left. \right\} \right\}$) 100	<code>\rrhFp</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightspoon</code> (\rightarrow) 89	<code>\rmoustache</code> ($\left. \begin{matrix} \left. \right\} \right\}$) 102	<code>\rrhFw</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightspoon</code> (\rightarrow) 88	<code>\RO</code> (ρ) 129	<code>\rrhFwp</code> ($\left[\begin{matrix} \rightleftarrows \\ \rightleftarrows \end{matrix} \right]$) 198
<code>\rightsquigarrow</code> (\rightsquigarrow) . . 73	<code>rock/paper/scissors</code> 137	<code>\rrhL</code> ($\left[\begin{matrix} \downarrow \\ \uparrow \\ \downarrow \\ \uparrow \end{matrix} \right]$) 198
<code>\rightsquigarrow</code> (\rightsquigarrow) . . 72	<code>\rollingpin</code> (\leftarrow) 191	<code>\rrhLa</code> ($\left[\begin{matrix} \downarrow \\ \uparrow \end{matrix} \right]$) 198
<code>\rightsquigarrow</code> (\rightsquigarrow) . . 82	<code>Roman coins</code> 26	<code>\rrhLap</code> ($\left[\begin{matrix} \downarrow \\ \uparrow \end{matrix} \right]$) 198
<code>\rightsquigarrow</code> (\rightsquigarrow) . . 79	<code>\Romania</code> ($\text{\textcircled{r}}$) 189	<code>\rrhLp</code> ($\left[\begin{matrix} \uparrow \\ \downarrow \end{matrix} \right]$) 198
<code>\rightsquigarrow</code> (\rightsquigarrow) . . 75	<code>Romanian comma-belo accent</code> ($\text{\textcircled{,}}$) <i>see</i> accents	<code>\rrhLs</code> ($\left[\begin{matrix} \downarrow \\ \downarrow \end{matrix} \right]$) 198
<code>\rightsquigarrow</code> (\rightsquigarrow) . . 84, 85	<code>rook</code> 182, 217–218	<code>\rrhLsp</code> ($\left[\begin{matrix} \uparrow \\ \uparrow \end{matrix} \right]$) 198
<code>\rightt</code> (\vdash) 24	<code>roots</code> <i>see</i> <code>\sqrt</code>	<code>\rrhLw</code> ($\left[\begin{matrix} \downarrow \\ \downarrow \end{matrix} \right]$) 198
<code>\righttail</code> (\dashv) 58	<code>roshambo</code> 137	<code>\rrhLwp</code> ($\left[\begin{matrix} \uparrow \\ \uparrow \end{matrix} \right]$) 198
<code>\righttherefore</code> (\because) . . . 115	<code>\rot</code> ($\overrightarrow{\text{rot}}$) 92	<code>\rrhM</code> ($\left[\begin{matrix} \downarrow \\ \downarrow \end{matrix} \right]$) 198
<code>\righttherefore</code> (\because) . . 31, 115	<code>\rotatebox</code> 24, 222, 226	
<code>\rightthreearrows</code> (\Re) . . . 82	<code>rotated symbols</code> 17–19, 24, 222	
<code>\rightthreearrows</code> (\Re) . . . 84	<code>rotating (package)</code> 27, 129	
<code>\rightthreetimes</code> (\times) . . 119	<code>\rotm</code> ($\text{\textcircled{m}}$) 19	
<code>\rightthreetimes</code> (\times) . . . 30	<code>\rotOmega</code> ($\text{\textcircled{\omega}}$) 19	
<code>\rightthreetimes</code> (\times) . . . 33	<code>\rotr</code> ($\text{\textcircled{r}}$) 19	
<code>\rightthreetimes</code> (\times) . . . 33	<code>\rotvara</code> ($\text{\textcircled{v}}$) 19	
<code>\rightthreetimes</code> (\times) . . . 31	<code>\rotw</code> ($\text{\textcircled{w}}$) 19	
<code>\rightthreetimes</code> (\times) . . . 34	<code>\roty</code> ($\text{\textcircled{t}}$) 19	
<code>\rightthumbsdown</code> (\downarrow) . . 136	<code>\RoundedLsteel</code> (\mathcal{L}) 131	
<code>\rightthumbsup</code> (\uparrow) . . . 136	<code>\RoundedLsteel</code> (\mathcal{L}) 131	
<code>\righttoleftarrow</code> (\leftarrow) . . . 73		
<code>\righttoleftarrow</code> (\leftarrow) . . . 82		
<code>\Righttorque</code> (\mathcal{T}) 131		
<code>\rightturn</code> (\curvearrowright) 176		
<code>\rightupcurvedarrow</code> (\curvearrowright) 79		
<code>\rightVDash</code> (\Vdash) 55		
<code>\rightVdash</code> (\Vdash) 55		

\backslashrrhMp (\Uparrow)	198	\rtimes (\times)	30	\sadsface (\ominus)	190
\backslashrrhR (\Uparrow)	198	\rtimes (\times)	33	\SAf (\emptyset)	154
\backslashrrhRa (\Downarrow)	198	\rtimes (\times)	32, 33	safety-related symbols	131
\backslashrrhRap (\Updownarrow)	198	\rtimes (\times)	31	\Saftpresse (\triangle)	191
\backslashrrhRp (\Downarrow)	198	\rtimes (\times)	34	\Sag (\perp)	154
\backslashrrhRs (\Uparrow)	198	\rtimes (\times)	33	\Saga (Π)	154
\backslashrrhRsp (\Downarrow)	198	\rtriltri (\boxtimes)	71	\Sagittarius (\nearrow)	128
\backslashrrhRw (\Uparrow)	198	\rtriple	104	\Sagittarius (\nwarrow)	126
\backslashrrhRwp (\Downarrow)	198	\rttopcorner (\lrcorner)	183	\sagittarius (\times)	126
\backslashrrhSd (\rightleftharpoons)	198	\RU (\textcircled{C})	129	\SAh (\textcircled{Y})	154
\backslashrrhSdp (\leftleftharpoons)	198	Rubik's Cube	198	\SAhd (Ψ)	154
\backslashrrhSl (\Downarrow)	198	rubikcube (package)	198, 239, 240	\SAhu (\textcircled{Y})	154
\backslashrrhSlp (\Uparrow)	198	\ruledelayed (\Rightarrow)	58	\SAk (\textcircled{h})	154
\backslashrrhSr (\Uparrow)	198	runes	157	\SAl ($\textcircled{1}$)	154
\backslashrrhSrp (\Downarrow)	198	Anglo-Frisian	157	\SAlq (\textcircled{h})	154
\backslashrrhSu (\rightleftharpoons)	198	Danish	<i>see</i> normal runes	\SAm ($\textcircled{3}$)	154
\backslashrrhSup (\rightleftharpoons)	198	Germanic	157	\samebishops (\blacksquare)	181
\backslashrrhU (\rightleftharpoons)	198	Hälsinge	<i>see</i> staveless runes	\Sampi ($\textcircled{3}$)	154
\backslashrrhUa (\rightleftharpoons)	198	long-branch	<i>see</i> normal runes	\Sampi (\blacktriangle)	154
\backslashrrhUap (\leftleftharpoons)	198	runes		\sampi (\blacktriangleright)	154
\backslashrrhUp (\rightleftharpoons)	198	medieval	157	\sampi (\blacktriangledown)	154
\backslashrrhUs (\rightleftharpoons)	198	normal	157	\SAn (\textcircled{h})	154
\backslashrrhUsp (\leftleftharpoons)	198	short-twig	157	sans (dsfont package option)	123
\backslashrrhUw (\rightleftharpoons)	198	staveless	157	\sansLmirrored (\textcircled{J})	121
\backslashrrhUwp (\leftleftharpoons)	198	Swedo-Norwegian	<i>see</i> short-twig runes	\sansLturned (\lrcorner)	121
\RRrightarrow (\Rrightarrow)	84	\rupee ($\textcircled{₹}$)	26	\SAo (\textcircled{h})	154
\Rrightarrow (\Rrightarrow)	73	\RV (ϕ)	129	\Sappho ($\textcircled{\text{♀}}$)	128
\Rrightarrow (\Rightarrow)	82	\rVert (\parallel)	104	\SAq ($\textcircled{\text{♂}}$)	154
\Rrightarrow (\Rightarrow)	78	\rVert (\parallel)	99	\SAr ($\textcircled{?}$)	154
\Rrightarrow (\Rightarrow)	74	\rVert (\parallel)	101	\sarabfamily	154
\Rrightarrow (\Rightarrow)	84	\rvert ($ $)	99	sarabian (package)	154, 239, 240
\rrparenthesis (\lrcorner)	98	\rvert ($ $)	101	\SAs ($\textcircled{\times}$)	154
\rrparenthesis (\lrcorner)	98	\rVvert (\parallel)	101	\SAsa ($\textcircled{\text{S}}$)	154
\RS (\blacktriangle)	130	\rvzigzag ($\#$)	98	\SAsd ($\textcircled{\text{8}}$)	154
\rsem (\parallel)	102	\rvzigzag (\textcircled{i})	98	\SAsv (\textcircled{h})	154
\rsem (\parallel)	100	\rWalley ($\textcircled{\text{OE}}$)	191	\SAt (\textcircled{X})	154
\rsemantic	<i>see</i> \rdblack	\rwave ($\{ \}$)	103	\SATb ($\textcircled{\text{8}}$)	154
rsfs (emf package option)	126	\rWavy ($\{ \}$)	100	\SATd ($\textcircled{\text{III}}$)	154
rsfs (package)	123, 239	\rWavy ($\{ \}$)	100	\satellitedish ($\textcircled{\text{☾}}$)	146
\Rsh (\textcircled{r})	73			satisfies	<i>see</i> \models
\Rsh (\textcircled{r})	72	S (\textcircled{i})	157	\Saturn ($\textcircled{?}$)	127
\Rsh (\textcircled{r})	82	\S ($\textcircled{\text{§}}$)	15, 236	\Saturn (\textcircled{h})	128
\Rsh (\textcircled{r})	82	\S ($\textcircled{\text{§}}$)	15	\Saturn (\textcircled{b})	126
\Rsh (\textcircled{r})	78	\s (\textcircled{h})	157	\saturn (\textcircled{h})	126
\Rsh (\textcircled{r})	74	s ($\textcircled{\text{§}}$)	157	\SavedStyle	226
\Rsh (\textcircled{r})	85	\sA ($\textcircled{\text{H}}$)	187	savesym (package)	219
\rsolbar ($\textcircled{\text{A}}$)	34	\SAa ($\textcircled{\text{e}}$)	154	\savesymbol	219
\rsqhook ($\textcircled{\text{□}}$)	58	\SAb ($\textcircled{\text{H}}$)	154	\SAw ($\textcircled{\text{e}}$)	154
\rsub ($\textcircled{\text{▷}}$)	38	\SAd (\textcircled{h})	154	\SAy (\textcircled{i})	154
\rtborder ($\textcircled{\text{┌}}$)	183	\SAdb ($\textcircled{\text{H}}$)	154	\SAz (\textcircled{X})	154
\rtbotcorner ($\textcircled{\text{└}}$)	183	\SAdd ($\textcircled{\text{H}}$)	154	\SAzd (\textcircled{i})	154
\rtimes (\times)	31	\Sadey ($\textcircled{\text{e}}$)	191	\Sborder ($\textcircled{\text{≡}}$)	146

<code>\Schneebes</code> (<td>191</td> <td><code>\Searrow</code> (<td>78</td><td><code>\seminarrowDottedDoubleDown</code></td><td></td></td>	191	<code>\Searrow</code> (<td>78</td> <td><code>\seminarrowDottedDoubleDown</code></td> <td></td>	78	<code>\seminarrowDottedDoubleDown</code>	
<code>\SchrodingersCat</code> (<td>191</td> <td><code>\Searrow</code> (<td>74</td><td> (<td>162</td></td></td>	191	<code>\Searrow</code> (<td>74</td> <td> (<td>162</td></td>	74	(<td>162</td>	162
<code>\Schussel</code> (<td>191</td> <td><code>\Searrow</code> (<td>85</td><td><code>\seminarrowDottedDown</code> (<td>162</td></td></td>	191	<code>\Searrow</code> (<td>85</td> <td><code>\seminarrowDottedDown</code> (<td>162</td></td>	85	<code>\seminarrowDottedDown</code> (<td>162</td>	162
<code>\schwa</code> (<td>19</td> <td><code>\searrow</code> (<td>73</td><td> </td><td>162</td></td>	19	<code>\searrow</code> (<td>73</td> <td> </td> <td>162</td>	73	162
<code>\schwa</code> (<td>19</td> <td><code>\searrow</code> (<td>72, 226</td><td><code>\seminarrowDown</code> (<td>162</td></td></td>	19	<code>\searrow</code> (<td>72, 226</td> <td><code>\seminarrowDown</code> (<td>162</td></td>	72, 226	<code>\seminarrowDown</code> (<td>162</td>	162
Schwartz distribution spaces	<i>see</i>	<code>\searrow</code> (<td>78</td> <td><code>\seminarrowRest</code> (<td>163</td></td>	78	<code>\seminarrowRest</code> (<td>163</td>	163
alphabets, math		<code>\searrow</code> (<td>74</td> <td><code>\seminarrowRestDotted</code> (<td></td></td>	74	<code>\seminarrowRestDotted</code> (<td></td>	
<code>\sci</code> (i)	19	<code>\searrow</code> (<td>87</td> <td> </td> <td>163</td>	87	163
scientific symbols	125–133, 215–216	<code>\searrow</code> (<td>85</td> <td><code>\Semisextile</code> (<td>128</td></td>	85	<code>\Semisextile</code> (<td>128</td>	128
<code>\ScissorHollowLeft</code> (<td>135</td> <td><code>\searrowtail</code> (<td>78</td><td><code>\Semisquare</code> (<td>128</td></td></td>	135	<code>\searrowtail</code> (<td>78</td> <td><code>\Semisquare</code> (<td>128</td></td>	78	<code>\Semisquare</code> (<td>128</td>	128
<code>\ScissorHollowRight</code> (<td>135</td> <td><code>\searrowtail</code> (<td>74</td><td>semitic transliteration</td><td>20, 24</td></td>	135	<code>\searrowtail</code> (<td>74</td> <td>semitic transliteration</td> <td>20, 24</td>	74	semitic transliteration	20, 24
<code>\ScissorLeft</code> (<td>135</td> <td><code>\sebkarrow</code> (<td>78</td><td><code>\seModels</code> (<td>52</td></td></td>	135	<code>\sebkarrow</code> (<td>78</td> <td><code>\seModels</code> (<td>52</td></td>	78	<code>\seModels</code> (<td>52</td>	52
<code>\ScissorLeftBrokenBottom</code>		<code>\sec</code> (sec)	91	<code>\semodels</code> (<td>52</td>	52
(<td>135</td> <td><code>\Sech</code> (<td>160</td><td>semtrans (package)</td><td>20, 24, 239, 240</td></td>	135	<code>\Sech</code> (<td>160</td> <td>semtrans (package)</td> <td>20, 24, 239, 240</td>	160	semtrans (package)	20, 24, 239, 240
<code>\ScissorLeftBrokenTop</code> (<td>135</td> <td><code>\sech</code> (sech)</td> <td>92</td> <td><code>\senwarrows</code> (<td>78</td></td>	135	<code>\sech</code> (sech)	92	<code>\senwarrows</code> (<td>78</td>	78
.....	135	<code>\SechBL</code> (<td>160</td> <td><code>\senwarrows</code> (<td>74</td></td>	160	<code>\senwarrows</code> (<td>74</td>	74
<code>\ScissorRight</code> (<td>135</td> <td><code>\SechBl</code> (<td>160</td><td><code>\senwcurvearrow</code> (<td>79</td></td></td>	135	<code>\SechBl</code> (<td>160</td> <td><code>\senwcurvearrow</code> (<td>79</td></td>	160	<code>\senwcurvearrow</code> (<td>79</td>	79
<code>\ScissorRightBrokenBottom</code>		<code>\SechBR</code> (<td>160</td> <td><code>\senwharpoons</code> (<td>81</td></td>	160	<code>\senwharpoons</code> (<td>81</td>	81
(<td>135</td> <td><code>\SechBr</code> (<td>160</td><td><code>\senwharpoons</code> (<td>77</td></td></td>	135	<code>\SechBr</code> (<td>160</td> <td><code>\senwharpoons</code> (<td>77</td></td>	160	<code>\senwharpoons</code> (<td>77</td>	77
<code>\ScissorRightBrokenTop</code> (<td>135</td> <td><code>\second</code> (//)</td> <td>119</td> <td><code>\seovnearrow</code> (<td>85</td></td>	135	<code>\second</code> (//)	119	<code>\seovnearrow</code> (<td>85</td>	85
.....	135	seconds, angular	<i>see</i> <code>\second</code>	<code>\SePa</code> (<td>160</td>	160
scissors	135, 194–197	<code>\sectstress</code> (.)	24	<code>\separated</code> (X)	52
<code>\scn</code> (N)	19	section mark	<i>see</i> <code>\S</code>	separation vector (<td>123</td>	123
<code>\scoh</code> (\sim)	61	<code>\SectioningDiamond</code> (<td>178</td> <td><code>\sepitchfork</code> (<td>88</td></td>	178	<code>\sepitchfork</code> (<td>88</td>	88
<code>\Scorpio</code> (<td>128</td> <td><code>\sector</code> (∇)</td> <td>120</td> <td><code>\seppawns</code> (o-o)</td> <td>181</td>	128	<code>\sector</code> (∇)	120	<code>\seppawns</code> (o-o)	181
<code>\Scorpio</code> (<td>126</td> <td>sedenions (\S)</td> <td><i>see</i> alphabets, math</td> <td><code>\Serbia</code> (<td>189</td></td>	126	sedenions (\S)	<i>see</i> alphabets, math	<code>\Serbia</code> (<td>189</td>	189
<code>\scorpio</code> (<td>126</td> <td><code>\seffilledspoon</code> (<td>88</td><td><code>\sercurvearrow</code> (<td>79</td></td></td>	126	<code>\seffilledspoon</code> (<td>88</td> <td><code>\sercurvearrow</code> (<td>79</td></td>	88	<code>\sercurvearrow</code> (<td>79</td>	79
<code>\scpolint</code> (<td>49</td> <td><code>\sefoutline</code> (<td>52</td><td><code>\SerialInterface</code> (<td>129</td></td></td>	49	<code>\sefoutline</code> (<td>52</td> <td><code>\SerialInterface</code> (<td>129</td></td>	52	<code>\SerialInterface</code> (<td>129</td>	129
<code>\scpolint</code> (<td>46</td> <td><code>\sefree</code> (<td>52</td><td><code>\SerialPort</code> (<td>129</td></td></td>	46	<code>\sefree</code> (<td>52</td> <td><code>\SerialPort</code> (<td>129</td></td>	52	<code>\SerialPort</code> (<td>129</td>	129
<code>\scpolintsl</code> (<td>47</td> <td>Segletes, Steven B.</td> <td>226</td> <td><code>\sersquigarrow</code> (<td>74</td></td>	47	Segletes, Steven B.	226	<code>\sersquigarrow</code> (<td>74</td>	74
<code>\scpolintup</code> (<td>47</td> <td>segmented numerals</td> <td>125</td> <td><code>\sesearrows</code> (<td>78</td></td>	47	segmented numerals	125	<code>\sesearrows</code> (<td>78</td>	78
<code>scr</code> (rfsfo package option)	123	S		<code>\sesearrows</code> (<td>74</td>	74
<code>\scr</code> (R)	19	<code>\Segno</code> (<td>159</td> <td><code>\sespoon</code> (<td>88</td></td>	159	<code>\sespoon</code> (<td>88</td>	88
script letters	<i>see</i> alphabets, math	<code>\segno</code> (<td>159</td> <td><code>\Sesquiquadrate</code> (<td>128</td></td>	159	<code>\Sesquiquadrate</code> (<td>128</td>	128
<code>\scripta</code> (a)	19	<code>\segno</code> (<td>159</td> <td>set interior</td> <td><i>see</i> <code>\mathring</code></td>	159	set interior	<i>see</i> <code>\mathring</code>
<code>\scriptg</code> (g)	19	<code>\seharpoonccw</code> (<td>77</td> <td>set operators</td> <td></td>	77	set operators	
<code>\scriptscriptstyle</code>	225	<code>\seharpooncw</code> (<td>77</td> <td> intersection</td> <td><i>see</i> <code>\cap</code></td>	77	intersection	<i>see</i> <code>\cap</code>
<code>\scriptstyle</code>	225	<code>\seharpoonne</code> (<td>81</td> <td> membership</td> <td><i>see</i> <code>\in</code></td>	81	membership	<i>see</i> <code>\in</code>
<code>\scriptv</code> (v)	19	<code>\seharpoonsw</code> (<td>81</td> <td> union</td> <td><i>see</i> <code>\cup</code></td>	81	union	<i>see</i> <code>\cup</code>
<code>\Scroll</code> (<code>\Scroll</code>)	129	<code>\seight</code> (i)	157	<code>\setBold</code>	233
<code>\scross</code> (X)	146	<code>\selcurvearrow</code> (<td>79</td> <td><code>\setminus</code> (\setminus)</td> <td>30</td>	79	<code>\setminus</code> (\setminus)	30
<code>\scrossvh</code> (\ast)	146	<code>\selectfont</code>	12	<code>\setminus</code> (\setminus)	32
<code>scsnowman</code> (package)	192, 239, 240	<code>\selsquigarrow</code> (<td>74</td> <td><code>\setminus</code> (\setminus)</td> <td>32</td>	74	<code>\setminus</code> (\setminus)	32
<code>\scsnowman</code> (\otimes)	192	semaf.fd (file)	215	<code>\setminus</code> (\setminus)	34
<code>\scsnowman</code> (<td>192</td> <td>semantic valuation</td> <td>99, 100, 104</td> <td><code>\seVdash</code> (\searrow)</td> <td>52</td>	192	semantic valuation	99, 100, 104	<code>\seVdash</code> (\searrow)	52
<code>\scu</code> (v)	19	semaphor (package)	213, 215, 239	<code>\sevdash</code> (\searrow)	53
<code>\scurel</code> (\searrow)	57	semaphore symbols	213–215	<code>\Sextile</code> (\searrow)	128
<code>\scurel</code> (\searrow)	58	<code>\semapsto</code> (<td>74</td> <td><code>\Sey</code> (\Sey)</td> <td>191</td>	74	<code>\Sey</code> (\Sey)	191
<code>\scy</code> (Y)	19	semibreve	<i>see</i> musical symbols	<code>\sfive</code> (i)	157
<code>\sddtstile</code> (<td>60</td> <td><code>\semibreve</code> (<td>162</td><td><code>\sfour</code> (i)</td><td>157</td></td>	60	<code>\semibreve</code> (<td>162</td> <td><code>\sfour</code> (i)</td> <td>157</td>	162	<code>\sfour</code> (i)	157
<code>\sDep</code> (<td>159</td> <td><code>\semibreveDotted</code> (<td>162</td><td>SGML</td><td>235</td></td>	159	<code>\semibreveDotted</code> (<td>162</td> <td>SGML</td> <td>235</td>	162	SGML	235
<code>\sdtstile</code> (<td>60</td> <td>semidirect products</td> <td>30, 31, 119</td> <td><code>\sgn</code> (sgn)</td> <td>92</td>	60	semidirect products	30, 31, 119	<code>\sgn</code> (sgn)	92
<code>\sdtstile</code> (<td>60</td> <td>semiquaver</td> <td><i>see</i> musical symbols</td> <td><code>\sh</code> (#)</td> <td>160</td>	60	semiquaver	<i>see</i> musical symbols	<code>\sh</code> (#)	160
<code>\sdtstile</code> (<td>60</td> <td><code>\seminarrow</code> (<td>162</td><td>sha (III)</td><td>222</td></td>	60	<code>\seminarrow</code> (<td>162</td> <td>sha (III)</td> <td>222</td>	162	sha (III)	222
<code>\sdtstile</code> (<td>60</td> <td><code>\seminarrowDotted</code> (<td>162</td><td><code>\Shake</code> (<td>159</td></td></td>	60	<code>\seminarrowDotted</code> (<td>162</td> <td><code>\Shake</code> (<td>159</td></td>	162	<code>\Shake</code> (<td>159</td>	159
seagull	<i>see</i> <code>\textseagull</code>	<code>\seminarrowDottedDouble</code>		<code>\shake</code> (<td>159</td>	159
<code>\Searrow</code> (<td>73</td> <td> (<td>162</td><td><code>\Shakel</code> (<td>159</td></td></td>	73	(<td>162</td> <td><code>\Shakel</code> (<td>159</td></td>	162	<code>\Shakel</code> (<td>159</td>	159
<code>\Searrow</code> (<td>82</td> <td></td> <td></td> <td><code>\Shakene</code> (<td>159</td></td>	82			<code>\Shakene</code> (<td>159</td>	159

<code>\sharp</code> (#)	158	<code>\sieve</code> (☹)	191	<code>skak</code> (package) .	181, 182, 239, 240
<code>\sharp</code> (#)	163	<code>\Sigma</code> (Σ)	93	<code>skull</code> (package) ..	181, 239, 240
<code>\sharp</code> (#)	158	<code>\sigma</code> (σ)	93	<code>\skull</code> (☹)	38
<code>\sharp</code> (#)	158	<code>\sigmaup</code> (σ)	94	<code>\skull</code> (☹)	190
<code>\sharpArrowboth</code> (↕)	163	<code>\sim</code> (≈) .. 50, 224, 226, 234		<code>\skull</code> (☹)	181
<code>\sharpArrowdown</code> (↕)	163	<code>\sim</code> (≈)	55	skulls	38, 181, 190, 217
<code>\sharpArrowup</code> (↕)	163	<code>\sim</code> (≈)	53	<code>\slash</code> (/)	234
Sharpe, Michael	23	<code>\sim</code> (≈)	58	<code>\slashb</code> (ℳ)	19
<code>\sharpSlashslashslashStem</code>		<code>\simbot</code> (⌋)	98	<code>\slashc</code> (ℳ)	19
(♯)	163	<code>\simcolon</code> (≈:)	61	<code>\slashd</code> (ℳ)	19
<code>\sharpSlashslashslashStemstem</code>		<code>\simcoloncolon</code> (≈::) ...	61	<code>\slashdiv</code> (ℳ)	31
(♯)	163	<code>\simeq</code> (≈)	50	slashed (package)	224
<code>\sharpSlashslashStem</code> (♯)	163	<code>\simeq</code> (≈)	55	<code>\slashed</code>	224
<code>\sharpSlashslashStemstemstem</code>		<code>\simeq</code> (≈)	53	slashed letters	224
(♯)	163	<code>\simeq</code> (≈)	58	<code>\slashed.sty</code> (file)	224
<code>\shfermion</code> (⤶)	132	<code>\singE</code> (Σ)	69	<code>\slashu</code> (ℳ)	19
<code>\Shift</code> (⌘)	129	<code>\singtr</code> (Σ)	69	<code>\Sleepey</code> (☹)	191
<code>\shift</code> (⤶)	29	<code>\similarleftarrow</code> (↵) ..	85	<code>\Sleet</code> (⋮)	178
<code>\Shilling</code> (β)	25	<code>\similarrightarrow</code> (⇒) ..	85	<code>\sliding</code> (▣)	22
<code>\shneg</code> (†)	29	<code>\simLE</code> (≲)	69	<code>\Slovakia</code> (☹)	189
short-twig runes	157	<code>\simless</code> (≲)	69	<code>\Slovenia</code> (.)	189
<code>\shortcastling</code> (O-O) ..	181	<code>\simminussim</code> (≈)	58		
<code>\shortdownarrow</code> (↓)	73	<code>\simneqq</code> (≈)	56	<code>\smallaltoclef</code> (♯) ...	159
<code>\shortdowntack</code> (⤵)	55	<code>\simneqq</code> (≈)	58	<code>\smallawint</code> (f)	39
<code>\shortdowntack</code> (⤵)	58	<code>\simperp</code> (⊥)	61	<code>\smallawintsl</code> (f)	39
<code>\ShortFifty</code> (♯)	177	simplewick (package) ..	228, 229	<code>\smallawintup</code> (f)	39
<code>\ShortForty</code> (♯)	177	<code>\simplus</code> (⊕)	34		
<code>\shortleftarrow</code> (←)	73	simpsons (package) ..	184, 239		
<code>\shortlefttack</code> (⤶)	55	Simpsons characters	184	<code>\smallbassclef</code> (♯) ...	159
<code>\shortlefttack</code> (⤶)	58	<code>\simrdots</code> (≈)	57	<code>\smallblackcircle</code> (●) ..	36
<code>\shortmid</code> ()	50	<code>\simrdots</code> (≈)	58	<code>\smallblackdiamond</code> (◆) .	36
<code>\shortmid</code> ()	57	<code>\sin</code> (sin)	91	<code>\smallblacklozenge</code> (♠) .	141
<code>\shortmid</code> ()	55	<code>\sinc</code> (∩)	61	<code>\smallblacksquare</code> (■) ..	36
<code>\shortmid</code> ()	32	<code>\sinewave</code> (∩)	120	<code>\smallblackstar</code> (★)	36
<code>\shortmid</code> ()	58	<code>\sinewave</code> (∩)	121	<code>\smallblacktriangledown</code>	
<code>\ShortNinetyFive</code> (♯) ..	177	<code>\sinh</code> (sinh)	91	36, 71
<code>\shortparallel</code> ()	50	<code>\SixFlowerAlternate</code> (♯) ..	139	<code>\smallblacktriangleleft</code> (◄)	
<code>\shortparallel</code> ()	57	<code>\SixFlowerAltPetal</code> (♯) ..	139	36, 71
<code>\shortparallel</code> ()	55	<code>\SixFlowerOpenCenter</code> (♯) ..	139	<code>\smallblacktriangleleft</code> (◄)	
<code>\shortparallel</code> ()	53	139	142
<code>\shortparallel</code> ()	58	<code>\SixFlowerPetalDotted</code> (♯) .	139	<code>\smallblacktriangleright</code>	
<code>\ShortPulseHigh</code> (⌈) ...	125	<code>\SixFlowerPetalRemoved</code> (♯)	139	(▶)	36, 71
<code>\ShortPulseLow</code> (⌋) ...	125	139	<code>\smallblacktriangleright</code>	
<code>\shortrightarrow</code> (→) ..	73	<code>\SixFlowerRemovedOpenPetal</code>	139	(▶)	142
<code>\shortrightarrowleftarrow</code>		(♯)	139	<code>\smallblacktriangleup</code> (▲) .	
(↔)	85	<code>\SixStar</code> (★)	139	36, 71
<code>\shortrightarrowtack</code> (⤵) ..	55	<code>\SixteenStarLight</code> (⌘) .	139	<code>\smallboscloop</code> (♯)	132
<code>\ShortSixty</code> (♯)	177	sixteenth note ... see musical		<code>\smallboscloopA</code> (♯)	132
<code>\ShortThirty</code> (♯)	177	symbols		<code>\smallboscloopV</code> (♯)	132
<code>\shortuparrow</code> (↑)	73	<code>\sixteenthNote</code> (♯)	161	<code>\SmallCircle</code> (○)	143
<code>\shortuptack</code> (⤵)	55	<code>\sixteenthnote</code> (♯)	158	<code>\smallcircle</code> (○)	36
<code>\shortuptack</code> (⤵)	58	<code>\sixteenthNoteDotted</code> (♯) ..		<code>\smallcirfnint</code> (f)	39
<code>\showclock</code>	178	161	<code>\smallcirfnintsl</code> (f) ...	39
<code>\shpos</code> (↓)	29	<code>\sixteenthNoteDottedDouble</code>		<code>\smallcirfnintup</code> (f) ...	39
<code>shuffle</code> (package) ..	35, 239, 240	(♯)	161	<code>\SmallCross</code> (×)	143
<code>\shuffle</code> (⌘)	34	<code>\sixteenthNoteDottedDoubleDown</code>		smallctrbull (bullctr package op-	
<code>\shuffle</code> (⌘)	35	(♯)	161	tion)	180
<code>shuffle product</code> (⌘)	35	<code>\sixteenthNoteDottedDown</code>		<code>\smallctrbull</code>	180
<code>\SI</code> (♯)	130	(♯)	161	<code>\smallldiamond</code> (◇)	36
<code>\Sieb</code> (☹)	191	<code>\sixteenthNoteDottedDown</code>		<code>\smallldiamond</code> (◇)	36
		(♯)	161	<code>\SmallDiamondshape</code> (◇) ..	143
		<code>\sixteenthNoteDown</code> (♯) .	161	<code>\smalldivslash</code> (∕)	33

<code>\smallfint</code> (f)	39	<code>\smallointctrclockwise</code> (ϕ)	.	<code>\SmallTriangleUp</code> (Δ)	143
<code>\smallfintsl</code> (f)	39	39	<code>\smalltriangleup</code> (Δ)	35
<code>\smallfintup</code> (f)	39	<code>\smallointctrclockwise</code> (ϕ)	.	<code>\smalltriangleup</code> (Δ)	36, 71
<code>\smallfrown</code> (\frown)	50	39	<code>\smalltriangleup</code> (Δ)	36, 70
<code>\smallfrown</code> (\frown)	57	<code>\smallointctrclockwiseup</code> (ϕ)	.	<code>\smallupint</code> (\int)	39
<code>\smallfrown</code> (\frown)	55, 90	39	<code>\smallupintsl</code> (\int)	39
<code>\smallfrown</code> (\frown)	89	<code>\smallointsl</code> (ϕ)	<code>\smallupintup</code> (\int)	39
<code>\smallfrown</code> (\frown)	58	<code>\smallointup</code> (ϕ)	<code>\smallvarointclockwise</code> (ϕ)	.
<code>\SmallHBar</code> ($\bar{\hspace{-0.1em}}\hspace{-0.1em}$)	143	97	39
<code>\smalliiint</code> (\iiint)	39	<code>\smallpencil</code> ()	<code>\smallvarointclockwise</code> (ϕ)	.
<code>\smalliiintsl</code> (\iiint)	39	<code>\smallpointint</code> (ϕ)	39
<code>\smalliiintup</code> (\iiint)	39	<code>\smallpointintsl</code> (ϕ)	...	<code>\smallvarointclockwiseup</code> (ϕ)	.
<code>\smalliiint</code> (\iiint)	39	<code>\smallpointintup</code> (ϕ)	39
<code>\smalliiintsl</code> (\iiint)	39	<code>\smallprod</code> (\prod)	<code>\SmallVBar</code> ($\bar{\hspace{-0.1em}}\hspace{-0.1em}$)	143
<code>\smalliiintup</code> (\iiint)	39	<code>\SmallRightDiamond</code> (\blacklozenge)	143	<code>\smallwhitestar</code> (\star)	36
<code>\smalliint</code> (\iint)	39	<code>\smallrrpolint</code> (\oint)	<code>smartctrbull</code> (bullcuntr package option)	180
<code>\smalliintsl</code> (\iint)	39	<code>\smallrrpolintsl</code> (\oint)	...	<code>\smartctrbull</code>	180
<code>\smalliintup</code> (\iint)	39	<code>\smallrrpolintup</code> (\oint)	...	<code>\smashtimes</code> (\otimes)	33
<code>\smallin</code> (\in)	97	<code>\smallscpolint</code> (\oint)	<code>\smashtimes</code> (\otimes)	34
<code>\smallin</code> (\in)	58	<code>\smallscpolintsl</code> (\oint)	...	<code>\smbkcircle</code> (\circ)	37
<code>\smallint</code> (\int)	120	<code>\smallscpolintup</code> (\oint)	...	<code>\smbkcircle</code> (\bullet)	38
<code>\smallint</code> (\int)	119	<code>\smallsetminus</code> (\setminus)	...	<code>\smbkdiamond</code> (\blacklozenge)	37
<code>\smallint</code> (\int)	39	<code>\smallsetminus</code> (\setminus)	...	<code>\smbkdiamond</code> (\blacklozenge)	141
<code>\smallintBar</code> (\int)	39	<code>\smallsetminus</code> (\setminus)	...	<code>\smbklozenge</code> (\blacklozenge)	141
<code>\smallintbar</code> (\int)	39	<code>\smallsetminus</code> (\setminus)	...	<code>\smbklozenge</code> (\blacklozenge)	141
<code>\smallintBarsl</code> (\int)	39	<code>\smallsetminus</code> (\setminus)	...	<code>\smbklozenge</code> (\blacklozenge)	141
<code>\smallintbarsl</code> (\int)	39	<code>\smallsmile</code> (\smile)	<code>\smbklozenge</code> (\blacklozenge)	141
<code>\smallintBarup</code> (\int)	39	<code>\smallsmile</code> (\smile)	<code>\smbklozenge</code> (\blacklozenge)	141
<code>\smallintbarup</code> (\int)	39	<code>\smallsmile</code> (\smile)	<code>\smbklozenge</code> (\blacklozenge)	141
<code>\smallintcap</code> (\int)	39	<code>\smallsmile</code> (\smile)	55, 90	<code>\smeparsl</code> ($\#$)	58
<code>\smallintcapsl</code> (\int)	39	<code>\smallsmile</code> (\smile)	<code>\smile</code> (\smile)	50
<code>\smallintcapup</code> (\int)	39	<code>\smallsmile</code> (\smile)	89	<code>\smile</code> (\smile)	50
<code>\smallintclockwise</code> (\int)	39	<code>\smallsmile</code> (\smile)	58	<code>\smile</code> (\smile)	57
<code>\smallintclockwise</code> (\int)	39	<code>\smallsqint</code> (\oint)	<code>\smile</code> (\smile)	55, 90
<code>\smallintclockwise</code> (\int)	39	<code>\smallsqintsl</code> (\oint)	...	<code>\smile</code> (\smile)	89
<code>\smallintclockwise</code> (\int)	39	<code>\smallsqintup</code> (\oint)	<code>\smile</code> (\smile)	58
<code>\smallintcup</code> (\int)	39	<code>\SmallSquare</code> (\square)	143	smile symbols	89, 90
<code>\smallintcupsl</code> (\int)	39	<code>\smallsquare</code> (\square)	<code>\smileeq</code> (\cong)	55, 90
<code>\smallintcupup</code> (\int)	39	<code>\smallsquare</code> (\square)	36	<code>\smileeq</code> (\cong)	89
<code>\smallintlarhk</code> (\int)	39	<code>\smallsquare</code> (\square)	36	<code>\smileeqfrown</code> (\cong)	89
<code>\smallintlarhk</code> (\int)	39	<code>\smallstar</code> (\star)	<code>\smileface</code> (\odot)	190
<code>\smallintlarhk</code> (\int)	39	<code>\smallsumint</code> (\int)	<code>\smilefrown</code> (\times)	55, 90
<code>\smallintlarhk</code> (\int)	39	<code>\smallsumintsl</code> (\int)	...	<code>\smilefrown</code> (\times)	89
<code>\smallintlarhk</code> (\int)	39	<code>\smallsumintup</code> (\int)	<code>\smilefrowneq</code> (\cong)	89
<code>\smallintsl</code> (\int)	39	<code>\smalltrebleclef</code> ()	159	<code>\Smiley</code> (\odot)	177, 191
<code>\smallintup</code> (\int)	39	<code>\SmallTriangleDown</code> (∇)	143	<code>\smiley</code> (\odot)	176
<code>\smallintx</code> (\int)	39	<code>\smalltriangledown</code> (∇)	35	smiley faces	121, 130, 176, 177, 186, 190–197, 201–203
<code>\smallintxs</code> (\int)	39	<code>\smalltriangledown</code> (∇)	36, 71	<code>\smt</code> (\leqslant)	69
<code>\smallintxsl</code> (\int)	39	<code>\smalltriangledown</code> (∇)	36, 70	<code>\smt</code> (\leqslant)	69
<code>\smallintxup</code> (\int)	39	<code>\smalltriangleleft</code> (\triangleleft)	143	<code>\smwhitestar</code> (\star)	37
<code>\SmallLowerDiamond</code> (\blacklozenge)	143	<code>\smalltriangleleft</code> (\triangleleft)	35	<code>\smwhitestar</code> (\star)	141
<code>\smalllowint</code> (\int)	39	<code>\smalltriangleleft</code> (\triangleleft)	36, 70	<code>\smwhtcircle</code> (\circ)	37
<code>\smalllowintsl</code> (\int)	39	<code>\smalltriangleleft</code> (\triangleleft)	36, 71	<code>\smwhtcircle</code> (\circ)	141, 142
<code>\smalllowintup</code> (\int)	39	<code>\smalltriangleleft</code> (\triangleleft)	36, 70	<code>\smwhtdiamond</code> (\diamond)	37
<code>\smalllozenge</code> (\diamond)	141	<code>\smalltriangleleft</code> (\triangleleft)	141	<code>\smwhtdiamond</code> (\diamond)	141, 142
<code>\smalllozenge</code> (\diamond)	140	<code>\SmallTriangleRight</code> (\blacktriangleright)	143	<code>\smwhtlozenge</code> (\diamond)	141
<code>\smalllni</code> (\ni)	58	<code>\smalltriangleright</code> (\triangleright)	35	<code>\smwhtlozenge</code> (\diamond)	141
<code>\smalllnpolint</code> (\int)	39	<code>\smalltriangleright</code> (\triangleright)	36, 71	<code>\smwhtsquare</code> (\square)	37
<code>\smalllnpolintsl</code> (\int)	39	<code>\smalltriangleright</code> (\triangleright)	36, 70	<code>\smwhtsquare</code> (\square)	141
<code>\smalllnpolintup</code> (\int)	39	<code>\smalltriangleright</code> (\triangleright)	71	snakes	205
<code>\smallloiiint</code> (\iiint)	39	<code>\smalltriangleright</code> (\triangleright)	36, 70	<code>\sndtstile</code> ()	60
<code>\smallloiiintsl</code> (\iiint)	39	<code>\smalltriangleright</code> (\triangleright)	71	<code>\Snow</code> (\snowflake)	178
<code>\smallloiiintup</code> (\iiint)	39	<code>\smalltriangleright</code> (\triangleright)	70	<code>\SnowCloud</code> ()	178
<code>\smallloiiint</code> (\iiint)	39	<code>\smalltriangleright</code> (\triangleright)	141		
<code>\smallloiiintsl</code> (\iiint)	39				
<code>\smallloiiintup</code> (\iiint)	39				
<code>\smallloint</code> (\int)	39				



<code>\succapprox</code> (\succsim)	51	<code>\Supset</code> (\supseteq)	62	<code>\swarrowtail</code> (\swarrowtail)	78
<code>\succapprox</code> (\succsim)	57	<code>\Supset</code> (\supseteq)	62	<code>\swarrowtail</code> (\swarrowtail)	74
<code>\succapprox</code> (\succsim)	56	<code>\Supset</code> (\supseteq)	63	<code>\swbkarrow</code> (\swarrow)	78
<code>\succapprox</code> (\succsim)	54	<code>\Supset</code> (\supseteq)	63	<code>\Sweden</code> (\S)	190
<code>\succapprox</code> (\succsim)	58	<code>\Supset</code> (\supseteq)	63	Swedo-Norwegian runes	<i>see</i>
<code>\succneq</code> (\succneq)	52	<code>\Supset</code> (\supseteq)	64	short-twig runes	
<code>\succneq</code> (\succneq)	56	<code>\supset</code> (\supset)	62	<code>\swfilleddspoon</code> (\swfilleddspoon)	88
<code>\succneq</code> (\succneq)	58	<code>\supset</code> (\supset)	61	<code>\swfootline</code> (\swfootline)	53
<code>\succneqq</code> (\succneqq)	51	<code>\supset</code> (\supset)	63	<code>\swfree</code> (\swfree)	53
<code>\succneqq</code> (\succneqq)	57	<code>\supseteq</code> (\supseteq)	63	<code>\swharpoonccw</code> (\swharpoonccw)	77
<code>\succneqq</code> (\succneqq)	56	<code>\supseteq</code> (\supseteq)	64	<code>\swharpooncw</code> (\swharpooncw)	77
<code>\succneqq</code> (\succneqq)	58	<code>\supsetapprox</code> (\supsetapprox)	64	<code>\swharpoonnw</code> (\swharpoonnw)	81
<code>\succnsim</code> (\succnsim)	52	<code>\supsetcirc</code> (\supsetcirc)	64	<code>\swharpoonse</code> (\swharpoonse)	81
<code>\succnsim</code> (\succnsim)	51	<code>\supsetdot</code> (\supsetdot)	64	<code>\Switzerland</code> (\Switzerland)	190
<code>\succnsim</code> (\succnsim)	57	<code>\supseteq</code> (\supseteq)	62	<code>\swlcurvearrow</code> (\swlcurvearrow)	79
<code>\succnsim</code> (\succnsim)	56	<code>\supseteq</code> (\supseteq)	61	<code>\swlsquigararrow</code> (\swlsquigararrow)	74
<code>\succnsim</code> (\succnsim)	54	<code>\supseteq</code> (\supseteq)	63	<code>\swmapsto</code> (\swmapsto)	74
<code>\succnsim</code> (\succnsim)	58	<code>\supseteq</code> (\supseteq)	63	<code>\swModels</code> (\swModels)	53
<code>\succsim</code> (\succsim)	52	<code>\supseteq</code> (\supseteq)	64	<code>\swmodels</code> (\swmodels)	53
<code>\succsim</code> (\succsim)	50	<code>\supseteqeq</code> (\supseteqeq)	62	<code>\swnearrows</code> (\swnearrows)	78
<code>\succsim</code> (\succsim)	57	<code>\supseteqeq</code> (\supseteqeq)	62	<code>\swnearrows</code> (\swnearrows)	74
<code>\succsim</code> (\succsim)	55	<code>\supseteqeq</code> (\supseteqeq)	63	<code>\swnearrow</code> (\swnearrow)	79
<code>\succsim</code> (\succsim)	53	<code>\supseteqeq</code> (\supseteqeq)	63	<code>\swneharpoons</code> (\swneharpoons)	81
<code>\succsim</code> (\succsim)	58	<code>\supseteqeq</code> (\supseteqeq)	63	<code>\swneharpoons</code> (\swneharpoons)	77
such that	222, 224	<code>\supseteqeq</code> (\supseteqeq)	64	swords	177
<code>\suchthat</code> (\suchthat)	224	<code>\supsetneq</code> (\supsetneq)	62	<code>\swords</code> (\swords)	190
<code>\sum</code> (\sum)	40	<code>\supsetneq</code> (\supsetneq)	62	<code>\swpitchfork</code> (\swpitchfork)	88
<code>\sum</code> (\sum)	45	<code>\supsetneq</code> (\supsetneq)	63	<code>\swrcurvearrow</code> (\swrcurvearrow)	79
<code>\sum</code> (\sum)	44	<code>\supsetneq</code> (\supsetneq)	63	<code>\swrsquigararrow</code> (\swrsquigararrow)	74
<code>\sum</code> (\sum)	46	<code>\supsetneq</code> (\supsetneq)	63	<code>\swspoon</code> (\swspoon)	88
<code>\sumint</code> (\sumint)	49	<code>\supsetneq</code> (\supsetneq)	64	<code>\swswarrows</code> (\swswarrows)	78
<code>\sumint</code> (\sumint)	45	<code>\supsetneqq</code> (\supsetneqq)	62	<code>\swswarrows</code> (\swswarrows)	74
<code>\sumint</code> (\sumint)	44	<code>\supsetneqq</code> (\supsetneqq)	62	swung dash	<i>see</i> <code>\sim</code>
<code>\sumintsl</code> (\sumintsl)	47	<code>\supsetneqq</code> (\supsetneqq)	63	<code>\swVdash</code> (\swVdash)	53
<code>\sumintup</code> (\sumintup)	47	<code>\supsetneqq</code> (\supsetneqq)	63	<code>\swvdash</code> (\swvdash)	53
<code>\Summertree</code> (\Summertree)	192	<code>\supsetneqq</code> (\supsetneqq)	63	<code>\syl</code> (\syl)	23
<code>\Summit</code> (\blacktriangle)	178	<code>\supsetneqq</code> (\supsetneqq)	64	<code>\syllabic</code> (\syllabic)	24
<code>\SummitSign</code> (\blacktriangleup)	178	<code>\supsetplus</code> (\supsetplus)	62	<code>\symA</code> (\A)	123
<code>\Sun</code> (\odot)	127	<code>\supsetplus</code> (\supsetplus)	64	<code>\symAE</code> (\AE)	124
<code>\Sun</code> (\odot)	128	<code>\supsetpluseq</code> (\supsetpluseq)	62	<code>\symB</code> (\B)	123
<code>\Sun</code> (\odot)	126	<code>\supsetpluseq</code> (\supsetpluseq)	63	<code>\symbishop</code> (\symbishop)	182
<code>\Sun</code> (\odot)	178	<code>\supsim</code> (\supsim)	64	Symbol (font)	94, 222
<code>\Sun</code> (\odot vs. \odot vs. \odot)	220	<code>\supsub</code> (\supsub)	64	symbols	14–148, 158–199, 201,
sun	126–128, 146, 176, 178,	<code>\supsup</code> (\supsup)	64	216, 217, 219, 221, 227,	
192–193, 217, 220		<code>\surd</code> ($\sqrt{\enspace}$)	118	232–233, 236	
<code>\sun</code> (\sun)	127	<code>\surface</code> (Φ)	133	actuarial	111, 227–228
<code>\sun</code> (\sun)	176	<code>\SurveySign</code> (Δ)	178	alpine	178
<code>\SunCloud</code> (\sun)	178	<code>\svexample</code> (\svexample)	133	ancient language	148–157
<code>\SunshineOpenCircled</code> (\sun)	146	<code>\svrphoton</code> (f)	133	annuity	111, 227–228
<code>\sup</code> (<code>sup</code>)	91	svrsymbols (package)	132, 239,	APL	58–59, 128, 129
<code>\supdsub</code> (\supdsub)	64	240		astrological	126–128,
<code>\supedot</code> (\supedot)	64	<code>\Swarrow</code> (\swarrow)	73	201–203	
superscripts		<code>\Swarrow</code> (\swarrow)	83	astronomical	126–128,
new symbols used in	225	<code>\Swarrow</code> (\swarrow)	78	186, 201–203	
supersets	61–64	<code>\Swarrow</code> (\swarrow)	74	Begriffsschrift	116
<code>\suphsol</code> (\suphsol)	64	<code>\Swarrow</code> (\swarrow)	85	biological	131
<code>\suphsol</code> (\suphsol)	64	<code>\swarrow</code> (\swarrow)	73	block-element	185
<code>\suplarr</code> (\suplarr)	64	<code>\swarrow</code> (\swarrow)	72, 226	body-text	14–28
<code>\supmult</code> (\supmult)	64	<code>\swarrow</code> (\swarrow)	78	bold	233
supremum	<i>see</i> <code>\sup</code>	<code>\swarrow</code> (\swarrow)	74	box-drawing	185
		<code>\swarrow</code> (\swarrow)	87	chess	181, 182, 217–218
		<code>\swarrow</code> (\swarrow)	85	cipher	186

clock . 176–179, 192–193
communication 130
computer 194–197
computer hardware . . 129
contradiction 29, 90
cooking 191, 194–197
countries 188
crystallography 215–216
currency 25, 26, 121, 124
dangerous bend 176
database 121
definition 29, 227
dictionary . . 17–20, 184
dingbat 134–147
dot 14, 114–116, 226–227
electrical 125
engineering 121, 125, 131
Epi-Olmec 154–156
extensible . 87, 107–114,
126, 221, 227–229
Feynman diagram . . . 132
file 194–197
Frege logic . . 87, 97, 116,
117, 122
frown 89, 90
game-related . . 145, 146,
178, 179, 181–183, 194–
197, 216–218
gates, digital logic . . 130
genealogical 176
general 176
Go stones 182, 183
Halloween . 38, 113, 114
information 177
informer 181
inverted . . 17–19, 24, 222
Isthmian 154–156
keyboard 129
knitting 188
Knuth’s 176
laundry 177
legal . 14, 15, 26, 27, 236
letter-like 96–98, 194–197
life insurance 111,
227–228
linear logic 29–31, 35, 36,
40, 44–45, 50, 61, 96, 97
linguistic 17–20
log-like 91, 92, 232
logic 130
Magic: The Gathering 217
magical signs 185
map 199–200
maps 188
mathematical . . . 29–124
media control 177,
194–197
METAFONTbook . . . 176
metrical 183, 184
miscellaneous 118–
120, 122, 146, 147, 176–
193, 198
monetary 25, 26, 124
musical 158–175, 192–197
non-commutative division
. 114
particle physics 132–133
Phaistos disk 148
phonetic 17–20
physical 125
Pitman’s base 12 117, 180
present value 111, 227–228
proto-Semitic 148
pulse diagram 125
recycling . 186, 187, 190,
192–197, 199
relational 50
relational database . . 121
reversed 222
rotated . . 17–19, 24, 222
runes 157
safety-related 131
scientific 125–133,
215–216
semaphore 213–215
Simpsons characters . 184
smile 89, 90
Soyombo 187
spoon 88, 89
staves 185
subset and superset 61–64
technological . . 125–133
T_EXbook 176
transliteration 20
upside-down . . 17–19, 24,
222, 233–234
variable-sized 40–50, 219,
221
weather . . . 178, 192–193
Web 194–197
yin-yang 177, 190,
192–193, 205
zodiacal 126–128, 201–203
symbols.tex (file) . . 219, 239
\symC (C) 123
\symking (𐀀) 182
\symknight (𐀁) 182
\symOE (Œ) 124
\sympawn (𐀂) 182
\symqueen (𐀃) 182
\symrook (𐀄) 182
\symUE (U) 124
\SYN (→) 130

T
T (†) 157
\T 16
\T (⌘) 24
\T (⊗) 183
\t (⌘) 20
\t (⊗) 183
t (↑) 157
t4phonet (package) 20, 23, 239,
240
\Tab (↔) 129
\tabcolsep 223


















































\tachyon (†) 133
tacks 50, 96
\taild (d) 19
tailed z *see* \roundz
\tailinvr (ı) 19
\taill (l) 19
\tailn (n) 19
\tailr (r) 19
\tails (s) 19
\tailt (t) 19
\tailz (z) 19
\Takt 161
\talloblong (ll) 30
\talloblong (ll) 37
\talloblong (ll) 38
\tally (| ⊥ ⊥ □ ⊞ ⊗) . . . 180
tally markers . . . 152, 178, 180
\tan (tan) 91
\tanh (tanh) 91
\Tape (📀) 146
\Taschenuhr (🕒) 178
Tate-Shafarevich group *see* sha
\Tau (T) 93
\tau (τ) 93
\tauleptonminus (τ⁻) . . . 133
\tauleptonplus (τ⁺) 133
\Taurus (♉) 127
\Taurus (♉) 128
\Taurus (♉) 126
\taurus (♉) 126
tautology *see* \top
\tauup (τ) 94
\tccentigrade (°C) 116
\tcmu (μ) 116
\tcohm (Ω) 116
\tcpertenthousand (‰) 116
\tcpertousand (‰) 116
\td (⌘) 23
\tddtstile (|||) 60
\tdststile (|||) 60
\tdtstile (|||) 60
\tdttstile (|||) 60
technological symbols 125–133
\Telefon (☎) 130
\Telephone (☎) 178
\Telephone (☎) 187
Tennent, Bob 29
tensor product . . *see* \otimes
\Tent (⚑) 178
\tenuto (♪) 164
\Terminus (⊗) 183
\terminus (⊗) 183
\Terminus* (⊕) 183
\terminus* (⊕) 183
\Terra (⊕) 128
\tesh (tʃ) 19
testfont.dvi (file) 231
testfont.tex (file) . 230, 231
\tetartemorion (Ϸ) 26

<code>\textfjlig</code> (fj)	20	<code>\textinvzca</code> (v)	18	<code>\textkmit{u}</code> (∞)	188
<code>\textflorin</code> (f)	25	<code>\textinvscr</code> (ϑ)	17	<code>\textkmit{V}</code> (∇)	188
<code>\textfouroldstyle</code> (4) ..	27	<code>\textinvscripta</code> (α)	18	<code>\textkmit{v}</code> (∨)	188
<code>\textfractionsolidus</code> (/)	121	<code>\textinvsubbridge</code> (⌢) ..	21	<code>\textkmit{W}</code> (∇)	188
<code>\textfrac</code>	123	<code>\textIota</code> (I)	15	<code>\textkmit{w}</code> (∨)	188
<code>\textfrbarn</code> (n)	18	<code>\textIota</code> (i)	20	<code>\textkmit{X}</code> (∅)	188
<code>\textfrhookd</code> (rd)	18	<code>\textIota</code> (i)	15, 17	<code>\textkmit{x}</code> (∅)	188
<code>\textfrhookdvar</code> (rd)	18	<code>\textKappa</code> (K)	15	<code>\textkmit{Y}</code> (∅)	188
<code>\textfrhookt</code> (t)	18	<code>\textkappa</code> (κ)	15	<code>\textkmit{y}</code> (∞)	188
<code>\textfrtailgamma</code> (γ) ...	18	<code>\textkmit</code>	188	<code>\textkmit{Z}</code> (∞)	188
<code>\textg</code> (g)	18	<code>\textkmit{2}</code> (∧)	188	<code>\textkmit{z}</code> (∞)	188
<code>\textGamma</code> (Γ)	15	<code>\textkmit{3}</code> (∧)	188	<code>\textLambda</code> (Λ)	15
<code>\textgamma</code> (γ)	15, 18	<code>\textkmit{4}</code> (∧)	188	<code>\textlambda</code> (λ)	15, 17
<code>\textglobfall</code> (↘)	18	<code>\textkmit{5}</code> (∧)	188	<code>\textlangle</code> (⟨) ...	104, 234
<code>\textglobrise</code> (↗)	18	<code>\textkmit{6}</code> (∨)	188	<code>\textlbrackdbl</code> (⏏)	104
<code>\textglotstop</code> (?)	17	<code>\textkmit{7}</code> (∨)	188	<code>\textleaf</code> (♻)	176
<code>\textglotstopvari</code> (?) ..	18	<code>\textkmit{8}</code> (∨)	188	<code>\textleftarrow</code> (←)	72
<code>\textglotstopvarii</code> (?) .	18	<code>\textkmit{9}</code> (∅)	188	<code>\textlengthmark</code> (:)	17
<code>\textglotstopvariii</code> (?)	18	<code>\textkmit{"}</code> (↻)	188	<code>\textless</code>	14
<code>\textgoth</code>	123	<code>\textkmit{}</code> (↘)	188	<code>\textless</code> (<)	234
<code>\textgravecircum</code> (̂) ...	21	<code>\textkmit{}</code> (↗)	188	<code>\textlfblock</code> (■)	185
<code>\textgravedbl</code> (̆)	24	<code>\textkmit{*}</code> (*)	188	<code>\textlfishookrlig</code> (t)	18
<code>\textgravedot</code> (̇)	21	<code>\textkmit{-}</code> ()	188	<code>\textlhd</code> (⤵)	176
<code>\textgravemacron</code> (̄) ...	21	<code>\textkmit{:}</code> (↗)	188	<code>\textlhookfour</code> (4)	18
<code>\textgravemid</code> (̵)	21	<code>\textkmit{;}</code> (↘)	188	<code>\textlhookp</code> (p)	18
<code>\textgreater</code>	14	<code>\textkmit{<}</code> (↖)	188	<code>\textlhookt</code> (t)	17
<code>\textgreater</code> (>)	234	<code>\textkmit{@}</code> (●)	188	<code>\textlhlti</code> (i)	18
<code>textgreek</code> (package) 15, 94, 239,	240	<code>\textkmit{[]}</code> (↗)	188	<code>\textlhltlongi</code> (i)	17
<code>\textgrgamma</code> (γ)	18	<code>\textkmit{[]}</code> (↖)	188	<code>\textlhlongy</code> (y)	17
<code>\textguarani</code> (G)	25	<code>\textkmit{A}</code> (∧)	188	<code>\textlinb</code>	152, 153
<code>\texthalflength</code> (⋅)	17	<code>\textkmit{a}</code> (∧)	188	<code>\textlira</code> (£)	25
<code>\texthardsign</code> (ь)	17	<code>\textkmit{B}</code> (∅)	188	<code>\textlnot</code> (¬)	121, 236
<code>\textheng</code> (h)	18	<code>\textkmit{b}</code> (∅)	188	<code>\textlongleg</code> (r)	17
<code>\texthighrise</code> (̂)	21	<code>\textkmit{E}</code> (∇)	188	<code>\textlooptoprevsh</code> (l) ..	18
<code>\texthm</code> (ln)	18	<code>\textkmit{F}</code> (∞)	188	<code>\textlowering</code> (̄)	21
<code>\texthooktop</code> (ˆ)	17	<code>\textkmit{f}</code> (∞)	188	<code>\textlowrise</code> (̂)	21
<code>\texhtb</code> (b)	20	<code>\textkmit{H}</code> (∞)	188	<code>\textlptr</code> (ˆ)	17
<code>\texhtb</code> (b)	17	<code>\textkmit{H}</code> (↑)	188	<code>\textlquill</code> (f)	104
<code>\texhtbardotlessj</code> (f) ..	17	<code>\textkmit{h}</code> (↓)	188	<code>\textltailm</code> (m)	17
<code>\texhtbardotlessjvar</code> (f)	18	<code>\textkmit{I}</code> (↗)	188	<code>\textltailn</code> (n)	20
<code>\texhtc</code> (c)	20	<code>\textkmit{i}</code> (↗)	188	<code>\textltailn</code> (n)	17
<code>\texhtc</code> (c)	17	<code>\textkmit{J}</code> (↘)	188	<code>\textltilde</code> (t)	17
<code>\texhtd</code> (d)	20	<code>\textkmit{j}</code> (↖)	188	<code>\textltshade</code> (■)	185
<code>\texhtd</code> (d)	17	<code>\textkmit{L}</code> (∞)	188	<code>\textlyoghlig</code> (h)	17
<code>\texhtg</code> (g)	17	<code>\textkmit{l}</code> (∧)	188	<code>\textmarried</code> (∞)	176
<code>\texthth</code> (h)	17	<code>\textkmit{M}</code> (m)	188	<code>\textmho</code> (℧)	125
<code>\texththeng</code> (h)	17	<code>\textkmit{m}</code> (m)	188	<code>\textmicro</code> (μ)	15
<code>\texhtk</code> (k)	20	<code>\textkmit{O}</code> (∅)	188	<code>\textmidacute</code> (̃)	21
<code>\texhtk</code> (k)	17	<code>\textkmit{Q}</code> (∅)	188	<code>\textminus</code> (−)	121
<code>\texhtp</code> (p)	20	<code>\textkmit{q}</code> (∅)	188	<code>\textMu</code> (M)	15
<code>\texhtp</code> (p)	17	<code>\textkmit{R}</code> (∞)	188	<code>\textmu</code> (μ)	125, 236
<code>\texhtq</code> (q)	17	<code>\textkmit{r}</code> (∞)	188	<code>\textmu</code> (μ)	15
<code>\texhttrtaild</code> (d)	17	<code>\textkmit{S}</code> (←)	188	<code>\textmugreek</code> (μ)	15
<code>\texhtscg</code> (c)	17	<code>\textkmit{s}</code> (→)	188	<code>\textmusicalnote</code> (♩) ...	158
<code>\texhttt</code> (t)	20	<code>\textkmit{T}</code> (∅)	188	<code>\textnaira</code> (₦)	25
<code>\texhttt</code> (t)	17	<code>\textkmit{t}</code> (∅)	188	<code>\textnineoldstyle</code> (g) ..	27
<code>\texthvlig</code> (lv)	17	<code>\textkmit{U}</code> (∅)	188	<code>\textnrleg</code> (n)	18
<code>\textifsym</code>	125			<code>\textNu</code> (N)	15
<code>\textinterrobang</code> (‡) ...	27			<code>\textnu</code> (ν)	15
<code>\textinterrobangdown</code> (‡)	27			<code>\textnumero</code> (№)	27
<code>\textinvglotstop</code> (b) ...	17			<code>\textObardotlessj</code> (j) ..	17
<code>\textinvomega</code> (ω)	18				

<code>\textObullseye</code> (⊙)	18	<code>\textraiseplotstop</code> (²)	17	<code>\textschwa</code> (d)	20
<code>\textohm</code> (Ω)	125	<code>\textraiseviby</code> (l)	17	<code>\textschwa</code> (ə)	17
<code>\textOlyoghlig</code> (b)	17	<code>\textraising</code> (▣)	21	<code>\textsci</code> (i)	17
<code>\textOmega</code> (Ω)	15	<code>\texttramshorns</code> (x)	17	<code>\textscj</code> (j)	17
<code>\textomega</code> (ω)	15, 17	<code>\texttriangle</code> (∠)	104, 234	<code>\textscK</code> (k)	18
<code>\textOmikron</code> (O)	15	<code>\texttrbrackdbl</code> (⌋)	104	<code>\textscL</code> (L)	17
<code>\textomikron</code> (o)	15	<code>\textrecipe</code> (R)	27, 221	<code>\textscM</code> (M)	18
<code>\textonehalf</code> (½)	121, 236	<code>\textrectangle</code> (◻)	18	<code>\textscN</code> (N)	17
<code>\textoneoldstyle</code>	27	<code>\textreferencemark</code> (※)	27, 29	<code>\textscOelig</code> (œ)	17
<code>\textoneoldstyle</code> (1)	27	<code>\textregistered</code> (®)	14, 26	<code>\textscOmega</code> (Ω)	17
<code>\textonequarter</code> (¼)	121, 236	<code>\textregistered</code> (᠖)	14, 26, 236	<code>\textscP</code> (P)	18
<code>\textonesuperior</code> (¹)	121, 236	<code>\textretracting</code> (⌵)	21	<code>\textscQ</code> (Q)	18
<code>\textopenbullet</code> (◦)	27	<code>\textretractingvar</code> (↯)	18	<code>\textscr</code> (R)	17
<code>\textopencorner</code> (∟)	17	<code>\textrevapostrophe</code> (')	17	<code>\textscripta</code> (ɑ)	17
<code>\textopeno</code> (◌)	20	<code>\textreve</code> (ə)	17	<code>\textscriptg</code> (g)	17
<code>\textopeno</code> (◌)	17	<code>\textrevepsilon</code> (ε)	17, 222	<code>\textscriptv</code> (f)	20
<code>\textordfeminine</code> (ª)	14	<code>\textreversedvideobend</code>		<code>\textscriptv</code> (v)	17
<code>\textordfeminine</code> (ª)	14, 236		176	<code>\textscU</code> (U)	17
<code>\textordmasculine</code> (º)	14	<code>\textrevglotstop</code> (ŷ)	17	<code>\textsecstress</code> (˘)	17
<code>\textordmasculine</code> (º)	14, 236	<code>\textrevscl</code> (r)	18	<code>\textsection</code> (¶)	157
<code>\textovercross</code> (⚭)	21	<code>\textrevscr</code> (я)	18	<code>\textsection</code> (§)	14
<code>\textoverw</code> (⚭)	21	<code>\textrevyogh</code> (ɣ)	17	<code>\textsection</code> (§)	14
<code>\textpalhook</code> (◌)	17	<code>\textRho</code> (P)	15	<code>\textservicemark</code>	26
<code>\textpalhooklong</code> (◌)	18	<code>\textrho</code> (ρ)	15	<code>\textservicemark</code> (SM)	26
<code>\textpalhookvar</code> (◌)	18	<code>\textrhooka</code> (ɑ)	18	<code>\textsevenoldstyle</code> (7)	27
<code>\textparagraph</code> (¶)	14	<code>\textrhooge</code> (e)	18	<code>\textSFi</code> (f)	185
<code>\textparagraph</code> (¶)	14	<code>\textrhookepsilon</code> (ε)	18	<code>\textSFii</code> (l)	185
<code>\textperiodcentered</code> (˙)	14	<code>\textrhookopeno</code> (◌)	18	<code>\textSFiii</code> (r)	185
<code>\textperiodcentered</code> (˙)	14, 236	<code>\textrhookrepsilon</code> (ɣ)	17	<code>\textSFiv</code> (d)	185
<code>\textpertenthousand</code> (‰)	14	<code>\textrhookschwa</code> (ɤ)	17	<code>\textSFix</code> (d)	185
<code>\textpertenthousand</code> (‰)	14	<code>\textrhoticity</code> (˘)	18	<code>\textSF1</code> (k)	185
<code>\textperthousand</code> (‰)	14	<code>\texttrightarrow</code> (→)	72	<code>\textSFli</code> (f)	185
<code>\textperthousand</code> (‰)	14, 237	<code>\texttringmacron</code> (⚭)	21	<code>\textSFlii</code> (r)	185
<code>\textpeso</code> (P)	25	<code>\textrisefall</code> (⚭)	21	<code>\textSFliii</code> (r)	185
<code>\textPhi</code> (Φ)	15	<code>\textroundcap</code> (⦿)	21	<code>\textSFliv</code> (r)	185
<code>\textphi</code> (φ)	15, 17	<code>\textxrptr</code> (˘)	18	<code>\textSFv</code> (+)	185
<code>\textPi</code> (Π)	15	<code>\textxrquill</code> (j)	104	<code>\textSFvi</code> (r)	185
<code>\textpi</code> (π)	15	<code>\textxrtauld</code> (d)	20	<code>\textSFvii</code> (d)	185
<code>\textpilcrow</code> (¶)	27	<code>\textxrtauld</code> (d)	18	<code>\textSFviii</code> (d)	185
<code>\textpipe</code> ()	20	<code>\textxrtaillhth</code> (h)	18	<code>\textSFx</code> (-)	185
<code>\textpipe</code> ()	17	<code>\textxrtaill</code> (l)	18	<code>\textSFxi</code> (l)	185
<code>\textpipevar</code> ()	18	<code>\textxrtailln</code> (n)	17	<code>\textSFxix</code> (d)	185
<code>\textpm</code> (±)	121, 236	<code>\textxrtaillr</code> (r)	17	<code>\textSFxl</code> (d)	185
<code>\textpmhg</code>	149	<code>\textxrtaills</code> (s)	17	<code>\textSFxli</code> (r)	185
<code>\textpolhook</code> (⚭)	21	<code>\textxrtaillt</code> (t)	20	<code>\textSFxlii</code> (r)	185
<code>\textprimstress</code> (˘)	17	<code>\textxrtaillt</code> (t)	17	<code>\textSFxliii</code> (=)	185
<code>\textproto</code>	148	<code>\textxrtaillz</code> (z)	17	<code>\textSFxliv</code> (r)	185
<code>\textPsi</code> (Ψ)	15	<code>\textxrtblock</code> (■)	185	<code>\textSFxliv</code> (r)	185
<code>\textpsi</code> (ψ)	15	<code>\textxrthook</code> (◌)	17	<code>\textSFxlvi</code> (d)	185
<code>\textqplig</code> (q)	18	<code>\textxrthooklong</code> (◌)	18	<code>\textSFxlvii</code> (r)	185
<code>\textquestiondown</code>	14	<code>\textRubikUa</code> (Ua )	198	<code>\textSFxlvi</code> (r)	185
<code>\textquotedbl</code> (")	16, 233	<code>\textsarab</code>	154	<code>\textSFxx</code> (r)	185
<code>\textquotedblleft</code>	14	<code>\textscA</code> (A)	17	<code>\textSFxxi</code> (r)	185
<code>\textquotedblright</code>	14	<code>\textscAelig</code> (Æ)	18	<code>\textSFxxii</code> (r)	185
<code>\textquoteleft</code>	14	<code>\textscB</code> (B)	17	<code>\textSFxxiii</code> (r)	185
<code>\textquoteright</code>	14	<code>\textscDelta</code> (Δ)	18	<code>\textSFxxiv</code> (r)	185
<code>\textquotesingle</code> (')	27, 233	<code>\textscE</code> (E)	17	<code>\textSFxxv</code> (r)	185
<code>\textquotestraightbase</code> (◌)	27	<code>\textscF</code> (F)	18	<code>\textSFxxvi</code> (d)	185
<code>\textquotestraightdblbase</code>		<code>\textscG</code> (G)	17	<code>\textSFxxvii</code> (d)	185
(◌)	27	<code>\textsch</code> (H)	17	<code>\textSFxxviii</code> (d)	185


<code>\textSFxxxix</code> (Ɔ) 185	<code>\texttrademark</code> (TM) . 14, 26	<code>\therefore</code> (\therefore) 115
<code>\textSFxxxvi</code> (Ɔ) 185	<code>\texttrademark</code> (TM) . 14, 26, 237	<code>\therefore</code> (\therefore) 115
<code>\textSFxxxvii</code> (Ɔ) 185	<code>\textttslig</code> (ts) 17	<code>\Thermo</code> 178
<code>\textSFxxxviii</code> (L) 185	<code>\textturna</code> (v) 17	<code>\thermod</code> (+) 121
<code>\textshade</code> (\blacksquare) 185	<code>\textturncelig</code> (x) 17	<code>\Theta</code> (Θ) 93
<code>\textSigma</code> (Σ) 15	<code>\textturnglotstop</code> (l) . . 18	<code>\theta</code> (θ) 93
<code>\textsigma</code> (σ) 15	<code>\textturnh</code> (u) 17	<code>\thetaup</code> (θ) 94
<code>\textsixoldstyle</code> (6) 27	<code>\textturnk</code> (x) 17	<code>\thething</code> (T) 177
<code>\textsoftsign</code> (b) 17	<code>\textturnlongleg</code> (I) . . 17	<code>\thickapprox</code> (\approx) 50
<code>\textsplleftarrow</code> (\leftarrow) . . . 18	<code>\textturnm</code> (u) 17	<code>\thickapprox</code> (\approx) 57
<code>\textsterling</code> (£) 14	<code>\textturnmrleg</code> (u) 17	<code>\thickapprox</code> (\approx) 55
<code>\textsterling</code> (£) . . . 14, 25	<code>\textturnr</code> (i) 17	<code>\thickapprox</code> (\approx) 58
<code>\textstretchc</code> (C) 17	<code>\textturnrrtail</code> (i) 17	<code>\thicksim</code> (\sim) 50
<code>\textstretchcvar</code> (C) 18	<code>\textturnrck</code> (x) 18	<code>\thicksim</code> (\sim) 57
<code>\textstyle</code> 225, 226, 232	<code>\textturnscripta</code> (v) 17	<code>\thicksim</code> (\sim) 55
<code>\textsubacute</code> (a) 21	<code>\textturnscu</code> (o) 18	<code>\thicksim</code> (\sim) 58
<code>\textsubarch</code> (a) 21	<code>\textturnt</code> (i) 17	<code>\thickvert</code> (I) 100
<code>\textsubbar</code> (a) 21	<code>\textturnthree</code> (g) 18	thin space 232
<code>\textsubbridge</code> (a) 21	<code>\textturntwo</code> (z) 18	<code>\ThinFog</code> (f) 178
<code>\textsubcircum</code> (a) 21	<code>\textturnv</code> (A) 17	<code>\thinstar</code> (*) 36
<code>\textsubdot</code> (a) 21	<code>\textturnw</code> (A) 17	<code>\third</code> (///) 119
<code>\textsubdoublearrow</code> (\leftrightarrow) . 18	<code>\textturny</code> (A) 17	thirty-second note <i>see</i> musical symbols
<code>\textsubgrave</code> (a) 21	<code>\texttwelveudash</code> (--) . . . 27	<code>\thirtysecondNote</code> (♩) . . 161
<code>\textsublhalfing</code> (a) 21	<code>\texttwooldstyle</code> 27	<code>\thirtysecondNoteDotted</code> (♩) 161
<code>\textsubplus</code> (a) 21	<code>\texttwooldstyle</code> (2) 27	<code>\thirtysecondNoteDottedDouble</code> (♩) 161
<code>\textsubrhalfing</code> (a) 21	<code>\texttwosuperior</code> (2) 121, 236	<code>\thirtysecondNoteDottedDoubleDown</code> (♩) 161
<code>\textsubbrightarrow</code> (↗) . . . 18	<code>\textuncrfemale</code> (o) 18	<code>\thirtysecondNoteDottedDown</code> (♩) 161
<code>\textsubring</code> (a) 21	<code>\textunderscore</code> 14	<code>\thirtysecondNoteDown</code> (♩) 162
<code>\textsubsquare</code> (a) 22	<code>\textuparrow</code> (\uparrow) 72	<code>\ThisStyle</code> 226
<code>\textsubtilde</code> (a) 22	<code>\textupblock</code> (\blacksquare) 185	<code>\Thorn</code> (D) 19
<code>\textsubumlaut</code> (a) 22	<code>\textupfullarrow</code> (\uparrow) 18	<code>\thorn</code> (b) 19
<code>\textsubw</code> (a) 22	<code>\textUpsilon</code> (Υ) 15	<code>\thorn</code> (b) 19
<code>\textsubwedge</code> (a) 22	<code>\textupsilon</code> (v) 15, 17	<code>\thorn</code> (b) 19
<code>\textsuperimposetilde</code> (a) 22	<code>\textupstep</code> (\uparrow) 17	thousandths <i>see</i> <code>\textperthousand</code>
<code>\textsuperscript</code> 23	<code>\textvbaraccent</code> (a) 22	<code>\threeBeamedQuavers</code> (♪♪♪) 162
<code>\textsurd</code> (√) 121	<code>\textvbaraccent</code> (a) 23	<code>\threeBeamedQuaversI</code> (♪♪♪) 162
<code>\textswab</code> 123	<code>\textvertline</code> (I) 17	<code>\threeBeamedQuaversII</code> (♪♪♪) 162
<code>\textsyllabic</code> (a) 22	<code>\textviby</code> (i) 17	<code>\threeBeamedQuaversIII</code> (♪♪♪) 162
<code>\textTau</code> (T) 15	<code>\textviby</code> (u) 18	<code>\threedangle</code> (L) 118
<code>\textttau</code> (τ) 15	<code>\textvisiblespace</code> 14	<code>\threedotcolon</code> (:) 34
<code>\textttctclig</code> (tc) 17	<code>\textwon</code> (W) 25	<code>\threesim</code> (\approx) 224
<code>\texttteshlig</code> (tf) 20	<code>\textwynn</code> (p) 18	thumb pizzicato <i>see</i> <code>\lilyThumb</code>
<code>\texttteshlig</code> (tf) 17	<code>\textXi</code> (Ξ) 15	tick <i>see</i> check marks
<code>\textTheta</code> (Θ) 15	<code>\textxi</code> (ξ) 15	<code>\tieinfy</code> (∞) 117
<code>\texttheta</code> (θ) 15, 17	<code>\textxswdown</code> (X) 177	TikZ (package) . 12, 145, 146, 191–193, 198
<code>\textthing</code> (T) 177	<code>\textxswup</code> (X) 177	tikzsymbols (package) 191, 192, 239, 240
<code>\textthorn</code> (b) 17	<code>\texttyen</code> (Y) 25, 236	
<code>\textthornvari</code> (b) 18	<code>\texttyogh</code> (y) 20	
<code>\textthornvarii</code> (b) 18	<code>\texttyogh</code> (y) 18	
<code>\textthornvariii</code> (b) 18	<code>\textzerooldstyle</code> (o) 27	
<code>\textthornvariv</code> (b) 18	<code>\textZeta</code> (Z) 15	
<code>\textthreeoldstyle</code> (3) 27	<code>\textzeta</code> (Z) 15	
<code>\textthreequarters</code> (¾) 121, 236	.tfm files 12, 123, 199, 219, 238	
<code>\textthreequartersemdash</code> (—) 27	tfrucee (package) 26, 239, 240	
<code>\textthreesuperior</code> (3) 121, 236	<code>\TH</code> (P) 15, 236	
<code>\texttildedot</code> (a) 22	<code>\th</code> (b) 157	
<code>\texttildelow</code> (~) 27, 234	<code>\th</code> (b) 15, 236	
<code>\texttimes</code> (×) 121	Thành, Hàn Thê 227	
<code>\texttoneletterstem</code> (l) 17	<code>\therefore</code> (\therefore) 52	
<code>\texttoptiebar</code> (a) 22	<code>\therefore</code> (\therefore) 50, 114	
	<code>\therefore</code> (\therefore) 57	
	<code>\therefore</code> (\therefore) 115	

tilde	14, 17, 19, 21–22, 24, 27, 105, 107, 110, 227, 234	$\circ\rightarrow$	61	\triangleleft	144
extensible	107, 110	transforms	61, 112, <i>see also</i>	\triangleleft	144
vertically centered	234	alphabets, math		\triangleleft	144
$\tilde{}$	106	\TransformVert	61	\triangleleft	144
$\tilde{}$	105, 227	transliteration	20, 24	\triangleleft	144
$\tilde{}$	19	semitic	20, 24	\triangleleft	144
time of day	178, 179	transliteration symbols	20	\triangleleft	144
time signatures	158, 161, 163, 164	transpose	30	\triangleleft	144
\timelimit	181	transversal intersection	<i>see</i>	\triangleleft	144
\times	30	\pitchfork		\triangleleft	144
\times	33	\trapezium	142	\triangleleft	144
\times	32	\trebleclef	159	\triangleleft	144
\times	32	trees	192, 217	\triangleleft	144
\times	34	trema	<i>see accents</i>	\triangleleft	144
Times Roman (font)	25, 221	trfsigns (package)	61, 97, 112, 239	\triangleleft	144
\times	32	\triangle	118	\triangleleft	144
\times	34	\triangle	37, 71	\triangleleft	144
timing (package)	125	\triangle	183	\triangleleft	144
tipa (package)	17, 18, 20–23, 222, 239, 240	\triangle	70	\triangleleft	144
tipx (package)	18, 239, 240	\triangle	38, 142	\triangleleft	144
\Tmesonminus	133	triangle relations	69–71	\triangleleft	144
\Tmesonnull	133	\triangleleft	142	\triangleleft	144
\Tmesonplus	133	\TriangleDown	143	\triangleleft	144
\tminus	34	\TriangleDown	143	\triangleleft	144
\tndtstile	60	\TriangleDown	vs. ∇ 220	\triangleleft	144
\tnststile	60	\triangledown	119	\triangleleft	144
\tnttstile	60	\triangledown	141	\triangleleft	144
\to	<i>see \rightarrow</i>	\triangledown	37, 71	\triangleleft	144
\to	79	\triangledown	70	\triangleleft	144
\ToBottom	177	\triangledown	142	\triangleleft	144
\toea	85	\triangleleft	71	\triangleleft	144
\tona	85	\triangleleft	70	\triangleleft	144
\tone	18	\TriangleRight	143	\triangleleft	144
\Tongey	191	\triangleleft	69	\triangleleft	144
\top	30, 96, 225	\triangleleft	30	\triangleleft	144
\top	97	\triangleleft	71, 141	\triangleleft	144
\top	96	\triangleleft	37, 71	\triangleleft	144
\top	97	\triangleleft	70	\triangleleft	144
top hat	107	\triangleleft	142	\triangleleft	144
\topborder	183	\triangleleft	69	\triangleleft	144
\topbot	225, 226	\triangleleft	69	\triangleleft	144
\topbot	97	\triangleleft	71	\triangleleft	144
\Topbottomheat	191	\triangleleft	71	\triangleleft	144
\topcir	121	\triangleleft	66, 70	\triangleleft	144
\topdoteq	52	\triangleleft	71	\triangleleft	144
\topfork	57	\triangleleft	69	\triangleleft	144
\topfork	58	\triangleleft	71	\triangleleft	144
\Topheat	191	\triangleleft	69	\triangleleft	144
\topsemicircle	142	\triangleleft	71	\triangleleft	144
torus (\mathbb{T})	<i>see alphabets, math</i>	\triangleleft	69	\triangleleft	144
\tosa	85	\triangleleft	71	\triangleleft	144
\ToTop	177	\triangleleft	71	\triangleleft	144
\towa	85	\triangleleft	66, 70	\triangleleft	144
\tplus	34	\triangleleft	71	\triangleleft	144
\TR	129	\triangleleft	69	\triangleleft	144
\tr	92	\triangleleft	69	\triangleleft	144
trademark	14, 26, 236, 237	\triangleleft	71	\triangleleft	144
registered	14, 26, 236	\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	69	\triangleleft	144
		\triangleleft	71	\triangleleft	144
		\triangleleft	66, 70	\triangleleft	144
		\triangleleft	71	\triangleleft	144

<code>\TriangleUp</code> ()	143	<code>\twoheadleftarrow</code> ()	85	<code>\udots</code> (\dots)	115
<code>\TriangleUp</code> ()	143	<code>\twoheadleftarrowtail</code> ()	85	<code>\udtimes</code> (\times)	34
<code>\TriangleUp</code> ( vs. )	220	<code>\twoheadlefttdbkarrow</code> ()	85	<code>\UHORN</code> (U)	16
<code>\Tribar</code> ()	192	<code>\twoheadmapsfrom</code> ()	85	<code>\uhorn</code> (u)	16
<code>\trident</code> ()	191	<code>\twoheadmapsto</code> ()	85	<code>\ularc</code> (\curvearrowright)	121
trigonometric functions	91, 92	<code>\twoheadnearrow</code> ()	78	<code>\ulblacktriangle</code> ()	142
<code>\trill</code> ()	159	<code>\twoheadnearrow</code> ()	75	<code>\ulcorner</code> (\ulcorner)	98
<code>\Trine</code> ()	128	<code>\twoheadnwarrow</code> ()	78	<code>\ulcorner</code> (\ulcorner)	98
<code>\triple</code>	104	<code>\twoheadnwarrow</code> ()	75	<code>\ulcorner</code> (\ulcorner)	101
<code>\triplebar</code> (\equiv)	157	<code>\twoheadrightarrow</code> ()	72	<code>\ulcorner</code> (\ulcorner)	100
<code>\triplecovbond</code> ()	133	<code>\twoheadrightarrow</code> ()	83	<code>\ulcorner</code> (\ulcorner)	98
<code>\triplecross</code> (\equiv)	157	<code>\twoheadrightarrow</code> ()	75	<code>\ulcorner</code> (\ulcorner)	101
<code>\tripleleftarrow</code> (\leftarrow)	157	<code>\twoheadrightarrowtail</code> ()	85	<code>\ulcorner</code> (\ulcorner)	100
<code>\tripleplus</code> (\oplus)	157	<code>\twoheadsearrow</code> ()	78	<code>\ulcorner</code> (\ulcorner)	98
<code>\tripleplus</code> (\oplus)	34	<code>\twoheadsearrow</code> ()	75	<code>\ulcorner</code> (\ulcorner)	101
<code>\triplesim</code> (\approx)	55	<code>\twoheadswarrow</code> ()	78	<code>\ulcorner</code> (\ulcorner)	100
<code>\triplesim</code> (\approx)	53	<code>\twoheadswarrow</code> ()	75	<code>\ulcorner</code> (\ulcorner)	101
<code>\triplesmile</code> (\smile)	89	<code>\twoheadsuparrow</code> ()	83	<code>\ulcorner</code> (\ulcorner)	100
<code>\trprime</code> ($\prime\prime$)	117	<code>\twoheadsuparrow</code> ()	78	<code>\ulcorner</code> (\ulcorner)	100
<code>\trslash</code> ($\//$)	34	<code>\twoheadsuparrow</code> ()	85	<code>\ulcorner</code> (\ulcorner)	100
<code>trsym</code> (package)	61, 239, 240	<code>\twoheadsuparrowcircle</code> ()	85	<code>ulsy</code> (package)	35, 90, 222, 239
<code>\tsbm</code> (\sbm)	183	<code>\twoheadsuparrowcircle</code> ()	83	<code>\ultriangle</code> (∇)	142
<code>\tsdtstile</code> ()	60	<code>\twoheadwhiteuparrow</code> ()	83	<code>\Umd</code> ($\widetilde{\square}$)	161
<code>\tsmb</code> (\tsmb)	183	<code>\twoheadwhiteuparrowpedestal</code> ()	83	<code>\uminus</code> (\ominus)	34
<code>\tssm</code> (\tssm)	183	<code>\twonotes</code> ()	158	<code>umlaut</code> ($\ddot{}$)	<i>see accents</i>
<code>\tsststile</code> ()	60	<code>\twonotes</code> ()	158	<code>umranda</code> (package)	205, 239
<code>\Tsteel</code> (\mathbf{T})	131	<code>txfonts</code> (package)	29, 31, 42, 51, 62, 65, 73, 90, 94–96, 118, 119, 123, 145, 219, 221, 234, 239, 240	<code>umrandb</code> (package)	206, 239
<code>\tststile</code> ()	60	<code>typelcm</code> (package)	219	<code>unary operators</code>	29
<code>\tsttstile</code> ()	60	<code>\typecolon</code> (\S)	34	<code>\unclear</code> (∞)	181
<code>\tttstile</code> ()	60	<code>Type 1</code> (font)	232	<code>\underaccent</code>	227
<code>\ttimes</code> (\times)	33			<code>\underarc</code> (\underarc)	23
<code>\TTsteel</code> (\mathbf{I})	131			<code>\underarch</code> (\underarch)	22
<code>\tttstile</code> ()	60			<code>\underbat</code> ()	106
<code>\tttstile</code> ()	60			<code>\underbat*</code> ()	106
<code>\tttstile</code> ()	60			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\tttstile</code> ()	60			<code>\underbrace</code> ($\underbrace{}$)	108
<code>TUGboat</code>	107, 241			<code>\underbrace</code> ($\underbrace{}$)	108
<code>\Tumbler</code> (\square)	177			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\turn</code> ()	159			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\turnangle</code> (\sphericalangle)	118			<code>\underbrace</code> ($\underbrace{}$)	107
<code>\turnedbackneg</code> ($\bar{\leftarrow}$)	120			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\turneddiota</code> (\mathfrak{I})	95			<code>\underbrace</code> ($\underbrace{}$)	107
<code>\turnedneg</code> ($\bar{\leftarrow}$)	120			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\turnednot</code> ($\bar{\leftarrow}$)	121			<code>\underbrace</code> ($\underbrace{}$)	109
<code>turnstile</code> (package)	60, 239, 240			<code>\underbrace</code> ($\underbrace{}$)	228
<code>\TwelveStar</code> (\star)	139			<code>\underbrace</code> ($\underbrace{}$)	24
<code>twiddle</code>	<i>see tilde</i>			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\twoBeamedQuavers</code> ()	162			<code>\underbrace</code> ($\underbrace{}$)	108
<code>\twocaps</code> (\mathfrak{M})	34			<code>\underbrace</code> ($\underbrace{}$)	108
<code>\twocups</code> (\mathfrak{W})	34			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\twoheaddownarrow</code> (\searrow)	83			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\twoheaddownarrow</code> (\searrow)	78			<code>\underbrace</code> ($\underbrace{}$)	107
<code>\twoheaddownarrow</code> (\searrow)	74			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\twoheaddownarrow</code> (\searrow)	85			<code>\underbrace</code> ($\underbrace{}$)	109
<code>\twoheadleftarrow</code> (\leftarrow)	72			<code>\underbrace</code> ($\underbrace{}$)	108
<code>\twoheadleftarrow</code> (\leftarrow)	83			<code>\underbrace</code> ($\underbrace{}$)	108
<code>\twoheadleftarrow</code> (\leftarrow)	78			<code>\underbrace</code> ($\underbrace{}$)	108
<code>\twoheadleftarrow</code> (\leftarrow)	75			<code>\underbrace</code> ($\underbrace{}$)	108
				<code>\underleftarrow</code> ($\underleftarrow{}$)	109
				<code>\underleftarrow</code> ($\underleftarrow{}$)	87, 108
				<code>\underleftbroom</code> (\underleftbroom)	113
				<code>\underleftflutteringbat</code>	
				(\underleftflutteringbat)	114
				<code>\underleftharp</code> (\underleftharp)	87

<code>\underlefttharpoon (↵)</code> . . . 87	<code>\underwedge (⋓)</code> 24	<code>\Uppdownarrow (⇓)</code> 85
<code>\underlefttharpoon (↵)</code> . . . 109	Unicode . . . 12, 185, 235–238	<code>\Uppdownarrow (⇓)</code> 103
<code>\underleftpitchfork (⊆)</code> 113	union <i>see</i> <code>\cup</code>	<code>\updownarrow (↕)</code> 72, 99
<code>\underlefrightharpoon (↶)</code> 109	unit disk (D) . . . <i>see</i> alphabets,	<code>\updownarrow (↕)</code> 102
<code>\underlefrightharpoon (↶)</code> .	math	<code>\updownarrow (↕)</code> 78
. 87, 108	<code>\unitedpawns (♙)</code> 181	<code>\updownarrow (↕)</code> 75
<code>\underleftswishingghost</code>	units (package) 121	<code>\updownarrow (↕)</code> 87
(<code>\underleftswishingghost</code>) 114	unity (1) . . . <i>see</i> alphabets, math	<code>\updownarrow (↕)</code> 103
<code>\underleftwitchonbroom</code>	universa (package) . . 144, 177,	<code>\updownarrow (↕)</code> 85
(<code>\underleftwitchonbroom</code>) 113	239, 240	<code>\updownarrowbar (↕)</code> 83
<code>\underleftwitchonbroom*</code>	<code>\unlhd (⊲)</code> 30, 31	<code>\updownarrowbar (↕)</code> 85
(<code>\underleftwitchonbroom*</code>) 113	<code>\unlhd (⊳)</code> 68	<code>\updownarrows (↕↕)</code> 73
<code>\underleftwitchonpitchfork</code>	<code>\unlhd (⊲)</code> 66, 70	<code>\updownarrows (↕↕)</code> 78
(<code>\underleftwitchonpitchfork</code>) 113	<code>\unrhd (⊳)</code> 30, 31	<code>\updownarrows (↕↕)</code> 75
<code>\underleftwitchonpitchfork*</code>	<code>\unrhd (⊲)</code> 68	<code>\updownarrows (↕↕)</code> 85
(<code>\underleftwitchonpitchfork*</code>) 113	<code>\unrhd (⊳)</code> 66, 70	<code>\updownblackarrow (⬆)</code> . . . 83
underline . . . 14, 29, 107, 110	<code>\upalpha (α)</code> 94	<code>\updowncurvearrow (↷)</code> . . . 79
<code>\underline (⏟)</code> 107	<code>\upand (⌘)</code> 34	<code>\updownharpoonleftleft (↵)</code> .
<code>\underlinesegment (⏟)</code> . . 108	<code>\UParrow (▲)</code> 176 86
<code>\underlinesegment (⏟)</code> . . 108	<code>\Uparrow (↑)</code> 72, 99	<code>\updownharpoonleftright (↵)</code>
<code>\underparen (⏟)</code> . . . 109	<code>\Uparrow (↑)</code> 78 81
<code>\underparenthesis (⏟)</code> . 228	<code>\Uparrow (↑)</code> 101	<code>\updownharpoonleftright (↵)</code>
<code>\underrightarrow (↷)</code> . . . 109	<code>\Uparrow (↑)</code> 75 77
<code>\underrightarrow (↷)</code> . . . 87,	<code>\Uparrow (↑)</code> 85	<code>\updownharpoonleftright (↵)</code>
108	<code>\Uparrow (↑)</code> 103 86
<code>\underrightbroom (⌌)</code> . . 113	<code>\uparrow (↑)</code> 72, 99, 219	<code>\updownharpoonrightleft (↵)</code>
<code>\underrightflutteringbat</code>	<code>\uparrow (↑)</code> 101 77
(<code>\underrightflutteringbat</code>) 114	<code>\uparrow (↑)</code> 78	<code>\updownharpoonrightleft (↵)</code>
<code>\underrightharp (⌌)</code> 87	<code>\uparrow (↑)</code> 75 86
<code>\underrightharpoon (↷)</code> . 87	<code>\uparrow (↑)</code> 87	<code>\updownharpoonrightright (↵)</code>
<code>\underrightharpoon (↷)</code> . 109	<code>\uparrow (↑)</code> 103 86
<code>\underrightpitchfork (⊆)</code> 113	<code>\uparrowbar (↑)</code> 85	<code>\updownharpoons (↕)</code> 74
<code>\underrightswishingghost</code>	<code>\uparrowoncircle (⦶)</code> . . . 142	<code>\updownharpoons (↕)</code> 81
(<code>\underrightswishingghost</code>) 114	<code>\uparrowtail (↑)</code> 78	<code>\updownharpoons (↕)</code> 77
<code>\underrightwitchonbroom</code>	<code>\uparrowtail (↑)</code> 75	<code>\updownharpoonsleftright</code>
(<code>\underrightwitchonbroom</code>) 113	<code>\upAssert (±)</code> 55	(<code>\updownharpoonsleftright</code>)
<code>\underrightwitchonbroom*</code>	<code>\upassert (±)</code> 55	(<code>\updownharpoonsleftright</code>) 86
(<code>\underrightwitchonbroom*</code>) 113	<code>\upbackepsilon (ϵ)</code> 95	<code>\Uppdownline ()</code> 53
<code>\underrightwitchonpitchfork</code>	<code>\upbar</code> 23	<code>\updownline ()</code> 53
(<code>\underrightwitchonpitchfork</code>) 113	<code>\upbeta (β)</code> 94	<code>\updownsquigarrow (⤿)</code> . . . 79
<code>\underrightwitchonpitchfork*</code>	<code>\upbkarrow (↑)</code> 78	<code>\updownwavearrow (⤿)</code> 78
(<code>\underrightwitchonpitchfork*</code>) 113	<code>\upblackarrow (⬆)</code> 83	<code>\updownwhitearrow (⇕)</code> . . . 83
<code>\underring (◌)</code> 24	<code>\upblackspoon (↑)</code> 89	<code>\upepsilon (ε)</code> 94
underscore . . . <i>see</i> underline	<code>\upbow (↵)</code> 159	<code>\upeta (η)</code> 94
underscore (package) 14	<code>\upbowtie (⌘)</code> 32, 33	<code>\upfilledspoon (↑)</code> 88
<code>\underscriptleftarrow (↵)</code> .	<code>\upbracketfill</code> 228	<code>\upfishtail (⤿)</code> 58
. 112	<code>\upchi (χ)</code> 94	<code>\upfootline (⤿)</code> 53
<code>\underscriptleftrightharpoon</code>	<code>\updasharrow (‡)</code> 83	<code>\upfree (↑)</code> 53
(<code>\underscriptleftrightharpoon</code>) 112	<code>\updasharrow (‡)</code> 85	<code>\Uppgamma (Γ)</code> 94
<code>\underscriptrightarrow (↶)</code>	<code>\Updelta (Δ)</code> 94	<code>\upgamma (γ)</code> 94
. 112	<code>\updelta (δ)</code> 94	upgreek (package) 15, 94, 239,
<code>\underset</code> 223	<code>\Uppdownarrow (⇓)</code> 72, 99	240
undertilde (package) . 110, 239,	<code>\Uppdownarrow (⇓)</code> 78	<code>\upharpoonccw (↑)</code> 77
240	<code>\Uppdownarrow (⇓)</code> 102	<code>\upharpoonccw (↑)</code> 77
<code>\undertilde (⋒)</code> 24	<code>\Uppdownarrow (⇓)</code> 75	<code>\upharpoonleft (↑)</code> 74
		<code>\upharpoonleft (↑)</code> 72
		<code>\upharpoonleft (↑)</code> 83

<code>\varepsilon</code> (ε)	95	<code>\varmapsto</code> (\mapsto)	87	<code>\varpi</code> (ϖ)	94
<code>\varepsilon</code> (ε)	95	<code>\varmathbb</code>	123	<code>\varpi</code> (ϖ)	95
<code>\varepsilonup</code> (ε)	94	<code>\varmod</code> (\varmod)	45	<code>\varpiup</code> (ϖ)	94
<code>\VarFlag</code> (\char"0000)	178	<code>\varMoon</code> (\mathbb{C})	128	<code>\varPluto</code> (\mathbb{P})	128
<code>varg</code> (txfonts/pxfonts package op- tion)	95	<code>\VarMountain</code> (\char"0000)	178	<code>\varprod</code> (\times)	42
<code>\varg</code> (g)	95	<code>\varnearrow</code> (\nearrow)	87	<code>\varprod</code> (\prod)	45
<code>\varg</code> (g)	95	<code>\varniobar</code> (Ξ)	58	<code>\varprojlim</code> (\varprojlim) . . . 87, 91	
<code>\varg</code> (g)	19	<code>\varnis</code> (Θ)	57	<code>\varpropto</code> (\propto)	50
<code>\vargeq</code> (\geq)	65	<code>\varnis</code> (Θ)	58	<code>\varpropto</code> (\propto)	57
<code>\varhash</code> ($\#$)	119	<code>\varnothing</code> (\emptyset) 29, 118, 119		<code>\varpropto</code> (\propto)	55
<code>\varhash</code> ($\#$)	57	<code>\varnothing</code> (\emptyset)	120	<code>\varpropto</code> (\propto)	53
<code>\varheart</code> (\heartsuit)	146	<code>\varnothing</code> (\emptyset)	120	<code>\varpropto</code> (\propto)	58
<code>\varheartsuit</code> (\heartsuit)	145	<code>\varnothing</code> (\emptyset)	119	<code>\varrho</code> (ϱ)	93
<code>\varheartsuit</code> (\heartsuit)	145	<code>\varnothing</code> (\emptyset)	117	<code>\varrho</code> (ϱ)	95
<code>\varheartsuit</code> (\heartsuit)	146	<code>\varnotin</code> (\notin)	96	<code>\varrho</code> (ϱ)	94
<code>\varhexagon</code> (\square)	142	<code>\varnotowner</code> (\notin)	96	<code>\varrho</code> (ϱ)	95
<code>\varhexagon</code> (\square)	140	<code>\varnarrow</code> (\searrow)	87	<code>\varrho</code> (ϱ)	94
<code>\varhexagonblack</code> (\blacksquare) . . 142		<code>\varoast</code> (\circledast)	30	<code>\varrho</code> (ϱ)	95
<code>\varhexagonlrbonds</code> (\circledR) . 142		<code>\varobar</code> (\odot)	30	<code>\varrho</code> (ϱ)	94
<code>\varhexstar</code> (\ast)	139	<code>\varobslash</code> (\oslash)	30	<code>\varrightarrow</code> (\rightarrow) 87	
<code>\varhookdownarrow</code> (\hookrightarrow) . . 78		<code>\varocircle</code> (\odot)	30	<code>\varrightarrow</code> (\rightarrow)	78
<code>\varhookleftarrow</code> (\leftarrow) 78		<code>\varodot</code> (\odot)	30	<code>\Varsampi</code> (\char"0000) 154	
<code>\varhookrightarrow</code> (\rightarrow) 87		<code>\varogreaterthan</code> (\otimes) 30		<code>\varsampi</code> (\char"0000) 154	
<code>\varhooksearrow</code> (\curvearrowright) . . . 78		<code>\varoiintclockwise</code> ($\int\!\!\int$) 42		<code>\varsearrow</code> (\searrow) 87	
<code>\varhookswarrow</code> (\curvearrowleft) 78		<code>\varoiintctrlockwise</code> ($\int\!\!\int$) 42		<code>\varsigma</code> (ς) 93	
<code>\varhookuparrow</code> (\uparrow) 78		<code>\varoiint</code> ($\int\!\!\int$) 43		<code>\varsigma</code> (ς) 95	
<code>\vari</code> (\char"0000) 19		<code>\varoiintclockwise</code> ($\int\!\!\int$) 42		<code>\varsigma</code> (ς) 95	
variable-sized symbols 40–50, 219, 221		<code>\varoint</code> (\oint) 40		<code>\varsigmaup</code> (\char"0000) 94	
<code>\VarIceMountain</code> (\char"0000) . . . 178		<code>\varointclockwise</code> (\oint) . . 42		<code>\varspade</code> (\spadesuit) 146	
<code>\varidotsint</code> ($\int\!\!\int$) 49		<code>\varointclockwise</code> (\oint) . . 49		<code>\varspadesuit</code> (\spadesuit) 145	
<code>\varinjlim</code> (\varinjlim) 87, 91		<code>\varointclockwise</code> (\oint) . . 43		<code>\varspadesuit</code> (\spadesuit) 146	
<code>\varint</code> (\int) 40		<code>\varointclockwise</code> (\oint) . . 45		<code>\varsqcap</code> (\sqcap) 33	
<code>\varintercal</code> (\char"0000) 33		<code>\varointclockwise</code> (\oint) . . 46		<code>\varsqcup</code> (\sqcup) 33	
<code>\various</code> (\mathbb{R}) 181		<code>\varointclockwise</code> (\oint) . . 47		<code>\varsqsubsetneq</code> ($\not\subseteq$) 62	
<code>\varisinobar</code> ($\bar{\in}$) 58		<code>\varointclockwise</code> (\oint) . . 47		<code>\varsqsubsetneqq</code> ($\not\subseteq$) 62	
<code>\varisins</code> (\in) 57		<code>\varointclockwise</code> (\oint) . . 45		<code>\varsqsupsetneq</code> ($\not\supseteq$) 62	
<code>\varisins</code> (\in) 58		<code>\varointclockwise</code> (\oint) . . 46		<code>\varsqsupsetneqq</code> ($\not\supseteq$) 62	
<code>\varkappa</code> (\varkappa) 93		<code>\varointclockwise</code> (\oint) . . 47		<code>\varstar</code> (\ast) 31	
<code>\varkappa</code> (\varkappa) 95		<code>\varointclockwise</code> (\oint) . . 45		<code>\varstar</code> (\ast) 142	
<code>\varkappa</code> (\varkappa) 95		<code>\varointclockwise</code> (\oint) . . 46		<code>\varstigma</code> (\char"0000) 154	
<code>\varleftarrow</code> (\leftarrow) 87		<code>\varointclockwise</code> (\oint) . . 47		<code>\varsubsetneq</code> (\subsetneq) 62	
<code>\varleftrightarrow</code> (\leftrightarrow) 87		<code>\varointclockwise</code> (\oint) . . 47		<code>\varsubsetneq</code> (\subsetneq) 62	
<code>\varleftrightharpoonarrow</code> (\Leftrightarrow) 78		<code>\varointctrlockwise</code> (\oint) 42		<code>\varsubsetneq</code> (\subsetneq) 63	
<code>\varleftwarrow</code> (\leftleftarrows) . . . 78		<code>\varointctrlockwise</code> (\oint) 49		<code>\varsubsetneq</code> (\subsetneq) 63	
<code>\varleq</code> (\leq) 65		<code>\varointctrlockwise</code> (\oint) 43		<code>\varsubsetneq</code> (\subsetneq) 63	
<code>\varliminf</code> (\varliminf) 91		<code>\varolessthan</code> (\ominus) 30		<code>\varsubsetneq</code> (\subsetneq) 64	
<code>\varlimsup</code> (\varlimsup) 91		<code>\varomega</code> (ω) 19		<code>\varsubsetneqq</code> ($\not\subseteq$) 62	
<code>\varlongleftarrow</code> (\leftleftarrows) . . . 87		<code>\varominus</code> (\ominus) 30		<code>\varsubsetneqq</code> ($\not\subseteq$) 62	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varopencircle</code> (\circ) 19		<code>\varsubsetneqq</code> ($\not\subseteq$) 63	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varoplus</code> (\oplus) 30		<code>\varsubsetneqq</code> ($\not\subseteq$) 63	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varoslash</code> (\oslash) 30		<code>\varsubsetneqq</code> ($\not\subseteq$) 64	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varosum</code> (\sum) 45		<code>\varsum</code> (\sum) 45	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varotimes</code> (\otimes) 30		<code>\varsumint</code> (\int) 45	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varovee</code> (\vee) 30		<code>\VarSummit</code> (Δ) 178	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varowedge</code> (\wedge) 30		<code>\varsubsetneq</code> (\subsetneq) 62	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varparallel</code> (\parallel) 51		<code>\varsubsetneq</code> (\subsetneq) 62	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varparpartialdiff</code> (∂) 98		<code>\varsubsetneq</code> (\subsetneq) 63	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varphi</code> (φ) 93		<code>\varsubsetneq</code> (\subsetneq) 63	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varphi</code> (φ) 95		<code>\varsubsetneq</code> (\subsetneq) 63	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varphi</code> (φ) 95		<code>\varsubsetneq</code> (\subsetneq) 64	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varphiup</code> (φ) 94		<code>\varsubsetneqq</code> ($\not\subseteq$) 62	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varphoton</code> (\char"0000) 133		<code>\varsubsetneqq</code> ($\not\subseteq$) 62	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varpi</code> (ϖ) 93		<code>\varsubsetneqq</code> ($\not\subseteq$) 63	
<code>\varlongleftarrow</code> (\leftleftarrows) 87		<code>\varpi</code> (ϖ) 95		<code>\varsubsetneqq</code> ($\not\subseteq$) 63	
<code>\varlongleftarrow</code> (\leftleftarrows) 87				<code>\varsubsetneqq</code> ($\not\subseteq$) 64	

\backslash varsupsetneqq ($\not\supseteq$)	63	\backslash Vdash (\Vdash)	58	\backslash Vert (\parallel)	99, 101
\backslash varsupsetneqq ($\not\supseteq$)	64	\backslash vDash (\vDash)	52	\backslash Vert (\parallel)	102
\backslash varswarrow (\swarrow)	87	\backslash vDash (\vDash)	50	\backslash Vert (\parallel)	102
\backslash VarTaschenuhr ()	178	\backslash vDash (\vDash)	57	\backslash Vert (\parallel)	103
\backslash varTerra ($\text{\textcircled{T}}$)	128	\backslash vDash (\vDash)	55	\backslash vert (\parallel)	99, 101
\backslash vartheta (ϑ)	93	\backslash vDash (\vDash)	53	\backslash vert (\parallel)	102
\backslash vartheta (ϑ)	95	\backslash vDash (\vDash)	59	\backslash vert (\parallel)	103
\backslash vartheta (ϑ)	95	\backslash vdash (\vdash)	50	\backslash vert (\parallel)	102
\backslash varthetatau (ϑ)	94	\backslash vdash (\vdash)	55	\backslash vert (\parallel)	102
\backslash vartimes (\times)	30	\backslash vdash (\vdash)	53	\backslash vert (\parallel)	103
\backslash vartimes (\times)	33	\backslash vdash (\vdash)	58	\backslash vert (\parallel)	103
\backslash vartriangle (\triangle)	119	\backslash vDdash (\Vdash)	55	\backslash vertbowtie (\bowtie)	32
\backslash vartriangle (\triangle)	71	\backslash vDdash (\Vdash)	59	\backslash vertdiv (\div)	32
\backslash vartriangle (\triangle)	37, 71	\backslash vdotdot ($\ddot{}$)	32, 115	\backslash Vertex (\mathbb{V}^λ)	128
\backslash vartriangle (\triangle)	70	\backslash vdotdot ($\ddot{}$)	32, 115	\backslash vertoverlay ($\overline{}$)	59
\backslash vartriangle (\triangle)	71	\backslash vdots (\vdots)	115	\backslash Vesta ($\text{\textcircled{\downarrow}}$)	128
\backslash vartriangleleft (\triangleleft)	69	\backslash vdots (\vdots)	114	\backslash VHF (\approx)	125
\backslash vartriangleleft (\triangleleft)	69	\backslash vdots (\vdots)	32	\backslash Vier ($\text{\textcircled{1}}$)	160
\backslash vartriangleleft (\triangleleft)	71	\backslash vdots (\vdots)	115	vietnam (package)	239
\backslash vartriangleleft (\triangleleft)	71	\backslash vdots (\vdots)	59	\backslash viewdata ($\text{\textcircled{\#}}$)	121
\backslash vartriangleleft (\triangleleft)	66, 70	\backslash vec ($\vec{}$)	106	\backslash Village ($\text{\textcircled{\triangle}}\text{\textcircled{\square}}$)	178
\backslash vartriangleleft (\triangleleft)	71, 142	\backslash vec ($\vec{}$)	106	\backslash vin (\blacktriangledown)	98
\backslash vartriangleright (\triangleright)	69	\backslash vec ($\vec{}$)	105	vinculum	<i>see</i> \backslash overline
\backslash vartriangleright (\triangleright)	69	\backslash vec ($\vec{}$)	106	\backslash ViPa ($\text{\textcircled{t}}$)	160
\backslash vartriangleright (\triangleright)	71	\backslash vec ($\vec{}$)	105	virga	<i>see</i> \backslash musixgre
\backslash vartriangleright (\triangleright)	71	\backslash vectimes (\times)	34	\backslash Virgo ($\text{\textcircled{M}}$)	128
\backslash vartriangleright (\triangleright)	66, 70	\backslash Vee (\mathbb{V})	33	\backslash Virgo ($\text{\textcircled{M}}$)	126
\backslash vartriangleright (\triangleright)	71,	\backslash Vee (\mathbb{V})	34	\backslash virgo ($\text{\textcircled{M}}$)	126
142	\backslash vee (\vee)	\backslash vee (\vee)	31	\backslash vlongdash (\longdash)	55
\backslash varuparrow (\uparrow)	87	\backslash vee (\vee)	30	\backslash vlongdash (\longdash)	59
\backslash varupdownarrow (\updownarrow)	87	\backslash vee (\vee)	33	\backslash VM (\succ)	160
\backslash varupdownwvearrow ($\text{\textcircled{\updownarrow}}$)	78	\backslash vee (\vee)	32, 33	vntex (package)	16, 20
\backslash varupwvearrow ($\text{\textcircled{\uparrow}}$)	78	\backslash vee (\vee)	32	\backslash vod ($\text{\textcircled{v}}$)	19
\backslash varUranus ($\text{\textcircled{U}}$)	128	\backslash vee (\vee)	34	\backslash voicedh ($\text{\textcircled{h}}$)	19
\backslash varv (v)	95	\backslash vee (\vee)	34	\backslash Vomey ($\text{\textcircled{\text{O}}}$)	191
\backslash varvarpi (ϖ)	94	\backslash veebar ($\overline{\vee}$)	31	\backslash vppm ($\text{\textcircled{i}}$)	183
\backslash varvarrho (ϱ)	94	\backslash veebar ($\overline{\vee}$)	30	\backslash vpppm ($\text{\textcircled{i}}$)	183
\backslash varVdash (\Vdash)	58	\backslash veebar ($\overline{\vee}$)	33	\backslash vrectangle (\square)	142
\backslash varveebar ($\overline{\vee}$)	34	\backslash veebar ($\overline{\vee}$)	32	\backslash vrectangleblack (\blacksquare)	142
\backslash varw (w)	95	\backslash veebar ($\overline{\vee}$)	34	\backslash vrule	185
\backslash vary (y)	95	\backslash veedot ($\dot{\vee}$)	33	\backslash VT (σ)	130
\backslash VBar ($\overline{}$)	143	\backslash veedot ($\dot{\vee}$)	32	\backslash Vulkanus ($\text{\textcircled{K}}$)	128
\backslash Vbar ($\underline{}$)	55	\backslash veedot ($\dot{\vee}$)	34	\backslash vv ($\text{\textcircled{\#}}$)	110
\backslash Vbar ($\underline{}$)	58	\backslash veedoublebar ($\overline{\overline{\vee}}$)	31	\backslash VvDash (\Vdash)	51
\backslash vBar (\pm)	55	\backslash veedoublebar ($\overline{\overline{\vee}}$)	33	\backslash Vvdash (\Vdash)	52
\backslash vBar (\pm)	58	\backslash veedoublebar ($\overline{\overline{\vee}}$)	34	\backslash Vvdash (\Vdash)	50
\backslash vBarv ($\text{\textcircled{\pm}}$)	58	\backslash veeq (\cong)	57	\backslash Vvdash (\Vdash)	57
\backslash vbipropto ($\text{\textcircled{8}}$)	32	\backslash veeq (\cong)	55	\backslash Vvdash (\Vdash)	55
\backslash vbrtri (\triangleright)	71	\backslash veeq (\cong)	59	\backslash Vvdash (\Vdash)	53
\backslash vcentcolon ($\text{\textcircled{:}}$)	59	\backslash veemidvert ($\text{\textcircled{v}}$)	34	\backslash Vvdash (\Vdash)	59
\backslash vcenter	223, 224	\backslash veedot ($\dot{\vee}$)	34	\backslash Vvert (\parallel)	102
\backslash vcrossing (\times)	53	\backslash veeonvee ($\text{\textcircled{w}}$)	33	\backslash Vvert (\parallel)	103
\backslash VDash (\Vdash)	52	\backslash veeonvee ($\text{\textcircled{w}}$)	33	\backslash vvvert (\parallel)	100
\backslash VDash (\Vdash)	57	\backslash veeonvee ($\text{\textcircled{w}}$)	34	\backslash vysmbkcircle ($\text{\textcircled{\bullet}}$)	38
\backslash VDash (\Vdash)	55	\backslash veeonwedge ($\text{\textcircled{x}}$)	59	\backslash vysmbklsquare ($\text{\textcircled{\bullet}}$)	142
\backslash VDash (\Vdash)	53	\backslash Venus ($\text{\textcircled{\text{V}}}$)	127	\backslash vysmwhtcircle ($\text{\textcircled{\text{O}}}$)	38
\backslash VDash (\Vdash)	59	\backslash Venus ($\text{\textcircled{\text{V}}}$)	128	\backslash vysmwhtsquare ($\text{\textcircled{\text{O}}}$)	142
\backslash Vdash (\Vdash)	52	\backslash Venus ($\text{\textcircled{\text{V}}}$)	126	\backslash vzigzag ($\text{\textcircled{i}}$)	121
\backslash Vdash (\Vdash)	50	\backslash venus ($\text{\textcircled{\text{v}}}$)	126		
\backslash Vdash (\Vdash)	57	\backslash vernal ($\text{\textcircled{r}}$)	126		
\backslash Vdash (\Vdash)	55	versicle ($\text{\textcircled{V}}$)	238		
\backslash VDash (\Vdash)	53	\backslash VERT (\parallel)	104		

W		
w (P)		157
\Walley		191
\warning		190
\warning		177
\WashCotton		177
\WashSynthetics		177
\WashWool		177
\wasserdicht		121
\wasycmd		176
\wasyeuro		25
\wasylouenge		176
\wasyparagraph		27
\wasyprompt		51
wasysym (package)		19, 25, 27, 31, 40, 51, 62, 65, 115, 118, 119, 125, 126, 128, 131, 138–140, 158, 176, 220, 222, 239
\wasytherefore		115
\Water		128
\water		133
wavy-line delimiters		100–103
\wbetter		181
\Wboson		133
\Wbosonminus	W^-	133
\Wbosonplus	W^+	133
\wdecisive	$+/-$	181
\weakpt		181
\WeakRain		178
\WeakRainCloud		178
weather symbols		178, 192–193
Web symbols		194–197
webomints (package)		204, 239
\Wecker		178
\Wedge		33
\Wedge		34
\wedge	\wedge	31
\wedge	\wedge	30
\wedge	\wedge	33
\wedge	\wedge	33
\wedge	\wedge	32
\wedge	\wedge	34
\wedgebar		34
\wedgedot	\wedge	33
\wedgedot	\wedge	32
\wedgedot	\wedge	34
\wedgedoublebar		34
\wedgemidvert	\wedge	34
\wedgeodot	\wedge	34
\wedgeonwedge	\wedge	33
\wedgeonwedge	\wedge	34
\wedgedot	\wedge	55
\wedgedot	\wedge	59
Weierstrass \wp function	see \wp	
\westcross		137
\wfermion	\wedge	132
\Wheelchair		177
\whfermion	\wedge	132
\whistle		22
\white		183
\whitearrowupfrombar		83
\whitearrowupfrombar		85
\whitearrowuppedestal		83
\whitearrowuppedestalhbar		
		83
\whitearrowuppedestallvbar		
		83
\WhiteBishopOnBlack		182
\WhiteBishopOnWhite		182
\whiteblackspoon		89
\WhiteEmptySquare		182
\whiteinwhitetriangle		142
\WhiteKingOnBlack		182
\WhiteKingOnWhite		182
\WhiteKnightOnBlack		182
\WhiteKnightOnWhite		182
\WhitePawnOnBlack		182
\WhitePawnOnWhite		182
\whitepointerleft		142
\whitepointerright		142
\WhiteQueenOnBlack		182
\WhiteQueenOnWhite		182
\WhiteRookOnBlack		182
\WhiteRookOnWhite		182
\whitesquaretickleft		38
\whitesquaretickright		38
\whitestone		182
whole note	see musical symbols	
\wholeNote		162
\wholeNoteDotted		162
\wholeNoteRest		163
\wholeNoteRestDotted		163
\wholeof	ϵ	222
\whthorzoval		142
\whtvertoval		142
Wick contractions		228
\wideangledown		118
\wideangleup		118
\widearc		109
\widearrow		109
\widebar		109
\widebridgeabove		106
\widecheck		109
\widecheck		109
\widehat		108
\widehat		108
\widehat		109
\widehat		108
\widehat		107
\wideOarc		109
\wideparen		109
\wideparen		108
\wideparen		109
\wideparen		108
\wideparen		108
\widening		109
\widening		109
\widening		108
\widetilde		108
\widetilde		108
\widetilde		109
\widetilde		108
\widetilde		107, 110
\widetriangle		108
\wind		178
Windows [®]		235
\Winkey		191
\wInnocey		191
\Wintertree		192
witch's hat		107
witches		38, 113
\with (&)		35
\with (L)		181
\withattack	\rightarrow	181
\withidea	Δ	181
\within	\updownarrow	181
\without	\square	181
Wizards of the Coast		217
\wn (?)		29
woman		148, 177
\WomanFace		177
won	see \textwon	
world		177
\WorstTree		192
\wp		96
\wp	ρ	97
\wp		97
\wp		96
\wp		97
\wq		159
\wqq		159
\wr	\wr	30
\wr	\wr	33
\wr	\wr	32
\wr	\wr	34
\wreath	\wr	33
\wreath	\wr	32
wreath product	see \wr	
\WritingHand		177
wsuipa (package)		19, 22, 24, 220, 222, 227, 239, 240
\wupperhand	\pm	181

X

$\backslash x$ (x) 117
 $\backslash x$ (::) 183
 $\backslash X$ Box (X) 138
 $\backslash xbsol$ (\) 46
Xdvi 87, 222
 $X_{\text{L}}\text{A}\text{T}_{\text{E}}\text{X}$ 93, 158, 238
 $X_{\text{T}}\text{E}_{\text{X}}$ 23
 $\backslash X$ key (X) 191
xfakebold (package) . 233, 239, 240
xfrac (package) 121
 $\backslash xhookleftarrow$ (\leftarrow) .. 111
 $\backslash xhookleftarrow$ (\leftarrow) 87
 $\backslash xhookrightarrow$ (\rightarrow) . 111
 $\backslash xhookrightarrow$ (\rightarrow) ... 87
 $\backslash X$ i (Ξ) 93
 $\backslash xi$ (ξ) 93
 $\backslash xint$ (\int) 49
 $\backslash xiup$ (ξ) 94
 $\backslash xLeftarrow$ (\Lleftarrow) 111
 $\backslash xleftarrow$ (\leftarrow) ... 87, 111
 $\backslash xleftbroom$ (\leftarrow) 113
 $\backslash xleftflutteringbat$ (\leftarrow) .
..... 114
 $\backslash xlefttharpoondown$ (\leftarrow) . 111
 $\backslash xlefttharpoonup$ (\leftarrow) .. 111
 $\backslash xleftpitchfork$ (\leftarrow) .. 113
 $\backslash xLeftrightarrow$ (\Lleftrightarrow) . 112
 $\backslash xLeftrightarrow$ (\leftrightarrow) . 111
 $\backslash xleftrightarrow$ (\leftarrow) . 111
 $\backslash xleftrightarrow$ (\rightarrow) ... 87
 $\backslash xlefttharpoons$ (\Lrightleftharpoons) 111
 $\backslash xleftwishingghost$ (\leftarrow) .
..... 114
 $\backslash xleftwitonbroom$ (\leftarrow) .
..... 113
 $\backslash xleftwitonbroom^*$ (\leftarrow)
..... 113
 $\backslash xleftwitonpitchfork$
(\leftarrow) 113
 $\backslash xleftwitonpitchfork^*$
(\leftarrow) 113
 $\backslash xlongequal$ (\longequal) 112
 $\backslash xlongequal$ (\longequal) 112
 $\backslash xLongleftarrow$ (\Longleftarrow) . 112
 $\backslash xlongleftarrow$ (\leftarrow) . 112
 $\backslash xLongrightarrow$
(\Longrightarrow) 112
 $\backslash xlongrightarrow$
(\rightarrow) 112

$\backslash xLongrightarrow$ (\Longrightarrow) . 112
 $\backslash xlongrightarrow$ (\rightarrow) 112
 $\backslash xmapsto$ (\mapsto) 111
 $\backslash xmapsto$ (\mapsto) 112
 $\backslash xmapsto$ (\mapsto) 87
XML 235
 $\backslash X$ Q ($\text{\textcircled{X}}$) 129
 $\backslash xRrightarrow$ (\Rrightarrow) 111
 $\backslash xrightarrow$ (\rightarrow) .. 87, 111
 $\backslash xrightbroom$ (\rightarrow) 113
 $\backslash xrightflutteringbat$ (\rightarrow)
..... 114
 $\backslash xrighttharpoondown$ (\rightarrow) 111
 $\backslash xrighttharpoonup$ (\rightarrow) .. 111
 $\backslash xrightleftharpoons$ (\rightleftharpoons) 111
 $\backslash xrightleftharpoons$ (\rightleftharpoons) 111
 $\backslash xrightpitchfork$ (\rightarrow) .. 113
 $\backslash xrightwishingghost$ (\rightarrow) .
..... 114
 $\backslash xrightwitonbroom$ (\rightarrow)
..... 113
 $\backslash xrightwitonbroom^*$ (\rightarrow)
..... 113
 $\backslash xrightwitonpitchfork$
(\rightarrow) 113
 $\backslash xrightwitonpitchfork^*$
(\rightarrow) 113
Xs 137, 138, 177
 $\backslash xsol$ (/) 46
 $\backslash X$ Solid (X) 137
 $\backslash X$ SolidBold (X) 137
 $\backslash X$ SolidBrush (X) 137
 $\backslash xswordsdown$ (X) 177
 $\backslash xswordsup$ (X) 177
 $\backslash xtofrom$ (\longleftrightarrow) 112
 $\backslash xtwoheadleftarrow$ (\twoheadleftarrow)
..... 112
 $\backslash xtwoheadrightarrow$ (\twoheadrightarrow)
..... 112
Xy-pic 226

Y

$\backslash Y$ down (γ) 30
 $\backslash Y$ down (γ) 33
yen *see* $\backslash textyen$
 $\backslash yen$ (\textyen) 121
yfonts (package) 123, 124, 239,
240
yhmath (package) ... 106–108,
110, 116, 227, 239
yin-yang symbols ... 177, 190,
192–193, 205

$\backslash Y$ inyang ($\text{\textcircled{Y}}$) 177
 $\backslash yinyang$ ($\text{\textcircled{Y}}$) 190
 $\backslash Y$ left (\leftarrow) 30
 $\backslash Y$ left (\leftarrow) 33
 $\backslash yogh$ ($\text{\textcircled{y}}$) 19
 $\backslash yogh$ ($\text{\textcircled{y}}$) 19
 $\backslash Y$ right (\rightarrow) 30
 $\backslash Y$ right (\rightarrow) 33
Yu, Billy 227
 $\backslash Y$ up (\uparrow) 30
 $\backslash Y$ up (\uparrow) 33
 $\backslash Y$ up (\uparrow) 97

Z

$\backslash Z$ A ($\text{\textcircled{Z}}$) 129
Zapf Chancery (font) 123
Zapf Dingbats (font) 134, 138
 $\backslash Z$ B ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ bar ($\text{\textcircled{Z}}$) 97
 $\backslash Z$ border ($\text{\textcircled{Z}}$) 146
 $\backslash Z$ boson ($\text{\textcircled{Z}}$) 133
 $\backslash Z$ C ($\text{\textcircled{Z}}$) 129
 $\backslash z$ cmp ($\text{\textcircled{z}}$) 121
 $\backslash Z$ D ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ E ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ eta ($\text{\textcircled{Z}}$) 93
 $\backslash z$ eta ($\text{\textcircled{z}}$) 93
 $\backslash z$ etaup ($\text{\textcircled{z}}$) 94
 $\backslash Z$ eus ($\text{\textcircled{Z}}$) 128
 $\backslash Z$ F ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ G ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ H ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ I ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ J ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ K ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ L ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ M ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ N ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ O ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ odiac 126
zodiacal symbols ... 126–128,
201–203
 $\backslash Z$ P ($\text{\textcircled{Z}}$) 129
 $\backslash z$ pipe (\gg) 121
 $\backslash z$ project ($\text{\textcircled{z}}$) 121
 $\backslash Z$ Q ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ R ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ S ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ T ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ transf ($\text{\textcircled{Z}}$) 61
 $\backslash Z$ transf ($\text{\textcircled{Z}}$) 57
 $\backslash z$ transf ($\text{\textcircled{z}}$) 61
 $\backslash z$ transf ($\text{\textcircled{z}}$) 57
 $\backslash Z$ U ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ u ($\text{\textcircled{Z}}$) 92
 $\backslash z$ ugzwang ($\text{\textcircled{z}}$) 181
 $\backslash Z$ V ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ W ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ wdr ($\text{\textcircled{Z}}$) 160
 $\backslash Z$ wPa ($\text{\textcircled{Z}}$) 160
 $\backslash Z$ X ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ Y ($\text{\textcircled{Z}}$) 129
 $\backslash Z$ Z ($\text{\textcircled{Z}}$) 129